

# References

1. Aneziris, C., Balachandran, A.P., Bourdeau, M., Jo, S., Sorkin, R.D., Ramadas, T.R.: Aspects of spin and statistics in generally covariant theories. *Int. J. Mod. Phys. A* **4**(20), 5459–5510 (1989)
2. Asano, K.: Homeomorphisms of prism manifolds. *Yokohama Math. J.* **26**(1), 19–25 (1978)
3. Banyaga, A.: The structure of classical diffeomorphism groups. In: *Mathematics and Its Applications*, vol. 400. Kluwer Academic, Dordrecht (1997)
4. Bessaga, C., Pelczynski, A.: Selected topics in infinite-dimensional topology. In: *Monografie Matematyczne, Tom 58 [Mathematical Monographs, vol. 58]*. PWN—Polish Scientific Publishers, Warsaw (1975)
5. Boileau, M., Otal, J.P.: Scindements de Heegaard et groupe des homeotopies des petites varietes de Seifert. *Invent. Math.* **106**(1), 85–107 (1991)
6. Bonahon, F.: Difféotopies des espaces lenticulaires. *Topology* **22**(3), 305–314 (1983)
7. Bredon, G.E., Wood, J.W.: Non-orientable surfaces in orientable 3-manifolds. *Invent. Math.* **7**, 83–110 (1969)
8. Bruce, J.W.: On transversality. *Proc. Edinb. Math. Soc. (2)* **29**(1), 115–123 (1986)
9. Casson, A.J., Gordon, C.McA.: Reducing Heegaard splittings. *Topology Appl.* **27**(3), 275–283 (1987)
10. Cerf, J.: Topologie de certains espaces de plongements. *Bull. Soc. Math. Fr.* **89**, 227–380 (1961)
11. Cerf, J.: Sur les difféomorphismes de la sphere de dimension trois ( $\Gamma_4 = 0$ ). In: *Lecture Notes in Mathematics*, vol. 53. Springer, Berlin (1968)
12. Charlap, L.S., Vasquez, A.T.: Compact flat riemannian manifolds. III. The group of affinities. *Am. J. Math.* **95**, 471–494 (1973)
13. Filipkiewicz, R.P.: Isomorphisms between diffeomorphism groups. *Ergod. Theor. Dyn. Syst.* **2**(2), 159–171 (1982)
14. Friedman, J., Sorkin, R.: Spin 1/2 from gravity. *Phys. Rev. Lett.* **44**, 1100–1103 (1980)
15. Gabai, D.: The Smale conjecture for hyperbolic 3-manifolds:  $\text{Isom}(M^3) \simeq \text{Diff}(M^3)$ . *J. Differ. Geom.* **58**(1), 113–149 (2001)
16. Gibson, C.G., Wirthmuller, K., du Plessis, A.A., Looijenga, E.J.N.: Topological stability of smooth mappings. In: *Lecture Notes in Mathematics*, vol. 552. Springer, Berlin (1976)
17. Giulini, D.: On the configuration space topology in general relativity. *Helv. Phys. Acta* **68**(1), 86–111 (1995)
18. Giulini, D., Louko, J.: No-boundary  $\theta$  sectors in spatially flat quantum cosmology. *Phys. Rev. D* (3) **46**(10), 4355–4364 (1992)
19. Gramain, A.: Le type d’homotopie du groupe des difféomorphismes d’une surface compacte. *Ann. Sci. École Norm. Sup. (4)* **6**, 53–66 (1973)

20. Hamilton, R.S.: The inverse function theorem of Nash and Moser. *Bull. Am. Math. Soc. (N.S.)* **7**(1), 65–222 (1982)
21. Hantsche, W., Wendt, W.: Drei dimensionali Euklidische Raumformen. *Math. Ann.* **110**, 593–611 (1934)
22. Hatcher, A.E.: Homeomorphisms of sufficiently large  $P^2$ -irreducible 3-manifolds. *Topology* **15**(4), 343–347 (1976)
23. Hatcher, A.E.: On the diffeomorphism group of  $S^1 \times S^2$ . *Proc. Am. Math. Soc.* **83**(2), 427–430 (1981)
24. Hatcher, A.E.: A proof of the Smale conjecture,  $\text{Diff}(S^3) \simeq O(4)$ . *Ann. Math. (2)* **117**(3), 553–607 (1983)
25. Hatcher, A.: On the diffeomorphism group of  $S^1 \times S^2$ . Revised version posted at <http://www.math.cornell.edu/~hatcher/#papers> (2003)
26. Hempel, J.: 3-Manifolds. In: *Annals of Mathematics Studies*, vol. 86. Princeton University Press, Princeton (1976)
27. Henderson, D.W.: Corrections and extensions of two papers about infinite-dimensional manifolds. *Gen. Topology Appl.* **1**, 321–327 (1971)
28. Henderson, D.W., Schori, R.: Topological classification of infinite dimensional manifolds by homotopy type. *Bull. Am. Math. Soc.* **76**, 121–124 (1970)
29. Hendriks, H.: La stratification naturelle de l'espace des fonctions différentiables reelles n'est pas la bonne. *C. R. Acad. Sci. Paris Ser. A-B* **274**, A618–A620 (1972)
30. Isham, C.J.: Topological  $\theta$ -sectors in canonically quantized gravity. *Phys. Lett. B* **106**(3), 188–192 (1981)
31. Ivanov, N.V.: Groups of diffeomorphisms of Waldhausen manifolds, *Studies in topology, II*. *Zap. Naučn. Sem. Leningrad. Otdel. Mat. Inst. Steklov. (LOMI)* **66**, 172–176, 209 (1976)
32. Ivanov, N.V.: Diffeomorphism groups of Waldhausen manifolds. *J. Sov. Math.* **12**, 115–118 (1979)
33. Ivanov, N.V.: Homotopies of automorphism spaces of some three-dimensional manifolds. *Dokl. Akad. Nauk SSSR* **244**(2), 274–277 (1979)
34. Ivanov, N.V.: Corrections: Homotopies of automorphism spaces of some three-dimensional manifolds. *Dokl. Akad. Nauk SSSR* **249**(6), 1288 (1979)
35. Ivanov, N.V.: Homotopy of spaces of diffeomorphisms of some three-dimensional manifolds. *Zap. Nauchn. Sem. Leningrad. Otdel. Mat. Inst. Steklov. (LOMI)* **122**, 72–103, 164–165 (1982)
36. Ivanov, N.V.: Homotopy of spaces of diffeomorphisms of some three-dimensional manifolds. *J. Soviet Math.* **26**, 1646–1664 (1984)
37. Jaco, W.: Lectures on three-manifold topology. In: *CBMS Regional Conference Series in Mathematics*, vol. 43. American Mathematical Society, Providence (1980)
38. Jaco, W., Shalen, P.B.: Seifert fibered spaces in 3-manifolds. *Memoir. Am. Math. Soc.* **21**(220), viii+192 (1979)
39. Kalliongis, J., McCullough, D.: Isotopies of 3-manifolds. *Topology Appl.* **71**(3), 227–263 (1996)
40. Karcher, H.: Riemannian center of mass and mollifier smoothing. *Comm. Pure Appl. Math.* **30**(5), 509–541 (1977)
41. Kobayashi, T., Saeki, O.: The Rubinstein-Scharlemann graphic of a 3-manifold as the discriminant set of a stable map. *Pac. J. Math.* **195**(1), 101–156 (2000)
42. Kriegl, A., Michor, P.W.: The convenient setting of global analysis. In: *Mathematical Surveys and Monographs*, vol. 53. American Mathematical Society, Providence (1997)
43. Friedman, J.L., Witt, D.M.: Homotopy is not isotopy for homeomorphisms of 3-manifolds. *Topology* **25**(1), 35–44 (1986)
44. Lundell, A., Weingram, S.: *The Topology of CW Complexes*. Van Nostrand Reinhold, Princeton (1969)
45. Mather, J.N.: Stability of  $C^\infty$  mappings. III. Finitely determined mapgerms. *Inst. Hautes Etudes Sci. Publ. Math.* **35**, 279–308 (1968)
46. McCullough, D.: Isometries of elliptic 3-manifolds. *J. Lond. Math. Soc. (2)* **65**(1), 167–182 (2002)

47. McCullough, D., Soma, T.: The Smale conjecture for Seifert fibered spaces with hyperbolic base orbifold (2010) [ArXiv:1005.5061]
48. Neumann, W., Raymond, F.: Automorphisms of Seifert manifolds (1979). Preprint
49. Orlik, P.: Seifert manifolds. In: *Lecture Notes in Mathematics*, vol. 291. Springer, Berlin (1972)
50. Orlik, P., Vogt, E., Zieschang, H.: Zur Topologie gefaserner dreidimensionaler Mannigfaltigkeiten. *Topology* **6**, 49–64 (1967)
51. Palais, R.S.: Local triviality of the restriction map for embeddings. *Comment. Math. Helv.* **34**, 305–312 (1960)
52. Palais, R.S.: Homotopy theory of infinite dimensional manifolds. *Topology* **5**, 1–16 (1966)
53. Park, C.Y.: Homotopy groups of automorphism groups of some Seifert fiber spaces. Dissertation at the University of Michigan (1989)
54. Park, C.Y.: On the weak automorphism group of a principal bundle, product case. *Kyungpook Math. J.* **31**(1), 25–34 (1991)
55. Pitts, J.T., Rubinstein, J.H.: Applications of minimax to minimal surfaces and the topology of 3-manifolds. *Miniconference on geometry and partial differential equations*, 2 (Canberra, 1986), pp. 137–170. In: *Proc. Centre Math. Anal. Austral. Nat. Univ.*, vol. 12. Austral. Nat. Univ., Canberra (1987)
56. Rubinstein, J.H.: On 3-manifolds that have finite fundamental group and contain Klein bottles. *Trans. Am. Math. Soc.* **251**, 129–137 (1979)
57. Rubinstein, J.H., Birman, J.S.: One-sided Heegaard splittings and homeotopy groups of some 3-manifolds. *Proc. Lond. Math. Soc.* (3) **49**(3), 517–536 (1984)
58. Rubinstein, J.H., Scharlemann, M.: Comparing Heegaard splittings of non-Haken 3-manifolds. *Topology* **35**(4), 1005–1026 (1996)
59. Sakuma, M.: The geometries of spherical Montesinos links. *Kobe J. Math.* **7**(2), 167–190 (1990)
60. Scott, P.: The geometries of 3-manifolds. *Bull. Lond. Math. Soc.* **15**(5), 401–487 (1983)
61. Seeley, R.T.: Extension of  $C^\infty$  functions defined in a half space. *Proc. Am. Math. Soc.* **15**, 625–626 (1964)
62. Seifert, H.: Topologie dreidimensionaler gefaserner raume. *Acta Math.* **60**(1), 147–238 (1933)
63. Sergeraert, F.: Un théorème de fonctions implicites sur certains espaces de Fréchet et quelques applications. *Ann. Sci. École Norm. Sup.* (4) **5**, 599–660 (1972)
64. Smale, S.: Diffeomorphisms of the 2-sphere. *Proc. Am. Math. Soc.* **10**, 621–626 (1959)
65. Sorkin, R.D.: Classical topology and quantum phases: Quantum geons. In: *Geometrical and Algebraic Aspects of Nonlinear Field Theory*. North-Holland Delta Series, pp. 201–218. North-Holland, Amsterdam (1989)
66. Takens, F.: Characterization of a differentiable structure by its group of diffeomorphisms. *Bol. Soc. Brasil. Mat.* **10**(1), 17–25 (1979)
67. Tougeron, J.C.: Une généralisation du théorème des fonctions implicites. *C. R. Acad. Sci. Paris Ser. A-B* **262**, A487–A489 (1966)
68. Tougeron, J.C.: Idéaux de fonctions différentiables. I. *Ann. Inst. Fourier (Grenoble)* **18**(fasc. 1), 177–240 (1968)
69. Waldhausen, F.: Eine Klasse von 3-dimensionalen Mannigfaltigkeiten. I, II. (German). *Invent. Math.* **3**, 308–333 (1967). *Ibid.* **4**, 87–117 (1967)
70. Waldhausen, F.: Gruppen mit Zentrum und 3-dimensionale Mannigfaltigkeiten. *Topology* **6**, 505–517 (1967)
71. Waldhausen, F.: On irreducible 3-manifolds which are sufficiently large. *Ann. Math.* (2) **87**, 56–88 (1968)
72. Wall, C.T.C.: Finite determinacy of smooth map-germs. *Bull. Lond. Math. Soc.* **13**(6), 481–539 (1981)
73. Witt, D.M.: Symmetry groups of state vectors in canonical quantum gravity. *J. Math. Phys.* **27**(2), 573–592 (1986)
74. Wolf, J.A.: *Spaces of Constant Curvature*, 3rd edn. Publish or Perish Inc., Boston (1974)

# Index

Mathematical symbols appear separately at the beginning of the index, and are repeated in their lexicographical position later. Page numbers given in **boldface** indicate the location of the main definition of the item, and those in *italics* indicate statements of results.

$\mathcal{A}$ -equivalent	<b>110</b>	$\text{Exp}_a$	<b>16</b>
$\mathcal{A}(W, TE)$	<b>17</b>	$\text{Exp}_v$	<b>16</b>
$\mathcal{A}^L(W, TE)$	<b>21</b>	$\bar{g}$	<b>28</b>
$\text{cdim}(f)$	<b>112</b>	$\Gamma$ (graph in flattened surface)	<b>70</b>
$C^\infty(M, N)$	<b>9</b>	$H_x(E)$	<b>15</b>
$C_H^\infty(\mathcal{O})$	<b>31</b>	$I$	<b>9</b>
$(C^\infty)_H^A(\tilde{\mathcal{O}})$	<b>33</b>	$\mathcal{I}(M)$	<b>2</b>
$C_m$	<b>2</b>	$\mathfrak{S}(z_0 + z_1 j)$	<b>58</b>
$\partial_{\tilde{h}} E, \partial_v E$	<b>14</b>	$\text{emb}(M)$	<b>9</b>
$\partial_{\tilde{h}} W, \partial_v W$	<b>15, 37</b>	$\text{Img}(V, M)$	<b>25</b>
$\partial_{\tilde{h}} \Sigma, \partial_v \Sigma$	<b>37</b>	$\text{Isom}_+(S^3/G)$	<b>58</b>
$\text{diff}(M)$	<b>9</b>	$\text{isom}(M)$	<b>2</b>
$\text{Diff}_f(E)$	<b>14</b>	$I_{120}^*$	<b>2</b>
$\text{Diff}_f(\Sigma)$	<b>36</b>	$J$ (subgroup of $S^3$ )	<b>57</b>
$\text{Diff}_H^A(\tilde{\mathcal{O}})$	<b>33</b>	$j^k f$	<b>110</b>
$\text{Diff}^A(M \text{ rel } X)$	<b>21</b>	$K_0$	<b>53</b>
$\text{Diff}^{M-X}(M)$	<b>21</b>	$L(m, q)$	<b>2, 85</b>
$\text{Diff}(M \text{ rel } X)$	<b>13, 21</b>	$M(m, n)$	<b>53</b>
$\text{Diff}(M, V)$	<b>25</b>	$\text{Norm}(G)$	<b>58</b>
$\text{Diff}_v(E)$	<b>14</b>	$O(2)$	<b>1, 57</b>
$\text{Dih}(S^1 \times S^1)$	<b>2</b>	$O(2)^*$	<b>2, 60</b>
$D_{4m}^*$	<b>2, 5, 54, 57</b>	$O_{48}^*$	<b>2</b>
$\text{Emb}_f(W, E)$	<b>15</b>	$O(2)^* \tilde{\times} O(2)^*$	<b>2</b>
$\text{Emb}_H(\tilde{\mathcal{W}}, \tilde{\mathcal{O}})$	<b>31</b>	$O(2)^* \tilde{\times} O(2)^*$	<b>61</b>
$\text{Emb}_H^A(\tilde{\mathcal{W}}, \tilde{\mathcal{O}})$	<b>33</b>	$P$ (I-bundle)	<b>53</b>
$\text{Emb}(V, M)$	<b>14</b>	$P$ (quaternions)	<b>58</b>
$\text{Emb}^K(V, M)$	<b>21</b>	$\pi_1(M(m, n))$	<b>54</b>
$\text{Emb}(V, M \text{ rel } S)$	<b>21</b>	$P_t$	<b>96</b>
$\text{Emb}^K(V, M \text{ rel } S)$	<b>21</b>	$Q_s$	<b>96</b>
$\text{Emb}_v(W, E)$	<b>15</b>	$R$	<b>53</b>
$\text{Emb}(\mathcal{W}, \mathcal{O})$	<b>31</b>	$R(s, t)$	<b>94</b>

$rD^2$  **92**  
 $\Re(z_0 + z_1 j)$  **58**  
 $\mathcal{R}$ -equivalent **110**  
 $S^1 \widetilde{\times} S^1$  **2**  
 $S^1 \widetilde{\times} S^3$  **2**  
 $sA, sB, sX, sY$  **98**  
 TExp **12**  
 $T_4^*$  **2**  
 $\widetilde{\times}$  **2**  
 $T_u$  **56, 69**  
 $V_i, W_i$  **94**  
 $\mathcal{V}(W, TE)$  **17**  
 $\mathcal{V}^L(W, TE)$  **21**  
 $V_x(E)$  **15**  
 $\omega_v, \omega_h$  **15**  
 $\mathcal{X}_H(\mathcal{W}, T\mathcal{O})$  **32**  
 $\xi_k$  **57**  
 $\mathcal{X}(V, TM), \mathcal{X}^L(V, TM)$  **13**  
 $\mathcal{Y}(M, TM)$  **9**  
 $\mathcal{Y}(V, TM), \mathcal{Y}^L(V, TM)$  **12**  
 $Z$  **12**  
 $Z$ -compatible **134**

**A**

adjacent regions in graphic **98**  
 $\mathcal{A}$ -equivalent **110**  
 aligned  
     exponential **16**  
     equivariance **38**  
     vector field **16**  
 Anderson-Kadec Theorem **4**  
 $\mathcal{A}(W, TE)$  **17**  
 $\mathcal{A}^L(W, TE)$  **21**

**B**

base Klein bottle **55, 62**  
 basic isotopy **127**  
 biessential **86, 91**  
     after basic isotopy **86, 127, 128**  
 bigon move **122**  
 bilongitudinal  
     levels **133**  
 birth-death point **96**  
 Bonahon  
     method for  $\pi_0(\text{Diff}(L))$  **87**  
 border label control **105, 116–117**  
     and labels in graphic **106**

boundary  
     horizontal **14**  
     vertical **14**  
 Bruce **86, 110**  
     weak general position theorem **106**  
     for parameterized family **107**

**C**

$\text{cdim}(f)$  **112**  
 center  
     critical point type **96**  
 center of mass **42**  
 Cerf **vi, 3, 19**  
 $C^\infty(M, N)$  **9**  
 $C_H^\infty(\mathcal{O})$  **31**  
 $(C^\infty)_H^A(\widetilde{\mathcal{O}})$  **33**  
 $C_m$  **2**  
 codimension  
     and singularity type **111**  
     of real-valued function **111–113**  
 compatible  
      $Z$ -compatible parameters **134**  
 concentric solid torus **92**  
 core circles  
     does not create **120**  
 core region **88**  
 cored **133**  
 corners **11, 14**  
 critical point  
     birth-death type **96**  
     center type **96**  
     saddle type **96**  
     stable **96**  
 crossover point **121**

**D**

deformation  
     of parameterized family **51**  
 $\partial_h E, \partial_v E$  **14**  
 $\partial_h W, \partial_v W$  **15, 37**  
 $\partial_h \Sigma, \partial_v \Sigma$  **37**  
 diagonal subgroup **2, 54, 59**  
 Diagram **99**  
 $\text{diff}(M)$  **9**  
 diffeomorphism  
     fiber-preserving **14**  
     orbifold **31**  
     vertical **14**

- Diff<sub>f</sub>( $E$ ) **14**
  - Diff<sub>f</sub>( $\Sigma$ ) **36**
  - Diff<sub>H</sub><sup>A</sup>( $\tilde{\mathcal{O}}$ ) **33**
  - Diff<sup>M</sup>( $M$  rel  $X$ ) **21**
  - Diff( $M$ )
    - CW-complex 10
    - Fréchet structure 13
    - homeomorphism type 4–5
    - isomorphism type 5
    - Lie structure 13
    - local convexity 13
  - Diff<sup>M-X</sup>( $M$ ) **21**
  - Diff( $M$  rel  $X$ ) **13, 21**
  - Diff( $M, V$ ) **25**
  - Diff<sub>v</sub>( $E$ ) **14**
  - Dih( $S^1 \times S^1$ ) **2**
  - discal 86, **91**
  - $D_{4m}^*$  **2, 5, 54, 57**
- E**
- elliptic **1**
  - embedding
    - fiber-preserving **15**
    - orbifold **31**
    - vertical **15**
  - Emb<sub>f</sub>( $W, E$ ) **15**
  - Emb<sub>H</sub>( $\mathcal{W}, \mathcal{O}$ ) **31**
  - Emb<sub>H</sub><sup>A</sup>( $\mathcal{W}, \mathcal{O}$ ) **33**
  - Emb( $V, M$ ) **14**
    - Fréchet structure 14
  - Emb<sup>K</sup>( $V, M$ ) **21**
  - Emb( $V, M$  rel  $S$ ) **21**
  - Emb<sup>K</sup>( $V, M$  rel  $S$ ) **21**
  - Emb<sub>v</sub>( $W, E$ ) **15**
  - Emb( $\mathcal{W}, \mathcal{O}$ ) **31**
  - equivalence
    - of germs of smooth maps 110
  - equivariant **31, 31**
    - Riemannian metric 32
    - smooth function 32
    - vector field **31**
  - examples
    - local triviality and Lie groups 22
    - meridional annuli in a solid torus 89
      - graphic with no unlabeled region 100–102
    - flattened torus with two meridian disks 124
    - flattened torus in  $L(2, 1)$  with two meridian disks 125
    - nested ball regions 130
      - level tori out of order 133
      - hypothetical inconsistent nesting 137
- Exp<sub>a</sub> 16**
- exponential
    - vertical **16**
  - Exponentiation Lemma 24
    - for fiber-preserving maps 28, 30, 40
  - Exp<sub>v</sub> **16**
  - Extension Lemma 23
    - for fiber-preserving maps 27
    - equivariant 34, 35
    - for fiber-preserving maps 39
    - for singular fiberings 39, 40
    - Seeley 12, 13, 14, 24, 28, 35
- F**
- fiber-preserving
    - diffeomorphism **14**
    - embedding **15**
  - fibered submanifold **15**
  - figures
    - $T$  a neighborhood of  $T \cap S$  27
    - canonical straightening 43
    - flattened surfaces, local picture 70
    - flattened saddle tangency 71
    - flattened surface near original intersection arc 71
    - removal of a bigon by isotopy 73
    - an exceptional  $K \cap K_0$  for  $M(1, 1)$  74
    - meridional annuli in a solid torus 89
    - Heegaard torus with bad meridional annuli 91
    - complicated configuration of intersecting levels 94
    - the Diagram 99
    - graphic with no unlabeled region 101
    - sweepout with no unlabeled region 102
    - ascending and descending arcs in a graphic 118
    - up and down edges 121
    - tunnel arc and tunnel move 122
    - flattened torus with two meridian disks 124
    - nested ball regions 130
    - out of order level tori 133
    - inconsistent nesting 137
    - projection of a perturbed level 142
  - finite multiplicity 68
  - finite multiplicity type 56
  - finite singularity type 109–111
  - finitely determined **110**

flattened surface **69**

flattening 56, 120

isotopy **72**

Fréchet space **4**

## G

$\bar{g}$  **28**

Gabai **6**

$\Gamma$  (graph in flattened surface) **70**

general position **86**

of parameterized family **106**

with respect to sweepout **106**

Generalized Smale Conjecture **v**

generic position **56, 68, 74, 76**

Geometrization Conjecture **1, 7**

germs of smooth maps

types of equivalence **110**

good position **86, 91, 126**

(GP1), (GP2), (GP3) **106, 117, 120, 143**

graph **105**

graphic **86**

Rubinstein-Scharlemann **98**

## H

Hantsche-Wendt manifold **47**

Hatcher **v, vi, 3, 6, 20, 49, 56, 57, 77, 86, 126, 128, 134**

Hattori **1**

Heegaard torus **90, 131**

Hendriks **113**

homeomorphism type of  $\text{Diff}(M)$  **5**

Hopf fibering

of  $M(m, n)$  **55, 60**

of  $S^3$  **55**

of lens space **87**

horizontal

boundary **14**

lift **15**

path **15**

subspace of  $T_x E$  **15**

tangent vector **15**

$H_x(E)$  **15**

## I

**I 9**

$\mathcal{I}(M)$  **2**

$\mathfrak{I}(z_0 + z_1 j)$  **58**

image labels **126**

$\text{emb}(M)$  **9**

$\text{Img}(V, M)$  **25**

instant pair **143**

intersection

biessential **86**

discal **86**

$\text{Isom}_+(S^3/G)$  **58**

isometries

calculation of  $\text{isom}(\pi_1(M(m, n)))$  **58–59**

isometry groups

calculation **58–59**

$\text{isom}(M)$  **2**

isotopy

basic **127**

Isotopy Extension Theorem **19**

isotopy lifting **29**

$I_{120}^*$  **2**

Ivanov **v, 3–5, 20, 49, 56, 126**

## J

$J$  (subgroup of  $S^3$ ) **57**

jets **110**

$j^k f$  **110**

## K

$K_0$  **53**

(K1), (K2), (K3) **99**

Karcher **42**

## L

$L(m, q)$  **2, 85**

labels

and border label control in graphics **106**

image **126**

key properties **98**

of regions **97**

lens spaces **36**

level

of sweepout **94**

levels **69, 86, 126**

lift

horizontal **15**

lifting isotopies to bundles 29  
 local cross-section 21  
 Logarithm Lemma 23, 51  
     equivariant 34, 35, 38  
     for fiber-preserving maps 27, 39  
     for singular fiberings 39, 40  
 longitude  
     in solid torus 88  
     in level 69  
 longitudinal  
     annulus 89  
     fibering of  $K_0$  3, 47, 53, 55  
 lower-case convention 9

**M**

$M(m, n)$  53  
     is lens space when  $m = 1$  54  
 manifold with corners 11  
 Mather 110, 111  
 meridian 69  
     of solid torus 88  
 meridian disk 88  
 meridional  
     annulus 89  
     figure 90  
     fibering of  $K_0$  3, 47, 54, 55, 69  
 Morse general position 96  
 Morse type 96

**N**

neighborhood of a submanifold 21  
 Neumann 20  
 normalizer 58  
 Norm( $G$ ) 58

**O**

$O(2)$  1, 57  
 $O(2)^*$  2, 60  
 orbifold 31  
     diffeomorphism 31  
     homeomorphism 31  
 $O_{48}^*$  2  
 $O(2)^* \widetilde{\times} O(2)^*$  2  
 $O(2)^* \widetilde{\times} O(2)^*$  61

**P**

$P(1\text{-bundle})$  53  
 $P(\text{quaternions})$  58  
 Palais vi, 10  
 Palais method 22–25  
     Exponentiation Lemma 24  
     Extension Lemma 23  
     Logarithm Lemma 23  
 Palais-Cerf Restriction Theorem 20, 79  
 Parameterized Extension Principle 51  
 Parameterized Isotopy Lifting Theorem 19, 29  
 Park 20  
 path  
     horizontal 15  
 Perelman 1, 7  
 $\pi_1(K_0)$   
     standard presentation 53  
 $\pi_1(M(m, n))$  54  
 pinched regular neighborhood 121  
 precompressing disk 97  
 precompression 97  
 prism manifold 54  
 product near  $\partial_h E$  15  
 product near the boundary 11, 37  
 Projection Theorem  
     bundles 29  
     Palais-Cerf 19  
     singular fiberings 39, 49, 66, 67, 76, 81  
 projection-restriction square 20  
     fiber-preserving 30  
     singular fiberings 41  
 $P_t$  96  
 pure imaginary quaternions 58

**Q**

$Q_s$  96  
 quaternionic manifold 54  
 quaternions 1, 57–58

**R**

$R$  53  
 $R(s, t)$  94  
 Raymond 20  
 $rD^2$  92



- $\Re(z_0 + z_1 j)$  **58**  
 region  
   target **138**  
 regions  
   of graphic **97**  
 $\mathcal{R}$ -equivalent **110**  
 Restriction Theorem 20  
   fiber-preserving 20  
   orbifolds 36, 46, 65  
   Palais-Cerf  
     relative version 25, 31, 82  
   relative fiber-preserving 30, 31  
   singular fiberings 40, 46, 49, 67, 82  
   to boundary of orbifold 45  
   to point 46, 80  
 Riemannian metric  
   complete **10**  
   equivariant 37  
   product near the boundary **11**  
 (RS1), (RS2), (RS3) **98**, 100, 119, 125  
 Rubinstein-Scharlemann  
   graphic 86, **98**  
   method 85, 96–100
- S**
- $S^1 \widetilde{\times} S^1$  **2**  
 $S^1 \widetilde{\times} S^3$  **2**  
 $sA, sB, sX, sY$  **98**  
 saddle  
   critical point type **96**  
 Sard's Theorem 117, 126  
 Scharlemann vi, 87  
 Seeley  
   Extension Lemma 12  
 Seifert-fibered 3-manifold 20  
 semialgebraic sets 110–111  
 Sergeraert 86, 111  
   Stratification Theorem 113  
 $\sigma$ -level **96**  
 singular point  
   of  $S \cap T$  **68**  
 singular fiberings 20, **36**  
   and Seifert fiberings 36  
   very good **41**  
 singularity  
   finite type 109–111  
 singularity type  
   and finite codimension 111  
 Smale 3  
 Smale Conjecture v, 1, 3  
   current status vi  
   for incompressible Klein bottle case 4,  
     66  
   for lens spaces 4  
   in physics 5  
    $\pi_0$ -part 3  
 small-letter convention 9  
 space of fibered structures **41**  
 space of images of a submanifold 14, **25**  
 space of Seifert fiberings v, 20, **47**  
   contractibility 47  
 space of singular fiberings **41**  
   Fréchet structure 41  
 special  
   Klein bottle 55, **61**  
   suborbifold of  $\mathcal{O}$  **61**  
   torus **61**  
 spine **94**  
 square  
   projection-restriction 20  
   fiber-preserving 30  
   singular fiberings 41  
 stable  
   critical point **96**  
   tangency **96**  
 straightening fibers 41–44  
 stratification **111**  
   of space of real-valued functions  
     113–116  
 strongly irreducible  
   Heegaard splitting **97**  
   sweepout **97**  
 submanifold  
   fibered **15**  
   meeting collar in I-fibers **11**  
   vertical **15**  
 suborbifold **31**  
   of the boundary 44  
 subspace  
   horizontal **15**  
   vertical **15**  
 sweepout 85, **93**
- T**
- table  
   isom( $M(m, n)$ ) calculations 59  
   isometry groups 2  
   quotient orbifolds 60  
   Smale Conjecture status vi  
 tame exponential **12**, 13, 17  
 target region **138**  
 Tarski-Seidenberg Theorem 111, 115

$\tau$ -level **96**  
 TExp **12**  
 Thom transversality 107  
 $T_{24}^*$  **2**  
 $\tilde{\times}$  **2**  
 $T_u$  56, **69**  
 tunnel move **122**

**V**

$V$ -cored **133**  
 vector field  
   aligned **16**  
 vertical  
   boundary **14**  
   diffeomorphism **14**  
   embedding **15**  
   exponential **16**  
   submanifold **15**  
   suborbifold **37**  
   subspace of  $T_x E$  **15**  
   tangent vector **15**  
 very good  
   position 86, **91**, 126–131  
   singular fibering **41**  
 $V_l, W_l$  **94**  
 $\mathcal{V}(W, TE)$  **17**  
 $\mathcal{V}^L(W, TE)$  **21**  
 $V_x(E)$  **15**

**W**

Waldhausen 47, 82  
 Waldhausen's Theorem 6  
 $W$ -cored **133**  
 weak transversality 106–109  
 $\omega_v, \omega_h$  **15**

**X**

$\mathcal{X}_H(\tilde{\mathcal{W}}, T\tilde{\mathcal{O}})$  **32**  
 $\xi_k$  **57**  
 $\mathcal{X}(V, TM), \mathcal{X}^L(V, TM)$  **13**

**Y**

$\mathcal{Y}(M, TM)$  **9**  
 Yagasaki 12  
 $\mathcal{Y}(V, TM), \mathcal{Y}^L(V, TM)$  **12**

**Z**

$Z$  **12**  
 $Z$ -compatible **134**

Edited by J.-M. Morel, B. Teissier; P.K. Maini

**Editorial Policy** (for the publication of monographs)

1. Lecture Notes aim to report new developments in all areas of mathematics and their applications - quickly, informally and at a high level. Mathematical texts analysing new developments in modelling and numerical simulation are welcome.

Monograph manuscripts should be reasonably self-contained and rounded off. Thus they may, and often will, present not only results of the author but also related work by other people. They may be based on specialised lecture courses. Furthermore, the manuscripts should provide sufficient motivation, examples and applications. This clearly distinguishes Lecture Notes from journal articles or technical reports which normally are very concise. Articles intended for a journal but too long to be accepted by most journals, usually do not have this “lecture notes” character. For similar reasons it is unusual for doctoral theses to be accepted for the Lecture Notes series, though habilitation theses may be appropriate.

2. Manuscripts should be submitted either online at [www.editorialmanager.com/lnm](http://www.editorialmanager.com/lnm) to Springer’s mathematics editorial in Heidelberg, or to one of the series editors. In general, manuscripts will be sent out to 2 external referees for evaluation. If a decision cannot yet be reached on the basis of the first 2 reports, further referees may be contacted: The author will be informed of this. A final decision to publish can be made only on the basis of the complete manuscript, however a refereeing process leading to a preliminary decision can be based on a pre-final or incomplete manuscript. The strict minimum amount of material that will be considered should include a detailed outline describing the planned contents of each chapter, a bibliography and several sample chapters.

Authors should be aware that incomplete or insufficiently close to final manuscripts almost always result in longer refereeing times and nevertheless unclear referees’ recommendations, making further refereeing of a final draft necessary.

Authors should also be aware that parallel submission of their manuscript to another publisher while under consideration for LNM will in general lead to immediate rejection.

3. Manuscripts should in general be submitted in English. Final manuscripts should contain at least 100 pages of mathematical text and should always include

- a table of contents;
- an informative introduction, with adequate motivation and perhaps some historical remarks: it should be accessible to a reader not intimately familiar with the topic treated;
- a subject index: as a rule this is genuinely helpful for the reader.

For evaluation purposes, manuscripts may be submitted in print or electronic form (print form is still preferred by most referees), in the latter case preferably as pdf- or zipped psfiles. Lecture Notes volumes are, as a rule, printed digitally from the authors’ files. To ensure best results, authors are asked to use the LaTeX2e style files available from Springer’s web-server at:

<ftp://ftp.springer.de/pub/tex/latex/svmonot1/> (for monographs) and  
<ftp://ftp.springer.de/pub/tex/latex/svmult1/> (for summer schools/tutorials).

Additional technical instructions, if necessary, are available on request from [lnm@springer.com](mailto:lnm@springer.com).

- Careful preparation of the manuscripts will help keep production time short besides ensuring satisfactory appearance of the finished book in print and online. After acceptance of the manuscript authors will be asked to prepare the final LaTeX source files and also the corresponding dvi-, pdf- or zipped ps-file. The LaTeX source files are essential for producing the full-text online version of the book (see <http://www.springerlink.com/openurl.asp?genre=journal&issn=0075-8434> for the existing online volumes of LNM). The actual production of a Lecture Notes volume takes approximately 12 weeks.
- Authors receive a total of 50 free copies of their volume, but no royalties. They are entitled to a discount of 33.3 % on the price of Springer books purchased for their personal use, if ordering directly from Springer.
- Commitment to publish is made by letter of intent rather than by signing a formal contract. Springer-Verlag secures the copyright for each volume. Authors are free to reuse material contained in their LNM volumes in later publications: a brief written (or e-mail) request for formal permission is sufficient.

**Addresses:**

Professor J.-M. Morel, CMLA,  
École Normale Supérieure de Cachan,  
61 Avenue du Président Wilson, 94235 Cachan Cedex, France  
E-mail: [morel@cmla.ens-cachan.fr](mailto:morel@cmla.ens-cachan.fr)

Professor B. Teissier, Institut Mathématique de Jussieu,  
UMR 7586 du CNRS, Équipe “Géométrie et Dynamique”,  
175 rue du Chevaleret  
75013 Paris, France  
E-mail: [teissier@math.jussieu.fr](mailto:teissier@math.jussieu.fr)

*For the “Mathematical Biosciences Subseries” of LNM:*

Professor P. K. Maini, Center for Mathematical Biology,  
Mathematical Institute, 24-29 St Giles,  
Oxford OX1 3LP, UK  
E-mail : [maini@maths.ox.ac.uk](mailto:maini@maths.ox.ac.uk)

Springer, Mathematics Editorial, Tiergartenstr. 17,  
69121 Heidelberg, Germany,  
Tel.: +49 (6221) 4876-8259

Fax: +49 (6221) 4876-8259  
E-mail: [lnm@springer.com](mailto:lnm@springer.com)