

# Index

## A

Abel's inversion, 282  
Absolute orientation, 171  
Absolute point positioning, 81  
Absorption, 115, 116  
Acid mine drainage (AMD), 497  
Adaptive management, 5  
Additive weighting, 515  
Aerial photographs, 207  
Aerial triangulation, 171, 173  
Aerosol, 9, 297, 321  
Afforestation, 330, 331  
Agriculture, 344, 385, 465, 515  
Air pollution, 488  
Alternatives, 508, 510, 511  
Analysis cycle, 313  
Animal behaviour, 418  
Animal distribution, 418  
Animal ecology, 415, 418  
Animals, 306, 415  
Antarctica, 327  
Antenna, 81  
Anthropogenic forcing, 321  
Antispoofing, 60  
Aquaculture, 332  
Aquatic, 485, 495  
Aquatic ecosystems, 497  
Aquatic vegetation, 450  
Aquifer-storage, 347  
Archaeological sites, 516  
Area-based matching, 179  
Association, 147  
Atmosphere, 270, 272, 280, 306  
Atmospheric  
  hydrostatic part, 68  
Atmospheric circulation, 310  
Atmospheric errors, 66

  wet part, 68

Atoms, 66  
Attenuation, 136  
Automated feature extraction, 185  
Automated terrain extraction, 184  
Automatic scanning, 211  
Autonomous positioning, 81

## B

BACI model, 5, 504  
Baseline survey, 74  
Beach erosion, 403  
Bending angles, 273  
Best estimate, 313  
Bilinear, 151  
Biodiversity, 341, 345, 366, 385, 389, 420, 428, 430  
Biological variables, 73  
Bird species, 516, 518  
Blue Nile, 349  
Broadcast ephemeris, 65  
Bundle adjustment, 172  
Bushfire, 325

## C

C/A-code, 59, 280  
Camera calibration, 168  
Carbon dioxide, 306, 321  
Carrier-phase, 280  
Catchment management, 379  
Central perspective projection, 159  
CHAMP, 270, 285  
Change and updating, 216  
Change detection, 429, 504  
Chemical variables, 73

- Climate, 272, 305, 307, 318, 324, 344, 452
  - Climate change, 5, 6, 11, 270, 272, 299, 305, 306, 309, 311, 318, 319, 321, 323–325, 357, 368, 418, 430, 447, 453, 464, 515
  - Climate indicators, 309
  - Climate models, 297
  - Climate variability, 305, 311, 318, 352
  - Climatic changes, 7
  - Climatic conditions, 365
  - Climatic predictions, 8
  - Climatology, 312
  - Clock errors, 65
  - Cloud GIS, 197, 247
  - Clouds, 297, 310, 312
  - Coal, 306
  - Coastal terrestrial, 397
  - Code pseudoranges, 62, 81, 85
  - Cold point, 321
  - Collinearity condition equations, 159
  - Compass, 51
  - Compliance monitoring, 4
  - Conceptual modeling, 221
  - Concordance analysis, 513
  - Conjugate point measurement, 182
  - Connectivity analysis, 229
  - Conservation, 13, 415, 418, 421, 426, 428–430, 506, 522
  - Conservation impacts, 418
  - Contrast enhancement, 151
  - Control segment, 57
  - Conventional terrestrial reference system (CTRS), 102
  - Coordinate, 101
  - Coordinate system, 71, 98, 101, 102
  - Coordinate transformation, 103
  - Coordination, 212
  - Coral reef, 399
  - CORS, 93, 458
    - GEONET, 288
    - stations, 97
    - uses, 95
  - COSMIC, 270
  - COSMIC mission, 285
  - Coverage rebuilding, 227
  - Criteria, 510, 512
  - Crop conditions, 454
  - Cross sections, 173
  - Crustal deformation, 320
  - Crustal motion, 96
  - Cubic convolution, 151
  - Cumulative impacts, 520, 523, 524
  - Cyclones, 438
  - Cyrosphere, 326
- D**
- Data, 21
  - Data assimilation, 312, 313
  - Database management system, 216
  - Data capture, 208
  - Data collection, 74
  - Data link, 86
  - Data management, 215
  - Data mining, 225
  - Datum, 98
  - Decision making, 510, 524
  - Decision support system, 118
  - Deforestation, 315, 428
  - Deformation, 83, 97
  - Deformation monitoring, 317
  - DEM/DTM, 173
  - Density, 285
  - Desertification, 7
  - DGPS, 392
  - Differential positioning, 81
  - Differential rectification, 172, 184
  - Digital earth, 22
  - Digital image analysis, 145
  - Digital rectification, 151
  - Digitization, 209
  - Dipole moment, 276
  - Disaster management, 441
  - Disasters, 96, 439, 452
  - Discharge, 389
  - DOP, 70
  - Doppler effect, 139
  - Doppler shift, 281
  - Drought, 307, 308, 344, 424, 438, 444, 452, 455
    - cycle, 309
    - intensity, 454
    - severity, 455
  - Dry delay, 68
  - Dryland salinisation, 387
  - Dunes, 406
- E**
- Early warning system, 270, 454, 470, 502
  - Earth observation satellites (EOS), 9
  - Earthquake, 13, 96, 271, 289, 293, 438, 441, 444, 458, 469
  - ECMWF, 306
  - Ecological system, 344
  - Ecology, 365, 418
  - Ecosystem, 8, 317, 368, 385, 389, 516, 517, 521
  - EGNOS, 87, 44

- EIA  
 program, 523  
 public participation, 524  
 scoping, 506, 519, 525  
 screening, 505
- El’Nino southern oscillation (ENSO), 309, 450
- Electromagnetic radiation, 111
- Electromagnetic spectrum, 114
- Electrons, 66, 276
- Elevation angle, 68
- Emitted or thermal IR, 114
- Endangered species, 13, 415, 420, 423, 424, 427, 430
- Energy conservation, 490
- Energy transport, 334
- Environmental  
 audit, 255  
 change, 508, 518, 524  
 conditions, 517  
 conservation, 343, 345, 366, 391  
 decision making, 508, 511  
 degradation, 351, 405, 406  
 impacts, 392, 394, 511, 516, 518  
 management, 383, 402, 404, 526  
 monitoring, 299  
 promotion, 510  
 protection, 345, 366, 391, 510, 517, 526  
 quality, 510  
 regulation, 381
- Environmental audit, 8
- Environmental changes, 6, 9
- Environmental impact assessment (EIA), 255, 404, 501, 505, 508, 519
- Environmental impacts, 415  
 predictions, 5
- Environmental impact statements (EIS), 502, 510, 526
- Environmental management, 5, 11, 12
- Environmental management plan (EMP), 526
- Environmental planning, 5
- Ephemeris errors, 65
- Erosion, 385, 406, 427
- Ethiopian highlands, 349
- Euclidean geometry, 18
- Eustatic, 465
- Eutrophication, 381, 385
- Evaporation, 310
- Evapotranspiration, 347, 454
- Evidence, 21
- Excess Doppler shift, 281
- Excess path length, 273
- Exhaust gases, 489
- Exterior orientation, 159
- External modeling, 221
- F**
- Farming, 308
- Fast static, 87, 88
- Fauna, 513, 514, 518, 520, 522
- Fauna monitoring, 522
- Feature-based matching, 180
- Feature extraction, 152
- Fermat’s principle, 281
- Fish breeding sites, 495
- Flash flood monitoring, 448
- Flash floods, 311
- Flooding, 7
- Floods, 13, 307, 438, 444, 452, 455  
 control maps, 255  
 detection, 441  
 prevention, 441
- Flora, 513, 514, 522
- Floriculture, 363–365
- Food  
 availability, 419  
 production, 307, 452  
 safety, 441  
 security, 307, 453  
 supply, 379
- Foraging behavior, 418
- Foreshortening, 139
- Forests, 427  
 diseases, 429  
 management, 428, 429  
 protection, 428
- Forests fires, 444
- Fossil fuels, 306
- Frequency, 274
- Fuel consumption, 490
- Fuelwood, 427
- G**
- Galileo, 47
- Gauss elimination, 64
- GDOP, 75
- Generalization, 227
- General purpose maps, 255
- Geo-referencing, 150
- Geocoding, 246
- Geodata, 21
- Geographic information science  
 and technology, 191
- Geographic information system, 118, 191
- Geoid, 100, 346
- Geolocating, 246
- Geometrical delay, 273
- Geometric distortion, 150
- GEONET, 97

- Geopotential heights, 273, 319
  - Geosensor networks, 440
  - Geospatial, 21
  - Geothermal power, 366
  - Giraffe, 365
  - GIS, 10
  - Glacial ice, 342
  - Glaciers, 293, 306, 465
  - Global circulation models (GCM), 312
  - Global differential GPS (GDGPS), 85
  - Global system for mobile communication, 118
  - Global warming, 5, 6, 10, 13, 269, 306, 309, 310, 317, 319, 320, 324, 430, 464, 466, 523
    - related diseases, 306
  - GLONASS, 47, 49, 51
  - GNSS, 47, 93, 118
  - GNSS-meteorology, 8, 271, 272
    - EUMETSAT, 272
    - GRAS, 272
    - IPWV, 272
    - NOAA, 323
    - NWP models, 7
  - GNSS positioning method, 75
  - GNSS-reflection (GNSS-R), 298
  - GNSS-reflectometry, 298
  - Google Earth, 22
  - GPS, 47, 55
    - application to conflict resolution, 361
    - atmospheric errors, 66
    - carrier-phase pseudorange, 62
    - clock errors, 65
    - ephemeris errors, 65
    - GDOP, 74
    - measurement errors, 64
    - measuring principle, 61
    - receivers, 270
  - GPS meteorology
    - ECMWF, 68
    - NCEP, 68
  - GPS meteorology METEOSAT, 9
  - GPS meteorology NOAA, 9
  - GPS observation principle, 59
  - GPS remote sensing, 270
  - GRACE, 269, 270, 298, 299
  - GRACE satellites, 292
    - uses of GNSS, 292
  - Gravitational attraction, 65
  - Gravity, 269, 346, 347
  - Gravity field, 43, 289, 293, 346
  - Greenhouse gas, 6, 306, 310, 319, 321, 322, 464, 465
  - Greenland, 327
  - Ground based augmented systems (GBAS), 87
  - Ground control points, 151
  - Ground survey, 208
  - Ground truth, 152
  - Groundwater, 6, 293, 294, 341, 342, 346, 441, 454, 506, 513, 515, 517, 518, 520
    - abstraction, 516
    - allocation, 518
    - aquifer, 387
    - level, 516
- ## H
- Habitat, 306, 397, 399, 400, 402, 417, 418, 421, 423, 430, 449, 518
    - conservation, 495
    - management, 495
  - Habitat mapping, 90
  - Hazard predictions, 270
  - Hazards, 444, 522
  - Heights, 322
  - High spatial resolution image, 208
  - Histogram equalization, 151
  - Horizon, 76
  - Horticulture, 363, 515
  - Humidity, 68, 311, 441, 454
  - Hurricanes, 308, 310, 401
  - Hydrological cycle, 310, 317, 345, 346
  - Hydrology, 256, 318
  - Hydrostatic, 277
  - Hydrostatic delay, 68
  - Hydrostatic refractivity, 276
- ## I
- Ice, 293, 294, 309
  - Ice cover, 348
  - Ice-layer, 298
  - Ice sheet, 293, 296, 465
  - Image classification, 152
  - Image correlation, 176, 179
  - Image enhancement, 151
  - Image matching, 176, 179
  - Image pre-processing, 149
  - Imaging, 75
  - Impact monitoring, 4
  - Impacts, 502
    - identification, 518
    - location, 504
    - monitoring, 504
    - parameter, 281
    - prediction, 520, 523
  - Index of refraction, 273

- Indicators, 511
- Industries, 464
- Inertial mapping units, 118
- Information, 21
- Information classes, 152
- Information system, 21
- Infrared, 114
- Input of GIS data, 207
- Integer ambiguity, 63, 91
- Integrated monitoring, 4
- Integrated precipitate water vapor (IPWV), 448
- Integrated water vapour, 311
- Integrity, 50
- Interferogram, 142
- Interferometric SAR, 141
- Interior orientation, 168
- International terrestrial reference frame (ITRF), 103
- Internet, 118
- Interpretation and analysis, 145
- Interpretation keys, 147
- Intersection, 160
- Ionosphere, 66, 270, 280
- Ionosphere-free, 67
- Ionospheric delays, 50
- Ionospheric errors, 61, 67
- Ions, 66
  
- K**
- Kepler's laws, 120
- Kinematic survey, 87
- Kinematic surveying, 90
- Knowledge, 21
- Kyoto protocol, 329
  
- L**
- L2C-code, 61
- L5-code, 61
- Lake level, 466
- Lakes, 383
- Land
  - degradation, 383
  - evaluation, 379
  - management, 379, 455
  - resource, 383
  - subsidence, 344
- Land submergence, 93
- Land subsidence, 83, 100
- Land use, 386, 389, 429, 514, 516, 518
  - change, 331
  - patterns, 352
  - planning, 379
- Land-use/cover change, 330
- Landforms, 256
- Landsat, 331
- Landscape ecology, 456
- Landslides, 441
- Lapse-rate, 321
- Laser scanner remote sensing, 117
- Latent heat, 310
- Latitude, 47
- Layover, 139
- LiDAR, 117
- Location, 343
- Logical modeling, 221
- Long term monitoring, 4
- Longitude, 47
  
- M**
- M-code, 61
- Man-made objects, 153
- Management plans, 8, 367
- Management policies, 344
- Manual digitizing, 210
- Map projection, 98, 104
- Marine habitats, 398
- MBACI model, 504
- Mean sea level, 100, 464
- Measurements, 226
- Medium range forecasts, 312
- Microwave regions, 115
- Microwave remote sensing, 117, 134
- Microwave sounding units (MSU), 319, 323
- Microwave soundings unit, 321
- Mie scattering, 116
- Migratory species, 420, 423
- Mining, 308
- Mission planning, 76
- Modeling climatic change, 310
- Modulation transfer function, 121, 168
- Moisture, 310
- Molecules, 66
- Monitoring, 3, 502
  - pest and diseases, 5
- Monitoring parameters, 73
- Monitoring techniques, 74
- Monsoon rains, 325
- Multi-criteria analysis, 323, 508
- Multi-sensor, 148
- Multi-spectral, 148
- Multi-temporal, 148
- Multipath, 69, 75, 105

**N**

Nadir-viewing microwave, 320  
 Native vegetation, 387  
 Natural forcing, 321  
 NDVI, 151  
 Nearest neighbor, 151  
 Network analysis, 323  
 Newtonian time, 19  
 Noise pollution, 487  
 Non-Euclidean geometry, 18  
 Non-selective scattering, 116  
 Normalized difference vegetation index (NDVI), 454  
 Normalized height model, 128  
 Numerical weather prediction (NWP), 307, 311, 312

**O**

Ocean  
   bottom, 397  
   monitoring, 410  
 Ocean circulation, 289  
 Oil, 306  
 Oil leak, 484  
 On-the-fly, 88  
 Optical delay, 273  
 Orthoimage, 172  
 Orthophoto maps, 172  
 Ozone, 319, 321

**P**

P-code, 59, 280  
 Parallax, 147  
 Partition of data, 216  
 Passive and active remote sensing, 117  
 PDOP, 70, 75, 88  
 Photogrammetric restitution, 167  
 Photogrammetry, 117, 157  
 Photographic interpretation, 146  
 Physical modeling, 222  
 Physical variables, 73  
 Plan, 523  
 Plant communities, 497  
 Plants, 306  
 Plate tectonic motion, 93  
 Plate tectonics, 43  
 Platform, 120  
 Poisonous gases, 488  
 Polar ice cap, 308  
 Policy, 523  
 Pollution

  distribution, 325  
   monitoring, 441  
   non-point sources, 485  
   nutrients, 484  
   point sources, 484  
   transportation sector, 493  
 Positioning modes and accuracies, 106  
 Positions, 73  
 Poverty, 307  
 Precipitable water, 288, 310  
 Precipitation, 309, 310, 312, 313, 322, 324, 347, 368  
 Precipitation forecast, 316  
 Precise ephemeris, 65, 84  
 Precision farming, 257, 258, 389, 439  
 Prediction of weather, 310  
 Pressure, 68, 269, 271, 273, 280, 285, 286, 319, 321, 324  
 Principal atmospheric windows, 114  
 Process of remote sensing, 111  
 Profiles, 173  
 Proximity analysis, 229  
 Pseudo random noise (PRN), 60  
 Pseudoranges, 62

**Q**

Quality control, 4  
 Query, 226

**R**

Radiation, 321  
 Radio waves, 280  
 Radiometers, 320  
 Radiometric distortion, 149  
 Radiometric resolution, 123  
 Radiosondes, 7, 306, 311, 312, 321, 322  
 Rainfall, 346, 387  
 Rainfall anomalies, 454  
 Rainfall pattern, 515  
 Range corrections, 86  
 Ranking, 227  
 Ranking method, 229  
 Rapid static, 87, 88  
 Rasterization, 212  
 Rayleigh scattering, 116  
 Re-selection, 227  
 Real-time GNSS, 85  
 Real-time kinematic (RTK), 90, 92, 392  
 Reanalyses, 324  
 Recharge, 389  
 Reclassification, 227

- REDD, 196, 315, 427
- Reference ellipsoid, 100
- Reference frame, 102
- Reference site monitoring, 4
- Reference stations, 74, 77, 83, 86
- Reference system, 102
- Reflected IR, 114
- Reflected signals, 269
- Reflection, 116
- Reforestation, 330, 331
- Refraction angle, 280
- Refractive index, 282
- Refractivity, 269, 273, 274, 277
- Regional warming, 325
- Relative orientation, 170
- Relative positioning, 81, 82
- Relativity, 18
- Remnant vegetation, 380, 385
- Remote sensing, 9, 111
- Reptiles, 516
- Resource management, 428
- Resources, 12, 366
- Rise in sea level, 100, 447
- Risk zone maps, 449
- River Nile, 466
- Rotation sensors, 118
- Roving receiver, 86
  
- S**
- Salinity, 6, 298, 344, 345, 379, 385, 386, 389, 397, 455, 465, 466
  - impacts, 387
  - irrigation, 387
  - primary, 386
  - secondary, 386
- Sanitation, 492
- SAR, 139
- Satellite altimetry, 294
- Satellite based augmented systems (SBAS), 87
- Satellite geometry, 105
- Satellite imagery, 207
- Satellite laser ranging, 93
- Satellite remote sensing, 117
- Satellites
  - CHAMP, 272
  - COSMIC, 272
  - geostationary, 9
  - GPS, 8
  - GRACE, 272
  - LEO, 280
  - remote sensing, 9
  - velocities, 281
- Satellites polar, 9
- Scattering, 115
- Scheduling, 216
- Sea level, 13, 309, 466
- Sea level change, 289, 293, 296, 401, 405, 464
- Sea-wind, 298
- Seawater salinity, 298
- Secondary salinity, 6, 387
- Security, 216
- Sensor-platform, 119
- Sewage, 484
- Shadow, 139, 147
- Shape, 147
- Shoreline, 400, 402, 406
  - progradation, 400
  - retrogradation, 400
- Shorelines, 400
- Short range forecasts, 312
- Signal delay, 270
- Signals, 59, 75
- Siltation, 100, 385
- Simple monitoring, 4
- Size, 146
- Skeletonization, 212
- SLAR, 139
- Snell's law, 281
- Snow, 293, 342, 347, 348, 444
- Social impacts, 510, 511
- Socio-cultural activities, 379
- Soil, 257
  - erosion, 257, 386, 392, 401, 522
  - landscape, 383
  - maps, 255, 383
  - moisture, 293, 294, 299, 348
  - quality, 379
  - types, 255
- Soil analysis, 81
- Soil landscape mapping, 383
- Solar radiation, 310
- Solid waste management, 492
- Space resection, 160
- Space segment, 56
- Space utility vehicles, 121
- Space-time, 19
- Spatial, 74
- Spatial analysis, 225
- Spatial data infrastructure, 22, 186, 197, 198, 209, 213, 223
- Spatial database, 215
- Spatial enhancement, 151
- Spatial environmental changes, 8
- Spatial resolution, 121
- Spatial variations, 83
- Spatially distributed impacts, 520
- Special purpose maps, 255

- Speckle, 140
  - Spectral classes, 152
  - Spectral reflectance curves, 116
  - Spectral resolution, 123
  - Spectral signatures, 116
  - Spectral transformation, 151
  - SQL, 226
  - Standards, 216
  - Stereo-model, 147, 170
  - Stereopairs, 160
  - Stereoscopes, 147
  - Stereoscopic information, 147
  - Stereoscopic parallax, 160
  - Stereoscopic vision, 147
  - Stop-and-go, 88
  - Stop-and-go survey, 87
  - Storage media, 216
  - Storms, 308, 325, 401
  - Strategic environmental assessment (SEA), 502
  - Stratosphere, 9, 301, 320, 321, 323
  - Subsidence, 256, 265
  - Supervised classification, 152
  - Surface pollutants, 484
  - Surface scattering, 135
  - Surface temperature, 324
  - Surface water, 293, 294
  - Surrogate monitoring, 4
  - Surveillance, 3, 93
  - Survey monitoring, 4
  - Surveying, 3
  - Sustainability, 12, 523, 524, 515, 517–520
  - Sustainability assessment, 502, 526
  - Sustainable agriculture, 391
  - Sustainable development, 501
  - Synthetic aperture radar (SAR), 317
- T**
- TEC, 66
  - Temperature, 9, 68, 269, 271, 273, 280, 285, 286, 299, 306, 309, 313, 316, 319, 321–324, 397, 441, 454, 465
  - Temporal, 74
  - Temporal resolution, 74, 123
  - Terrestrial water storage, 290
  - Texture, 147
  - Thematic maps, 255
  - Thermal expansion, 309, 466
  - Thermal remote sensing, 117
  - Thunderstorm, 322
  - Tide gauge, 466, 467
  - Tone, 146
  - Topographic maps, 255, 259
  - Topology reconstruction, 213
  - Tornadoes, 438
  - Total electronic contents (TEC), 271, 272
  - Tourism, 458, 469
  - Traffic congestion, 490
  - Transformations, 227
  - Transmission, 116
  - Tropical Rainfall Measuring Mission, 136
  - Tropopause, 299, 306, 320, 321
    - heights, 269, 321
    - parameters, 324
    - variability, 321
  - Troposphere, 67, 306, 320, 321, 323
  - Tropospheric, 270
  - Tropospheric error, 67
  - Tsunami, 13, 96, 271
  - Typhoon, 308, 310, 444
- U**
- Ultraviolet, 114
  - Universal access, 444
  - Unsupervised classification, 152
  - User segment, 58
- V**
- Variation in sea levels, 93
  - Vector and raster models, 201
  - Vector-borne disease, 456
  - Vectorization, 212, 454, 455, 515, 517–520
  - Vegetation, 6, 75, 256, 379, 415, 426
    - biomass, 296
    - canopy, 328
    - index, 454
    - maps, 255
  - Vegetation fires, 439
  - Vertical datum, 100
  - Very Long Baseline Interferometry, 93
  - Visual image interpretation, 145
  - Volcanic eruption, 441, 469
  - Volcanoes, 289, 438
  - Volume scattering, 135
  - von Gruber locations, 170
- W**
- Waste disposal, 491
  - Waste generation, 492
  - Water, 308, 341, 344, 450
    - pollution, 484
    - quality, 363, 518
    - quantity, 368, 430
    - recharge, 383



- resource, 289, 293, 308, 309, 343, 344, 349, 364
  - scarcity, 363
  - security, 363
  - supply, 351
  - table, 515
  - availability, 363
  - balance, 379
  - conservation, 257, 344
  - discharge, 385
  - hyacinth, 485
  - level, 343, 518, 519
  - management, 343, 344, 449
  - protection, 343
  - quantity, 309
  - reservoir, 299
  - storage, 348
  - supply, 309
  - Water logging, 455
  - Water vapour, 9, 66, 68, 271, 273, 274, 276, 280, 286, 293, 299, 306, 310, 316, 317, 319, 321, 346
    - roles, 310
  - Water vapour radiometers, 69
  - Water-logging, 385, 393
  - Watershed management, 441
  - Weather, 272, 305, 307, 318, 452, 454
    - prediction, 444
    - satellites, 312
    - balloons, 306
    - forecast, 270, 307, 310, 311, 317, 447
  - Weather forecast, 307, 318
  - Weather forecasting, 4
  - Weather fronts, 68
  - Weather impacts, 307
  - Weather monitoring, 316
  - Weighting point method, 228
  - Weights, 512
  - Wet delay, 288
  - Wetlands, 345, 406, 466, 517–520
    - ecosystem, 344
    - conservation, 430
    - ecology, 517
    - mapping, 449
    - Ramsar Convention, 430
  - White Nile, 349
  - Wide area differential GPS (WADGPS), 87
  - Wildlife, 430
  - Wind erosion, 385
  - Wind speed, 313
  - Wireless sensor networks, 118
  - Wisdom, 21
  - World geodetic system (WGS-84), 103
- Z**
- Zenith wet delay, 69