

Index

A

Ac susceptibility, 91
Acoustic mode, 106
Adsorption, 158
Advanced light source, 130
AFM domain images, 136
ALICE diffractometer, 65
Angular dependence, 109
Angular dependence of the asymmetry ratio, 66
Angular variations, 111
Anisotropic magneto resistance, 184, 193
Anisotropy energy barriers, 41
Anomalous Hall effect (AHE), 61, 76
Antidots, 177
Antiferromagnetic, 91
Antisites, 73
Ar-beam etching, 76
Array of vortex STOs, 53
Atkinson–Brezovich limit, 199
Atomic structures, 153
Auston switch, 4

B

Band structure, 160
Binding energy, 158
Bloch type damping, 97
Bulk anisotropies, 114

C

Charge transfer, 130
Cluster formation, 71
Co oxide, 186
Co-doped ZnO, 60
Cobalt clusters, 64, 70
Cobalt nanoclusters, 61
Coherent magnetization rotation, 6

Cohesive energy, 153
Combinatorial laser molecular beam epitaxy, 60
Confinement, 157
CoO clusters, 73
Coplanar waveguides, 4
Core-shell particles, 207
Coulomb repulsion, 163
Coverage, 164
Current-driven domain wall motion, 26
Current-driven excitation of steady magnetization oscillations, 26
Current-induced magnetization dynamics, 28
Current-induced magnetization switching, 26, 27

D

Damping parameter, 115
Damping torque, 94
Demagnetizing field, 89, 113
Density functional theory, 152
Diluted magnetic semiconductors, 59
Dipolar anisotropy, 7
Dipolar stray fields, 38
Direct exchange coupling, 115
Domain wall bulging, 8
Domain wall motion, 7
Dots, 177, 187
Double spin valve, 36
Driving torque, 94
Dynamic behavior, 115
Dynamic equation, 95

E

E-beam lithography, 35
Effective anisotropies, 113
Elastic properties, 156

Electrical contacts, 183, 193
 Electron beam deposition system, 107
 Electron doping, 78
 Elliot–Yafet scattering, 13
 Energy density, 93
 ESR spectrometer, 96, 114
 Exchange bias, 122, 186
 Exchange coupled magnetizations, 96
 Exchange coupling, 91, 104
 Exchange interaction, 91
 Exchange interactions, 122
 External field, 99

F

Femtosecond slicing, 13
 Fermi surface, 30
 Ferrofluids, 197
 Ferromagnetic, 65, 91, 160
 Ferromagnetic Curie temperature, 74
 Ferromagnetic multilayers, 114
 Ferromagnetic resonance, 114
 Field-cooled, 71
 Flux closure, 6, 10
 FMR absorption, 95
 FMR measurements, 74
 FMR spectra, 96
 Free electron laser, 13
 Functionalization, 151

G

Giant magnetoresistance, 58
 Giant magnetoresistance (GMR) effect, 27
 Gilbert damping, 13, 28
 Gilbert type damping, 97
 Goldschmidt tolerance factor, 121
 Gyrotropic mode, 48

H

Half-metallic, 160, 167
 Half-metals, 162
 Heusler alloys, 53
 HF response of an STO, 48
 High-resolution X-ray diffraction, 127
 Higher harmonic generation, 14
 Hydrogen-passivated, 151, 152
 Hysteresis curve, 69, 70

I

Impedance mismatch, 53
 Implantation dose, 61
 In-plane resonance fields, 74
 Incoherent magnetization rotation, 6
 Injection locking, 50
 Interconnects, 149

Interdiffusion, 108
 Interface anisotropy, 37
 Interface scattering, 40
 Interlayer exchange coupling, 9, 37, 86, 107
 Interstitial, 165
 Intrinsic loss parameter, 204
 Inverse current-induced magnetization switching, 37
 Inverse GMR, 39
 Ion implantation, 60

J

Joule heating, 39

L

$\text{La}_{0.7}\text{Sr}_{0.3}\text{FeO}_3$ (LSFO), 122
 $\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_3$ (LSMO), 122
 Landau–Lifshitz–Gilbert equation, 12, 28
 Large-angle precessional modes, 29
 LDA + U , 163
 Lithographic process, 34, 35
 Low-field excitations, 45

M

Macrospin simulations, 41
 Maghemite, 199
 Magic bullet, 198
 Magnetic, 167
 Magnetic anisotropies, 90
 Magnetic coupling, 109
 Magnetic damping, 86
 Magnetic free energy, 92
 Magnetic hysteresis, 101
 Magnetic inhomogeneities, 72
 Magnetic moment per substituted Co atom, 73
 Magnetic moments, 158
 Magnetic multilayers, 86
 Magnetic nanoparticle hyperthermia, 197
 Magnetic properties, 65
 Magnetic random access memories (MRAMs), 26
 Magnetic signal, 69
 Magnetic susceptibility, 91
 Magnetic vortices, 45
 Magnetization process, 181
 Magnetization vector, 92, 114
 Magnetocrystalline anisotropy, 7, 25, 34
 Magnetocrystalline energy, 91
 Magneto-resistance, 173, 183, 187
 Magnetotactic bacteria, 207
 Magnetron co-sputtering, 60
 Magnon scattering, 13
 Matrix elements, 95
 MFM, 173

- Micromagnetic simulations, 46
 Microwave field, 92, 98
 Microwave spectra, 43
 Mode agility, 49
 MOKE, 65, 173
 Molecular beam epitaxy (MBE), 34
 Multiplet structure, 68
 MXCD, 4
 MXLD, 4
- N**
- Nanoelectronics, 150
 Nanopillars, 25
 Nanorods, 198
 Nanoshells, 198
 Nanowire, 167
 Néel–Brown relaxation, 199
 Nonlinear oscillators, 51
 Nonmagnetic spacer, 103, 110
- O**
- Oersted field, 29
 OOMMF, 9
 Optic mode, 99
 Optical mode, 106
 Ordinary Hall effect, 76
 Oscillation, 107
 Oscillatory behavior, 107, 115
 Oxygen spin polarization, 78
- P**
- Paramagnetic, 65
 Permalloy thin films, 87
 Perovskite oxides, 120
 Perpendicular anisotropy, 104
 Perpendicular geometry, 108
 Phase locking, 50
 Phase locking range, 50
 Photoemission electron microscopy, 125
 Precession, 16, 106
 Precession of magnetization, 104
 Pseudo-spin valve, 10
 Pulsed laser deposition (PLD), 60, 126
- R**
- Racetrack memories, 26
 RBS, 62
 Reactive ion etching, 176
 Reconstruction, 155
 Repolarization process, 31
 Resonance field, 98, 99, 111
 Resonance modes, 106
 Resonant reflectivity, 14
 Room temperature ferromagnetism, 61, 78
- S**
- Sapphire, 60
 Scattering spin asymmetries, 39
 Self-assembling, 172, 174
 Sensitivity of the MOKE, 78
 Shape anisotropy, 34, 100, 113
 Silicon nanowires, 150
 Single-crystalline nanopillars, 26, 34
 Sixfold in-plane magnetic anisotropy, 75
 Slonczewski’s model, 32
 Soft X-ray magnetic spectroscopy, 123
 Sol–gel, 60
 Spacer, 99
 Spacer layer, 88
 Specific absorption rate, 199
 Spin accumulation, 33
 Spin diffusion length, 27
 Spin dynamics, 86
 Spin filtering, 30
 Spin polarization, 28, 162
 Spin polarization of oxygen, 70
 Spin states, 164
 Spin waves, 31, 86, 111
 Spin–flop coupling, 123, 141
 Spin-dependent interface resistances, 32
 Spin-dependent transmission and reflection, 29
 Spin-flip length, 31
 Spin-flip scattering, 13
 Spin-split density of states, 29
 Spin-torque asymmetry parameter A , 32
 Spin-torque oscillators (STOs), 26, 29, 44
 Spin-transfer torque (STT), 25, 27
 Spinor, 29
 Spintronic, 88, 167
 Spintronics, 26, 58
 SRIM, 62
 Stability, 156
 Standing-wave mode, 48
 Static torque, 92
 Steady-state oscillatory mode, 43
 Stoner–Wohlfarth model, 43
 Structural properties, 62
 Superparamagnetic, 200
 Superparamagnetic phase, 71
 Surface anisotropy, 114
 SWR spectra, 111
 Synchronization, 50
- T**
- TEM measurements, 62
 Temperature-dependent magnetization, 74
 Thermolysis, 207
 Thiele equation, 49
 Timing jitter, 4

Total electron yield (TEY) method, 68
Transition elements, 60
Transition-metal, 158
Transverse magneto-optical Kerr effect, 14
Transverse spin current, 29
Tunneling magnetoresistance, 58
Two-step switching process, 40
Twofold in-plane magnetic anisotropy, 74

U

Ultra-high vacuum, 207
Ultrafast demagnetization, 3, 13
Ultrafast spin dynamics, 13
Ultrathin films, 104
Ultrathin magnetic layers, 100
Uniaxial anisotropy, 104
Unified theory for GMR and STT, 42

V

Vibrating sample magnetometer, 98
Vortex, 188
Vortex chirality, 45
Vortex core reversals, 51
VSM, AGFM, SQUID, 173

W

Walker limit, 9
Weak ferromagnetic, 65
Wurtzite structure, 60

X

X-ray absorption spectra, 130
X-ray absorption spectroscopy, 65
X-ray magnetic linear/circular dichroism (XMLD/XMCD), 123
X-ray photoelectron emission microscopy, 3
X-ray reflectivity (XRR), 127
X-ray resonant magnetic scattering, 65
XMCD, 131
XMLD, 132
XPEEM, 3
XRD experiments, 62
XRMS experiments, 65

Z

Zeeman energy, 8
Zero-field-cooled, 71
ZnO, 60