

Index

A

ABCB. *See* ATP-binding-cassette B (ABCB)

ABCB1, 157, 159, 161–163, 168

ABCB4, 161

ABCB19, 157, 162, 163

ABCB–AUX1, 162

ABCB–TWD1, 169

Abiotic stress

 cold temperature, 300–301

 high temperature, 301–302

 temperature stress, 296, 301

ABP1. *See* Auxin binding protein 1 (ABP1)

abp1-5, 244

Abscisic acid (ABA), 58–60

N-Acyl-homoserine lactones (AHLs), 109

 3-O-C10-HL, 108

ADP-ribosylation factor-GDP/GTP exchange factors (ARF-GEFs), 3, 8, 10, 192, 241, 242, 246

ADP-ribosylation-factor GTPase-activating protein (ARF GAP), 146

AGC kinases, 83–85, 87–92

AGC1 kinases, 9, 11

agravitropic1 (agr1), 240, 241

AHK, 63

AHPs, 61

Allelopathy/defence, 325

altered response to gravity1 (arg1), 182

1-Aminocyclopropane-1-carboxylic acid (ACC), 329

Amyloplasts, 182

Anther, 326

Anthocyanins, 312, 315

Antioxidant

 glutathione, 104, 105

 thioredoxin reductase, 105

APETALA2, 138

Apical dominance, 194, 323

Arabidopsis, 180

Arabidopsis histidine kinases (AHKs), 60, 61

Arabidopsis response regulators (ARRs), 57, 60, 61, 63

Arbuscules, 209

ARF5, 138

ARF7, 139

arf7 arf19, 184

ARF GAP. *See* ADP-ribosylation-factor GTPase-activating protein (ARF GAP)

ARF-GEFs. *See* ADP-ribosylation factor-GDP/GTP exchange factors (ARF-GEFs)

ARFs. *See* Auxin response factors (ARFs)

ARRs. *See* Arabidopsis response regulators (ARRs)

ATHB8, 143, 144

Atmdr1/Atpgp1, 326

ATP-binding-cassette B (ABCB), 2, 4, 156, 160, 162, 165, 168, 172

 endocytosis, 5

AtPIN1, 183

AtPIN2, 183

AtPIN3, 183

AtPIN4, 323

Autoregulation, 247, 248

Autoregulation mutants, 207

AUX1, 156, 203

AUX/IAA. *See* AUXIN/INDOLE-3-ACETIC ACID (AUX/IAA)

AUX/IAA17, 184

Auxin binding protein 1 (ABP1), 243–245, 270

AUXIN/INDOLE-3-ACETIC ACID (AUX/IAA), 138, 139, 184, 239, 240, 272

AUXIN-RESISTANT1 (AUX1), 284, 322

AUXIN RESISTANT1 (AXR1), 184, 242, 243

- auxin resistant3* (*axr3*), 184
 AUXIN-RESISTANT4 (AXR4), 3
 AUXIN-RESISTANT1 (AUX1)/AUX1-LIKES (LAXs), 2, 3
 Auxin response factors (ARFs), 138, 139, 184, 240, 272, 314
 Auxin response genes, 204
 Auxins, 46, 47, 49–60, 62–70, 156, 202, 239–252, 260
 ABPI, 121
 ASA1, 123
 Aux/IAA, 111
 axr1, 110
 axr3, 110
 efflux carriers
 ABCB, 107
 PIN1, 106, 107
 efflux proteins, 131–133, 144
 export, 207
 and flavonoid co-regulation, 327
 flow, 141, 142, 144–145, 147
 gradient, 119, 120, 299
 lateral root, 31–33
 maximum, 135
 oxidases, 329
 PIN
 embryogenesis, 28–31, 35
 root, 29, 31–32, 35–37
 SCF^{TIR1/AFB}, 121
 shoot, 27, 28, 31, 33–35, 37
 synthesis, 297–298
 synthesis locus, 325
 TIR1, 111
 transport, 119–125, 129–148, 202, 298–299, 314
 transport inhibition, 143, 144
 transport inhibitors, 203
 AUX1/LAXs. *See* AUXIN-RESISTANT1 (AUX1)/AUX1-LIKES (LAXs)
 AUX1/ LIKE_AUX1 (LAX), 264
axr6, 242
- B**
 BDL, 139
 BFA. *See* Brefeldin A (BFA)
 Bioluminescence resonance energy transfer (BRET), 159, 164
 Biomechanics, 270
 Blue light, 245
 Body-axis, 133, 135
Brassica, 328
 Brassinosteroid (BR), 49, 51
 Brefeldin A (BFA), 3, 5, 11, 157, 192, 242, 244, 246
 compartments, 8
 BRET. *See* Bioluminescence resonance energy transfer (BRET)
 BSO (a specific inhibitor of glutathione biosynthesis), 106
 BUM, 164
- C**
Camellia, 328
 Canalization, 132, 135, 141, 144, 145, 267, 268
Cardamine hirsute, 145
 Ca²⁺ signalling, 325
 Cell walls, 194, 270
 cGMP, 108
p-Chlorophenoxyisobutyric acid, 187
 Cholodny–Went hypothesis, 183, 240
 Circumnutation, 194
 Clathrin, 241–245
 Clathrin light chain GFP fusion protein (CLC-GFP), 244
 Clathrin-mediated PIN, 14
 CLE peptides, 212
 Coleoptiles, 221–235
 Columella, 181
 Columella cells, 240, 241
 Compared, 185
 Competence, 271
 Competition, 281–290
 Compound leaf, 248–249
 CONSTITUTIVE PHOTOMORPHOGENIC1 (COP1), 245, 246
cop9-1, 246
 Coreceptors, 274
 Cotyledonary node, 318
 COTYLEDON VASCULAR PATTERN2 (CVP2), 146
 COTYLEDON VASCULAR PATTERN1/ STEROL METHYLTRANSFERASE2 (CVPI/SMT2), 147
 Cryptochrome, 283, 287, 288
CS-ACSI, 190
CsARF2, 190
CsARF5, 190
CsIAA1, 187
CsIAA2, 190
CsPIN1, 187, 193
CsPIN4, 190
CsPIN6, 190
 C14 sterol reductase, 243

Cucumber, 180
Cucumis sativus glycine-rich protein1
 (*CsGRP1*), 190
 CVP2. *See* COTYLEDON VASCULAR
 PATTERN2 (CVP2)
 CVP2-LIKE1 (CVL1), 146
 CVP1/SMT2. *See* COTYLEDON
 VASCULAR PATTERN1/STEROL
 METHYLTRANSFERASE2
 (CVP1/SMT2)
 Cycloheximide, 242
 Cysts, 210
 Cytokinin–auxin, 61
 Cytokinins (CKs), 49, 57, 60, 69, 314
 Cytoskeleton, 108, 109, 262
 actin, 108, 109

D

det3-1, 245
 Dihydroflavonols, 315
 Diphenylboric acid 2-amino ethyl-ester
 (DPBA), 321
 D6 protein kinases (D6PKs), 85, 86
DR5 reporters, 192, 248, 325

E

Efflux carriers, 240
eir1, 240, 241
 Embryo defective30 (*emb30*), 137
 Embryo proper, 133
 Endocytosis, 9, 14, 15, 49, 50, 65, 108,
 242–245
 Endodermis, 185
 Endosomes, 241, 242
 ENHANCER OF PINOID, 82, 88
entire (e), 248, 249
 Ethylene, 49, 54–56, 61, 62, 69, 70, 204, 328
 Ethylene precursor, 329

F

FACKLE (FK), 243
 Feeding sites, 210
 Fenpropimorph, 243
FFT MATE transporter, 327
 Flat meristem, 145
Flaveria, 328
 Flavonoids, 203, 312
 Flavonoid transporters, 318
 Flavonols, 315
 quercetin, 107
tt4, 106

*FLORICULA /LEAFY (LFY)/UNIFOLIATA/
 SINGLE LEAFLET1 (FLO/LFY/
 UNI/SGL1)*, 248
 FM4-64, 242, 243, 245
Frankia, 207

G

Galls, 210
 GH3 family proteins, 64
 Gibberellins (GAs), 57, 111
 DELLA, 111
 Glutathione transporter, 318
 GNOM, 85, 246
gnom (gn), 137, 138
 GRAS transcription factor, 135
 Gravimorphism, 180
 Gravimorphogenesis, 180, 186
 Gravitropic response, 241, 246, 250
 Gravitropism, 7, 11, 49, 54, 56, 60, 66, 180,
 222, 230–235
 Green revolution, 289
 GRETCHEN HAGEN3 (GH3), 247
 Ground meristem, 141, 143
 Ground tissue, 134, 135, 138, 140

H

Herbivore, 289, 290
 Hormonal cross-talk, 296
 Hormones
 ABA, 123, 124
 ABI4, 123
 ARRs, 121
 brassinosteroids, 122, 124
 COI1, 123
 cytokinin, 121, 123, 124
 ethylene, 123–124
 gibberellin, 122, 124
 jasmonate, 123, 124
 strigolactones, 122, 124
 Host resistance, 212
hy5, 245, 246
 9-Hydroxyfluorene-9-carboxylic acid
 (HFCA), 187
 Hyphal branching, 68, 69
 Hypocotyl–root transition zone, 318
 Hyponastic growth, 323

I

IAA. *See* Indole-3-acetic acid (IAA)
 IAA9, 248
 IAA12, 139

- Indole-3-acetic acid (IAA), 2, 182
 antibody, 223
 biosynthesis, 222–229, 233–235
 redistribution, 234
 transport, 222, 225, 229–235
 Infection thread, 246
 Influx carriers, 240
 Inositol phosphate, 64
 In silico gene expression, 251
 In situ fluorescence, 320
 Interactome, 273
 Inverted repeat lacking clade (IRLC), 248
- J**
- Jasmonates (JA), 63
 JASMONATE ZIM-DOMAIN (JAZ), 64
- K**
- Kaempferol, 315
 KCBP-interacting protein kinase (KIPK), 89
 KDEL, 244
KNOX1, 248
- L**
- Lateral shoot branching, 68
 Lateral veins, 136
LAX, 203
 Legumes, 246–248, 250, 251
Leu-Rich Repeat Receptor-Like Kinase (LRR-RLK), 247–248
- M**
- MACCHI-BOU 4, 82, 88
 Maize, 221–235
 MAP kinases, 83, 92–93, 95
 Marginal veins, 136
 Mathematical models, 132, 141
 MAX, 68, 69
Medicago, 246, 247, 249, 250, 319
 MeJA, 64
 MG132, 191, 246
 Microbially synthesised auxin, 313
 Microgravity, 187
 Microtubules, 191, 270
 Midvein, 130, 136, 140, 143, 145
modifier of arg1 (mar1), 182
modifier of arg2 (mar2), 182
 Monopteros (MP), 138, 139
 Morphogens, 260
Mtpin10, 249, 250, 252
 Multidrug and toxin efflux transporters, 318
 Multidrug-resistant/P-glycoprotein (MDR/PGP), 82
 MYC2/JASMONATE INSENSITIVE1, 64
 Mycorrhizal association, 325
 Mycorrhizal fungi, 209
- N**
- Naked pins in yuc mutants 1 (NPY1), 82, 88
NAM/CUC, 249
 1-*N*-Naphthylphthalamic acid (NPA),
 163–165, 168, 172, 222, 224, 231,
 232, 247, 248, 314
 Naringenin, 315
 Nitric oxide (NO)
 atnoal, 108
 cue1/nox1, 108, 110, 111
 nitrate reductase (NR), 104, 109
 nitric oxide synthase (NOS), 104, 105, 109
 scavenger, 109
 Nitrogen fixation, 246, 247
 Nod factor signaling, 206
 Nodulation, 325
 Nodule organogenesis, 205
 Nodules, 205, 246, 247, 252
 NONEXPRESSER OF PR GENES 1 (NPR1),
 67
 Non-phototrophic hypocotyl4 (NPH4), 139
 Non-phototropic hypocotyl 3 (NPH3) proteins,
 82, 83, 87–88, 92, 94, 95
 NPA. *See* 1-*N*-Naphthylphthalamic acid (NPA)
 NPH1, 86
 NPH4. *See* Non-phototropic hypocotyl4
 (NPH4)
 NPH3 proteins. *See* Non-phototropic hypocotyl
 3 (NPH3) proteins
 NPL1, 86
 NPY1. *See* Naked pins in yuc mutants 1
 (NPY1)
- P**
- Pathogenesis-related (PR), 67
 Pathogens, 212
 Patterns, 267
 PDK1. *See* 3-Phosphoinositide-dependent
 protein kinase (PDK1)
 PDK1 kinases, 91
 Peg, 180
 Peg formation, 186
Petunia hybrida, 319

- P-glycoprotein (PGPs), 156, 264
 PGP4, 203
 Phenylpropanoid pathway, 315
 Phosphatases
 FyPP1, 93
 FyPP3, 93
 inositol polyphosphate 1-phosphatase (supo1), 94
 MAP kinase phosphatase, 92
 and phototropism, 87, 94
 PP6, 93
 PP2A, 83, 87, 90, 93, 94
 PP2C, 83
 Phosphatidylinositol 3-kinase (PI3K), 90, 91
 Phosphatidylinositol metabolism, 89–90
 Phosphatidylinositol 4-monophosphate (PI4P), 146
 3-Phosphoinositide-dependent protein kinase (PDK1), 84, 89–92
 Phosphorylation, 5, 11
 PHOT. *See* Phototropin (PHOT)
 phot1, 168
 Photoreceptors, 282–284, 287
 Phototropin (PHOT), 283, 284, 288
 PHOT1, 84, 86–88, 94
 PHOT2, 84, 86
 phototropism and auxin, 86
 Phototropism, 7, 11, 222, 230–233, 235, 281, 283–284
 PHOTROPIN1 (phot1), 166
 Phyllotaxis, 269
Physcomitrella, 322
 Phytochrome, 245
 Phytochrome interacting factor (PIF), 286
 PHYTOCHROME KINASE SUBSTRATE 4 (PKS4), 87, 94
 Phytochromes, 286, 290
 PID. *See* PINOID (PID)
 PIF. *See* Phytochrome interacting factor (PIF)
 PIN1, 157, 160, 162, 169
 PIN2, 160, 162, 169
pin2, 323
 PIN-FORMED1 (PIN1), 322
 PIN-FORMED3 (PIN3), 283, 284, 286–289
 PIN-FORMEDs (PINs), 2, 6, 132, 156, 162, 183, 203, 240, 261
 AtSNX1, 120
 GNOM, 35–38, 120, 124
 PID, 120, 124
 PP2A, 120, 124
 proteins
 apical targeting, 84
 basal targeting, 85
 hydrophilic loop, 84, 85, 96
 internalization, 90, 91
 and phosphorylation, 82, 84–86, 91, 93–95
 polar targeting, 82–84, 94
 recycling, 83, 84, 86, 95
 trafficking, 35–39, 120
 VPS29, 120
 PIN3-GFP, 286, 287
 PIN-like proteins (PILs), 241
 PIN-LIKES (PILS), 2
 PINOID (PID), 5, 13, 82, 90, 93, 165–168, 170–172, 193, 242, 262, 324
 PINOID, PID-kinase, 37
PINI::PIN1-GFP, 249
 PINs. *See* PIN-FORMEDs (PINs)
 PIP5 kinase (PIP5K), 90
 Plant defense, 67
 Plant-parasitic nematodes, 210
 Plasma membrane H⁺ ATPase, 318
 Plethora, 138
 PLETHORA 1, 65
 Polar auxin transport (PAT), 1, 48, 69, 156, 162, 163
 Polarity, 7, 8, 131–134, 136–139, 142, 144, 146, 147
 Polarity loops, 170
 Polarization, 262
 Pollen, 326
 Posttranslational modification (PTM)
 nitration, 104
 oxidation, 104
 S-nitrosylation, 104
 PP2A. *See* Protein phosphatase 2A (PP2A)
 PP2A phosphatase, 193
 Primary roots, 323
 Proanthocyanidins, 315
 Procambium, 134, 136, 141, 143
 Proteasome, 54, 57
 Protection, 312
 Protein kinase CK2, 83, 90–92, 95
 Protein phosphatase 2A (PP2A), 9, 11, 242
 Protein–protein interaction (PPI), 158, 160, 169
 Protoderm, 134
 Pseudonodules, 247
 5-PTases, 146
- Q**
 Quercetin, 318

R

- RCN1, 168
 Reactive nitrogen species (RNS), 104, 105, 107–108, 111
 Reactive oxygen species (ROS)
 hydrogen peroxide (H₂O₂), 104, 109
 respiratory burst/NADPH oxidase, 104, 109, 110
 superoxide ion (O₂^{•-}), 109
 Receptor complex, 52, 65, 68
 Redox, 106, 109
 R:FR, 285–290
 Rhizobia, 204, 246–248, 250, 251
Rhizobium sp., 325
 Rho in plants (ROP), 262, 270
 RNS. *See* Reactive nitrogen species (RNS)
roll-2 mutant, 323
 Root
 adventitious, 106, 108, 111
 apex, 265
 branching, 209
 cap, 181
 elongation zone, 317
 galls, 325
 gravistimulation, 107
 gravitropic bending, 108, 109
 gravitropism, 180, 323
 hair, 104, 111
 lateral, 105, 111
 parasitic plants, 68, 69
 quiescent center (QC), 109
 Root-knot nematodes, 210
 ROP GTPases, PIN, 39
 RPT2, 87

S

- Salicylic acid (SA), 67
 SAM. *See* Shoot apical meristem (SAM)
scarcrow (*scr*), 185
 SCF^{TIR1}, 64
 SCF^{TIR1/AFB}, 138, 139
 Secondary roots, 323
 Seed coat, 317
 Self-organizing control, 129
 Sensitivity, 273
 Sensor, 265
 Sepals, 326
 Shade avoidance, 282, 284–290
 Shikimate pathway, 319
 Shoot apical meristem (SAM), 248, 249, 265, 268, 273

- Shoot branching, 69, 70
 Shoot gravitropism, 185
shoot gravitropism3 (*sgr3*), 185
shoot gravitropism4 (*sgr4*), 185
 Shoot-to-root auxin transport, 207
short-root (*shr*), 135, 185
 SMT3. *See* Sterol methyltransferase3 (SMT3)
 SNX1, 246
 Sorting nexin 1 (SNX1), 90
 Soybean, 246, 247, 249–251
 26S proteasomal pathway, 64
 26S proteasomes, 240, 245, 246
 Stamen, 326
 Statocytes, 181
 Sterol methyltransferase3 (SMT3), 147
 Sterols, 13
 Stress responses, 313
 Strigolactones, 68–70
sunm, 247, 248
 Symbiosomes, 246
 Symbiotic arbuscular mycorrhizal fungi, 68
 Symbiotic interactions
 legume-arbuscular mycorrhizal fungal, 250, 251
 legume-microbe, 250
 Systemic signals, 207

T

- Terpenoid lactones, 68
 TF. *See* Transcription factors (TF)
 TIBA. *See* 2,3,5-triiodobenzoic acid (TIBA)
 TIR1, 239, 242, 243, 245
 TIR/AFBs, 273
 Tobacco, 326
 Tobacco BY-2, 244
 Transcription factors (TF), 317
 Transduction pathway, 271
 Transparent testa (tt), 317
 Transport canals, 69
 Transport inhibitor response1 (TIR1), 314, 328
 2,3,5-Triiodobenzoic acid (TIBA), 164, 187
 Tropism, 2
 Tryptophan, 314
 TRYPTOPHAN AMINOTRANSFERASE OF ARABIDOPSIS 1 (TAA1), 285, 286, 290
tt4 CHS mutant, 322
tt7 mutants, 329
 TWISTED DWARF1 (TWD1), 5, 157–161, 164, 165, 167, 168, 170

U

Ubiquitylation, 14
UV light, 319

V

VAB1/FKD1. *See* VAN3-BINDING
PROTEIN1/FORKED1 (VAB1/
FKD1)
Vacuolar targeting, 245–246
Vacuoles, 317
VAN3-BINDING PROTEIN1/FORKED1
(VAB1/FKD1), 146
Vascular-strands, 130–134, 136, 139–142, 144,
145, 147
Vasculature, 267
Vein formation, 129, 136, 142–143, 145–147

VPS29, 246

W

wav6, 240, 241
WAVING 1 (WAG1), 84, 89
WAVING 2 (WAG2), 84, 89

Y

yuc2, 326
yuc6, 326
YUCCA, 286

Z

Zea mays, 319