

Index

- \sqrt{n} consistent, 160
- 5-point property, 105

- Alternating method, 105

- adaptivity condition, 95
- alternative hypothesis, 129
- asymptotic normality, xvii

- Bayes estimation, 107, 119
- Bayes risk, 112
- Bernoulli, 1
- Bernoulli experiment, 107
- bias, xvii
- Bonferroni rule, 141

- canonical parameter, 33
- Cauchy distribution, 131
- cdf, xii, xviii, xx
 - empirical, xviii
 - joint, xii
 - marginal, xii
- characteristic function, xii
- characteristic polynomial, xviii
- chi-square test, 169
- chi-squared test, orthonormal under the
 - measure basis, test statistic $T_{n,d}$, 167
- χ^2 distribution, xiv
 - quantile, xiv
- CLT, xiv, 169
- conditional distribution, xviii
- conditional expectation, xii
- conditional moments, xviii
- conditional variance, xii
- confidence ellipsoids, 87
- contingency table, xviii
- continuous mapping theorem, 169
- contrast, 26
- contrast matrix, 179
- convergence
 - almost sure, xiv
 - in probability, xiv
- convergence in distribution, xiv
- convergence of the alternating method, spectral norm, 103
- convex hull, xiv
- correlation, xiii
 - empirical, xiii
- correlation matrix
 - empirical, xiii
- covariance, xii
 - empirical, xiii
- covariance matrix, xiii
 - empirical, xiii
- Cramér-Rao inequality, 24
- Cramer-von Mises, 169
- critical value, xviii
- cumulants, xii

- data matrix, xiii
- DAX return, 144
- determinant, xiv
- deviation probabilities for the maximum likelihood, 34
- diagonal, xiii
- distribution, xi
 - χ^2 , xiv

- conditional, xviii
- F -, xiv
- Gaussian, xx
- marginal, xix
- multinormal, xx
- normal, xx
- t -, xiv
- distribution function
 - empirical, xviii

- edf, *see* empirical distribution function
- eigenvalue, xviii
- eigenvector, xviii
- empirical distribution function, xviii, 169
- empirical moments, xix
- error of the first kind, 129
- error of the second kind, 129
- estimate, xix
- estimation under the homogeneous noise
 - assumption, 80
- estimator, xix
- expected value, xix
 - conditional, xii
- Exponential distribution, 133
- exponential family, 33, 37

- F-test, 144
- F -distribution, xiv
 - quantile, xiv
- Fisher information, 23, 24, 33

- Gamma distribution, 120
- Gauss-Markov theorem, 3, 98
- Gaussian distribution, xx
- Gaussian shift, 24, 113
- Glivenko-Cantelli theorem, 9

- Hessian matrix, xix
- horizontal profiles, 178, 181

- indicator, xi

- Jarque Bera Test, 171

- Kolmogorov-Smirnov test, 169
- Kronecker product, xi
- Kullback-Leibler divergence, 23

- likelihood, xix
- likelihood ratio test, 136
- linear constraint, 178
- linear dependence, xix
- linear model, 176
- linear regression, 176
- linear space, xiv
- LLN, xiv
- log-likelihood, xix

- marginal distribution, xix
- marginal moments, xix
- matrix
 - contrast, 179
 - covariance, xiii
 - determinant of, xiv
 - diagonal of, xiii
 - Hessian, xix
 - orthogonal, xx
 - rank of, xiii
 - trace, xiii
- maximum likelihood estimator, 30
- mean, xii, xix
- mean squared error, *see* MSE
- median, xx
- Method of moments, 30
- method of moments for an i.i.d. sample, 170
- ML estimator, 37
- moments, xii, xx
 - empirical, xix
 - marginal, xix
- MSE, xx
- multinormal distribution, xx
- multivariate parameter, 30

- natural parameter, 33
- Neyman-Pearson lemma, 132
- Neyman-Pearson test, 131, 132, 134, 144, 146, 150
- normal distribution, xx
- null hypothesis, 129

- observation, xiii
- One-sided and two-sided tests, 136
- order statistic, xiii
- orthogonal design, 80
- orthogonal matrix, xx
- orthonormal design, 80, 81

- parallel profiles, 178, 179
- Pareto distribution, 120

- pdf, xii
 - conditional, xii
 - joint, xii
 - marginal, xii
- penalized likelihood, bias-variance decomposition, 90
- penalized log-likelihood, ridge regression, 89
- pivotal quantity, xx
- Poisson family, 24
- power function, 129
- profile analysis, 178
- profile estimation, 94
- projection and shrinkage estimates, 92
- p -value, xx

- quantile, xx

- R-efficiency, 24
- random variable, xi, xx
- random vector, xi, xx
- rank, xiii
- Region of rejection (critical region), 131
- regular family, 23

- sample, xiii
- scatterplot, xx
- semi-invariants, xii
- semiparametric estimation, target and nuisance parameters, adaptivity condition, 93
- singular value decomposition, xx
- spectral decomposition, xxi
- spectral representation, 85
- statistical test, 129
- stochastic component, 84
- subspace, xxi
- SVD, *see* singular value decomposition

- Taylor expansion, xxi
- t -distribution, xiv
 - quantile, xiv
- test
 - covariance matrix, 172
 - mean vector, 174
 - two-sample, 175
- test of method of moments, 170
- Tikhonov regularization, 88
- trace, xiii

- uniformly most powerful test, 134

- variance, xiii
 - conditional, xii
 - empirical, xiii
- volatility model, 33

- Wilks phenomenon, 86
- Wishart distribution, 179