

Index

A

A β peptide, 135, 191
Adiabatically swept pulses, 174
Adiabatic longitudinal transport after dissociation engenders net alignment (ALTADENA), 8
Ala, Met labeling, 104
Aliasing, optimized, 91
Alzheimer's plaques, 127, 134, 191
Amino acids, methyl groups, 105
Amyloid fibrils, 121, 126, 134, 147
Amyloid precursor protein (APP), 135
Anabaena sensory rhodopsin (ASR), 141
Anisotropic bulk magnetic susceptibility (ABMS), 181
Aspartate transcarbamoylase (ATCase), 107, 110
ATPase, 106
Automatic assignments, 109

B

Bicelles, 127
Biomolecular solid-state NMR spectroscopy, 121
Bis(cyclopentadienyl)metal compounds, 187
1,3-Bisdiphenylene-2-phenylallyl-radical (BDPA), 63, 145
Broadband homonuclear recoupling, 132
2-Bromophenyl-3-trifluoromethyl-5-methylpyrazole, 80
Brucine, 78

C

Chemically induced dynamic nuclear polarization (CIDNP), 25
Chloroproporphyrin, 185
Chloroquine, 113

Chromocene, 178
Clebsch–Gordan expansion, 193
Cobra neurotoxin, 147
Computer optimized aliasing, 91
Contact shift anisotropy, 186
Continuous wave (CW) decoupling, 130
Crabtree catalyst, 8
CRAMPS, 130
Cross effect (CE), 26, 29, 39, 144
Cryo-NMR, 128
Cu(DL-Ala)₂, 168
Cu(8-quinolinol)₂, 180
Curie spin, 161
Cytochrome P450, 181

D

Density functional theory (DFT), 63, 178
Dipolar assisted rotational resonance (DARR), 133
Dipolar coupling, 163
Dipolar interactions and chemical shifts (DIPSHIFT), 134
Dipolar shift anisotropy (DSA), 183, 194
Dissolution DNP/ex situ DNP (D-DNP), 29, 53
DOTOPA-TEMPO, 43
Double quantum relaxation, 35
DREAM, 172
DUMBO, 130
Dynamic nuclear polarization (DNP), 23, 121, 143, 191
 biomolecular NMR, 146
 earth's field, 49
 mechanisms, 27
 pulsed, 41
 sensitivity enhancement, 143

E

Electron–electron double resonance (ELDOR), 33
 Electron paramagnetic resonance (EPR), 33, 143
 Ethanol, 16
 Europium acetate, 168
 Exchange spectra, 107

F

Fast MAS, 128, 167
 spin-spin correlations, 169
 Fermi-contact shifts/coupling, 163, 175
 Fibrillation, 126
 Field/frequency lock, 85
 Flavine mononucleotide, 149
 Flavodoxin, 149
 Fremy's salt, 51
 Frequency switched Lee-Goldburg (FSLG), 130

G

G protein-coupled receptors (GPCRs), 142
 Gyrotrons, 43

H

Hadamard NMR spectroscopy, 71, 90
Halobacterium salinarum, 141
 Hartree–Fock/density functional theory (HF-DFT), 176
 Hemin chloride, 185
 Heteronuclear COSY (HETCOR), 76, 172
 Heteronuclear single-quantum correlation (HSQC), 99
 HET-s, *Podospora anserina*, 137
 HF–X PANSY–HSQC, 80
 Homogeneous line broadening, 129
 Homonuclear rotary resonance (HORROR), 132
 Hyperfine coupling, 157
 Hyperpolarization, 1, 23
 methods, 25
 storage, 59

I

Ile, Leu, Val (ILV) labelling, 102
 INADEQUATE, 81
 Influenza A virus, ion channel M2, 138
 In-phase anti-phase (IPAP), 87
 Insensitive nuclei enhanced by polarization transfer (INEPT), 134
 Internal lock (i-lock), 85
 Isotope labeling, 124

J

J-coupling, 3

L

Lanthanide acetates, 185
 Lewy bodies, 127, 136
 Ley's radical, 39
 Lipid bilayer membranes, 190
 Lithium, 184
 Lithium-ion rechargeable batteries, 177
 Ln₂Sn₂O₇, 159, 180
 Long-lived singlet spin states (LLS), 61
 Low magnetic fields, 1

M

Macromolecular complexes, 126
 Magic angle spinning (MAS), 121, 123, 157
 Magnetic resonance imaging (MRI), 174
 Magnetic susceptibility, 161
 Magnetization transfer, 8
 Matrix metalloproteinase, 181
 Membrane-mimicking environments, 128
 Membrane proteins, 121, 127, 138
 Me-salicylate, 94
 Metallocenes, 187
 Methyl labelling, 97, 100, 109
 Methyl-TROSY, 109
 Microcrystals, 126
 Millitesla regime, 10
 MIRROR spin diffusion, 133
 Multi-nuclear field/frequency lock, 85
 Multiple receivers, 71, 75
 data processing, 93
 fast techniques, 88
 Mutagenesis, 97

N

Nanodiscs, 127
 Nanolipoprotein, 128
 Nitronylnitroxide radicals, 176
 NMR, 1ff
 biomolecular solid-state, 121
 cryo-solid-state, 128
 low-field, 1
 multidimensional, 71, 125, 132
 parallel acquisition, 71
 solid-state, 157
 NOE spectroscopy (NOESY), 97, 109
 transferred (trNOESY), 110
 Nuclear orientation via electron spin locking (NOVEL), 38, 41

O

- Optical pumping, 5
- Overhauser DNP (O-DNP), 29, 31, 44, 49
- OX063 (tris{8-carboxyl-tetra [2-(1-hydroxyethyl)]-benzo(1,2-d:4,5-d') bis(1,3)dithiole-4-yl}methyl sodium salt), 62

P

- PANSY, 71, 76
- PANSY-HMBC, 80
- PANSY-TOCSY, 77
- Para-hydrogen and synthesis allow dramatically enhanced nuclear alignment (PASADENA), 8
- Para-hydrogen induced polarization (PHIP), 3, 8, 25
- Parallel acquisition NMR and all-in-one combination of experimental applications (PANACEA), 81
- Parallel acquisition NMR spectroscopy (PANSY), 71, 76
- Paramagnetic probes, 175
- Paramagnetic relaxation enhancements (PRE), 110, 165
 - solid-state MAS NMR, 189
- Paramagnetism, 157, 191
- Parkinson's disease, 136
- Phase-alternated recoupling irradiation scheme (PARIS), 133
- Phosphatidylinositol-3-kinase, 147
- Polarization, 24
 - transfer, 133
- Polarization of nuclear spins enhanced by ENDOR (PONSEE), 41
- Polarizing agents, 62
- Poly(DADMAC), 48, 64
- Polymorphism, 126
- Prepolarizing, 5
- Prions, 137
- Projection reconstruction (PR), 71, 92
- Proteasome, 106
 - anticancer drugs, 113
- Protegrin-1, 190
- Protein/DNA contacts, 147
- Protein G (GB1), 125
- Proteins, 121
 - cell-free synthesis, 125
 - deuteration, 125, 149
 - large, 97, 106
 - methyl-labelled samples, 100
 - simultaneous H-1/C-13 detection, 86
- Proteorhodopsin, 141

- Proton-assisted insensitive nuclei cross polarization (PAIN-CP), 133
- Proton-assisted recoupling (PAR), 133
- Proton decoupling, 129
- Proton-driven spin diffusion (PDS), 133
- Pseudocontact shifts (PCSs), 107, 164, 179
- Pulsed DNP, 41
- Pyridine, 8

Q

- Quantum rotor polarization (QRP), 26
- Quinine, 84

R

- Recoupling, 130, 147, 172
 - second-order, 133
- Reverse labeling, 125
- Rhodopsins, 141
- Rotational echo double resonance (REDOR), 131

S

- Saccharomyces cerevisiae* prions, 137
- Sec translocase (SecA), 106, 110
- Seven transmembrane helices (7-TM), 141
- Shift anisotropies, 183
- Short adiabatic pulses (SHAPs), 174
- Shuttling DNP spectrometer, 46
- Signal amplification by reversible exchange (SABRE), 8
- Signal enhancement, 3
- Site-directed spin labelling (SDSL), 110
- Solid effect (SE), 26, 29, 36, 144
- Solid-state DNP (SS-DNP), 29, 42
- SPECIFIC-CP, 132
- Spin diffusion, 28, 37, 63, 133, 144, 189
- Spin-exchange optical pumping (SEOP), 3, 5
- Spin polarization induced nuclear Overhauser effect (SPINOE), 3, 5
- Strong coupling, 1
- Superconducting quantum interference devices (SQUID), 2, 49
- α -Synuclein, 136

T

- TEDOR, 131
- Temperature jump DNP, 53
- TEMPO, 62, 145
- TEMPOL, 48, 63, 145

- TEMPONE (4-oxo-2,2,6,6-tetramethylpiperidine-*N*-oxyl) radical, 33, 35, 46, 62
- Thermal mixing (TM), 26, 29, 39, 144
- Thermoplasma acidophilum*, 20S proteasome, 110
- TOTAPOL, 40, 62, 63, 146
- Transferred NOE spectroscopy (trNOESY), 110
- Translational diffusion, 29, 34
- Transverse magnetization, 4
- Transverse-relaxation optimized spectroscopy (TROSY), 97
- Trifluoroacetic acid, 35
- Trityl, 36, 48, 56, 62, 145
- Trypanosoma brucei*, 11S activator complex, 113
- U**
- Uranocene, 183
- V**
- Vacuum magnetic permeability, 161
- Y**
- Yeast prions, 137
- Y₂Sn₂O₇, 159