

# References

1. J. Abbott, A.M. Bigatti, CoCoALib: A C++ library for doing Computations in Commutative Algebra (2011). Available at <http://cocoa.dima.unige.it/cocoalib>
2. A. Alilooee, S. Faridi, Betti numbers of path ideals of cycles and line (2011). Preprint [[arXiv:1110.6653v1](https://arxiv.org/abs/1110.6653v1)]
3. J. Àlvarez Montaner, Characteristic cycles of local cohomology modules of monomial ideals. *J. Pure Appl. Algebra* **150**, 1–25 (2000)
4. J. Àlvarez Montaner, Characteristic cycles of local cohomology modules of monomial ideals II. *J. Pure Appl. Algebra* **192**, 1–20 (2004)
5. J. Àlvarez Montaner, Some numerical invariants of local rings. *Proc. Am. Math. Soc.* **132**, 981–986 (2004)
6. J. Àlvarez Montaner, Operations with regular holonomic D-modules with support a normal crossing. *J. Symb. Comput.* **40**, 999–1012 (2005)
7. J. Àlvarez Montaner, R. García López, S. Zarzuela, Local cohomology, arrangements of subspaces and monomial ideals. *Adv. Math.* **174**, 35–56 (2003)
8. J. Àlvarez Montaner, S. Zarzuela, Linearization of local cohomology modules, in *Commutative Algebra: Interactions with Algebraic Geometry*, ed. by L.L. Avramov, M. Chardin, M. Morales, C. Polini. Contemporary Mathematics, vol. 331 (American Mathematical Society, Providence, 2003), pp. 1–11
9. J. Àlvarez Montaner, A. Leykin, Computing the support of local cohomology modules. *J. Symb. Comput.* **41**, 1328–1344 (2006)
10. J. Àlvarez Montaner, A. Vahidi, Lyubeznik numbers of monomial ideals. *Trans. Am. Math. Soc.* (2011) [[arXiv/1107.5230](https://arxiv.org/abs/1107.5230)] (to appear)
11. I. Anwar, D. Popescu, Stanley Conjecture in small embedding dimension. *J. Algebra* **318**, 1027–1031 (2007)
12. J. Apel, On a conjecture of R. P. Stanley. Part I-Monomial Ideals. *J. Algebr. Comb.* **17**, 36–59 (2003)
13. J. Apel, On a conjecture of R. P. Stanley. Part II-Quotients modulo monomial ideals. *J. Algebr. Comb.* **17**, 57–74 (2003)
14. S. Bandari, K. Divaani-Aazar, A. Soleyman Jahan, Filter-regular sequences, almost complete intersections and Stanley’s conjecture (2011) [[arXiv:1112.5159](https://arxiv.org/abs/1112.5159)]
15. F. Barkats, Calcul effectif de groupes de cohomologie locale à support dans des idéaux monomiaux. Ph.D. Thesis, Univ. Nice-Sophia Antipolis, 1995
16. D. Bayer, I. Peeva, B. Sturmfels, Monomial resolutions. *Math. Res. Lett.* **5**, 31–46 (1998)
17. D. Bayer, B. Sturmfels, Cellular resolutions of monomial modules. *J. Reine Angew. Math.* **502**, 123–140 (1998)

18. C. Biró, D. Howard, M. Keller, W. Trotter, S. Young, Interval partitions and Stanley depth. *J. Comb. Theory Ser. A* **117**, 475–482 (2010)
19. I. Bermejo, P. Gimenez, Saturation and Castelnuovo-Mumford regularity. *J. Algebra* **303**, 592–617 (2006)
20. J. Biermann, Cellular structure on the minimal resolution of the edge ideal of the complement of the  $n$ -cycle (2011). Preprint
21. J.E. Björk, *Rings of Differential Operators* (North Holland Mathematics Library, Amsterdam, 1979)
22. A. Björner, M.L. Wachs, Shellable nonpure complexes and posets II. *Trans. Am. Math. Soc.* **349**, 3945–3975 (1997)
23. M. Blickle, Lyubeznik’s numbers for cohomologically isolated singularities. *J. Algebra* **308**, 118–123 (2007)
24. M. Blickle, R. Bondu, Local cohomology multiplicities in terms of étale cohomology. *Ann. Inst. Fourier* **55**, 2239–2256 (2005)
25. R. Boldini, Critical cones of characteristic varieties. *Trans. Am. Math. Soc.* **365**, 143–160 (2013)
26. A. Borel, in *Algebraic D-Modules. Perspectives in Mathematics* (Academic, London, 1987)
27. R. Bouchat, H.T. Hà, A. O’Keefe, Path ideals of rooted trees and their graded Betti numbers. *J. Comb. Theory Ser. A* **118**, 2411–2425 (2011)
28. M. Brodmann, The asymptotic nature of the analytic spread. *Math. Proc. Camb. Philos. Soc.* **86**, 35–39 (1979)
29. M.P. Brodmann, R.Y. Sharp, in *Local Cohomology, An Algebraic Introduction with Geometric Applications*. Cambridge Studies in Advanced Mathematics, vol. 60 (Cambridge University Press, Cambridge, 1998)
30. W. Bruns, J. Herzog, *Cohen-Macaulay rings*, revised edn. (Cambridge University Press, Cambridge, 1998)
31. W. Bruns, C. Krattenthaler, J. Uliczka, Stanley decompositions and Hilbert depth in the Koszul complex. *J. Commut. Algebra* **2**, 327–357 (2010)
32. W. Bruns, C. Krattenthaler, J. Uliczka, Hilbert depth of powers of the maximal ideal, in *Commutative Algebra and Its Connections to Geometry (PASI 2009)*, ed. by A. Corso, C. Polini. Contemporary Mathematics, vol. 555 (American Mathematical Society, Providence, 2011), pp. 1–12
33. J. Chen, S. Morey, A. Sung, The stable set of associated primes of the ideal of a graph. *Rocky Mt. J. Math.* **32**, 71–89 (2002)
34. R.-X. Chen, Minimal free resolutions of linear edge ideals. *J. Algebra* **324**, 3591–3613 (2010)
35. M. Chudnovsky, N. Robertson, P. Seymour, R. Thomas, The strong perfect graph theorem. *Ann. Math. (2)* **164**, 51–229 (2006)
36. M. Cimpoeaş, Some remarks on the Stanley depth for multigraded modules. *Le Matematiche* **LXIII**, 165–175 (2008)
37. M. Cimpoeaş, Stanley depth of monomial ideals with small number of generators. *Cent. Eur. J. Math.* **7**, 629–634 (2009)
38. M. Cimpoeaş, Stanley depth of squarefree Veronese ideals (2009). [arXiv:0907.1232](https://arxiv.org/abs/0907.1232) [math.AC]
39. CoCoATeam, CoCoA: A system for doing Computations in Commutative Algebra (2011). Available at <http://cocoa.dima.unige.it>
40. A. Conca, E. De Negri, M-Sequences, graph ideals and ladder ideals of linear type. *J. Algebra* **211**, 599–624 (1999)
41. A. Conca, J. Herzog, Castelnuovo-Mumford regularity of products of ideals. *Collect. Math.* **54**, 137–152 (2003)
42. D.W. Cook II, Simplicial decomposability. *J. Softw. Algebra Geom.* **2**, 20–23 (2010)
43. A. Corso, U. Nagel, Specializations of Ferrers ideals. *J. Algebr. Comb.* **28**, 425–437 (2008)
44. A. Corso, U. Nagel, Monomial and toric ideals associated to Ferrers graphs. *Trans. Am. Math. Soc.* **361**, 1371–1395 (2009)

45. S.C. Coutinho, in *A Primer of Algebraic  $\mathcal{D}$ -Modules*. London Mathematical Society Student Texts (Cambridge University Press, Cambridge, 1995)
46. K. Dalili, M. Kummini, Dependence of Betti numbers on characteristic (2010) [[arXiv:1009.4243](https://arxiv.org/abs/1009.4243)]
47. W. Decker, G.-M. Greuel, G. Pfister, H. Schönemann, SINGULAR 3-1-3 — A computer algebra system for polynomial computations (2011). <http://www.singular.uni-kl.de>
48. A. Dochtermann, A. Engström, Algebraic properties of edge ideals via combinatorial topology. *Electron. J. Combin.* **16** (2009). Special volume in honor of Anders Björner, Research Paper 2, 24 pp.
49. A. Dochtermann, A. Engström, Cellular resolutions of cointerval ideals. *Math. Z.* **270**, 145–163 (2012)
50. A. Dress, A new algebraic criterion for shellability. *Beiträge zur Alg. und Geom.* **34**, 45–55 (1993)
51. J.A. Eagon, V. Reiner, Resolutions of Stanley-Reisner rings and Alexander duality. *J. Pure Appl. Algebra* **130**, 265–275 (1998)
52. D. Eisenbud, in *Commutative Algebra with a View Towards Algebraic Geometry*. GTM, vol. 150 (Springer, Berlin, 1995)
53. D. Eisenbud, G. Fløystad, F.O. Schreyer, Sheaf cohomology and free resolutions over exterior algebras. *Trans. Am. Math. Soc.* **355**, 4397–4426 (2003)
54. D. Eisenbud, M. Green, K. Hulek, S. Popescu, Restricting linear syzygies: Algebra and geometry. *Compos. Math.* **141**, 1460–1478 (2005)
55. D. Eisenbud, M. Mustață, M. Stillman, Cohomology on toric varieties and local cohomology with monomial supports. *J. Symb. Comput.* **29**, 583–600 (2000)
56. S. Eliahou, M. Kervaire, Minimal resolutions of some monomial ideals. *J. Algebra* **129**, 1–25 (1990)
57. E. Emtander, A class of hypergraphs that generalizes chordal graphs. *Math. Scand.* **106**, 50–66 (2010)
58. E. Emtander, Betti numbers of hypergraphs. *Commun. Algebra* **37**, 1545–1571 (2009)
59. S. Faridi, The facet ideal of a simplicial complex. *Manuscripta Math.* **109**, 159–174 (2002)
60. G. Fatabbi, On the resolution of ideals of fat points. *J. Algebra* **242**, 92–108 (2001)
61. O. Fernández-Ramos, P. Gimenez, First nonlinear syzygies of ideals associated to graphs. *Commun. Algebra* **37**, 1921–1933 (2009)
62. G. Fløystad, J. Herzog, Gröbner bases of syzygies and Stanley depth. *J. Algebra* **328**, 178–189 (2011)
63. H.B. Foxby, Bounded complexes of flat modules. *J. Pure Appl. Algebra* **15**, 149–172 (1979)
64. C.A. Francisco, Resolutions of small sets of fat points. *J. Pure Appl. Algebra* **203**, 220–236 (2005)
65. C. Francisco, H.T. Hà, A. Van Tuyl, Splittings of monomial ideals. *Proc. Am. Math. Soc.* **137**, 3271–3282 (2009)
66. C.A. Francisco, H.T. Hà, A. Van Tuyl, A conjecture on critical graphs and connections to the persistence of associated primes. *Discrete Math.* **310**, 2176–2182 (2010)
67. C.A. Francisco, H.T. Hà, A. Van Tuyl, Associated primes of monomial ideals and odd holes in graphs. *J. Algebr. Comb.* **32**, 287–301 (2010)
68. C.A. Francisco, H.T. Hà, A. Van Tuyl, Colorings of hypergraphs, perfect graphs, and associated primes of powers of monomial ideals. *J. Algebra* **331**, 224–242 (2011)
69. C.A. Francisco, A. Hoefel, A. Van Tuyl, [EdgeIdeals](#): A package for (hyper)graphs. *J. Softw. Algebra Geom.* **1**, 1–4 (2009)
70. R. Fröberg, On Stanley-Reisner rings, in *Topics in Algebra, Part 2 (Warsaw, 1988)*. PWN, vol. 26 (Banach Center Publ., Warsaw, 1990), pp. 57–70
71. O. Gabber, The integrability of the Characteristic Variety. *Am. J. Math.* **103**, 445–468 (1981)
72. A. Galligo, M. Granger, Ph. Maisonobe, D-modules et faisceaux pervers dont le support singulier est un croisement normal. *Ann. Inst. Fourier* **35**, 1–48 (1985)

73. A. Galligo, M. Granger, Ph. Maisonobe, D-modules et faisceaux pervers dont le support singulier est un croisement normal. II, in *Differential Systems and Singularities (Luminy, 1983)*. Astérisque **130**, 240–259 (1985)
74. R. Garcia, C. Sabbah, Topological computation of local cohomology multiplicities. *Collect. Math.* **49**, 317–324 (1998)
75. V. Gasharov, I. Peeva, V. Welker, The lcm-lattice in monomial resolutions. *Math. Res. Lett.* **6**, 521–532 (1999)
76. M. Ge, J. Lin, Y.H. Shen, On a conjecture of Stanley depth of squarefree Veronese ideals. *Commun. Algebra* **40**, 2720–2731 (2012)
77. M. Goresky, R. MacPherson, in *Stratified Morse Theory*. Ergebnisse Series, vol. 14 (Springer, Berlin, 1988)
78. S. Goto, K. Watanabe, On Graded Rings, II ( $\mathbb{Z}^n$ - graded rings). *Tokyo J. Math.* **1**, 237–261 (1978)
79. H.G. Gräbe, The canonical module of a Stanley-Reisner ring. *J. Algebra* **86**, 272–281 (1984)
80. D. Grayson, M. Stillman, Macaulay2, A software system for research in algebraic geometry (2011). Available at: <http://www.math.uiuc.edu/Macaulay2>
81. A. Grothendieck, in *Local Cohomology*. Lecture Notes in Mathematics, vol. 41 (Springer, Berlin, 1967)
82. A. Grothendieck, J. Dieudonné, *Éléments de géométrie algébrique IV. Étude locale des schémas et des morphismes de schémas* Inst. Hautes Études Sci. Publ. Math. **28** (1966)
83. H.T. Hà, A. Van Tuyl, Splittable ideals and the resolution of monomial ideals. *J. Algebra* **309**, 405–425 (2007)
84. H.T. Hà, A. Van Tuyl, Resolutions of square-free monomial ideals via facet ideals: A survey. *Contemp. Math.* **448**, 91–117 (2007)
85. H.T. Hà, A. Van Tuyl, Monomial ideals, edge ideals of hypergraphs, and their graded Betti numbers. *J. Algebr. Combin.* **27**, 215–245 (2008)
86. J. He, A. Van Tuyl, Algebraic properties of the path ideal of a tree. *Commun. Algebra* **38**, 1725–1742 (2010)
87. M. Hellus, A note on the injective dimension of local cohomology modules. *Proc. Am. Math. Soc.* **136**, 2313–2321 (2008)
88. J. Herzog, T. Hibi, Componentwise linear ideals. *Nagoya Math. J.* **153**, 141–153 (1999)
89. J. Herzog, T. Hibi, The depth of powers of an ideal. *J. Algebra* **291**, 534–550 (2005)
90. J. Herzog, T. Hibi, Distributive lattices, bipartite graphs and Alexander duality. *J. Algebr. Comb.* **22**, 289–302 (2005)
91. J. Herzog, T. Hibi, in *Monomial Ideals*. GTM, vol. 260 (Springer, Berlin, 2010)
92. J. Herzog, T. Hibi, F. Hreinsdóttir, T. Kahle, J. Rauh, Binomial edge ideals and conditional independence statements. *Adv. Appl. Math.* **45**, 317–333 (2010)
93. J. Herzog, T. Hibi, X. Zheng, Monomial ideals whose powers have a linear resolution. *Math. Scand.* **95**, 23–32 (2004)
94. J. Herzog, S. Iyengar, Koszul modules. *J. Pure Appl. Algebra* **201**, 154–188 (2005)
95. J. Herzog, D. Popescu, Finite filtrations of modules and shellable multicomplexes. *Manuscripta Math.* **121**, 385–410 (2006)
96. J. Herzog, D. Popescu, M. Vladioiu, On the Ext-modules of ideals of Borel type. *Contemp. Math.* **331**, 171–186 (2003)
97. J. Herzog, D. Popescu, M. Vladioiu, Stanley depth and size of a monomial ideal. *Proc. Am. Math. Soc.* **140**, 493–504 (2012)
98. J. Herzog, A. Soleyman Jahan, S. Yassemi, Stanley decompositions and partitionable simplicial complexes. *J. Algebr. Comb.* **27**, 113–125 (2008)
99. J. Herzog, A. Soleyman Jahan, X. Zheng, Skeletons of monomial ideals. *Math. Nachr.* **283**, 1403–1408 (2010)
100. J. Herzog, H. Takayama, Resolutions by mapping cones. *The Roos Festschrift* vol. 2. *Homology Homotopy Appl.* **4**, 277–294 (2002)
101. J. Herzog, M. Vladioiu, X. Zheng, How to compute the Stanley depth of a monomial ideal (2007) [[arXiv:0712.2308v1](https://arxiv.org/abs/0712.2308v1)]

102. J. Herzog, M. Vladioiu, X. Zheng, How to compute the Stanley depth of a monomial ideal. *J. Algebra* **322**, 3151–3169 (2009)
103. T. Hibi, Distributive lattices, affine semigroup rings and algebras with straightening laws, in *Commutative Algebra and Combinatorics*, ed. by M. Nagata, H. Matsumura. Advanced Studies in Pure Mathematics, vol. 11 (North-Holland, Amsterdam, 1987), pp. 93–109
104. T. Hibi, Quotient algebras of Stanley-Reisner rings and local cohomology. *J. Algebra* **140**, 336–343 (1991)
105. T. Hibi, K. Kimura, S. Murai, Betti numbers of chordal graphs and  $f$ -vectors of simplicial complexes. *J. Algebra* **323**, 1678–1689 (2010)
106. A. Hoefel, G. Whieldon, Linear quotients of the square of the edge ideal of the anticycle (2011). Preprint [[arXiv:1106.2348v2](https://arxiv.org/abs/1106.2348v2)]
107. N. Horwitz, Linear resolutions of quadratic monomial ideals. *J. Algebra* **318**, 981–1001 (2007)
108. S. Hosten, G.G. Smith, Monomial ideals, in *Computations in Algebraic Geometry with Macaulay 2*. Algorithms and Computations in Mathematics, vol. 8 (Springer, New York, 2001), pp. 73–100
109. C. Huneke, Problems on local cohomology modules, in *Free Resolutions in Commutative Algebra and Algebraic Geometry (Sundance, 1990)*. Research Notes in Mathematics, vol. 2 (Jones and Barthlett Publishers, Boston, 1994), pp. 93–108
110. C. Huneke, R.Y. Sharp, Bass numbers of local cohomology modules. *Trans. Am. Math. Soc.* **339**, 765–779 (1993)
111. M. Ishaq, Upper bounds for the Stanley depth. *Commun. Algebra* **40**, 87–97 (2012)
112. M. Ishaq, Values and bounds of the Stanley depth. *Carpathian J. Math.* **27**, 217–224 (2011) [[arXiv:1010.4692](https://arxiv.org/abs/1010.4692)]
113. S. Iyengar, G. Leuschke, A. Leykin, C. Miller, E. Miller, A. Singh, U. Walther, in *Twenty-Four Hours of Local Cohomology*. Graduate Studies in Mathematics, vol. 87 (American Mathematical Society, Providence, 2007)
114. S. Jacques, Betti Numbers of Graph Ideals. Ph.D. Thesis, University of Sheffield, 2004 [[arXiv:math/0410107v1](https://arxiv.org/abs/math/0410107v1)]
115. M. Janet, Les modules des formes algébriques et la théorie générale des systèmes différentiels. *Ann. Sci. École Norm. Sup.* **41**, 27–65 (1924)
116. M. Jöllenbeck, V. Welker, Minimal resolutions via algebraic discrete Morse theory. *Mem. Am. Math. Soc.* **197** vi+74 pp. (2009)
117. T. Kaiser, M. Stehlik, R. Skrekovski, Replication in critical graphs and the persistence of monomial ideals (2013). Preprint [[arXiv:1301.6983.v2](https://arxiv.org/abs/1301.6983v2)]
118. M. Katzman, Characteristic-independence of Betti numbers of graph ideals. *J. Comb. Theory Ser. A* **113**, 435–454 (2006)
119. M.T. Keller, Y-H. Shen, N. Streib, S.T. Young, On the Stanley depth of squarefree Veronese ideals. *J. Algebr. Comb.* **33**, 313–324 (2011)
120. M.T. Keller, S.J. Young, Stanley depth of squarefree monomial ideals. *J. Algebra* **322**, 3789–3792 (2009)
121. K. Kimura, Non-vanishingness of Betti numbers of edge ideals (2011). Preprint [[arXiv:1110.2333v3](https://arxiv.org/abs/1110.2333v3)]
122. F. Kirwan, in *An Introduction to Intersection Homology Theory*. Pitman Research Notes in Mathematics (Longman Scientific and Technical, Harlow, 1988); copublished in the United States with Wiley, New York
123. S. Khoroshkin,  $D$ -modules over arrangements of hyperplanes. *Commun. Algebra* **23**, 3481–3504 (1995)
124. S. Khoroshkin, A. Varchenko, Quiver  $D$ -modules and homology of local systems over arrangements of hyperplanes. *Inter. Math. Res. Papers*, 2006
125. M. Kummini, Regularity, depth and arithmetic rank of bipartite edge ideals. *J. Algebr. Comb.* **30**, 429–445 (2009)
126. A. Leykin,  $D$ -modules for Macaulay 2, in *Mathematical Software: ICMS 2002* (World Scientific, Singapore, 2002), pp. 169–179

127. A. Leykin, M. Stillman, H. Tsai,  $D$ -modules for Macaulay 2 (2011). Available at: <http://people.math.gatech.edu/~aleykin3/Dmodules>
128. G. Lyubeznik, On the local cohomology modules  $H_{\mathfrak{A}}^i(R)$  for ideals  $\mathfrak{A}$  generated by monomials in an  $R$ -sequence, in *Complete Intersections*, ed. by S. Greco, R. Strano. Lecture Notes in Mathematics, vol. 1092 (Springer, Berlin, 1984), pp. 214–220
129. G. Lyubeznik, On the arithmetical rank of monomial ideals. *J. Algebra* **112**, 86–89 (1988)
130. G. Lyubeznik, A new explicit finite free resolution of ideals generated by monomials in an  $R$ -sequence. *J. Pure Appl. Algebra* **51**, 193–195 (1988)
131. G. Lyubeznik, The minimal non-Cohen-Macaulay monomial ideals. *J. Pure Appl. Algebra* **51**, 261–266 (1988)
132. G. Lyubeznik, Finiteness properties of local cohomology modules (an application of  $D$ -modules to commutative algebra). *Invent. Math.* **113**, 41–55 (1993)
133. G. Lyubeznik,  $F$ -modules: Applications to local cohomology and  $D$ -modules in characteristic  $p > 0$ . *J. Reine Angew. Math.* **491**, 65–130 (1997)
134. G. Lyubeznik, A partial survey of local cohomology modules, in *Local Cohomology Modules and Its Applications (Guanajuato, 1999)*. Lecture Notes in Pure and Applied Mathematics, vol. 226 (Marcel Dekker, New York, 2002), pp. 121–154
135. G. Lyubeznik, On some local cohomology modules. *Adv. Math.* **213**, 621–643 (2007)
136. D. Maclagan, G.G. Smith, Smooth and irreducible multigraded Hilbert schemes. *Adv. Math.* **223**, 1608–1631 (2010)
137. B. Malgrange, L'involativité des caractéristiques des systèmes différentiels et microdifférentiels, in *Lecture Notes in Mathematics*, vol. 710 (Springer, Berlin, 1979), pp. 277–289
138. J. Martínez-Bernal, S. Morey, R. Villarreal, Associated primes of powers of edge ideals (2011). Preprint [[arXiv:1103.0992v3](https://arxiv.org/abs/1103.0992v3)]
139. Z. Mebkhout, in *Le formalisme des six opérations de Grothendieck pour les  $\mathcal{D}_X$ -modules cohérents*. Travaux en Cours, vol. 35 (Hermann, Paris, 1989)
140. E. Miller, The Alexander duality functors and local duality with monomial support. *J. Algebra* **231**, 180–234 (2000)
141. E. Miller, B. Sturmfels, in *Combinatorial Commutative Algebra*. Graduate Texts in Mathematics, vol. 227 (Springer, New York, 2005)
142. E. Miller, B. Sturmfels, K. Yanagawa, Generic and cogeneric monomial ideals. *J. Symb. Comput.* **29**, 691–708 (2000)
143. S. Moradi, D. Kiani, Bounds for the regularity of edge ideal of vertex decomposable and shellable graphs. *Bull. Iran. Math. Soc.* **36**, 267–277 (2010)
144. S. Morey, E. Reyes, R. Villarreal, Cohen-Macaulay, shellable and unmixed clutters with a perfect matching of König type. *J. Pure Appl. Algebra* **212**, 1770–1786 (2008)
145. S. Morey, R. Villarreal, Edge ideals: Algebraic and combinatorial properties, in *Progress in Commutative Algebra*, vol. 1 (de Gruyter, Berlin, 2012), pp. 85–126
146. M. Mustață, Local Cohomology at Monomial Ideals. *J. Symb. Comput.* **29**, 709–720 (2000)
147. M. Mustață, Vanishing theorems on toric varieties. *Tohoku Math. J.* **54**, 451–470 (2002)
148. S. Nasir, Stanley decompositions and localization. *Bull. Math. Soc. Sci. Math. Roumanie* **51**, 151–158 (2008)
149. S. Nasir, A. Rauf, Stanley decompositions in localized polynomial rings. *Manuscripta Math.* **135**, 151–164 (2011)
150. E. Nevo, Regularity of edge ideals of  $C_4$ -free graphs via the topology of the lcm-lattice. *J. Comb. Theory Ser. A* **118**, 491–501 (2011)
151. E. Nevo, I. Peeva, Linear resolutions of powers of edge ideals (2010). Preprint
152. T. Oaku, Algorithms for  $b$ -functions, restrictions and local cohomology groups of  $D$ -modules. *Adv. Appl. Math.* **19**, 61–105 (1997)
153. T. Oaku, N. Takayama, Algorithms for  $D$ -modules—restriction, tensor product, localization, and local cohomology groups. *J. Pure Appl. Algebra* **156**, 267–308 (2001)
154. R. Okazaki, A lower bound of Stanley depth of monomial ideals. *J. Commut. Algebra* **3**, 83–88 (2011)

155. R. Okazaki, K. Yanagawa, Alexander duality and Stanley depth of multigraded modules. *J. Algebra* **340**, 35–52 (2011)
156. I. Peeva, *Graded Syzygies* (Springer, New York, 2010)
157. I. Peeva, M. Velasco, Frames and degenerations of monomial resolutions. *Trans. Am. Math. Soc.* **363**, 2029–2046 (2011)
158. F. Pham, in *Singularités des systèmes différentiels de Gauss-Manin*. Progress in Mathematics, vol. 2 (Birkhäuser, Basel, 1979)
159. A. Popescu, Special Stanley Decompositions. *Bull. Math. Soc. Sci. Math. Roumanie* **53**, 361–372 (2010)
160. D. Popescu, Stanley conjecture on intersections of four monomial prime ideals (2010) [[arXiv: AC/1009.5646](https://arxiv.org/abs/1009.5646)]
161. D. Popescu, Stanley depth of multigraded modules. *J. Algebra* **321**, 2782–2797 (2009)
162. D. Popescu, M.I. Qureshi, Computing the Stanley depth. *J. Algebra* **323**, 2943–2959 (2010)
163. M.R. Pournaki, S.A. Seyed Fakhari, S. Yassemi, Stanley depth of powers of the edge ideal of a forest. *Proc. Am. Math. Soc.* (Electronically published on June 7, 2013)
164. A. Rauf, Depth and Stanley depth of multigraded modules. *Commun. Algebra* **38**, 773–784 (2010)
165. G. Rinaldo, A routine to compute the Stanley depth of  $I/J$  (2011). <http://ww2.unime.it/algebra/rinaldo/sdepth.html>
166. T. Römer, Generalized Alexander duality and applications. *Osaka J. Math.* **38**, 469–485 (2001)
167. T. Römer, On minimal graded free resolutions. Ph.D. Thesis, Essen, 2001
168. M. Sato, T. Kawai, M. Kashiwara, Microfunctions and pseudo-differential equations, in *Lecture Notes in Mathematics*, vol. 287 (Springer, New York, 1973), pp. 265–529
169. E. Scheinerman, D. Ullman, *Fractional Graph Theory. A Rational Approach to the Theory of Graphs* (Wiley, New York, 1997)
170. P. Schenzel, On Lyubeznik’s invariants and endomorphisms of local cohomology modules. *J. Algebra* **344**, 229–245 (2011)
171. S.A. Seyed Fakhari, Stanley depth of the integral closure of monomial ideals (2012) [[arXiv: 1205.6971](https://arxiv.org/abs/1205.6971)]
172. S.A. Seyed Fakhari, Stanley depth of weakly polymatroidal ideals and squarefree monomial ideals (2013) [[arXiv:1302.5837](https://arxiv.org/abs/1302.5837)]
173. R.Y. Sharp, *Steps in Commutative Algebra*, 2nd edn. (Cambridge University Press, Cambridge, 2000)
174. Y-H. Shen, Stanley depth of complete intersection monomial ideals and upper-discrete partitions. *J. Algebra* **321**, 1285–1292 (2009)
175. A. Simis, W. Vasconcelos, R.H. Villarreal, On the ideal theory of graphs. *J. Algebra* **167**, 389–416 (1994)
176. A.M. Simon, Some homological properties of complete modules. *Math. Proc. Camb. Philos. Soc.* **108**, 231–246 (1990)
177. G.G. Smith, Irreducible components of characteristic varieties. *J. Pure Appl. Algebra* **165**, 291–306 (2001)
178. A. Soleyman Jahan, Prime filtrations of monomial ideals and polarizations. *J. Algebra* **312**, 1011–1032 (2007)
179. A. Soleyman Jahan, Prime filtrations and Stanley decompositions of squarefree modules and Alexander duality. *Manuscripta Math.* **130**, 533–550 (2009)
180. R. Stanley, The Upper Bound Conjecture and Cohen-Macaulay rings. *Stud. Appl. Math.* **54**, 135–142 (1975)
181. R.P. Stanley, Linear Diophantine equations and local cohomology. *Invent. Math.* **68**, 175–193 (1982)
182. R.P. Stanley, *Combinatorics and Commutative Algebra* (Birkhäuser, Basel, 1983)
183. R.P. Stanley, Positivity Problems and Conjectures in Algebraic Combinatorics, in *Mathematics: Frontiers and Perspectives*, ed. by V. Arnold, M. Atiyah, P. Lax, B. Mazur (American Mathematical Society, Providence, 2000), pp. 295–319



184. B. Sturmfels, The co-Scarf resolution, in *Commutative Algebra, Algebraic Geometry, and Computational Methods*, ed. by D. Eisenbud (Springer, Singapore, 1999), pp. 315–320
185. B. Sturmfels, S. Sullivant, Combinatorial secant varieties. *Pure Appl. Math. Q.* **2**(3), Part 1, 867–891 (2006)
186. B. Sturmfels, N. White, Computing combinatorial decompositions of rings. *Combinatorica* **11**, 275–293 (1991)
187. N. Terai, Local cohomology modules with respect to monomial ideals (1999). Preprint
188. D. Taylor, Ideals generated by monomials in an  $R$ -sequence. Ph.D. Thesis, University of Chicago, 1961
189. G. Valla, Betti numbers of some monomial ideals. *Proc. Am. Math. Soc.* **133**, 57–63 (2005)
190. A. Van Tuyl, Sequentially Cohen-Macaulay bipartite graphs: vertex decomposability and regularity. *Arch. Math. (Basel)* **93**, 451–459 (2009)
191. M. Velasco, Minimal free resolutions that are not supported by a CW-complex. *J. Algebra* **319**, 102–114 (2008)
192. R.H. Villarreal, Cohen-Macaulay graphs. *Manuscripta Math.* **66**, 277–293 (1990)
193. R.H. Villarreal, in *Monomial Algebras*. Monographs and Textbooks in Pure and Applied Mathematics, vol. 238 (Marcel Dekker, New York, 2001)
194. U. Walther, Algorithmic computation of local cohomology modules and the cohomological dimension of algebraic varieties. *J. Pure Appl. Algebra* **139**, 303–321 (1999)
195. U. Walther, D-modules and cohomology of varieties, in *Computations in Algebraic Geometry with Macaulay 2*. Algorithms and Computations in Mathematics, vol. 8 (Springer, Berlin, 2002), pp. 281–323
196. G. Whieldon, Jump sequences of edge ideals (2010). Preprint [[arXiv:1012.0108v1](https://arxiv.org/abs/1012.0108v1)]
197. R. Woodroofe, Matchings, coverings, and Castelnuovo-Mumford regularity (2010). Preprint [[arXiv:1009.2756](https://arxiv.org/abs/1009.2756)]
198. R. Woodroofe, Chordal and sequentially Cohen-Macaulay clutters. *Electron. J. Comb.* **18**, Paper 208 (2011)
199. K. Yanagawa, Alexander duality for Stanley-Reisner rings and squarefree  $\mathbb{N}$ -graded modules. *J. Algebra* **225**, 630–645 (2000)
200. K. Yanagawa, Bass numbers of local cohomology modules with supports in monomial ideals. *Math. Proc. Camb. Philos. Soc.* **131**, 45–60 (2001)
201. K. Yanagawa, Sheaves on finite posets and modules over normal semigroup rings. *J. Pure Appl. Algebra* **161**, 341–366 (2001)
202. K. Yanagawa, Derived category of squarefree modules and local cohomology with monomial ideal support. *J. Math. Soc. Jpn.* **56**, 289–308 (2004)
203. X. Zheng, Resolutions of facet ideals. *Commun. Algebra* **32**, 2301–2324 (2004)



Edited by J.-M. Morel, B. Teissier; P.K. Maini

**Editorial Policy** (for Multi-Author Publications: Summer Schools / Intensive Courses)

1. Lecture Notes aim to report new developments in all areas of mathematics and their applications - quickly, informally and at a high level. Mathematical texts analysing new developments in modelling and numerical simulation are welcome. Manuscripts should be reasonably self-contained and rounded off. Thus they may, and often will, present not only results of the author but also related work by other people. They should provide sufficient motivation, examples and applications. There should also be an introduction making the text comprehensible to a wider audience. This clearly distinguishes Lecture Notes from journal articles or technical reports which normally are very concise. Articles intended for a journal but too long to be accepted by most journals, usually do not have this "lecture notes" character.

2. In general SUMMER SCHOOLS and other similar INTENSIVE COURSES are held to present mathematical topics that are close to the frontiers of recent research to an audience at the beginning or intermediate graduate level, who may want to continue with this area of work, for a thesis or later. This makes demands on the didactic aspects of the presentation. Because the subjects of such schools are advanced, there often exists no textbook, and so ideally, the publication resulting from such a school could be a first approximation to such a textbook. Usually several authors are involved in the writing, so it is not always simple to obtain a unified approach to the presentation.

For prospective publication in LNM, the resulting manuscript should not be just a collection of course notes, each of which has been developed by an individual author with little or no coordination with the others, and with little or no common concept. The subject matter should dictate the structure of the book, and the authorship of each part or chapter should take secondary importance. Of course the choice of authors is crucial to the quality of the material at the school and in the book, and the intention here is not to belittle their impact, but simply to say that the book should be planned to be written by these authors jointly, and not just assembled as a result of what these authors happen to submit.

This represents considerable preparatory work (as it is imperative to ensure that the authors know these criteria before they invest work on a manuscript), and also considerable editing work afterwards, to get the book into final shape. Still it is the form that holds the most promise of a successful book that will be used by its intended audience, rather than yet another volume of proceedings for the library shelf.

3. Manuscripts should be submitted either online at [www.editorialmanager.com/lnm/](http://www.editorialmanager.com/lnm/) to Springer's mathematics editorial, or to one of the series editors. Volume editors are expected to arrange for the refereeing, to the usual scientific standards, of the individual contributions. If the resulting reports can be forwarded to us (series editors or Springer) this is very helpful. If no reports are forwarded or if other questions remain unclear in respect of homogeneity etc, the series editors may wish to consult external referees for an overall evaluation of the volume. A final decision to publish can be made only on the basis of the complete manuscript; however a preliminary decision can be based on a pre-final or incomplete manuscript. The strict minimum amount of material that will be considered should include a detailed outline describing the planned contents of each chapter.

Volume editors and authors should be aware that incomplete or insufficiently close to final manuscripts almost always result in longer evaluation times. They should also be aware that parallel submission of their manuscript to another publisher while under consideration for LNM will in general lead to immediate rejection.

4. Manuscripts should in general be submitted in English. Final manuscripts should contain at least 100 pages of mathematical text and should always include

- a general table of contents;
- an informative introduction, with adequate motivation and perhaps some historical remarks: it should be accessible to a reader not intimately familiar with the topic treated;
- a global subject index: as a rule this is genuinely helpful for the reader.

Lecture Notes volumes are, as a rule, printed digitally from the authors' files. We strongly recommend that all contributions in a volume be written in the same LaTeX version, preferably LaTeX2e. To ensure best results, authors are asked to use the LaTeX2e style files available from Springer's web-server at

<ftp://ftp.springer.de/pub/tex/latex/svmonot1/> (for monographs) and

<ftp://ftp.springer.de/pub/tex/latex/svmult1/> (for summer schools/tutorials).

Additional technical instructions, if necessary, are available on request from:

[lnm@springer.com](mailto:lnm@springer.com).

5. Careful preparation of the manuscripts will help keep production time short besides ensuring satisfactory appearance of the finished book in print and online. After acceptance of the manuscript authors will be asked to prepare the final LaTeX source files and also the corresponding dvi-, pdf- or zipped ps-file. The LaTeX source files are essential for producing the full-text online version of the book. For the existing online volumes of LNM see:

<http://www.springerlink.com/openurl.asp?genre=journal&issn=0075-8434>.

The actual production of a Lecture Notes volume takes approximately 12 weeks.

6. Volume editors receive a total of 50 free copies of their volume to be shared with the authors, but no royalties. They and the authors are entitled to a discount of 33.3 % on the price of Springer books purchased for their personal use, if ordering directly from Springer.

7. Commitment to publish is made by letter of intent rather than by signing a formal contract. Springer-Verlag secures the copyright for each volume. Authors are free to reuse material contained in their LNM volumes in later publications: a brief written (or e-mail) request for formal permission is sufficient.

**Addresses:**

Professor J.-M. Morel, CMLA,  
École Normale Supérieure de Cachan,  
61 Avenue du Président Wilson, 94235 Cachan Cedex, France  
E-mail: [morel@cmla.ens-cachan.fr](mailto:morel@cmla.ens-cachan.fr)

Professor B. Teissier, Institut Mathématique de Jussieu,  
UMR 7586 du CNRS, Équipe "Géométrie et Dynamique",  
175 rue du Chevaleret,  
75013 Paris, France  
E-mail: [teissier@math.jussieu.fr](mailto:teissier@math.jussieu.fr)

*For the "Mathematical Biosciences Subseries" of LNM:*

Professor P. K. Maini, Center for Mathematical Biology,  
Mathematical Institute, 24-29 St Giles,  
Oxford OX1 3LP, UK  
E-mail : [maini@maths.ox.ac.uk](mailto:maini@maths.ox.ac.uk)

Springer, Mathematics Editorial I,  
Tiergartenstr. 17,  
69121 Heidelberg, Germany,  
Tel.: +49 (6221) 4876-8259  
Fax: +49 (6221) 4876-8259  
E-mail: [lnm@springer.com](mailto:lnm@springer.com)