

References

1. F. Aicardi, Symmetries of quadratic form classes and of quadratic surd continued fractions. I. A Poincaré tiling of the de Sitter world. *Bull. Braz. Math. Soc. (N.S.)* **40**(3), 301–340 (2009)
2. F. Aicardi, Symmetries of quadratic form classes and of quadratic surd continued fractions. II. Classification of the periods' palindromes. *Bull. Braz. Math. Soc. (N.S.)* **41**(1), 83–124 (2010)
3. G.E. Andrews, *The Theory of Partitions*. Cambridge Mathematical Library (Cambridge University Press, Cambridge, 1998). Reprint of the 1976 original
4. H. Appelgate, H. Onishi, The similarity problem for 3×3 integer matrices. *Linear Algebra Appl.* **42**, 159–174 (1982)
5. V. Arnold, Arithmetics of binary quadratic forms, symmetry of their continued fractions and geometry of their de Sitter world. *Bull. Braz. Math. Soc. (N.S.)* **34**(1), 1–42 (2003). Dedicated to the 50th anniversary of IMPA
6. V.I. Arnold, Statistics of integral convex polygons. *Funct. Anal. Appl.* **14**(2), 79–81 (1980). Russian version: *Funkc. Anal. Prilozh.* **14**(2), 1–3 (1980)
7. V.I. Arnold, A -graded algebras and continued fractions. *Commun. Pure Appl. Math.* **42**(7), 993–1000 (1989)
8. V.I. Arnold, *Ordinary Differential Equations*. Springer Textbook (Springer, Berlin, 1992). Translated from the third Russian edition by Roger Cooke
9. V.I. Arnold, Higher-dimensional continued fractions. *Regul. Chaotic Dyn.* **3**(3), 10–17 (1998). J. Moser at 70 (in Russian)
10. V.I. Arnold, Preface, in *Pseudoperiodic Topology*. *Am. Math. Soc. Transl. Ser. 2*, vol. 197 (Am. Math. Soc., Providence, 1999), pp. ix–xii
11. V.I. Arnold, *Continued Fractions* (Moscow Center of Continuous Mathematical Education, Moscow, 2002) (in Russian)
12. S. Assaf, L.-C. Chen, T. Cheslack-Postava, B. Cooper, A. Diesl, T. Garrity, M. Lepinski, A. Schuyler, A dual approach to triangle sequences: a multidimensional continued fraction algorithm. *Integers* **5**(1), A8 (2005)
13. J. Barajas, O. Serra, The lonely runner problem with seven runners, in *Fifth Conference on Discrete Mathematics and Computer Science*, University of Valladolid. Ciencias (Valladolid), vol. 23 (Secr. Publ. Intercamb. Ed., Valladolid, 2006), pp. 111–116 (in Spanish)
14. J. Barajas, O. Serra, The lonely runner with seven runners. *Electron. J. Comb.* **15**(1), R48 (2008)
15. I. Bárány, A.M. Vershik, On the number of convex lattice polytopes. *Geom. Funct. Anal.* **2**(4), 381–393 (1992)
16. M. Barile, D. Bernardi, A. Borisov, J.-M. Kantor, On empty lattice simplices in dimension 4. *Proc. Am. Math. Soc.* **139**(12), 4247–4253 (2011)

17. O.R. Beaver, T. Garrity, A two-dimensional Minkowski $\varphi(x)$ function. *J. Number Theory* **107**(1), 105–134 (2004)
18. M. Beck, S. Robins, *Computing the Continuous Discretely: Integer-Point Enumeration in Polyhedra*. Undergraduate Texts in Mathematics (Springer, New York, 2007)
19. U. Betke, J.M. Wills, Untere Schranken für zwei diophantische Approximations-Funktionen. *Monatshefte Math.* **76**, 214–217 (1972)
20. W. Bienia, L. Goddyn, P. Gvozdzak, A. Sebő, M. Tarsi, Flows, view obstructions, and the lonely runner. *J. Comb. Theory, Ser. B* **72**(1), 1–9 (1998)
21. T. Bohman, R. Holzman, D. Kleitman, Six lonely runners. *Electron. J. Comb.* **8**(2), R3 (2001). In honor of Aviezri Fraenkel on the occasion of his 70th birthday
22. A.I. Borevich, I.R. Shafarevich, *Number Theory*. Pure and Applied Mathematics, vol. 20 (Academic Press, New York, 1966). Translated from the Russian by Newcomb Greenleaf
23. P. Borwein, *Computational Excursions in Analysis and Number Theory*. CMS Books in Mathematics, vol. 10 (Springer, New York, 2002)
24. A.J. Brentjes, *Multidimensional Continued Fraction Algorithms*. Mathematical Centre Tracts, vol. 145 (Mathematisch Centrum, Amsterdam, 1981)
25. K. Briggs, Klein polyhedra. <http://keithbriggs.info/klein-polyhedra.html>
26. V. Brun, Algorithmes euclidiens pour trois et quatre nombres, in *Treizième congrès des mathématiciens scandinaves, tenu à Helsinki 18–23 août 1957* (Mercators Tryckeri, Helsinki, 1958), pp. 45–64
27. A.D. Bryuno, V.I. Parusnikov, Klein polyhedra for two Davenport cubic forms. *Math. Notes - Ross. Akad.* **56**(3–4), 994–1007 (1995). Russian version: *Mat. Zametki* **56**(4), 9–27 (1994)
28. J. Buchmann, A generalization of Voronoï's unit algorithm. *I. J. Number Theory* **20**(2), 177–191 (1985)
29. J. Buchmann, A generalization of Voronoï's unit algorithm. *II. J. Number Theory* **20**(2), 192–209 (1985)
30. G. Bullig, Zur Kettenbruchtheorie im Dreidimensionalen (Z 1). *Abh. Math. Semin. Hansische Univ.* **13**, 321–343 (1940)
31. R.T. Bumby, Hausdorff dimensions of Cantor sets. *J. Reine Angew. Math.* **331**, 192–206 (1982)
32. V.A. Bykovskii, *Connectivity of Minkowskii Graph for Multidimensional Complete Lattices* (Dalnauka, Vladivostok, 2000)
33. V.A. Bykovskii, O.A. Gorkusha, Minimal bases of three-dimensional complete lattices. *Sb. Math.* **192**(1–2), 215–223 (2001). Russian version: *Mat. Sb.* **192**(2), 57–66 (2001)
34. J.W.S. Cassels, H.P.F. Swinnerton-Dyer, On the product of three homogeneous linear forms and the indefinite ternary quadratic forms. *Philos. Trans. R. Soc. Lond. Ser. A* **248**, 73–96 (1955)
35. H. Cohen, *A Course in Computational Algebraic Number Theory*. Graduate Texts in Mathematics, vol. 138 (Springer, Berlin, 1993)
36. J.H. Conway, An enumeration of knots and links, and some of their algebraic properties, in *Computational Problems in Abstract Algebra*, Oxford, 1967 (Pergamon, Oxford, 1970), pp. 329–358
37. T.W. Cusick, View-obstruction problems. *Aequ. Math.* **9**, 165–170 (1973)
38. T.W. Cusick, The largest gaps in the lower Markoff spectrum. *Duke Math. J.* **41**, 453–463 (1974)
39. T.W. Cusick, View-obstruction problems in n -dimensional geometry. *J. Comb. Theory, Ser. A* **16**, 1–11 (1974)
40. T.W. Cusick, View-obstruction problems. *II. Proc. Am. Math. Soc.* **84**(1), 25–28 (1982)
41. T.W. Cusick, M.E. Flahive, *The Markoff and Lagrange Spectra*. Mathematical Surveys and Monographs, vol. 30 (Am. Math. Soc., Providence, 1989)
42. T.W. Cusick, C. Pomerance, View-obstruction problems. *III. J. Number Theory* **19**(2), 131–139 (1984)
43. V.I. Danilov, The geometry of toric varieties. *Russ. Math. Surv.* **33**(2), 97–154 (1978). Russian version: *Usp. Mat. Nauk* **33**(2), 85–134 (1978)

44. K. Dasaratha, L. Flapan, T. Garrity, Ch. Lee, C. Mihaila, N. Neumann-Chun, S. Peluse, M. Stroffregen, Cubic irrationals and periodicity via a family of multi-dimensional continued fraction algorithms (2012). [arXiv:1208.4244](https://arxiv.org/abs/1208.4244)
45. K. Dasaratha, L. Flapan, T. Garrity, Ch. Lee, C. Mihaila, N. Neumann-Chun, S. Peluse, M. Stroffregen, A generalized family of multidimensional continued fractions: TRIP maps (2012). [arXiv:1206.7077](https://arxiv.org/abs/1206.7077)
46. H. Davenport, On the product of three homogeneous linear forms. I. Proc. Lond. Math. Soc. **13**, 139–145 (1938)
47. H. Davenport, On the product of three homogeneous linear forms. II. Proc. Lond. Math. Soc. (2) **44**, 412–431 (1938)
48. H. Davenport, On the product of three homogeneous linear forms. III. Proc. Lond. Math. Soc. (2) **45**, 98–125 (1939)
49. H. Davenport, Note on the product of three homogeneous linear forms. J. Lond. Math. Soc. **16**, 98–101 (1941)
50. H. Davenport, On the product of three homogeneous linear forms. IV. Proc. Camb. Philos. Soc. **39**, 1–21 (1943)
51. H. Davenport, On the product of three non-homogeneous linear forms. Proc. Camb. Philos. Soc. **43**, 137–152 (1947)
52. B.N. Delone, D.K. Faddeev, *The Theory of Irrationalities of the Third Degree*. Translations of Mathematical Monographs, vol. 10 (Am. Math. Soc., Providence, 1964)
53. J.W. Demmel, *Applied Numerical Linear Algebra* (Society for Industrial and Applied Mathematics, Philadelphia, 1997)
54. E. Ehrhart, Sur les polyèdres rationnels homothétiques à n dimensions. C. R. Math. Acad. Sci. Paris **254**, 616–618 (1962)
55. G. Ewald, *Combinatorial Convexity and Algebraic Geometry*. Graduate Texts in Mathematics, vol. 168 (Springer, New York, 1996)
56. J. Fiala, P. Kleban, Generalized number theoretic spin chain-connections to dynamical systems and expectation values. J. Stat. Phys. **121**(3–4), 553–577 (2005)
57. D. Fowler, *The Mathematics of Plato's Academy: A New Reconstruction*, 2nd edn. (Oxford University Press, New York, 1999)
58. C. Freiling, M. Laczkovich, D. Rinne, Rectangling a rectangle. Discrete Comput. Geom. **17**(2), 217–225 (1997)
59. W. Fulton, *Introduction to Toric Varieties*. Annals of Mathematics Studies, vol. 131 (Princeton University Press, Princeton, 1993). The William H. Roever Lectures in Geometry
60. T. Garrity, On periodic sequences for algebraic numbers. J. Number Theory **88**(1), 86–103 (2001)
61. T. Garrity, A thermodynamic classification of real numbers. J. Number Theory **130**(7), 1537–1559 (2010)
62. T. Garrity, A thermodynamic classification of pairs of real numbers via the triangle multi-dimensional continued fraction (2012). [arXiv:1205.5663](https://arxiv.org/abs/1205.5663)
63. C.F. Gauss, *Recherches Arithmétiques* (Blanchard, Paris, 1807)
64. I. Gelfand, V. Retakh, Quasideterminants. I. Sel. Math. New Ser. **3**(4), 517–546 (1997)
65. I.M. Gelfand, V.S. Retakh, Determinants of matrices over noncommutative rings. Funct. Anal. Appl. **25**(2), 91–102 (1991). Russian version: Funkc. Anal. Prilozh. **25**(2), 13–25 (1991)
66. I.M. Gelfand, V.S. Retakh, Theory of noncommutative determinants, and characteristic functions of graphs. Funct. Anal. Appl. **26**(4), 231–246 (1993). Russian version: Funkc. Anal. Prilozh. **26**(4), 1–20 (1992)
67. O.N. German, Sails and Hilbert bases. Proc. Steklov Inst. Math. **239**(4), 88–95 (2002). Russian version: Tr. Mat. Inst. Steklova **239**(4), 98–105 (2002)
68. O.N. German, Sails and norm minima of lattices. Sb. Math. **196**(3), 337–367 (2005). Russian version: Mat. Sb. **196**(3), 31–60 (2005)
69. O.N. German, Klein polyhedra and norm minima of lattices. Dokl. Akad. Nauk, Ross. Akad. Nauk **406**(3), 298–302 (2006)

70. O.N. German, E.L. Lakshtanov, On a multidimensional generalization of Lagrange's theorem for continued fractions. *Izv. Math.* **72**(1), 47–61 (2008). Russian version: *Izv. Ross. Akad. Nauk, Ser. Mat.* **72**(1), 51–66 (2008)
71. O.A. Gorkusha, Minimal bases of three-dimensional complete lattices. *Math. Notes - Ross. Akad.* **69**(3–4), 320–328 (2001). Russian version: *Mat. Zametki* **69**(3), 353–362 (2001)
72. P.M. Gruber, C.G. Lekkerkerker, *Geometry of Numbers*, 2nd edn. North-Holland Mathematical Library, vol. 37 (North-Holland, Amsterdam, 1987)
73. F.J. Grunewald, Solution of the conjugacy problem in certain arithmetic groups, in *Word Problems II*, Oxford, 1976. *Stud. Logic Foundations Math.*, vol. 95 (North-Holland, Amsterdam, 1980), pp. 101–139
74. J. Hančl, A. Jaššová, P. Lertchoosakul, R. Nair, On the metric theory of p -adic continued fractions. *Indag. Math. (N.S.)* **24**(1), 42–56 (2013)
75. H. Hancock, *Development of the Minkowski Geometry of Numbers*, vol. 1 (Dover, New York, 1964)
76. H. Hancock, *Development of the Minkowski Geometry of Numbers*, vol. 2 (Dover, New York, 1964)
77. C. Hermite, Letter to C. D. J. Jacobi. *J. Reine Angew. Math.* **40**, 286 (1839)
78. K. Hessenberg, Thesis, Technische Hochschule, Darmstadt, Germany, 1942
79. A. Higashitani, M. Masuda, Lattice multi-polygons (2012). [arXiv:1204.0088](https://arxiv.org/abs/1204.0088)
80. J. Hirsh, L.C. Washington, p -adic continued fractions. *Ramanujan J.* **25**(3), 389–403 (2011)
81. F. Hirzebruch, Über vierdimensionale Riemannsche Flächen mehrdeutiger analytischer Funktionen von zwei komplexen Veränderlichen. *Math. Ann.* **126**, 1–22 (1953)
82. A.A. Illarionov, Estimates for the number of relative minima of lattices. *Math. Notes - Ross. Akad.* **89**(1–2), 245–254 (2011). Russian version: *Mat. Zametki* **89**(2), 249–259 (2011)
83. A.A. Illarionov, The average number of relative minima of three-dimensional integer lattices. *St. Petersburg Math. J.* **23**(3), 551–570 (2012). Russian version: *Algebra Anal.* **23**(3), 189–215 (2011)
84. T.H. Jackson, Note on the minimum of an indefinite binary quadratic form. *J. Lond. Math. Soc. (2)* **5**, 209–214 (1972)
85. C.G.J. Jacobi, Allgemeine Theorie der Kettenbruchähnlichen Algorithmen, in welchen jede Zahl aus drei vorhergehenden gebildet wird (Aus den hinterlassenen Papieren von C. G. J. Jacobi mitgetheilt durch Herrn E. Heine). *J. Reine Angew. Math.* **69**(1), 29–64 (1868)
86. H.W.E. Jung, Darstellung der Funktionen eines algebraischen Körpers zweier unabhängigen Veränderlichen x, y in der Umgebung einer Stelle $x = a, y = b$. *J. Reine Angew. Math.* **133**, 289–314 (1908)
87. V.F. Kagan, *Origins of Determinant Theory* (Gos. Izd. Ukraine, Odessa, 1922) (in Russian)
88. J.-M. Kantor, K.S. Sarkaria, On primitive subdivisions of an elementary tetrahedron. *Pac. J. Math.* **211**(1), 123–155 (2003)
89. O. Karpenkov, On the triangulations of tori associated with two-dimensional continued fractions of cubic irrationalities. *Funct. Appl.* **38**(2), 102–110 (2004). Russian version: *Funkc. Anal. Prilozh.* **38**(2), 28–37 (2004)
90. O. Karpenkov, On two-dimensional continued fractions of hyperbolic integer matrices with small norm. *Russ. Math. Surv.* **59**(5), 959–960 (2004). Russian version: *Usp. Mat. Nauk* **59**(5), 149–150 (2004)
91. O. Karpenkov, Classification of three-dimensional multistoried completely hollow convex marked pyramids. *Russ. Math. Surv.* **60**, 165–166 (2005). Russian version: *Usp. Mat. Nauk* **60**(1), 169–170 (2005)
92. O. Karpenkov, Three examples of three-dimensional continued fractions in the sense of Klein. *C. R. Math. Acad. Sci. Paris* **343**(1), 5–7 (2006)
93. O. Karpenkov, On an invariant Möbius measure and the Gauss-Kuz'min face distribution. *Proc. Steklov Inst. Math.* **258**, 74–86 (2007). Russian version: *Tr. Mat. Inst. Steklova* **258**, 79–92 (2007)
94. O. Karpenkov, Elementary notions of lattice trigonometry. *Math. Scand.* **102**(2), 161–205 (2008)

95. O. Karpenkov, Constructing multidimensional periodic continued fractions in the sense of Klein. *Math. Comput.* **78**(267), 1687–1711 (2009)
96. O. Karpenkov, On irrational lattice angles. *Funct. Anal. Other Math.* **2**(2–4), 221–239 (2009)
97. O. Karpenkov, On determination of periods of geometric continued fractions for two-dimensional algebraic hyperbolic operators. *Math. Notes - Ross. Akad.* **88**(1–2), 28–38 (2010). Russian version: *Mat. Zametki* **88**(1), 30–42 (2010)
98. O. Karpenkov, Continued fractions and the second Kepler law. *Manuscr. Math.* **134**(1–2), 157–169 (2011)
99. O. Karpenkov, Multidimensional Gauss reduction theory for conjugacy classes of $SL(n, \mathbb{Z})$. Preprint (2012)
100. O.N. Karpenkov, A.V. Ustinov, On construction of the Minkowski-Voronoi complex. Preprint (2013)
101. O.N. Karpenkov, A.M. Vershik, Rational approximation of maximal commutative subgroups of $GL(n, \mathbb{R})$. *J. Fixed Point Theory Appl.* **7**(1), 241–263 (2010)
102. S. Katok, Continued fractions, hyperbolic geometry and quadratic forms, in *MASS Selecta* (Am. Math. Soc., Providence, 2003), pp. 121–160
103. L.H. Kauffman, S. Lambropoulou, On the classification of rational knots. *Enseign. Math.* (2) **49**(3–4), 357–410 (2003)
104. L.H. Kauffman, S. Lambropoulou, On the classification of rational tangles. *Adv. Appl. Math.* **33**(2), 199–237 (2004)
105. A.Ya. Khinchin, *Continued Fractions* (FISMATGIS, Moscow, 1961)
106. A.G. Khovanskii, Newton polytopes, curves on toric surfaces, and inversion of Weil’s theorem. *Russ. Math. Surv.* **52**(6), 1251–1279 (1997). Russian version: *Usp. Mat. Nauk* **52**(6), 113–142 (1997)
107. V. Klee, Some characterizations of convex polyhedra. *Acta Math.* **102**, 79–107 (1959)
108. F. Klein, Ueber eine geometrische Auffassung der gewöhnliche Kettenbruchentwicklung. *Nachr. Ges. Wiss. Göttingen Math-Phys. Kl.* **3**, 352–357 (1895)
109. F. Klein, Sur une représentation géométrique de développement en fraction continue ordinaire. *Nouv. Ann. Math.* **15**(3), 327–331 (1896)
110. A. Knauf, On a ferromagnetic spin chain. *Commun. Math. Phys.* **153**(1), 77–115 (1993)
111. A. Knauf, On a ferromagnetic spin chain. II. Thermodynamic limit. *J. Math. Phys.* **35**(1), 228–236 (1994)
112. A. Knauf, Number theory, dynamical systems and statistical mechanics. *Rev. Math. Phys.* **11**(8), 1027–1060 (1999)
113. M.L. Kontsevich, Yu.M. Suhov, Statistics of Klein polyhedra and multidimensional continued fractions, in *Pseudoperiodic Topology*. Am. Math. Soc. Transl. Ser. 2, vol. 197 (Am. Math. Soc., Providence, 1999), pp. 9–27
114. M. Konvalinka, I. Pak, Geometry and complexity of O’Hara’s algorithm. *Adv. Appl. Math.* **42**(2), 157–175 (2009)
115. S.V. Konyagin, K.A. Sevastyanov, Estimate of the number of vertices of a convex integral polyhedron in terms of its volume. *Funkc. Anal. Prilozh.* **18**(1), 13–15 (1984)
116. E. Korkina, La périodicité des fractions continues multidimensionnelles. *C. R. Acad. Sci., Sér. 1 Math.* **319**(8), 777–780 (1994)
117. E.I. Korkina, The simplest 2-dimensional continued fraction, in *International Geometrical Colloquium*, Moscow (1993)
118. E.I. Korkina, Two-dimensional continued fractions. The simplest examples. *Tr. Mat. Inst. Steklova* **209**, 143–166 (1995)
119. E.I. Korkina, The simplest 2-dimensional continued fraction. *J. Math. Sci.* **82**(5), 3680–3685 (1996)
120. C. Kraaikamp, I. Smeets, Approximation results for α -Rosen fractions. *Unif. Distrib. Theory* **5**(2), 15–53 (2010)
121. R.O. Kuzmin, On one problem of Gauss. *Dokl. Akad. Nauk SSSR, Ser. A*, 375–380 (1928)
122. R.O. Kuzmin, On a problem of Gauss. *Atti del Congresso Internazionale dei Matematici, Bologna* **6**, 83–89 (1932)

123. G. Lachaud, Polyèdre d'Arnol'd et voile d'un cône simplicial: analogues du théorème de Lagrange. *C. R. Acad. Sci., Sér. 1 Math.* **317**(8), 711–716 (1993)
124. G. Lachaud, Sails and Klein polyhedra, in *Number Theory*, Tiruchirapalli, 1996. *Contemp. Math.*, vol. 210 (Am. Math. Soc., Providence, 1998), pp. 373–385
125. G. Lachaud, *Voiles et Polyèdres de Klein* (Act. Sci. Ind., Hermann, 2002)
126. M. Laczkovich, G. Szekeres, Tilings of the square with similar rectangles. *Discrete Comput. Geom.* **13**(3–4), 569–572 (1995)
127. J.C. Lagarias, Best simultaneous Diophantine approximations. I. Growth rates of best approximation denominators. *Trans. Am. Math. Soc.* **272**(2), 545–554 (1982)
128. J.C. Lagarias, Geodesic multidimensional continued fractions. *Proc. Lond. Math. Soc.* (3) **69**(3), 464–488 (1994)
129. J.-L. Lagrange, Solution d'un problème d'arithmétique, in *Euvres de Lagrange*, vol. 1 (Gauthier-Villars, Paris, 1867–1892), pp. 671–732
130. A.K. Lenstra, H.W. Lenstra Jr., L. Lovász, Factoring polynomials with rational coefficients. *Math. Ann.* **261**(4), 515–534 (1982)
131. P. Levy, Sur les lois de probabilité dont dependent les quotients complets et incomplets d'une fraction continue. *Bull. Soc. Math. Fr.* **57**, 178–194 (1929)
132. J. Lewis, D. Zagier, Period functions and the Selberg zeta function for the modular group, in *The Mathematical Beauty of Physics*, Saclay, 1996. *Adv. Ser. Math. Phys.*, vol. 24 (World Scientific, River Edge, 1997), pp. 83–97
133. K. Mahler, *Lectures on Diophantine Approximations. Part I: g -adic Numbers and Roth's Theorem* (University of Notre Dame Press, Notre Dame, 1961). Prepared from the notes by R.P. Bambah of my lectures given at the University of Notre Dame in the Fall of 1957
134. Y.I. Manin, M. Marcolli, Continued fractions, modular symbols, and noncommutative geometry. *Sel. Math. New Ser.* **8**(3), 475–521 (2002)
135. A. Markoff, Sur les formes quadratiques binaires indéfinies. *Math. Ann.* **15**(3–4), 381–406 (1879)
136. A. Markoff, Sur les formes quadratiques binaires indéfinies. *Math. Ann.* **17**(3), 379–399 (1879)
137. P. Mattila, *Geometry of Sets and Measures in Euclidean Spaces: Fractals and Rectifiability*. Cambridge Studies in Advanced Mathematics, vol. 44 (Cambridge University Press, Cambridge, 1995)
138. A. Messaoudi, A. Nogueira, F. Schweiger, Ergodic properties of triangle partitions. *Monatshefte Math.* **157**(3), 283–299 (2009)
139. H. Minkowski, Généralisation de la théorie des fractions continues. *Ann. Sci. Éc. Norm. Sup.* (3) **13**, 41–60 (1896)
140. H. Minkowski, *Gesammelte Abhandlungen* (Am. Math. Soc., Chelsea, 1967), pp. 293–315
141. J.-O. Moussafir, Sails and Hilbert bases. *Funct. Anal. Appl.* **34**(2), 114–118 (2000). Russian version: *Funkc. Anal. Prilozh.* 34, (2) 2000, 43–49
142. J.-O. Moussafir, Voiles et Polyèdres de Klein: Geometrie, Algorithmes et Statistiques. Docteur en sciences thèse, Université Paris IX—Dauphine, 2000
143. V.V. Nikulin, On the classification of arithmetic groups generated by reflections in Lobachevskii spaces. *Izv. Akad. Nauk SSSR, Ser. Mat.* **45**(1), 113–142 (1981)
144. V.V. Nikulin, On the classification of arithmetic groups generated by reflections in Lobachevskii spaces. *Izv. Akad. Nauk SSSR, Ser. Mat.* **45**(1), 240 (1981)
145. V.V. Nikulin, Quotient-groups of groups of automorphisms of hyperbolic forms by subgroups generated by 2-reflections. Algebraic-geometric applications, in *Current Problems in Mathematics*, vol. 18 (Akad. Nauk SSSR, Vsesoyuz. Inst. Nauchn. i Tekhn. Informatsii, Moscow, 1981), pp. 3–114
146. V.V. Nikulin, Discrete reflection groups in Lobachevsky spaces and algebraic surfaces, in *Proceedings of the International Congress of Mathematicians*, Berkeley, CA, 1986, vol. 1 (Am. Math. Soc., Providence, 1987), pp. 654–671
147. V.V. Nikulin, Finiteness of the number of arithmetic groups generated by reflections in Lobachevskii spaces. *Izv. Math.* **71**(1), 53–56 (2007). Russian version: *Izv. Ross. Akad.*

- Nauk, Ser. Mat. **71**(1), 55–60 (2007)
148. S. Northshield, Stern's diatomic sequence 0, 1, 1, 2, 1, 3, 2, 3, 1, 4, Am. Math. Mon. **117**(7), 581–598 (2010)
149. T. Oda, *Convex Bodies and Algebraic Geometry: An Introduction to the Theory of Toric Varieties*. Ergebnisse der Mathematik und ihrer Grenzgebiete (3), vol. 15 (Springer, Berlin, 1988). Translated from the Japanese
150. J. O'Hara, *Energy of Knots and Conformal Geometry*. Series on Knots and Everything, vol. 33 (World Scientific, River Edge, 2003)
151. K.M. O'Hara, *Structure and Complexity of the Involution Principle for Partitions* (ProQuest LLC, Ann Arbor, 1984). Ph.D. thesis, University of California, Berkeley
152. K.M. O'Hara, Bijections for partition identities. J. Comb. Theory, Ser. A **49**(1), 13–25 (1988)
153. R. Okazaki, On an effective determination of a Shintani's decomposition of the cone \mathbf{R}_+^n . J. Math. Kyoto Univ. **33**(4), 1057–1070 (1993)
154. J.M. Ortega, H.F. Kaiser, The LL^T and QR methods for symmetric tridiagonal matrices. Comput. J. **6**, 99–101 (1963/1964)
155. I. Pak, Partition identities and geometric bijections. Proc. Am. Math. Soc. **132**(12), 3457–3462 (2004) (electronic)
156. I. Pak, Partition bijections, a survey. Ramanujan J. **12**(1), 5–75 (2006)
157. I. Pak, A. Postnikov, V. Retakh, Noncommutative Lagrange theorem and inversion polynomials. Preprint (1995). www.math.ucla.edu/~pak/papers
158. G. Panti, Multidimensional continued fractions and a Minkowski function. Monatshefte Math. **154**(3), 247–264 (2008)
159. V.I. Parusnikov, Klein's polyhedra for the third extremal ternary cubic form. Technical report, preprint 137, Keldysh Institute of the RAS, Moscow (1995)
160. V.I. Parusnikov, Klein's polyhedra for the fifth extremal cubic form. Technical report, preprint 69, Keldysh Institute of the RAS, Moscow (1998)
161. V.I. Parusnikov, Klein's polyhedra for the seventh extremal cubic form. Technical report, preprint 79, Keldysh Institute of the RAS, Moscow (1999)
162. V.I. Parusnikov, Klein polyhedra for the fourth extremal cubic form. Math. Notes - Ross. Akad. **67**(1–2), 87–102 (2000). Russian version: Mat. Zametki **67**(1), 110–128 (2000)
163. V.I. Parusnikov, Klein polyhedra for three extremal cubic forms. Math. Notes - Ross. Akad. **77**(4), 566–583 (2005). Russian version: Mat. Zametki **77**(3–4), 523–538 (2000)
164. O. Perron, Grundlagen für eine Theorie des Jacobischen Kettenbruchalgorithmus. Math. Ann. **64**(1), 1–76 (1907)
165. O. Perron, Erweiterung eines Markoffschen Satzes über die Konvergenz gewisser Kettenbrüche. Math. Ann. **74**(4), 545–554 (1913)
166. O. Perron, Über die Approximation irrationaler Zahlen durch rationale. I. Essay 4, S.-B. Heidelberg Akad. Wiss., 1921
167. O. Perron, Über die Approximation irrationaler Zahlen durch rationale. II. Essay 8, S.-B. Heidelberg Akad. Wiss., 1921
168. B. Poonen, F. Rodriguez-Villegas, Lattice polygons and the number 12. Am. Math. Mon. **107**(3), 238–250 (2000)
169. P. Popescu-Pampu, The geometry of continued fractions and the topology of surface singularities, in *Singularities in Geometry and Topology 2004* (2007), pp. 119–195
170. M. Prasolov, M. Skopenkov, Tiling by rectangles and alternating current. J. Comb. Theory, Ser. A **118**(3), 920–937 (2011)
171. D. Repovsh, M. Skopenkov, M. Tsentsel, An elementary proof of the twelve lattice point theorem. Math. Notes - Ross. Akad. **77**(1–2), 108–111 (2005). Russian version: Mat. Zametki **77**(1), 117–120 (2005)
172. D. Rosen, A class of continued fractions associated with certain properly discontinuous groups. Duke Math. J. **21**, 549–563 (1954)
173. A.A. Ruban, Certain metric properties of the p -adic numbers. Sib. Mat. Zh. **11**, 222–227 (1970)

174. A.L. Schmidt, Ergodic theory of complex continued fractions, in *Number Theory with an Emphasis on the Markoff Spectrum*, Provo, UT, 1991. Lecture Notes in Pure and Appl. Math., vol. 147 (Dekker, New York, 1993), pp. 215–226
175. H. Schubert, Knoten mit zwei Brücken. *Math. Z.* **65**, 133–170 (1956)
176. F. Schweiger, *The Metrical Theory of Jacobi-Perron Algorithm*. Lecture Notes in Mathematics, vol. 334 (Springer, Berlin, 1973)
177. F. Schweiger, Ergodic properties of multi-dimensional subtractive algorithms, in *New Trends in Probability and Statistics*, Palanga, 1991, vol. 2 (VSP, Utrecht, 1992), pp. 91–100
178. F. Schweiger, Invariant measures for fully subtractive algorithms. *Anz. Österreich. Akad. Wiss. Math.-Natur. Kl.* **131**, 25–30 (1995)
179. F. Schweiger, Fully subtractive algorithms. *Österreich. Akad. Wiss. Math.-Natur. Kl. Sitzungsber. II* **204**, 23–32 (1996)
180. F. Schweiger, *Multidimensional Continued Fractions*. Oxford Science Publications (Oxford University Press, Oxford, 2000)
181. F. Schweiger, Multidimensional continued fractions—new results and old problems. Preprint (2008). <http://www.cirm.univ-mrs.fr/videos/2008/exposes/287w2/Schweiger.pdf>
182. H. Seifert, W. Threlfall, *Seifert and Threlfall: A Textbook of Topology*. Pure and Applied Mathematics, vol. 89 (Academic Press, New York, 1980). Translated from the German edition of 1934 by Michael A. Goldman, with a preface by Joan S. Birman, with “Topology of 3-dimensional fibered spaces” by Seifert, translated from the German by Wolfgang Heil
183. E.S. Selmer, Continued fractions in several dimensions. *Nord. Mat. Tidskr.* **9**, 37–43 (1961)
184. E.S. Selmer, Continued fractions in several dimensions. *Nord. Mat. Tidskr.* **9**, 95 (1961)
185. T. Shintani, On evaluation of zeta functions of totally real algebraic number fields at non-positive integers. *J. Fac. Sci., Univ. Tokyo, Sect. 1A, Math.* **23**(2), 393–417 (1976)
186. V.I. Shmoïlov, *Nepreryvnye Drobi. Tom I. Periodicheskie Nepreryvnye Drobi* (Merkator, Lviv, 2004)
187. V.I. Shmoïlov, *Nepreryvnye Drobi. Tom II. Raskhodyashchiesya Nepreryvnye Drobi* (Merkator, Lviv, 2004)
188. V.I. Shmoïlov, *Nepreryvnye Drobi. Tom III. Iz Istorii Nepreryvnykh Drobei* (Merkator, Lviv, 2004)
189. V.Ya. Skorobogatko, Ideas and results of the theory of branching continued fractions and their application to the solution of differential equations, in *General Theory of Boundary Value Problems* (Naukova Dumka, Kiev, 1983), pp. 187–197
190. V.Ya. Skorobogatko, *Teoriya Vetyashchikhsya Tsepykh Drobei i Ee Primenenie v Vychislitelnoi Matematike* (Nauka, Moscow, 1983)
191. B.F. Skubenko, Minima of a decomposable cubic form of three variables. *Zapiski nauch. sem. LOMI* (1988)
192. B.F. Skubenko, Minima of decomposable forms of degree n of n variables for $n \geq 3$. *Zapiski nauch. sem. LOMI* (1990)
193. J. Stoer, R. Bulirsch, *Introduction to Numerical Analysis*, 3rd edn. Texts in Applied Mathematics, vol. 12 (Springer, New York, 2002). Translated from the German by R. Bartels, W. Gautschi and C. Witzgall
194. H.P.F. Swinnerton-Dyer, On the product of three homogeneous linear forms. *Acta Arith.* **18**, 371–385 (1971)
195. G. Szekeres, Multidimensional continued fractions. *Ann. Univ. Sci. Bp. Rolando Eötvös Nomin., Sect. Math.* **13**, 113–140 (1970)
196. E. Thomas, A.T. Vasquez, On the resolution of cusp singularities and the Shintani decomposition in totally real cubic number fields. *Math. Ann.* **247**(1), 1–20 (1980)
197. R.F. Tichy, J. Uitz, An extension of Minkowski’s singular function. *Appl. Math. Lett.* **8**(5), 39–46 (1995)
198. L.N. Trefethen, D. Bau, *Numerical Linear Algebra* (Society for Industrial and Applied Mathematics, Philadelphia, 1997)
199. A. Trevisan, Lattice polytopes and toric varieties. Master’s thesis, Leiden University, 2007. <http://www.math.leidenuniv.nl/scripts/trevisan.pdf>

200. H. Tsuchihashi, Higher-dimensional analogues of periodic continued fractions and cusp singularities. *Tohoku Math. J.* **35**(4), 607–639 (1983)
201. A.V. Ustinov, Minimal vector systems in 3-dimensional lattices and analog of Vahlen's theorem for 3-dimensional Minkowski's continued fractions. *Sovrem. Probl. Mat.* **16**, 103–128 (2012)
202. A.M. Vershik, Statistical mechanics of combinatorial partitions, and their limit configurations. *Funct. Anal. Appl.* **30**(2), 90–105 (1996)
203. P. Viader, J. Paradís, L. Bibiloni, A new light on Minkowski's $\varphi(x)$ function. *J. Number Theory* **73**(2), 212–227 (1998)
204. G. Voronoï, A generalization of the algorithm of continued fractions. Ph.D. thesis, Warsaw, 1896 (in Russian)
205. G.F. Voronoï, *On a Generalization of the Algorithm of Continued Fraction. Collected Works in Three Volumes* (USSR Ac. Sci, Kiev, 1952) (in Russian)
206. D. Wells, *The Penguin Dictionary of Curious and Interesting Numbers* (Penguin, Middlesex, 1986)
207. G.K. White, Lattice tetrahedra. *Can. J. Math.* **16**, 389–396 (1964)
208. J.M. Wills, Zwei Sätze über inhomogene diophantische Approximation von Irrationalzahlen. *Monatshefte Math.* **71**, 263–269 (1967)
209. E. Wirsing, On the theorem of Gauss-Kusmin-Lévy and a Frobenius-type theorem for function spaces. *Acta Arith.* **24**, 507–528 (1973/1974). Collection of articles dedicated to Carl Ludwig Siegel on the occasion of his seventy-fifth birthday, V
210. C. Yannopoulos, Zur Kettenbruchtheorie im Dreidimensionalen. *Math. Z.* **47**, 105–110 (1940)
211. R.T. Živaljević, Rotation number of a unimodular cycle: an elementary approach (2012). [arXiv:1209.4981](https://arxiv.org/abs/1209.4981)

Index

Symbols

- π -congruent polyhedra, 374
 - asymptotically, 374
- π -integer point of a sail, 313
- Π -congruent polyhedra, 374
 - asymptotically, 374
- ζ -complexity, 78

A

- A-hull, 216
- Absolute, 365
- Affinely irrational vector, 220
- Algorithm
 - Euclidean, 5, 379
 - generalized Euclidean, general scheme, 378
 - Jacobi–Perron, 379
 - LLL-, 245
 - of sail reconstruction, 252
 - O’Hara’s, 375
 - subtractive
 - fully, 380
 - generalized, 380
 - to construct a regular continued fraction, 4
 - to construct an integer n th root of a $GL(2, \mathbb{Z})$ matrix, 90
 - to construct broken lines related to sequences of real numbers, 140
 - to construct faces of a continued fraction
 - first deductive, 286
 - second deductive, 287
 - to construct fundamental domains,
 - inductive, 282
 - to construct perfect Hessenberg matrices, 306
 - to construct reduced matrices, 77
 - to construct sails of real numbers, 37

- to find ζ -reduced matrices in integer conjugacy classes, 322
 - Angle, rational, 24, 41
 - Approximation
 - best Diophantine, 115
 - strong, 120
 - n th special polyhedron, 289
 - size of, 124
 - Arrangement
 - algebraic, 131
 - badly approximable, 129
 - Asymptotic direction, 329
 - Average
 - space, 100
 - time, 100
- ## B
- Binet’s formula, 17
 - Boundary of a set, 216
- ## C
- Centralizer, 348
 - Characteristic function of a set, 107
 - Complex projective toric surface, 175
 - Conjecture
 - Arnold, 262
 - Garrity, 373
 - Littlewood, 269
 - lonely runner, 207
 - Oppenheim, 269
 - Constant
 - Euler–Mascheroni, 104
 - Freiman’s, 82
 - Continued fraction, 3
 - element of, 3
 - even, 3
 - for an arbitrary broken line, 142

Continued fraction (*cont.*)

- for an O -broken line, 138
- geometric, 68
 - associated to a matrix, 68
- Hessenberg, 383
- infinite, 4
- Minkowski–Voronoi, 361
- multidimensional
 - associated to an operator, 249
 - associated with given planes, 217
- finite, 218
- in the sense of Klein–Voronoi, 313
- of algebraic irrationality, 251
- torus decomposition, 253

- Nikiporetz, 384
- odd, 3
- of toric singularity, 178
- periodic, 93
- regular, 4
- Skorobogatko, 385

Convergent, 4

- Coordinate brick, 374
 - relatively rational, 375

Coset, left and right, 21

- Cross-ratio, 109
 - infinitesimal, 109

Cyclotomic polynomial, 240

D

Decomposition of a polyhedron, 374

- Density
 - angular, 146
 - areal, 146

Descent sequence, 367

- Determinant
 - of a face, 269
 - of an edge star, 269
 - of the lattice, 244

- Dirichlet group, 87, 238
 - positive, 88, 238

Discrepancy, 124

Dual polygon, 30

E

- Edge star, 265
 - regular, 265
 - with respect to a point, 265

Ehrhart polynomial, 199

Empty

- integer triangle, 25
- polyhedron, 189, 203

Euler totient, 240

Extremal vertex, edge, ray of a convex set, 230

F

- Face of a convex set, 217
- Face of a sail, 218
- Factor-continued fraction, 313
- Factor-sail, 313
- Farey
 - sequence, k th, 364
 - sum, 364
 - of vectors, 369
 - tessellation, 365

Form

- associated to an arrangement, 123
- associated to an operator, 319
- Markov–Davenport, 123

Frequency

- of a face in the sense of Arnold, 275
- of an element, 108
- relative
 - of a face, 275
 - of an edge, 113

G

Gauss map, 102

Gauss–Kuzmin distribution, 99

Gaussian

- integer, 350
- one-dimensional subspace, 350
- vector, 350
 - primitive, 350

Golden ratio, 17

- generalized, 254

Graph

- Minkowski, 359
- Voronoi, 359

Grassmann (exterior) algebra, 194

Grassmannian

- linear, 195
- oriented lattice, 196

H

Hessenberg

- complexity, 303
- type, 303

Hyperflag, 282

I

IDC

- nodes, 208
- system, 208

Ideal hyperbolic triangle, 365

Index

- of a rational angle, 25
- of a subgroup, 21

Integer

affine type, 251
 angle, 20
 adjacent, 51
 associated to an extended angle, 161
 between planes, 188
 between spaces, 187
 irrational, 47
 L-irrational, 47
 LR-irrational, 47
 opposite interior, 55
 R-irrational, 47
 right, 54
 transpose, 49
 approximation space, 220
 arctangent, 48
 area, 24, 27
 arrangement, 124
 broken line, 137
 cone, 185
 congruence, 20, 185
 proper, 138, 154
 conjugate matrices, 67, 301
 cosine, 161
 distance, 23
 between planes, 188
 extended angle, 154
 corresponding to an integer angle, 162
 normal form, 157
 opposite, 162
 geometry, 20
 lattice, 21
 length, 22
 line, 20
 parallel lines, 55
 plane, 185
 point, 20, 185
 polygon, 20
 polyhedron, 185
 pyramid, 205
 completely empty, 205
 one-story, multistory, 205
 ray, 329
 segment, 20
 sine, 42, 161
 sublattice, 21
 affine, 21
 subspace, 220
 tangent, 43, 47, 161
 triangle
 dual, 62
 integer isosceles, 63
 integer regular, 63
 pseudo-isosceles, 63

 pseudo-regular, 63
 self-dual, 63
 vector, 185
 volume, 187, 192
 Integer-linear congruence of faces, 275
 Inverse broken line, 154

K

k-form, 194
 Kepler planetary motion, 150
 Knot, 386
 n-bridge, 386
 n-bridge representation of, 386
 rational, 386

L

Lexicographic
 basis, 195
 ordering, 195
 LLS period, 70
 LLS sequence, 43
 for a broken line, 142
 of a matrix, 69
 LSLS sequence, 138

M

M-sum
 of extended integer angles, 163
 of integer angles, 164
 Marked pyramid, 204
 Markov
 Diophantine equation, 83
 minimum, 131
 number, 83
 spectrum, 81
 multidimensional, 82
 tripple, 84
 Markov–Davenport
 characteristic, 319
 form for an MCRS-group, 349
 Matrix
 complex spectrum, 71
 Frobenius (companion), 304
 transpose, 261
 Hessenberg, 301, 303
 ζ -reduced, ζ -nonreduced, 304
 perfect, 303
 irreducible, 250
 NRS-, 327
 real spectrum, 72, 241
 reduced, 72
 regular, 348
 RS-, 250, 327

Maximal commutative subgroup
(MCRS-group), 348

algebraic, 352

discrepancy between, 351

rational, 350

real spectrum, 348

size of, 351

Minimal subset, 358

Minkowski–Voronoi

complex, 358

tessellation, 360

Möbius

form, 110

multidimensional, 272

measure, 111

multidimensional, 272, 348

Module of a field, 237

complete, incomplete, 238

Multiple polygon, broken line, 60

N

n -sided simplicial cone, 348

n -star of a vertex, 291

Necessary and sufficient conditions of broken
lines to be closed, 145

NRS-ray, 329

O

Order of a field, 238

maximal, 238

Oriented lattice, 196

P

Pell's equation, 91

Pick's formula, 29

Plücker

coordinates, 195

lattice, 197

embedding, 195

lattice, 196

Polyhedron

generalized, 231

Minkowski, 360

Problem

Arnold, 262, 265, 296

Jacobi's last theorem, 381

of best approximations

classical, 115

for MCRS-groups, 353

half-rule condition, 116

Pak, 378

view-obstruction, 207

Projective linear group, 109

Q

Quadratic irrationality, 94

Quasideterminant, 386

Quasipolyhedral convex set, 231

R

Reduced basis, 244

Regular 2-star of a vertex, 291

Revolution number, 155

Rotation number, 156

S

Sail

algebraic, 70

chain of, 266

U -periodic, 266

duality, 38, 69

finite, 218

fundamental domain of, 251, 315

hyperface of, 282

multidimensional, 216, 313

of an angle, 33, 43

orbit face of, 314

pair of singularity, 178

principal part of, 33

Simplicial cone, 216

integer, 216

rational, 216

Space

measure, 100

probability, 100

Space of framed continued fractions

geometric one-dimensional, 110

multidimensional, 272

Stern's diatomic sequence, 365

Sum

of sets, 219

of tangles, 387

Supporting hyperplane, 217

T

Tangle, 386

closing operation, 388

inverse, 387

opposite, 387

rational, 387

trivial, 386

Theorem

Birkhoff–Khinchin's ergodic, 101

Birkhoff's pointwise ergodic, 100

Dirichlet's unit, 238

Gauss–Kuzmin

original, 108

pointwise, 107

Theorem (*cont.*)

- Kronecker's approximation, 219
 - multidimensional, 221
 - Lagrange, 94
 - geometric generalization, 266
 - Lebesgue density, 101
 - on geometric complete invariant of matrix integer congruence, 317
 - on sum of integer tangents in integer triangles, 60
 - Schubert, 388
 - twelve-point, 30
 - White's, 203
- Toric singularities, 176
- Transformation
 - ergodic, 100
 - measure-preserving, 100
- Triangle sequence, 369
 - terminates, 369
- TRIP map, 372

U

Unit in an order, 238

V

- V -broken line, 137
 - equivalent, 154
- Voronoi relative minimum, 358

W

- w -sail, w -continued fraction
 - geometric, 130
 - multidimensional, 325
- Well-placed dihedral angle, 291