

Index

Symbols

3SAT, 19

A

Acceptor saturation, non-linear transfer, 46

Activation, 96, 98

Activity factors, 122

Actuating, 96

All-autonomous, 180

Analysis, 1

AND gate, 59, 128, 132

AND, NAND, OR, NOR, 138

Angular-spectrum representation, 3

Arithmetic logic unit (ALU), 120, 125

Artifact-metric system, 23

Assisting light, 180

Authentication, 3, 20, 26

Automaton, 70

Autonomous reaction, 96

Azobenzene, 97

B

Bessel function, 22

Binary decision diagram (BDD), 116

Binary decision tree (BDT), 118, 130

Bit error rate (BER), 12, 138

Block code, 136

Boolean logic, 118

Bottom-up nanotechnologies, 115, 119

Branch migration, 79

Broad casting, 80

Broad-gathering, 80

C

CCD image sensor, 145

CdSe-QD, 174

Cell monitoring, 85

Certification, 26

Charge-coupled device (CCD), 122

Chromaticity coordinate, 174

Chromaticity diagram, 174

Circuits, excitation, de-excitation, 45

Client-server model, 81

Cloud layer, 81

CMOS image sensor (CIS), 145

CMOS logic gate, 12

Code-domain multiplexing (CDM), 83

Codewords, 136

Complementary error function, 12

Compressive sensing, 83

Computation

 cognitive, 185, 218

 primitive, 191

 unconventional, 187, 218

Computing, 93, 96

Computing devices and architectures, 13

Conductance quantization, 124

Connecting DNA, 106

Connection controlling DNA, 104

Constraint satisfaction problem (CSP), 14

Content addressable memory, 7

Control flow, 76

Correlated double sampling (CDS), 148

Crossbar, 116

CTMC, markov chain, 54

D

Decoding, 83

Denaturation, 72
 Density matrix, 6, 9
 Design, 1
 Design rule, 51, 127
 Design rule check (DRC), 49
 Design rules, metrics, 48
 Diffraction, 84
 Diffraction limit of light, 2
 Dijkstra's dining philosophers problem, 16
 Diluted magnet semiconductor, 36
 Dipole-based modeling, 4
 Dipole-dipole interaction, 4
 Directed graph, 116
 Disconnecting DNA, 106
 Disease diagnosis, 86
 Display, 2
 DNA, 43, 68, 92
 DNA computing, 74, 92
 DNA microarray, 75
 DNA nanomachine, 98
 DNA nanotechnology, 43
 DNA processor layer, 79
 DNA scaffold, 104
 DNA scaffold logic, 103
 DNA self-assembly, 42
 DNA smart fold computing system, 78
 DNA tweezers, 72, 98
 Draining-only charge modulation (DOM), 153, 154
 DREAM, 194
 Dressed photon, 2, 162
 Dressed photon technology, 180
 Dressed-photon-phonon, 180
 Drug delivery, 86
 Dynamic reconfiguration, 130

E

Electric current, 26
 Electro-absorption modulator (EAM), 198, 203, 220
 Electron beam (EB) lithography, 20, 123
 Electron spin, 36
 Electronic carrier, 193
 Encoding, 83
 Encoding/decoding scheme, 83
 Endoscope, 86
 Energy conversion, 164
 Energy dissipation, 10, 174
 Energy efficiency, 10
 Energy saving, 2
 Energy transfer, 164
 Error correcting BDD, 135

Evanescent wave, 22
 Excitable laser, 219
 as LIF neuron, 208, 211
 model, 205–206
 performance, 205
 simulation, 211
 spiking behavior, 206–208
 VCSEL implementation, 209–211
 Exciton, optical near-field interaction, quantum dot, 226
 Exciton-phonon coupling, 6
 Exciton-population, 174
 Execution time, 127
 Exploration, 14

F

Fan-in, 186
 Fault tolerance, 117
 Feynman diagram, 164
 Flexible substrate, 174
 Flexion, 174
 Flip-flop, 122, 128
 Fluorescence dye, 104
 Fluorescence lifetime imaging microscopy (FLIM), 146, 154
 Fluorescence microscope, 84
 Fluorescence resonance energy transfer (FRET), 72, 79, 100, 104
 Fold, 77
 Förster resonant energy transfer, 4
 Fourier optics, 19
 FRET cascading path, 80
 FRET circuit, 112
 Functional imaging, 84

G

GaAs, 123

H

Hairpin DNA, 71, 99
 Hamiltonian path problem, 70
 Hamming distance, 136
 Healthcare, 2
 Hidden information, 3
 Hierarchical hologram, 20, 23
 Hierarchical motif, sticky-end, 44
 Hierarchical nanophotonic hologram, 164
 Hierarchical structure, 162
 Hierarchy, 162
 Higher-order atom–light interactions, 2
 Holography, 22

Host-control layer, 80
 Hybrid signal, *see* spiking signal
 Hybridization, 68
 Hyper-cube, 134

I

Ill-posed inverse problem, 82
 Inactivation, 98
 Individual element, 26
 Information hiding, 3
 Information photonics, 92
 Information representation, 36
 Information system, 164
 Infrared-to-visible light conversion, 2
 Intelligent material formation, 28
 Interconnects, 133, 134

K

Killer application, 89

L

Lateral electric field (LEF) control, 150
 Layout, 26
 Learning, *see* plasticity
 LIF neuron, 189, 208
 biological meaning, 191
 model, 191, 192
 photonic, *see* photonic neuron
 Lifetime, extinction coefficient, quantum yield,
 spectral separation, Förster radius,
 51
 Light activatable, 97
 Light assisted nanostructure formation, 29
 Light assisted self-organized material
 formation, 1
 Light concentration, 2
 Light emission from indirect-type semiconductor,
 36
 Light harvesting antenna, 4
 Light-matter interaction, 93
 Liouville equation, 6
 Logical operation, 103
 Logic function, 106
 Long-wavelength approximation, 3
 Lower bound of energy dissipation, 10

M

Magnet-chiral effect, 36
 Magnetic and nonmagnetic semiconductor, 13
 Magnetic field, 36

Magnified transcription, 164
 Material desorption, 29
 Material excitation, 2
 Material formation, 3
 Mediators, 94
 Metrics, 51
 Microscopy, 89
 Minimum number of photons, 13
 Mobile and ubiquitous devices, 2
 Modulatability, 174
 Modulatable nanophotonics, 174
 Modulatable nanophotonic system, 174
 Modulation, input
 cross-absorption, 193, 198, 213
 electrical, 206
 optical phase, 212
 polarization, 212
 weighting, 190, 192, 213
 Molecular signal layer, 79
 Morphology, 35, 36
 Multi-armed bandit problem, exploration-
 exploitation dilemma, nonlocally
 correlated concurrent search, 235
 Multistability, 214
 Multistep excitation, 180

N

NAND, 128, 132, 138
 Nano complete, 74
 Nano controlled, 75
 Nanofabrication, 4
 Nano interactive, 75
 Nano-processor, 92
 Nano reporting, 75
 Nanointelligence, 1, 2
 Nanometric component, 180
 Nanometric electron system, 164
 Nanometric optical system, 162
 Nanophotonics, 1, 164
 Nanophotonic computing paradigm, low
 energy use, high versatility, 242
 Nanophotonic device, 174
 Nanophotonic droplet, 180
 Nanophotonic security, 2
 Nanowire network, 117, 125, 131
 Natural computing, spatiotemporal dynamics,
 amoeba-based computing, 224
 Nature-inspired architecture, 13
 Near-field process, 28
 Neural network
 electronic, 186
 optical, 186

- Neuromorphic circuit, 195, 203, 214–218
 - barn owl localization, 195
 - crayfish escape response, 197
 - independent component analysis, 202
 - multistable system, 214
 - pattern recognition, 216
 - principal component analysis, 201
 - synfire chain, 215
 - Neuron, *see* LIF neuron
 - New computing paradigm, 3
 - Noise
 - accumulation, 184, 186, 187
 - amplitude, 189, 201
 - optical phase, 187, 212
 - population encoding, 215
 - spontaneous emission, 206
 - temporal (jitter), 189
 - Noise-based logic, 13
 - Noise tolerance, 135
 - Non-certified batteries, 28
 - Non-propagating light, 162
 - Non-resonant, 174
 - Nonlinear optical loop mirror (NOLM), 193, 198, 220
 - NOR, 132
 - Normal distribution, 31
 - NOR problem, 16
 - NP-complete problem, 19
- O**
- Optical code-division multiplexing, 7
 - Optical computing, 162
 - Optical correlator, 7
 - Optical device, 164
 - Optical energy transfer, 174
 - Optical excitation transfer, 1, 3, 5
 - Optical nano-fountain, 7
 - Optical near-field, 26, 162
 - Optical near-field interactions, 1, 162
 - Optical pulsation, 9
 - Optical pulse, 8
 - Optical security, 164
 - Optical signal layer, 80, 89
 - OR, 132
- P**
- Parity, 136
 - Parity bit generator matrix, 136
 - Pass-gate, 119
 - Perceptron, 189
 - Phase transition, 164
 - Phonon-assisted, 180
 - Photo-curable polymer, 180
 - Photo-curing, 180
 - Photoisomerization, 101
 - Photonic DNA computing, 72, 75
 - Photonic DNA nano-processor, 93
 - Photonic nano processor, 72
 - Photonic neuron, 185, 186, 195, 198, 219
 - benchmark, 192–195
 - laser neuron, 208–211
 - temporal integration, 193, 208
 - thresholding, 189, 193, 194, 206
 - Photoresponsive molecule, 96
 - Physical unclonable function (PUF), 20
 - Pinned photodiode (PPD), 148, 153
 - Pinned storage photodiode (PSD), 149, 153
 - Plasmon resonance, 29, 32
 - Plasticity, 189, 199–203, 220
 - hebbian, 202
 - independent component analysis, 202
 - intrinsic plasticity, 201
 - mutual information, 200
 - principle component analysis, 201
 - STDP, 200–202
 - photonic, 203
 - ultrafast, 203
 - Polarization conversion, 164
 - Polydimethylsiloxane, 174
 - Power consumption, 127
 - Power-delay product (PDP), 127
 - Principle component analysis, *see* learning
 - Programmable switch, 131
 - Propagating light, 162
- Q**
- Quadrupole-dipole transformation, 164
 - Qualitative innovation, 162
 - Quantitative innovation, 162
 - Quantum dot, 174
 - Quantum master equation, 174
 - Quantum mechanical modeling, 6
 - Quantum mechanics, molecular dynamics, 55
 - Quantum wire transistor, 119, 127
- R**
- Random walk, 31
 - Reaction rate equation, 109
 - Reconfigurable BDD, 134
 - Reconfigurable circuit, 129
 - Reduced-order BDD, 131
 - Redundant bits, 136
 - Refractory period, 189, 192, 208
 - Reset, 100

- Resonance energy transfer, RET, exciton, chromophore, 42
- Resonant, 174
- S**
- Safety, 2
- Satisfiability problem (SAT), 18
- Satisfiability problem, NP-complete, spatially correlated concurrent search, 227
- Scaffold DNA, 79
- Scaffold DNA logic, 72
- Scalability, 36
- Schottky wrap gate (WPG), 123
- Security, 1, 2
- Self-assembly, 92
- Self-organized, 180
- Self-organized criticality, 3, 34
- Self-organized ZnO quantum dot, 29
- Semiconductor optical amplifier (SOA), 192, 193, 195, 196, 203, 213, 220
- Sensing, 93, 96
- Sequential circuits, 128
- Shannon's expansion, 118, 129
- Shape-engineering, 3
- Shear model, 174
- Signal-to-noise ration (SNR), 12, 111, 138
- Signal-transfer DNA, 72
- Silicon light emission, 2
- Single-electron transistors, 119
- Single photon avalanche diode (SPAD), 146, 148
- SiN_x, 131
- Size-resonant effect, 174
- Smart drug, 86
- Smart fold, 77
- Smart fold architecture, 78
- Smart fold information system, 78
- Solar cell, 35
- Sol-gel method, 29
- Sol-gel synthesis, 180
- Solid-state lighting, 2
- Solution searching, 14
- Spatiotemporal computation dynamics, 13
- Spatiotemporal dynamics, 1
- Spatiotemporal pattern, 216
- Spectroscopy, 2
- Spike processing, 188, 218
 - computational properties, 189, 190
 - delay logic, 195, 198, 200, 216, 217
 - network model, 213–214
 - primitive, 191
- Spiking signal, 187, 218
 - generation, 207–208
 - rate coding, 201, 202
 - robustness, 187, 212, 215, 218
- Spin-dependent carrier transfer, 13
- State filling effect, 15
- Statistical pile-up model, 31
- Stimulated Raman spectroscopy (SRS), 146
- Stochastic analysis, 1
- Stochastic-based computing, 13
- Stochastic modeling, 4, 28, 31
- Stochastic models, Monte Carlo, 56
- Stochastic optical reconstruction microscopy (STORM), 83
- Stochastic physical process, 29
- Stochastic resonance (SR), 129
- Stochastic solution searching, 1
- Strand displacement, 98, 106
- Stretch model, 174
- Subgraphs., 120
- Subsystems, 120
- Subthreshold slope, 123
- Summation, 7
- Symmetry breaking, 17
- Synaptic time-dependent plasticity (STDP), *see* learning
- System design, 88
- System development, 87
- System-oriented approach, 3
- T**
- Tamper resistance, 19
- Tamper-resistant hardware, 3, 20
- Three-branch nanowire-junction (TBJ), 128
- Threshold voltage, 132
- Time-domain multiplexing (TDM), 83
- Toehold-mediated strand displacement, 71
- Top-down nanotechnologies, 115
- Topologically disconnected structure, 24
- Transfer efficiency, 52
- Transfer efficiency, dipole orientation, Förster radius, 46
- Trap density, 132
- Traveling salesman problem (TSP), 14
- Two-dimensional electron gas (2DEG), 123
- Two-stage transfer (TST) pixel, 152
- U**
- Ubiquitous device, 28
- Ultralong array of nanoparticles, 31
- Universality, 129
- UV-curable polymer, 180

VVCSEL, 209–212, *see also* excitable laser

Virtual photon, 164

Von Neumann architecture, 1, 3, 5

W

Watson–Crick complementarity, 68

Wavelength sequence detector, 62

Wavelength-domain multiplexing (WDM), 83

Weight, *see* modulation

Welfare, 2

Whiplash polymerase chain reaction, 71

X

XOR, 132

Y

Yamada model, 205

dimensional form, 210

Yukawa function, 11, 174

Z

ZnO, 29

ZnO-QD, 180