
Appendix 1: Further Reading

- Debari Iyoob S, Arger PH (2004) Complete guide to vascular ultrasound. Lippincott Raven, Philadelphia. ISBN-10: 0781753465, ISBN-13: 978-0781753463
- Dieter RS, Dieter RA, Dieter RA III (2009) Peripheral arterial disease. McGraw-Hill Professional, New York. ISBN-10: 0071481796, ISBN-13: 978-0071481793
- Gloviczki P, Dalsing MC, Eklöf BG (2008) Handbook of venous disorders: guidelines of the American Venous Forum, 3rd edn. Hodder & Stoughton, London. ISBN-10: 0340938803, ISBN-13: 978-0340938805
- Goldmann M (2011) Sclerotherapy, 5th edn. Saunders, Philadelphia. ISBN-10: 0323073670, ISBN-13: 978-0323073677. Textbook with CD
- Negus D, Coleridge-Smith PD, Bergan JJ (2005) Leg ulcers diagnosis and management, 3rd edn. Hodder & Stoughton, London. ISBN-10: 0340810130, ISBN-13: 978-0340810132
- Polak JF (2004) Peripheral vascular sonography: a practical guide, 2nd edn. Lippincott Williams & Wilkins, Philadelphia. ISBN-10: 0781748712, ISBN-13: 978-0781748711
- Polak J, Pellerito JF (2012) Introduction to vascular ultrasonography: expert consult – online and print version, 6th edn. Saunders, London. ISBN-10: 143771417X, ISBN-13: 978-1437714173
- Schäberle W, Herwig B (2011) Ultrasonography in vascular diagnosis: a therapy-oriented textbook and atlas. Springer, Heidelberg. ISBN-10: 3642025080, ISBN-13: 978-3642025082
- Weiss R, Weiss M, Beasley K (2011) Sclerotherapy and vein treatment, 2nd edn. McGraw-Hill Professional, New York

Appendix 2: Literature

German Version

Chapter 1

Mendoza E (2002) CHIVA – Ein Handbuch. Arrien, Wunstorf

Weskott HP (2006) Physikalische Grundlagen der Sonographie. In: Gross M (ed) Sonographie, Schritt für Schritt zur Diagnose. Urban & Fischer, Stuttgart

Chapter 2

Askar O (1963) The short saphenous vein. *J Cardiovasc Surg* 4:126–137

Bailly M (1992) Cartographie CHIVA. *Encyclopedie Medico-Chirurgicales*, Paris, pp 43–161–B, 1–4

Bergan JJ (1999) Common anatomic patterns of varicose veins. In: Goldmann MP, Weiss RA, Bergan JJ (eds) *Varicose veins and telangiectasias*. Quality Medical Publishing Inc, St Louis, pp 70–86

Caggiati A (2000) Fascial relations and structure of the tributaries of the saphenous veins. *Surg Radiol Anat* 22:1–4

Caggiati A (2001) Fascial relationships of the short saphenous vein. *J Vasc Surg* 34:241–246

Caggiati A, Mendoza E (2004) Segmental hypoplasia of the great saphenous vein and varicose disease. *Eur J Vasc Endovasc Surg* 28:257–261

Caggiati A, Ricci S (1999) The long saphenous vein compartment. *Phlebology* 12:107–111

Caggiati A, Ricci S (2000) The caliber of the human long saphenous vein and its congenital variations. *Ann Anat* 182:1–7

Caggiati A, Macchiarelli G, Familiari G (1998) Topographical structural variations of the human long saphenous vein and its age-related remodelling as revealed by correlated light and scanning electron microscopy. *Phlebology* 13:156–162

Caggiati A, Bergan JJ, Gloviczki P, Jantet G, Wendell-Smith CP, Partsch H (2002) Nomenclature of the veins of the lower limbs: an international interdisciplinary consensus statement. *J Vasc Surg* 36:416–422

Cavezzi A, Tabarini C, Collura M, Sigismondi G, Barboni MG, Carigi V (2002) Hemodynamique de la junction sapheno-poplitee: evaluation par echo-doppler couleur. *Phlebologie* 55:309–316

Coleridge-Smith P, Labropoulos N, Partsch H, Myers K, Nicolaides A, Cavezzi A (2006) Duplex ultrasound investigation of the veins in chronic venous disease of the lower limbs-UIP consensus document, Part I. Basic principles. *Eur J Vasc Endovasc Surg* 31:1–10

Creton D (2005) Saphenopopliteal junctions are significantly lower when incompetent. *Phlebology* 48:347–354

Dodd H (1958) Persistent varicose veins with special reference to the varicose tributaries of the superficial femoral and popliteal veins. *Proc R Soc Med* 51:817–820

Dodd H (1964) The varicose tributaries of the popliteal vein. *Proc R Soc Med* 57:394–396

Dodd H, Cockett FB (1976) The pathology and surgery of the veins of the lower limb. Churchill Livingstone, Edinburgh/London/New York

Ferner H (1987) Die untere Extremität. In: Ferner H (Hrsg) *Eduard Pernkopf: Atlas der topographischen und angewandten Anatomie des*

Menschen. Urban & Schwarzenberg, München, S 334–401

Gisel A (2003) Anatomie des Venensystems. In Rabe E (Hrsg) Grundlagen der Phlebologie. Viavital, Köln, S 25–50

Günther B, Heberer G (1987) Chirurgische Anatomie der Venen. In: Heberer G, van Dongen RJAM (Hrsg) Gefäßchirurgie. Springer, Berlin/Heidelberg, S 29–30

Kosinski C (1926) Observations on the superficial venous system of the lower extremities. *J Anat* 60:131–138

Kubik S (1985) Anatomie des Oberschenkels aus vaskulärer Sicht. In: Brunner U (Hrsg) Aktuelle Probleme der Angiologie: 43. Der Oberschenkel – Diagnostische und therapeutische Aspekte der Arteriologie, Phlebologie und Lymphologie. Hans Huber, Bern Stuttgart Wien, S 15–68

Kubik S (1986) Anatomie der Beinvenen. In: Wuppermann T (Hrsg) Varizen, Ulcus cruris und Thrombose. Springer, Berlin/Heidelberg, S 1–54

Marshall M, Breu FX (2005) Handbuch der Angiologie 13, Erg-Lfg. Ecomed, Landsberg

Mendoza E (2001) Zur topographischen Anatomie der Vena saphena magna – Eine duplexsonographische Studie im Hinblick auf chirurgisch relevante Aspekte. *Phlebologie* 30:140–144

Mendoza E (2002) CHIVA – Ein Handbuch. Arrien, Wunstorf

Mendoza E, Caggiati A (2003) Anatomie im Dienste der Ultraschalldiagnostik und der Therapie der Varikose. *Gefäßchirurgie* 8:295–303

Mühlberger D, Morandini L, Brenner E (2007) Frequency and exact position of valves in the saphenofemoral junction. *Phlebologie* 36:3–7

Müller-Bühl U, Diehm C (1991) Anatomie der Beinvenen. In: Müller-Bühl U, Diehm C (Hrsg) Angiologie – Praxis der Gefäßerkrankungen. Kohlhammer, Stuttgart Berlin Köln, S 193–196

Pernkopf E, Ferner H (1987) Atlas der topographischen und angewandten Anatomie des Menschen. Urban & Schwarzenberg, München/Wien/Baltimore

Ricci S, Caggiati A (1999) Does a double long saphenous vein exist? *Phlebologie* 14:59–64

Sebastiani F (1935) Sullo sviluppo prenatale della fascia superficiale di alcune regioni dell'ipoderma umano. *Scritti Biologici* 10:3–45

Tillaux P (1897) Trait d'anatomie topographique avec applications a la chirurgie. In: Neuvime (ed) Asselin et Houzeau, Paris, pp 1011–1073

Chapter 3

Bernardini E et al (2002) Development of primary superficial venous insufficiency: the ascending theory. Observational and hemodynamic data from a 9 year experience. *Ann Vasc Surg* 24:709–720

Creton D (2005) Saphenopopliteal junctions are significantly lower when incompetent. *Phlebology* 48:347–354

Dodd H, Cockett FB (1976) The pathology and surgery of the veins of the lower limb. Churchill Livingstone, Edinburgh/London/New York

Evans CJ, Allan PL, Lee AJ, Bradbury AW, Ruckley CV, Fowkes FGR (1998) Prevalence of venous reflux in the general population on duplex scanning: the Edinburgh Vein Study. *J Vasc Surg* 28:767–776

Franceschi C, Bahnini A (2005) Treatment of lower extremity venous insufficiency due to pelvic leak points in women. *Ann Vasc Surg* 19:1–6

Hach W, Hach-Wunderle V (1994) Die Rezirkulationskreise der primären Varikose – Pathophysiologische Grundlagen zur chirurgischen Therapie. Springer, Berlin/Heidelberg

Hennies F, Kahle B (2001) Bleibt der Korrelationsindex aus venösem und arteriellen Stromzeitvolumen (VAFI) über einen längeren Messzeitraum stabil? *Phlebologie* 30:53–59

Huck K (2005) Kursbuch Doppler- und Duplexsonographie. Thieme, Stuttgart/New York

Kahle B, Hummel S, Kirchner P (2001) Quantifizierung des Effektes von Varizenoperationen auf die venöse Hämodynamik mittels des Venö-Arteriellen Flow-Index (VAFI). *Phlebologie* 30:1–6

Kahle B, Hennies F, Bolz S, Pritsch M (2003) The reproducibility of the ratio of volume flow in the common femoral vein and artery (VAFI) for quantification of the severity of venous insufficiency. *Vasa* 32:199–203

Labropoulos N, Tiongson J, Pryor L, Tassiopoulos AK, Kang SS, Mansour A, Baker

WH (2003) Definition of venous reflux in lower-extremity veins. *J Vasc Surg* 38:793–798

Lurie F, Comerota A, Eklöf B, Kistner RL, Labropoulos N, Lohr J, Marston W, Meissner M, Moneta G, Neglen P, Neuhardt D, Padberg F, Welsh HJ (2012) Multicenter assessment of venous reflux by duplex ultrasound. *J Vasc Surg* 55:437–445

Mendoza E (2002) CHIVA – Ein Handbuch. Arrien, Wunstorf

Mendoza E, Berger V, Zollmann C, Bomhoff M, Amsler F (2011) Kaliberreduktion der V. saphena magna und der V. femoralis communis nach CHIVA. *Phlebologie* 40:73–78

Rouviere H (1974) Anatomie humaine, vol 2, 11th edn. Masson, Paris

Rudolph P, Hunold P, Kahle B (2012) Quantitative Erfassung des Schweregrads der venösen Insuffizienz anhand der Hämodynamik. Posterpräsentation 54. DGP-Jahrestagung in Lübeck

Silbernagel S, Despopoulos A (1988) Taschenatlas der Physiologie, 3. Aufl. Thieme, Stuttgart/New York

Trendelenburg F (1891) Ueber die Unterbindung der Vena saphena magna bei Unterschenkelvaricen. *Beiträge zur Klinischen Chirurgie (Tübingen)* 7:195–210

Zamboni P, Marcellino MG, Cappelli M, Feo CV, Bresadola V, Vasquez G, Liboni A (1998) Saphenous vein sparing surgery: principles, techniques and results. *J Cardiovasc Surg* 39:151–162

Chapter 4

Antignani PL, Cornu-Thnard A, Allegra C, Carpentier PH, Partsch H, Uhl JF (2004) Results of a questionnaire regarding improvement of ‘C’ in the CEAP classification. *Eur J Vasc Endovasc Surg* 28:177–181

Caggiati A, Mendoza E (2004) Segmental hypoplasia of the great saphenous vein and varicose disease. *Eur J Vasc Endovasc Surg* 28:257–261

Cappelli M, Molino Lova R, Ermini S, Turchi A, Bono G, Franceschi C (1996) Comparaison entre Cure C.H.I.V.A. et stripping dans le traitement des veines variqueuses des membres inférieurs: suivi de 3 ans. *J Mal Vasc* 21:40–46

Eklöf B, Rutherford RB, Bergan JJ, Carpentier PH, Gloviczki P, Kistner RL, Meissner MH, Moneta GL, Myers K, Padberg FT, Perrin M, Ruckley CV, Coleridge-Smith P, Wakefield TW (2004) Revision of CEAP classification for chronic venous disorders (CVD). *J Vasc Surg* 40:1248–1252

Eklöf B, Rutherford RB, Bergan JJ, Carpentier PH, Gloviczki P, Kistner RL, Meissner MH, Moneta GL, Myers K, Padberg FT, Perrin M, Ruckley CV, Coleridge Smith P, Wakefield TW (2005) Revision der CEAP-Klassifizierung für chronische Venenleiden. Consensus Statement. *Phlebologie* 34:220–226

Franceschi C (1988) Thorie et pratique de la cure conservatrice et hmodynamique de l’insuffisance veineuse en ambulatoire. *Prcy-sous-Thil (Armanon)*

Franceschi C (1997) Mesures et interpretation des flux veineux lors des manœuvres des stimulation. Compressions manuelles et manœuvre de Parana. Indice dynamique de reflux IDR et indice de Psatakis. *J Mal Vasc* 22:1–5

Franceschi C, Bahnini A (2005) Treatment of lower extremity venous insufficiency due to pelvic leak points in women. *Ann Vasc Surg* 19:1–6

Hach W, Hach-Wunderle V (1994) Die Rezirkulationskreise der primären Varikose – Pathophysiologische Grundlagen zur chirurgischen Therapie. Springer, Berlin/Heidelberg

Mendoza E (2001) Zur topographischen Anatomie der Vena saphena magna – Eine duplexsonographische Studie im Hinblick auf chirurgisch relevante Aspekte. *Phlebologie* 30:140–144

Mendoza E (2002a) CHIVA – Ein Handbuch. Arrien, Wunstorf

Mendoza E (2002b) Einteilung der Rezirkulationen im Bein: anatomische und physiologische Grundlagen der CHIVA-Methode. *Phlebologie* 31:28–35

Mendoza E (2006) Duplexsonographie der oberflächlichen Beinvenen. Steinkopff-Verlag, Darmstadt

Mendoza E, Berger HA (2001) Provokationsmanöver für die duplexsonographische Diagnostik der Varikosis. *Gefäßchirurgie* 6:43–46

Nicolaides AN (2000) Investigation of chronic venous insufficiency – a consensus statement. *Circulation* 102:126–163

Rabe E (1994) Chronische Venenkrankheiten: In: Rabe E (Hrsg) *Grundlagen der Phlebologie. Kagerer-Kommunikation*, Bonn, S 69–86

Trendelenburg F (1891) Ueber die Unterbindung der Vena saphena magna bei Unterschenkelvaricen. *Beiträge zur Klinischen Chirurgie (Tübingen)* 7:195–210

Zamboni P, Marcellino MG, Cappelli M, Feo CV, Bresadola V, Vasquez G, Liboni A (1998) Saphenous vein sparing surgery: principles, techniques and results. *J Cardiovasc Surg* 39:151–162

Chapter 5

Coleridge-Smith P, Labropoulos N, Partsch H, Myers K, Nicolaides A, Cavezzi A (2006) Duplex ultrasound investigation of the veins in chronic venous disease of the lower limbs-UIP consensus document, Part I. Basic principles. *Eur J Vasc Endovasc Surg* 31:1–10

Eklöf B, Rutherford RB, Bergan JJ, Carpentier PH, Gloviczki P, Kistner RL, Meissner MH, Moneta GL, Myers K, Padberg FT, Perrin M, Ruckley CV, Coleridge-Smith P, Wakefield TW (2004) Revision of CEAP classification for chronic venous disorders (CVD). *J Vasc Surg* 40:1248–1252

Mendoza E (2002) CHIVA – Ein Handbuch. Arrien, Wunstorf

Nopeney T, Nüllen H (2009) REVAT (Recurrent Varices After Treatment) – Definition und Klassifikation der Rezidivvarikose. *Phlebologie* 38:271–274

Perrin MR, Guex JJ, Ruckley CV, dePalma RG, Royle JP, Eklöf B, Nicolini P, Janet G and the REVAS group (2000) Recurrent varices after surgery (REVAS), a consensus document. *Cardiovasc Surg* 8:233–245

Vasquez MA, Rabe E, McLafferty RB, Shortell CK, Marston W, Gillespie D, Meissner M, Rutherford RB, American Venous Forum Ad Hoc Outcomes Working Group (2010) Revision of the venous clinical severity score: venous outcomes consensus statement: special communication of the American Venous Forum Ad Hoc Outcomes Working Group. *J Vasc Surg* 52:1387–1396

Chapter 6

Coleridge-Smith P, Labropoulos N, Partsch H, Myers K, Nicolaides A, Cavezzi A (2006) Duplex ultrasound investigation of the veins in chronic venous disease of the lower limbs-UIP consensus document, Part I. Basic principles. *Eur J Vasc Endovasc Surg* 31:1–10

Mendoza E (2002) CHIVA – Ein Handbuch. Arrien, Wunstorf

Mendoza E, Berger HA (2001) Provokationsmanöver für die duplexsonographische Diagnostik der Varikosis. *Gefäßchirurgie* 6:43–46

Obermayer A, Garzon K (2010) Sourcing of superficial reflux in venous leg ulcers using duplex ultrasound. *J Vasc Surg* 52:1255–1261

Sietzen P, Kaiser R, Rendl KH (1997) Vergleich von Valsalva-Manöver und distaler Dekompression zur Refluxprüfung der V. saphena magna. Eine sonographische und phlebographische Untersuchung. *Gefäßchirurgie* 2:204–207

Chapter 7

Coleridge-Smith P, Labropoulos N, Partsch H, Myers K, Nicolaides A, Cavezzi A (2006) Duplex ultrasound investigation of the veins in chronic venous disease of the lower limbs-UIP consensus document, Part I. Basic principles. *Eur J Vasc Endovasc Surg* 31:1–10

Lattimer CR, Azzam M, Kalodiki E, Makris G, Geroulakos G (2012) Saphenous pulsation on duplex may be a marker of severe chronic superficial venous insufficiency. *J Vasc Surg* 56:1338–1343

Mendoza E (2002) CHIVA – Ein Handbuch. Arrien, Wunstorf

Mendoza E (2012) Great saphenous vein diameter at the saphenofemoral junction and proximal thigh as parameters of venous disease class. *Eur J Vasc Endovasc Surg*. doi:[10.1016/j.ejvs.2012.10.014](https://doi.org/10.1016/j.ejvs.2012.10.014)

Mühlberger D, Morandini L, Brenner E (2009) Venous valves and major superficial tributary veins near the saphenofemoral junction. *J Vasc Surg* 49:1562–1569

Oswald M (2005) Unser blaues Wunder – Sexualhormone und Krampfaderen. <http://ebook-browse.com/unser-blaues-wunder-pdf-d76330333>

Chapter 8

Cockett FB, Jones DE (1953) The ankle blow-out syndrome. *Lancet* 1:17

Huck K (2005) Kursbuch Doppler- und Duplexsonographie. Thieme, Stuttgart/New York

Recek C (1996) Auswirkung der Krossektomie auf die venöse Zirkulationsstörung bei primärer Varikose. *Phlebologie* 25:11–18

Zamboni P (ed) (1996) La chirurgia conservativa del sistema venoso superficiale. Gruppo Editoriale Faenza Editrice, Faenza

Chapter 11

Decousus H et al (2010) Superficial venous thrombosis and venous thromboembolism. *Ann Intern Med* 152:218–224

Kalodiki E, Strvrtinova V, Allegra C, Andreozzi GM, Antignani PL, Avram R, Brkljacic B, Cadariou F, Dzsinih C, Fareed J, Gaspar L, Geroulakos G, Javien A, Kozak M, Lattimer CR, Minar E, Partsch H, Passariello F, Patel M, Pécsvárady Z, Poredos P, Rotocil K, Scuderi A, Sparovec M, Szostek M, Skorski M (2012) Superficial vein thrombosis: a consensus statement. *Int Angiol* 31:203–216

van Langevelde K, Lijfering WM, Rosendaal FR, Cannegieter SC (2011) Increased risk of venous thrombosis in persons with clinically diagnosed superficial vein thrombosis: results from the MEGA study. *Blood* 118:4239–4241

Chapter 12

Almeida JI, Min RJ, Raabe R, McLean DJ, Madsen M (2011) Cyanoacrylate adhesive for the closure of truncal veins: 60-day swine model results. *Vasc Endovascular Surg* 45:631–635

Breu FX, Guggenbichler S, Marshall M (2004) Konsensuskonferenz zur Schaumsklerotherapie. *Phlebologie* 33:97

Coleridge-Smith P, Labropoulos N, Partsch H, Myers K, Nicolaides A, Cavezzi A (2006) Duplex ultrasound investigation of the veins in chronic venous disease of the lower limbs-UIP consensus document, Part I. Basic principles. *Eur J Vasc Endovasc Surg* 31:1–10

Elias S, Raines JK (2012) Mechanochemical tumescentless endovenous ablation: final results of the initial clinical trial. *Phlebology* 27:67–72

Franceschi C (1988) Thorie et pratique de la cure conservatrice et hmodynamique de l'insuffisance veineuse en ambulatoire. Prcy-sous-Thil (Armanon)

Hamel-Desnos C (2003) Evaluation of the efficacy of polidocanol in the form of foam compared with liquid form in sclerotherapy of the greater saphenous vein. *Dermatol Surg* 29:1170

Marshall M, Breu FX (2005) Handbuch der Angiologie 13, Erg-Lfg. Ecomed, Landsberg

Mendoza E (2002) Einteilung der Rezirkulationen im Bein: anatomische und physiologische Grundlagen der CHIVA-Methode. *Phlebologie* 31:28–35

Nicolaides AN (2000) Investigation of chronic venous insufficiency – a consensus statement. *Circulation* 102:126–163

Partsch B (2004) Die Schaumverödung – eine Renaissance der Sklerotherapie. *Phlebologie* 33:30

Prince EA, Soares GM, Silva M, Taner A, Ahn S, Dubel GJ, Jay BS (2011) Impact of laser fiber design on outcome of endovenous ablation of lower-extremity varicose veins: results from a single practice. *Cardiovasc Intervent Radiol* 34:536–541

Proebstle TM, Alm J, Göckeritz O, Wenzel C, Noppeney T, Lebard C, Pichot O, Sessa C, Creton D, European Closure Fast Clinical Study Group (2011) Three-year European follow-up of endovenous radiofrequency-powered segmental thermal ablation of the great saphenous vein with or without treatment of calf varicosities. *J Vasc Surg* 54:146–152

Rabe E, Pannier-Fischer F, Gerlach H, Breu FX, Guggenbichler S, Zabel M (2003) Leitlinien der Sklerosierungsbehandlung der Varikose. *Phlebologie* 32:101

Ricci S, Caggiati A (1999) Echoanatomical patterns of the long saphenous vein in patients with primary varices and in healthy subjects. *Phlebology* 14:54–58

Schwarz T, von Hodenberg E, Furtwängler C, Rastan A, Zeller T, Neumann FJ (2010) Endovenous laser ablation of varicose veins with the 1470-nm diode laser. *J Vasc Surg* 51:1474–1478

Wildenhues B (2005) Endovenöse kathetergestützte Schaumsklerosierung. *Phlebologie* 34:165

Wollmann JC (2002) Schaum – zwischen Vergangenheit und Zukunft. *Vasomed* 16:34

Yamaki T, Nozaki M, Sasaki K (2002) Alternative greater saphenous vein-sparing surgery: valvuloplasty combined with axial transposition of a competent tributary vein for the treatment of primary valvular incompetence – 18-month follow-up. *Dermatol Surg* 28:162–167

Chapter 13

Carandina S, Mari C, De Palma M, Marcellino MG, Cisno C, Legnaro A, Liboni A, Zamboni P (2008) Varicose vein stripping vs haemodynamic correction (CHIVA): a long term randomised trial. *Eur J Vasc Endovasc Surg* 35:230–237

de Maeseneer MG, Vandenbroeck CP, Hendriks JM, Lauwers PR, van Schil PE (2005) Accuracy of duplex evaluation one year after varicose vein surgery to predict recurrence at the sapheno-femoral junction after five years. *Eur J Vasc Endovasc Surg* 29:308–331

Geier B, Mumme A, Kummel T, Marpe B, Freis H, Stücker M, Ascitto G (2008) Validität des Duplex-Ultraschalls bei der Klassifizierung von Leistenrezidiven nach Crossektomie. *Phlebologie* 37:3–47

Geier B, Stücker M, Hummel T, Burger P, Frings N, Hartmann M, Stenger D, Schwahn-Schreiber C, Schonath M, Mumme A (2008) Residual stumps associated with inguinal varicose vein recurrences: a multicenter study. *Eur J Vasc Endovasc Surg* 36:207–210

Juan J, Escribano JM, Maeso J (2002) Hämodynamik des Varizenrezidivs nach Strippingoperationen. Abstractband Jahres-

kongress 2002 der DGG: 35 (nachzulesen unter www.chiva.info)

Kaps M, von Reutern GM, Stolz E, von Büdingen HJ (2004) Ultraschall in der Neurologie. Thieme, Stuttgart/New York

Mendoza E (2002) Einteilung der Rezirkulationen im Bein: anatomische und physiologische Grundlagen der CHIVA-Methode. *Phlebologie* 31:28–35

Mühlberger D, Morandini L, Brenner E (2007) Frequency and exact position of valves in the saphenofemoral junction. *Phlebologie* 36:3–7

Nicolaides AN (2000) Investigation of chronic venous insufficiency – a consensus statement. *Circulation* 102:126–163

Perrin MR, Guex JJ, Ruckley CV, dePalma RG, Royle JP, Eklof B, Nicolini P, Janet G and the REVAS group (2000) Recurrent varices after surgery (REVAS), a consensus document. *Cardiovasc Surg* 8:233–245

Rasmussen LH, Lawaetz M, Bjoern L, Vennits B, Blemings A, Eklof B (2011) Randomized clinical trial comparing endovenous laser ablation, radiofrequency ablation, foam sclerotherapy and surgical stripping for great saphenous varicose veins. *Br J Surg* 98:1079–1087

Chapter 14

Badgett DK, Comerota MC, Khan MN, Eid IG, Kerr RP, Comerota AJ (2000) Duplex venous imaging: role for a comprehensive lower extremity examination. *Ann Vasc Surg* 14:73–76

Blättler W, Gerlach H, Hach-Wunderle V, Konstantinides S, Noppeney T, Pillny M, Riess H, Schellong S, Stiegler H, Wildberger JE (2010) Interdisziplinäre S2 Leitlinie: Diagnostik und Therapie der Venenthrombose und der Lungenembolie. *Vasa* 39(Suppl):78

Caggiati A, Bergan JJ, Gloviczki P, Jantet G, Wendell-Smith CP, Partsch H (2002) Nomenclature of the veins of the lower limbs: an international interdisciplinary consensus statement. *J Vasc Surg* 36:416–422

Chylarecki C, Hierholzer G, Rudofsky G (1995) Physikalische Thromboseprophylaxe mit motorisierten Sprunggelenkbewegungen. *Unfallchirurgie* 21:137–147

Hach W, Hach-Wunderle V (1994) Die Rezirkulationskreise der primären Varikose – Pathophysiologische Grundlagen zur chirurgischen Therapie. Springer, Berlin/Heidelberg

Hollerweger A, Macheiner P, Rettenbacher T, Gritzmann N (2000) Sonographische Diagnose von Muskelvenenthrombosen des Unterschenkels und deren Bedeutung als Emboliequelle. *Ultraschall Med* 21:66–72

Jungius KP, Lenhart M, Jung EM (2004) Digitale Ultraschalldiagnostik der Unterschenkelvenenthrombose mit Harmonic Imaging und Cross Beam Technik. *Ultraschall in Med* 25 (Abstractband): WS-20–07

Kubik S (1985) Anatomie des Oberschenkels aus vaskulärer Sicht. In: Brunner U (Hrsg) Aktuelle Probleme der Angiologie: 43. Der Oberschenkel – Diagnostische und therapeutische Aspekte der Arteriologie, Phlebologie und Lymphologie. Hans Huber, Bern Stuttgart Wien, S 15–68

Lindhoff-Last E (2011) Risk assessment of recurrence of venous thromboembolism. *Hamostaseologie* 31:7–12

Schellong S, Gerlach H, Hach-Wunderle V et al (2009) Diagnosis of deep vein thrombosis: adherence to guidelines and outcomes in real-world health care. *Thromb Haemost* 102:1234–1240

Schwarz T, Schmidt B, Schellong SM (2001) Die Muskelvenenthrombose. *Dtsch Med Wschr* 126:367–369

Stiegler H, Habscheid W, Ludwig M (2002) Leitlinien zur Diagnostik der tiefen Becken-/ Beinvenenthrombose. *Ultraschall Med* 23:274–278

Strauss AL (1995) Farbduplexsonographie der Arterien und Venen. Springer, Berlin/Heidelberg

Wuppermann T (2002) Die chronisch venöse Insuffizienz. *Internist* 43:16–26

Chapter 15

Nicolaidis AN (2000) Investigation of chronic venous insufficiency – a consensus statement. *Circulation* 102:126–163

Chapter 16

Cornely M (2011) Das Lipödem an Armen und Beinen. *Phlebologie* 40:21–25

Marshall M, Breu FX (2005) Handbuch der Angiologie 13, Erg-Lfg. Ecomed, Landsberg

Chapter 17

Creton D, Milleret R, Uhl JF (2004) Comment choisir la meilleure technique d'obliteration endovasculaire: Closure, Laser ou la sclerose à la mousse cur catheter. *Phlebologie* 57:31–35

Gasser G, Pohl P, Mildner A (1995) Läsionen des N. saphenus in Abhängigkeit von der Technik des Strippings. *Phlebologie* 24:76–77

Hach W, Hach-Wunderle V (2002) Das aktuelle phlebologische Thema läsionen in der Chirurgie der primären Varikose. Neural lesions in surgical treatment of primary varicose veins. *Gefäßchirurgie* 7:97–102

Kopf H, Loizides A, Mostbeck GH, Gruber H (2011) Diagnostic sonography of peripheral nerves: indications, examination techniques and pathological findings. *Ultraschall Med* 32:242–263

Polterauer P, Gollackner B, Nanobachvili J, Domenig C (2007) Evidenzbasierte Therapie des Krampfaderleidens. *Z Gefäßmed* 4:4–9

Ricci S (2005) Ultrasound observation of the sciatic nerve and its branches at the popliteal fossa: always visible, never seen. *Eur J Vasc Endovasc Surg* 30:659–663

Silvestri E, Martinoli C, Derchi LE, Bertolotto M, Chiamondia M, Rosenberg I (1995) Echotexture of peripheral nerves: correlation between US and histologic findings and criteria to differentiate tendons. *Radiology* 197:291–296

Weber H, Stöhr M, Loeprecht H (2003) N.-peroneus-communis Läsion als Komplikation des V. saphena parva Strippings. *Gefäßchirurgie* 8:36–39

Appendix 3: Abbreviations Used to Label the Figures

AASV	Anterior accessory saphenous vein	MV	Muscle vein
Art	Artery	PASV	Posterior accessory saphenous vein
CFA	Common femoral artery	Perf	Perforator
CFV	Common femoral vein	SFJ	Saphenofemoral junction
Fem	Femoral	SPJ	Saphenopopliteal junction
FV	(superficial) femoral vein	SSV	Small saphenous vein
GSV	Great saphenous vein	Trib	Tributary

Index

A

AASV. *See* Anterior accessory saphenous vein (AASV)
Abdominal compartment, 117
Achilles tendon, 113, 297
Acoustic shadow, 159
Adventitia, 45
Agenesis, 176
Air-plethysmography, 116
Aliasing, 7
Alignment sign, 125
Anatomical variations, 128
Anatomy of superficial veins
 extrafascial veins, 45–47
 fascial compartment of saphenous veins
 anchoring, 21–22
 membranous layer, 20–22
 saphenous compartment, 21–22
 foot veins, 22–23
 general appearance and nomenclature, 19–20
 great saphenous vein
 accompanying structures, 35
 anterior and posterior accessory saphenous veins, 30–33, 200, 201
 course of, 22–26
 duplication of, 26–27
 fascial compartment of, 24–27
 hypoplasia and aplasia, 28–29
 perforating veins, 33–35
 topographical anatomy, 35–37
 tributaries, 30–31
 saphenous trunks, 45
 small saphenous vein
 accompanying structures, 44
 course of, 37–40
 cranial extension of, 39, 42–43
 fascial compartment of, 36–42
 perforating veins, 43–44
 topographical anatomy, 36–37, 44
 tributaries, 31, 43
Aneurysm, 132, 135, 175, 270
Angle of insonation, 159
Anisotropy, 304
Ankle perforating veins, 35
Antegrade flow, 62, 95, 109, 120, 138, 153, 160, 169, 183
Antegrade incompetence, 161

Antegrade systolic blood, 283
Anterior accessory saphenous vein (AASV), 30–32, 121, 133, 139, 145
 B scan, 123–125
 confluence of, 131, 145
 confluence variations, 122, 145
 drainage points, 210–213
 fascial compartment, 205, 207
 incompetent terminal valve, 145–146
 independent drainage, 130, 145
 normal findings, 122–125, 145
 normal relations, 125, 145
 “pseudo” saphenofemoral junction, 125, 145
 reflux sources
 epigastric vein, 208, 211
 great saphenous vein, 208–209, 212
 incompetent saphenofemoral junction, 207–208
 no clear reflux source, 209–210, 212
 perforating vein, 207–209
 small saphenous vein, 208, 210
 superficial inguinal veins, 208, 211
 terminal valve, 126–127, 145
 tortuous and dilated, 145, 147
Anterior arch vein, 30, 196, 215
Anterior leg perforating veins, 34–35
Anterior tibial veins, 267
Anticoagulation treatment, 276
Anti-gravitational mechanisms, 56
Apex of popliteal fossa, 177
Aplasia, 145
 of great saphenous vein, 28
Aplastic/hypoplastic segment, 27
Aplastic segment, 151, 155, 179
Archive images, 101
Ascending pathological reflux, 195
Ascending phlebography, 270
Ascending progression theory, 59
Ascending thrombus, 271
ASVAL, 59
Athletes, 58
A-wave, 302

B

Backflow, 141, 160, 162
Baker’s cyst, 270, 293–295

- Bassi, 43
 Benign/malignant tumours, 299–300
 B flow Doppler, 11–12
 Bishop's crook, 23
 Blowout veins, 194
 Boyd, 33, 34, 72, 119, 161, 164, 167
 B scan, 121, 130
 - acoustic boundary surfaces, 2
 - colour mode, 14
 - deep vein thrombosis, 270
 - examination, great saphenous vein
 - aplasia/hypoplasia, 151, 155
 - compression manoeuvre, 149
 - course of, 152–153, 155, 157–159, 165
 - diameter measurement, 150–151
 - duplication, 151–153, 156–157
 - saphenous eye, 151–154, 156
 - healthy tributaries, 143
 - incompetent saphenofemoral junction, 130, 135
 - interval compression manoeuvres, 151
 - objects in, 2–3
 - time resolution, 14
 - turbulence, 132
- C**
- Calf compression, 138
 Calf contraction, 183
 Calf diastole, 50
 Calf veins, 267
 Calf vein thrombosis, 270
 Card index, 93
 Case history, 96
 CEAP classification, 85
 Cellulitis, 285
 CFA. *See* Common femoral artery (CFA)
 CHIVA, 59, 112, 120, 168
 CHIVA method
 - ligation, 251–252
 - refluxive saphenofemoral junction tributaries, 229
 - saphenous vein flow and diameter, 251
 - saphenous vein stump, 252–253
- Circuit, 78
 Closed shunt, 79
 Cockett, 72, 197
 Cockett I, 35
 Cockett II, 35
 Cockett III, 35
 Cockett's perforators, 97
 Collagen, 45
 Colour-coded duplex, 158
 Colour duplex ultrasound, 5
 Common femoral artery (CFA), 133
 Common femoral vein, 267, 269
 Compartment syndrome, 270
 Compensated recirculation, 68
 Competent preterminal valve, 205
 Competent segment, 70
 Competent terminal valve, 69, 139
 Complete incompetence, 68
 Compound scanning, 9–10
 Compressibility of a vein, 271
 Compression stockings, 100
 Computerised tomographic venography, 271
 Consistency, 119
 Continuous wave (CW) Doppler, 5
 Contrast-enhanced ultrasound (CEUS), 11–13
 Contrast phlebography, 99
 Cosmetic, 58
 Cranial extension, 42, 43, 76, 79, 125, 172
 Cross beam, 275
 Crosse, 23, 120
 Crossectomy, 60, 148
 Cross-pelvic communications, 139
 Cut-off point, 162
 Cyclical flow change, 106
- D**
- Decompensates, 51
 Deep drainage pathway, 283
 Deep femoral vein, 267, 269, 273
 Deep vein thrombosis, 74, 217
 - anatomy
 - anterior tibial veins, 267–268
 - common femoral vein, 269
 - gastrocnemius and soleus veins, 269
 - peroneal veins, 268–269
 - posterior tibial veins, 267
 - superficial femoral vein, 269
 - chronic venous insufficiency, 276
 - definition, 270
 - diagnostic techniques, 270–271
 - B scan, 270
 - CW doppler ultrasound, 270
 - phlebography, 270–271
 - documenting examination findings, 277
 - gastrocnemius vein systems, 275
 - muscle vein thrombosis, 275
 - old thrombotic changes, 276
 - possible errors
 - distal posterior tibial veins, 274, 275
 - femoral vein, 274
 - popliteal fossa, 274
 - post-thrombotic changes, 276
 - reflux, 276
 - secondary deep vein insufficiency, 277
 - stages of, 270
 - standard examination, 272–274
 - calf veins, 273
 - contralateral leg, 273
 - femoral vein, 272–273
 - popliteal vein, 273
 - ultrasound changes, 276–277
 - ultrasound criteria, 271–272
 - Valsalva manoeuvre, 276
- Deep venous obstruction, 161
 - dilated perforating veins, 280–281
 - great saphenous vein, 279–280
 - spontaneous Palma shunt, 281

- Deep venous reflux
 - post-thrombotic muscle vein, 282
 - secondary incompetence, 281–282
 - Deflection artefact, 3
 - Descending genicular artery, 35
 - Diameter, 149–151, 168
 - Diastolic reflux, 189
 - Digital compression, 204
 - Dilatations, 132
 - Dilated perforating veins, 163
 - Dilated small saphenous vein, 174
 - Dilated termination, 175
 - Direction of flow, 100
 - Distal reflux drainage point, 166
 - Distal reflux point, 71
 - Distal reflux source, 77
 - Documentation, 100
 - Documenting haemodynamics, 100
 - Dodd, 33, 34, 43, 90, 119, 161, 164, 165, 167
 - perforating veins, 33
 - Doppler pen-probe, 14
 - Doppler principle, 3
 - Doppler shift, 3–4
 - Dorsal flexion, 113
 - Drain, 115
 - Drainage, 50, 56, 129, 148
 - network, 19
 - path, 84
 - pathway, 82
 - route, 57
 - Duplex ultrasound examination
 - clinical relevance, 100
 - course of
 - examination, 97
 - patient interview, 96
 - transducer positioning, 97–99
 - documentation
 - examiner's records, 100–103
 - operating doctor, 101, 103
 - patient, 103
 - primary physician, 100–101
 - examination modes
 - patient position, 95
 - special situations, 96
 - indications, 99
 - phlebology, 104
 - workstation
 - ergonomic aspects, 94
 - organisational aspects, 93
 - Duplication, 41, 153, 157, 179, 270
 - of anterior accessory saphenous vein, 128
 - of great saphenous vein, 26, 128
- E**
- Electronic records, 101
 - Elevation-dependency manoeuvre, 114–118, 138
 - Elliptical, 150
 - Embolisation, 60
 - Empty saphenous eye, 29, 46
 - Endovenous treatment, varicose veins
 - incompetent perforating veins, 234–235
 - prerequisites, 230
 - trunk vein insufficiency
 - energy transfer, 233–234
 - entry point, 230–231
 - laser fibre/radiofrequency catheter, 231–232
 - tumescent anaesthesia, 232–233
 - ultrasound surveillance, 234
 - venous access, 231
 - Epifascial veins, 201
 - Epigastric vein, 125, 139, 142, 143, 208
 - Erysipelas, 285
 - Erythrocytes, 115, 134, 158
 - Erythrocyte sludge, 134–135, 158, 159, 297–298
 - Examination, 93, 105
 - room, 93
 - Examination of superficial veins
 - deep venous obstruction, 279–281
 - deep venous reflux, 281–282
 - pathology, 283
 - ultrasound criteria, 283
 - Exclusion of thrombosis, 101
 - External compression, 107
 - External pudendal vein, 121, 148
 - Extra volume load, 52
- F**
- Fascial defect, 157
 - Femoral nerve, 306–307
 - Femoral vein, 267
 - Femoropopliteal vein, 172, 177, 202, 215
 - Femoro-popliteal vein, 33, 38–39
 - Femur, 272
 - Flow curve analysis, 53, 54
 - Flow direction, Giacomini anastomoses, 214
 - Flow provocation manoeuvres
 - antegrade flow and reflux, 108–109
 - continuous slow flow, 108–109
 - elevation-dependency manoeuvre, 114–117
 - manual calf compression and release,
 - 109, 111–112
 - manual compression vs. Wunstorff manoeuvres,
 - 114–115
 - Paraná manoeuvre, 112
 - practical procedure, 117–118
 - requirements, 105
 - sourcing, 117
 - spontaneous flow in veins
 - arterialised flow, 106
 - cephalic vein, 108
 - continuous blood flow, 105
 - cyclical flow change, 106
 - hindrance-to-flow, 107
 - right atrium, 106
 - slow respiration curve, 107
 - tapping manoeuvre, 116–117
 - Valsalva manoeuvre, 109–111
 - Wunstorff manoeuvre, 112–115

- Flow reversal, 110
 Focal dilatation, 157
 Foot veins, 22–23, 35
 Fractionation, 50
 Franceschi shunt classification
 shunt principles, 72, 79–80, 86–89, 280
 shunt type I, 80–81
 shunt type II, 81–82, 86–87, 166
 shunt type III, 78, 82, 86, 88
 shunt type IV, 83
 shunt type V, 72, 83
 shunt type VI, 84, 86, 88
 venous networks, 78–79
 Frozen B-scan, 98
 Functional great saphenous vein, 28
- G**
 Gain, 4, 16
 Gaiter area, 286
 Gastrocnemius, 269
 vein, 38, 41, 269, 275
 Giacomini, 76, 97, 171, 172, 180
 anastomosis, 32, 79, 171, 172, 189, 208
 (see also Vein of Giacomini)
 Gravity, 59, 95, 105, 109, 160
 Great saphenous vein (GSV)
 accompanying structures, 35
 anterior and posterior accessory saphenous veins,
 30–33, 200, 201
 blood flow measurement, 158–159
 antegrade flow, 163–164
 draining perforating vein, 85, 168–169
 low-volume reflux, 162–163
 normal findings, 159–161, 196
 pulsatility, 169
 reflux drainage identification,
 165–168
 refluxive segments, 75, 166, 168
 reflux source identification, 157, 163–166
 valves, 163–164
 B scan examination
 aplasia/hypoplasia, 151, 155
 compression manoeuvre, 149
 course of, 152–153, 155, 157–159, 165
 diameter measurement, 150–151
 duplication, 151–153, 156–157
 saphenous eye, 151–154, 156
 course of, 22–26
 duplication of, 26–27
 examination procedure, 119
 fascial compartment of, 24–27
 Hach classification
 course of, 70, 73
 deep leg veins, 74
 distal reflux point, 70–73
 incompetent varicose tributaries,
 72, 74
 proximal reflux source, 69–72
 re-entry perforating veins, 72, 74
 hypoplasia, 28
 hypoplasia and aplasia, 28–29
 objectives of examination, 120
 perforating veins, 33–35, 194–197
 posterior accessory saphenous vein, 213–214
 saphenofemoral junction
 anatomical variations, 121–122, 128–134
 aneurysm formation, 132, 134–136
 anterior accessory saphenous vein (see Anterior
 accessory saphenous vein)
 broad mouth, 123–124
 calf compression, 137
 clinical implications, 148–149
 deep femoral vein, 138–140
 epigastric and superficial circumflex iliac veins,
 122, 133–134, 139, 142–143
 erythrocyte sludge, 134–135
 Franceschi's P and I points, 146–148
 incompetent superficial inguinal tributary,
 135, 137
 physiological and pathological flow,
 139, 141, 143–145
 preterminal valve, 120, 126, 128
 provocation manoeuvres, 126–127
 pudendal vein, 136, 138–139, 141
 saphenous trunk, 130
 superficial circumflex iliac vein, 125
 terminal valve, 126–127
 turbulence, 132
 ultrasound probe, 120–121
 valve leaflets, 123, 126–127
 topographical anatomy, 35–37
 tributaries, 30–31
- H**
 Hach, 67, 77, 120, 167
 class, 72, 150
 perforating veins, 34
 Hach classification
 great saphenous vein, 69–74
 phlebogram, 67
 recirculation circuit, 67–69
 small saphenous vein, 74–78
 Haemodynamic diagram, 104
 Haemorrhoids, 60
 Haemosiderin, 286
 Half-moon, 38
 Healthy tributaries, 58, 143, 202–203
 Highest incompetent point, 112
 High junction, 177
 High pulsatile flow, 303
 Hildebrandt's diagram, 128
 Hunter, 34, 119, 161, 164
 perforating vein, 33
 Hydrostatic pressure, 50, 51
 Hyperextension, 181
 Hyperkeratosis, 285
 Hyperpigmentation, 285
 Hypoplastic segment, 120, 151

I

- Iliac veins, 271
- Incidental findings, venous examination
 - calf and foot
 - bone lesion, 297, 299
 - hypo/hyperthyroidism, 296–297
 - muscle hernias, 296–297
 - soleal sinusoids, 297–298
 - tendon sheath inflammation, 297, 298
 - generalised findings
 - benign/malignant tumours, 299–300
 - muscular atrophy, 298–299
 - subcutaneous/epifascial haematomas, 299, 300
 - groin and thigh
 - femoral artery calcification, 293, 294
 - lymphatic cyst, 291, 293
 - lymph nodes, 291, 292
 - thromboangiitis obliterans, 293
 - peripheral nerves
 - healthy peripheral nerve, 303–304
 - leg veins course, 305–309
 - popliteal fossa
 - Baker's cyst, 293–295
 - cystic adventitial disease, 296
 - popliteal artery aneurysms, 295–296
 - right heart failure
 - electrocardiogram vs. spectral Doppler curve, 302
 - pathological flow profiles, 303, 304
 - spectral curves, 303
- Incompetent terminal valve, 74, 139, 205
- Incompetent terminal vein, 69
- Incompetent varicose tributaries, 68, 72, 74, 77–78
- Incomplete incompetence, 68, 76, 164
- Inferior vena cava, 109
- Inflow and drainage points, 203
- Inguinal point (I point), 60, 146
- Inhalation, 106, 107
- Injuries to deep veins, 279
- Internal pudendal vein, 148
- Interosseous membrane, 268
- Interrupted, 183
- Intersaphenous vein, 164
- Inter-saphenous veins, 30–31, 43
- Intra-abdominal pressure, 106
- Intravenous ultrasound, 271
- Inversion stripping, 308
- I point. *See* Inguinal point (I point)
- Isolated perforating vein incompetence, 111

K

- Kuster perforating vein, 31, 35

L

- Laminar flow, 50–52
- Laser, 148
- Legal, 103
- Leg oedema, 114

- Ligation, 182
- Linear probe, 8
- Linton's line, 30, 197
- Lipodystrophy, 286
- Lipoedema
 - clinical diagnosis, 288
 - and lipohyperplasia, 286–289
 - sonoelastography, 288–289
- Lipohyperplasia, 286, 288
- Lipolymphoedema, 289
- Long-lasting reflux, 54, 116, 138
- Long-lasting reverse flow, 112
- Low molecular weight heparin, 218
- Luminal calibre, 108
- Lymphatic channels, 285
- Lymph capillaries, 285
- Lymph collectors, 285
- Lymph node (LN), 133, 291
- Lymphoedema, 287
- Lympholipoedema, 289
- Lymphoscintigraphy, 285

M

- Manoeuvre, 105
- Manual calf compression, 159
- Manual compression, 188
- Marking pen, 103
- May, 43, 180
- Measurement, 151
 - point, 150
- Medial sural cutaneous nerve, 44
- Membranous layer, 24
- Meralgia paraesthetica, 308
- Minimum documentation, 100
- M-mode, 101
- Muscle diastole, 51
- Muscle fascia, 296
- Muscle hernias, 296, 297
- Muscle veins, 181, 188, 198, 267
 - epifascial tributaries, 181, 185
 - grossly dilated vein, 181, 184
 - inward drainage path, 198–199
 - longitudinal section, 181–182
 - popliteal vein, 173–175, 181
 - soleal sinusoids, 297
 - thrombosis, 275
 - transverse view, 181, 183
- Muscular diastole, 52, 74, 130, 135, 137, 138, 153, 157, 161, 164, 176
- Muscular systole, 74, 129, 143, 164, 183, 189
- Muscular vein, 174

N

- Neovascularisation, 148
- Neuroma, 308
- Newtonian fluid, 50
- Nutcracker syndrome, 60
- Nyquist frequency, 6

O

- Obermayer, Alfred, 199
- Obese, 96
- Oedemas, 96, 163, 303
 - clinical features, 285–286
 - differential diagnosis, 287, 288
 - extremities, systemic causes, 287
 - lipohyperplasia and lipoedema, 285, 287–289
 - lymphoedema, 286–287
 - phleboedema, 285–286
- Oestradiol, 144
- Open vicarious shunt, 79
- Oral anticoagulants, 218
- Orthostatic manoeuvres, 95
- Oval foramen, 24
- Ovarian veins, 60
- Overloaded, 53

P

- Panoramic imaging, 11–12
- Para-Achilleal perforating vein, 43, 198
- Paraná, 95
 - manoeuvre, 112
- Paratibial perforating veins, 34, 56, 165, 187, 194, 213, 215
- Pathophysiology of superficial venous system
 - anatomical and physiological basics
 - flow behaviour of liquids, 50
 - muscle pump, 49
 - muscular diastole, 50
 - muscular systole, 49
 - relative pressures in veins, 50–51
 - recirculation
 - blood flow diagram, 51
 - definitions of reflux, 53, 55
 - drained and poorly drained system, 55–56
 - duration of reflux, 56
 - flow curve analysis, 52–54
 - refluxive tributaries, 52–53
 - saphenous vein incompetence, 51–52
 - re-entry points
 - refluxive tributaries, 62–63
 - saphenous trunks, 62
 - tributary-to-poorly drained venous network, 63
 - tributary-to-saphenous vein, 62–63, 75, 78
 - reflux sources
 - deep vein-to-saphenous vein, 57–58, 68, 73, 77, 81
 - deep vein-to-varicose tributaries, 58, 73
 - inguinal ligament, 59–60
 - point P and point I, 60–61
 - principal recirculation, 56
 - retrograde flow, 58–59
 - saphenous junctions, 57
 - saphenous trunks-to-tributaries, 58, 86
 - venous arterial flow index, 63–65
- Pelvic reflux path, 148
- Pelvic tributaries, 208
- Pelvic veins, 83
- Pelvic venous network, 60
- Pelvic venous plexus, 60
- Pelvic venous reflux, 60, 146–148
- Perforating veins, 33
 - of adductor canal, 187, 205
 - arising directly from bone marrow, 199
 - back of leg, 193, 198–199
 - in back of the thigh, 198
 - blood flow
 - incompetent proximal paratibial vein, 189, 192
 - inward flow, 188
 - muscular diastole, 189–191
 - popliteal region, 189, 193
 - provocation manoeuvres, 189–191
 - proximal reflux source, 189, 192
 - re-entry perforators, 85, 194
 - re-entry points for recirculation, 190, 192, 194
 - relative position, 188
 - subcutaneous reticular network, 189, 192
 - visible varicose tributary, 189, 193
 - epifascial varicose tributary, 190, 197
 - examination objectives, 188
 - examination procedure, 187–188
 - great saphenous vein, 194–197
 - lateral to the knee, 213
 - posterior tibial, 31, 197, 215
 - proximal paratibial, 190–192, 196
 - small saphenous vein, 182–183, 197–198
 - transtibial, 199–200
- Perineal point (P point), 60, 147
- Peripheral nerves
 - leg veins course
 - amputation/stump neuroma, 308
 - common peroneal nerve Schwannoma, 306, 307
 - IVAN mnemonic, 307
 - longitudinal and transverse views, 306
 - meralgia paraesthetica, 308–309
 - popliteal vein, transverse view, 305–306
 - saphenous nerve, 307
 - sural nerve, 308
 - macroscopic view, 305
 - tendon, 304, 306
 - transverse and longitudinal view, 304, 305
- Periphlebitis
 - ascending superficial vein thrombosis, 221, 222
 - compression testing, 218, 220
 - floating thrombus, 218
 - incompetence, 221, 223
 - pain and redness, 218, 219
 - perforating vein, extension, 218, 221
 - thrombosis with, 221, 223
 - thrombosis without, 219, 221
- Peroneal veins, 267–269
- Phleboedema, 285–286, 288
- Phlebography, 270–271
- Phleboliths, 224
- Phlebology, 104
- Photoplethysmography, 113
- Pin strippers, 308
- Plantar flexion, 113

Pneumatic calf compression, 112
 Poorly drained system, 116, 143
 Popliteal artery aneurysms, 295–296
 Popliteal fossa
 Baker's cyst, 293–295
 cystic adventitial disease, 296
 muscle veins, 181
 popliteal artery aneurysms, 295–296
 tibial nerve, 44
 Popliteal region, 179
 Popliteal trunk, 269
 Popliteal vein, 267, 273, 305
 Posterior accessory saphenous vein, 121, 128, 177
 extrafascial structure, 33
 femoral type, 31–32
 Giacomini anastomoses, 32, 214
 great saphenous vein, 213–214
 pathological filling, 214
 Posterior arch vein, 30–31, 34, 35, 180, 188, 196, 202, 215
 Posterior knee crease, 171
 Posterior tibial perforating veins, 31, 34–35, 197
 Posterior tibial veins, 267
 Post-thrombotic occlusion, 184
 Post-thrombotic scarring, 134
 Post-thrombotic syndrome, 74
 Post-thrombotic valve incompetence, 276
 P point. *See* Perineal point (P point)
 Pregnancy, 60, 61
 Preset configuration, 15
 Pressure, 50
 Preterminal valve, 24, 120, 126, 130, 135, 167
 Principal circuit, 80
 Principal re-entry point, 83
 Probe position, 98
 Prone, 181
 Provocation manoeuvre, 105, 116, 120, 137, 153, 163, 171
 Provocation test, 118
 Proximal paratibial perforating veins, 189, 196
 Proximal perforating veins, adductor canal, 189
 Proximal reflux source, 163, 168
 Pseudo duplication, 156
 Pseudo saphenofemoral junction, 125
 Pudendal artery, 24
 Pudendal vein (PV), 128, 133, 136, 138–139, 141
 Pulmonary embolism, 217, 272
 Pulsation, 169
 Pulsed wave (PW) Doppler, 5, 15, 283
 Pulse inversion mode, 12
 PV. *See* Pudendal vein (PV)
 PW curve, 52, 111
 PW mode, 55, 57, 97, 139, 160, 163, 171

R

Radiotherapy, 285
 Recirculating volume, 51
 Recirculation, 51–53, 59, 72, 74, 78, 79, 81, 188
 circuit, 57, 62, 67, 120, 157, 161
 loop, 52, 59
 volume, 53, 74

Recurrence, 148, 180
 deep veins, without connections, 261
 endoluminal procedures
 sapheno-femoral region, 264–265
 saphenous vein treated section, 263–264
 perforating vein, 259
 sapheno-femoral junction surgery
 reflux, deep veins, 254–256
 tributaries, without deep vein connections,
 256–257
 sapheno-popliteal junction surgery, 257–259
 sclerotherapy, 261
 stripped saphenous vein, 260–261
 Re-entry perforating vein, 52, 53, 55, 57, 72, 74, 113,
 115, 194
 Re-entry point, 58, 62, 84, 166, 187, 188, 192
 Reflection artefact, 3
 Reflux duration, 56
 Reflux elimination test, 194
 Reflux in pelvis, 208
 Refluxive muscle vein, 182
 Refluxive tributaries, 143, 166, 180, 181, 202
 drainage points, 203–204
 great saphenous vein, 166, 168
 prognosis, 143
 re-entry, 62–63
 reflux source points, 204–205
 Refluxive vasa vasorum, 179
 Reflux source, 51, 53, 56, 58, 59, 69, 75, 81, 83, 180, 188
 Reflux without source, 165
 Réseau, 56
 Réseaux, 78
 Resistance, 50
 Respiration, 106–108
 Respiratory modulation, 108
 Reticular veins, 63, 201
 Retrograde flow, 49, 58, 109, 113, 160, 163, 168
 Reverse flow, 58, 111
 Right heart failure
 electrocardiogram vs. spectral Doppler curve, 302
 pathological flow profiles, 303, 304
 spectral curves, 303

S

Saphenofemoral junction (SFJ), 23, 25–26
 anatomical variations, 121–122
 confluence of AASV, 128, 131
 direct drainage, 128–129
 Hildebrandt's diagram, 128, 133–134
 incompetent terminal valve, 128, 132
 independent drainage, 128, 130
 anatomy and flow, 172–173
 aneurysm formation, 132, 134–136
 anterior accessory saphenous vein
 B scan, 123–125
 confluence of, 131, 145
 confluence variations, 122, 145
 incompetent terminal valve, 145–146
 independent drainage, 130, 145

- Saphenofemoral junction (SFJ) (*cont.*)
- normal findings, 122–125, 145
 - normal relations, 125, 145
 - “pseudo” saphenofemoral junction, 125, 145
 - terminal valve, 126–127, 145
 - tortuous and dilated, 145, 147
- broad mouth, 123–124
- calf compression, 137
- clinical implications, 148–149
- deep femoral vein, 138–140
- duplex findings classification, 265
- epigastric and superficial circumflex iliac veins, 122, 133–134, 139, 142–143
- erythrocyte sludge, 134–135
- Franceschi’s P and I points, 146–148
- incompetent superficial inguinal tributary, 135, 137
- level of termination, 175–178
- ligation and interruption, 258
- morphology and haemodynamics, 265
- nomenclature and classification, 262–263
- physiological and pathological flow, 139, 141, 143–145
- preterminal valve, 120, 126, 128
- provocation manoeuvres, 126–127
- pudendal vein, 136, 138–139, 141
- reflux, 76, 177
 - atypical connections, 256
 - neovascularisation, 255–256
 - stump, 254
- refluxive anatomy and flow, 172, 174–176
- saphenous trunk, 130
- stump, 258
- superficial circumflex iliac vein, 125
- terminal valve, 126–127
- tributaries, 256–257
- turbulence, 132
- ultrasound probe, 120–121
- valve leaflets, 123, 126–127
- Saphenopopliteal junction, 175
- Saphenous compartment, 21–22, 157
- Saphenous eye, 21, 22, 28, 29, 71, 151–156
- Saphenous fascia, 165, 201
- Saphenous hiatus, 24
- Saphenous ligament, 21, 22, 27, 41, 151, 152, 156, 178
- Saphenous nerve, 35, 307, 308
 - injury, 307, 308
- Saphenous pulsation, 169
- Saphenous vein
 - after operation, 260–261
 - recurrent vein, 260
 - treated section
 - partially closed, 263
 - recanalisation, 263–264
- Sciatic nerve, 305, 306
- Sclerosant reaction
 - efficiency criteria, 241
 - oedematous, 240–241
 - vasospasm, 241
- Sclerotherapy
 - foam, 242–243
 - recurrence, 261
 - ultrasound diagnosis of complications, 222, 241–242, 275, 300
 - ultrasound-guided foam, 236–237
 - ultrasound puncture control, 237–239
- Secondary deep venous incompetence, 74
- Secondary deep venous insufficiency, 52
- Secondary incompetence, 68, 281
- Secondary reflux, 74
- Secondary varicose veins, 203
- Secondary varicosities, 282
- Segmental aplasia of great saphenous vein, 29
- Segmental incompetence, 70
- Septal formation, 176
- SEV. *See* Superficial epigastric vein (SEV)
- SFJ. *See* Saphenofemoral junction (SFJ)
- Sherman perforating vein, 31, 34
- Shunt types, 78, 84
- Single measurement point, 150
- Slow reflux, 53
- Small saphenous vein (SSV), 215
 - accompanying structures, 44
 - course of, 37–40
 - competent saphenopopliteal junction, 75–76, 181, 282
 - findings with reflux, 174–175, 179–180, 223
 - normal findings, 41, 178–179
 - reflux exit points, 72, 78, 180–181
 - cranial extension of, 39, 42–43
 - examination objectives, 171–172
 - examination procedure, 171
 - fascial compartment of, 36–42
 - Hach classification
 - course of, 77
 - distal reflux point, 77–78
 - proximal reflux source, 74–76
 - muscle veins
 - epifascial tributaries, 181, 185
 - grossly dilated vein, 181, 184
 - longitudinal section, 181–182
 - popliteal vein, 173–175, 181
 - transverse view, 181, 183
 - perforating veins, 43–44, 182–183, 197–198
 - saphenopopliteal junction
 - anatomy and flow, 172–173
 - level of termination, 175–178
 - reflux, 76, 177
 - refluxive anatomy and flow, 172, 174–176
 - systolic flow, 183–185
 - topographical anatomy, 36–37, 44
 - tributaries, 31, 43
- Small saphenous vein (SSV/SSVP), 171, 175
- Soleal perforating vein, 43, 198
- Soleus perforating vein, 181
- Soleus veins, 269
- Sonoelastography, 287, 289
- Sourcing, 117
- Spider/thread veins, 201
- Spontaneous flow, 106
- Spontaneous pulsation, 169

SSV. *See* Small saphenous vein (SSV/SSVP)
 Standardisation, 119
 Standing, 95, 115, 117, 125, 159, 181
 on tiptoe, 113
 Stemmer sign, 287
 Stripping, 182
 Subcutaneous fatty tissue, 286
 Superficial circumflex iliac vein, 121, 128, 139
 Superficial epigastric vein (SEV), 121, 133
 Superficial femoral vein, 269
 Superficial inguinal tributaries, 208
 Superficial inguinal veins, 146
 Superficial vein thrombosis, 269
 classification, 217–218
 clinical importance, 217
 natural history
 deep veins, septae, 223
 phleboliths, 224
 periphlebitis
 ascending superficial vein thrombosis,
 221, 222
 compression testing, 218, 220
 floating thrombus, 218
 incompetence, 221, 223
 pain and redness, 218, 219
 perforating vein, extension, 218, 221
 thrombosis with, 221, 223
 thrombosis without, 219, 221
 recommendations, 224–225
 Superficial venous network, 119
 Supra-inguinal reflux, 60
 Sural nerve, 44, 178, 308
 Swallow's nest, 128
 Synovial fluid, 295
 Systolic reflux, 183

T

Tapping manoeuvre, 116–117
 Tendons, 304, 306
 Terminal perforating vein, 62, 63, 194
 Terminal valve (TV), 24, 126, 133, 135, 166
 Testosterone, 144
 Thoracic duct, 285
 Thrombophlebitis migrans, 221
 Thrombosis, 176
 Thrombotic residua, 276
 Time-averaged mean velocity (TAMV), 63
 Tissue harmonic imaging (THI), 9–10, 275
 Tourniquet, 189
 Transducer, 96
 Transmission frequency coding, 10–11
 Transtibial perforating vein, 199–200
 Transverse, 151
 Trendelenburg, 79
 Tributaries
 anterior accessory saphenous vein
 drainage points, 210–213
 fascial compartment, 205, 207
 reflux sources, 206–210

 anterior arch vein, 215
 great vs. small saphenous veins, 215
 morphology, 201
 objectives, 201
 posterior accessory saphenous vein,
 213–214
 posterior arch vein, 215
 small saphenous vein, 215
 systematic examination
 healthy tributaries, 202–203
 refluxive tributaries, 203–205
 saphenous trunks, 202–203
 Tributary, 144
 Trousseau-syndrome, 221
 Tumescence
 foam sclerotherapy, 242, 243
 trunk vein insufficiency, 232–233
 Tumour, 285
 Turbulence, 134
 Turbulent flow, 51, 53
 TV. *See* Terminal valve (TV)

U

Ulcers, 96
 Ultrasound-based classifications
 CEAP classification, 84–85, 90
 Franceschi shunt classification
 shunt principles, 72, 79–80, 86–89, 280
 shunt type I, 80–81
 shunt type II, 81–82, 86–87, 166
 shunt type III, 78, 82, 86, 88
 shunt type IV, 83
 shunt type V, 72, 83
 shunt type VI, 84, 86, 88
 venous networks, 78–79
 Hach classification
 great saphenous vein, 69–74
 phlebogram, 67
 recirculation circuit, 67–69
 small saphenous vein, 74–78
 Ultrasound-guided foam sclerotherapy
 complications, 241–242
 foam echogenicity, 237
 foam travel and spread, 239–240
 puncture control
 Braun catheter, 238–239
 principle, 238, 239
 sclerosant reaction, 240–241
 tumescence, 242, 243
 Ultrasound scanner
 choice of examination mode, 15
 choice of scanner and transducer, 13–14
 configuration, 15–16
 physical principles
 aliasing, 5–8
 blooming, 8
 continuous, pulsed and power modes, 4–7
 flow velocity measurement, 3–4
 image creation, 1–3

- Ultrasound scanner (*cont.*)
 - probe selection, 8–9
 - technical developments
 - B flow, 11–12
 - compound scanning, 9–10
 - contrast-enhanced ultrasound, 11–13
 - panoramic imaging, 11–12
 - three-dimensional ultrasound, 11, 13
 - tissue harmonic imaging, 9–10
 - transmission frequency coding, 10–11
 - Ultrasound, venous intervention
 - complications, 247
 - post-intervention follow-up
 - CHIVA, 248
 - extraluminal valvuloplasty, 253
 - stripping, 248
 - post-operative scar tissue, 247–248
 - recurrence
 - endoluminal procedures, 262–266
 - sclerotherapy, 261
 - varicose veins recurrence
 - deep veins, without connections, 261
 - perforating vein, 259
 - sapheno-femoral junction surgery, 254–257
 - sapheno-popliteal junction surgery, 257–259
 - stripped saphenous vein, 260–261
 - Uncompensated recirculation, 68
- V**
- VAFI. *See* Venous arterial flow index (VAFI)
 - Valsalva manoeuvre, 60, 95, 109–111, 119, 137, 141, 171, 276
 - Valve competence, 120
 - Valve cusp, 111, 126, 128, 135
 - Valves, 20, 108, 109, 163, 164
 - Varicose tributaries, 58, 62–63, 68, 72, 73, 77, 187, 203–205
 - Varicose vein
 - bypass conduit assessment, 242–243
 - CHIVA method, 228–230
 - compression therapy, 243–244
 - endovenous treatment
 - incompetent perforating veins, 234–235
 - prerequisites, 230
 - trunk vein insufficiency, 230–234
 - extraluminal valvuloplasty, 235–236
 - preoperative duplex ultrasound, 236
 - removal, 227–228
 - ultrasound-guided foam sclerotherapy
 - diagnosis, 241–242
 - foam echogenicity, 237
 - foam travel and spread, 239–240
 - puncture control, 237–239
 - sclerosant reaction, 240–241
 - tumescence, 242, 243
 - venous valve function, 236
 - Vasa vasorum, 179
 - Vein of Giacomini, 33, 55, 202
 - Velocity profile, 50, 106, 107, 160, 169
 - analysis, 158
 - Vena cava, 271
 - Venous arterial flow index (VAFI), 63–65
 - Venous filling time, 116
 - Venous hypertension, 51, 276
 - Venous networks, 84
 - Venous reflux time, 116
 - Venous reservoir, 181
 - Venous return, 106–108
 - Venous valves, 49, 105
 - VF. *See* Volume flow (VF)
 - Vicarius*, 79
 - Virtual convex, 8
 - Vis a tergo*, 49, 108, 109
 - Volume flow (VF), 63
 - Volume overloading, 69
 - V-waves, 302
- W**
- Walking, 115
 - Workstation, 94
 - Wrap-around effect, 7
 - Wunstorf, 95
 - manoeuvre, 96, 112–115, 141, 159, 164, 169, 183, 203
- X**
- X-waves, 302
- Y**
- Y-waves, 302