

Index

A

Abfraction, 30–31
A-delta fibers, 43
Arginine, 54–55
Attrition, 24–25

B

Bioactive glasses, 55

C

Calcium carbonate, 54–55
Calcium compounds
 bioactive glasses, 55
 carbonate and arginine, 54–55
 CPP-ACP, 52–54
 fluoride, 55–56
 hydroxyapatite toothpastes, 55
Calcium hydroxide paste, 63
Casein phosphopeptide–amorphous calcium phosphate (CPP-ACP)
 calcium compounds, 52–54
 dental professionals, 86
Cold water testing, 48

D

Dehydrating stimuli, 47–48
Dehydration, 35
Dendrimers, 105–106
Dental abrasion
 lesions, 26
 toothbrush, 26
 tooth substance, 27
Dental air syringe, 47
Dental erosion
 dietary acid, 27
 etiological factors, 29
 gas-chlorinated swimming pools, 28
 healthful drinks, 28
Dental professionals, treatment modalities
 at-home treatment
 CPP-ACP, 86
 fluoride toothpaste, 86

 potassium toothpaste, 86
 strontium, 85, 86
in-office treatment
 desensitising polishing pastes, 88–89
 gingival grafting techniques, 89
 hypnosis vs. fluoride, 90
 laser treatment, 90–91
 Pashley classification, 87–89
 periodontal therapy, 88
OTC products, 81–82
teeth prevention
 aetiological and predisposing factors, 83
 clinical examination, 83
 DH identification, 83
 DH management, 84–85
 treatment, 84
Dental pulp stethoscope, 47
Dentinal tubules, 43, 98, 99
 DH, 24
 fluid flow models, 9, 10
 laboratory testing, 98, 99
 periodontal surgeries, 69
 pulpal inflammation, 11
 self-etch resin, 103
 sensitization, 20
 toothbrushing, 30
Dentin discs, 98, 99
Dentin exposure, 12–14
Dentin hypersensitivity (DH)
 arginine and NovaMin technologies, 102
 clinical trials, 99–100
 concept, 24
 definition, 1
 dendrimers/artificial proteins, 105–106
 dental pulp
 clinical implications, 43–44
 dentinal tubules, 43
 nerve fiber, 42–43
 sensory nerves, 43
 diagnosis, 41–42, 45–46
 distribution, 3–4
 epidemiological studies, 97–98

- Dentin hypersensitivity (DH) (*cont.*)
- etiology
 - cementum loss, 32
 - enamel loss (*see* Enamel loss)
 - iatrogenic factors, 31
 - medical conditions, 32–35
 - physiological cause, 31–32
 - Euradgit and FA laminate, 104–105
 - external stimuli, 23
 - fluorhydroxyapatite crystals, 102
 - hydraulic conductance reduction, 104
 - impact on quality of life, 4
 - laboratory testing
 - dentin tubules, 98, 99
 - dentin discs, 98, 99
 - experimental setup, 99
 - SEM, 98
 - management, 45
 - pain
 - frequency, 44–45
 - history, 44
 - poly(DMA-co-MEA), 102, 103
 - prevalence
 - categories, 2
 - clinical examination, 2–3
 - periodontal treatment, 2
 - self-etch resin and FA crystal, 103–104
 - stimuli (*see* Stimuli)
- Dry mouth. *See* Xerostomia
- E**
- Electric stimulation, 47
 - Electronic threshold measurement device, 48
 - Enamel loss
 - abfraction, 30–31
 - abrasion, 25–27
 - attrition, 24–25
 - corrosion/erosion, 27–29
 - toothbrushing, 29–30
 - Ethyl chloride, 48
 - Euradgit polymer crystals, 104–105
- F**
- FA crystal, 103–104
 - Fluorhydroxyapatite crystals, 102
 - Fluoride, 55–56
 - Fluoride toothpaste, 86
- G**
- Glass ionomer cements (GIC), 64
- H**
- Heat testing, 48
 - Hydrodynamic theory
 - dental pain, 9, 10
 - dentin blocking agents
 - calcium compounds (*see* Calcium compounds)
 - fluoride, 55–56
 - mechanism, 51–52
 - strontium chloride, 52, 54
 - in vitro, and in vivo studies, 52–54
 - dentin sensitization, 20
 - fluid flow models
 - outward movement, velocity, 10
 - pulpal tissue pressure, 9, 10
 - healing mechanisms
 - Bergenholtz and Lindhe reports, 17–18
 - Lundy and Stanley experiment, 16
 - monkey pulps, 18
 - hypersensitive dentin
 - inflammatory mediators, 20
 - permeability, 18–19
 - inflammation effects
 - bacterial products on the pulp, 12–14
 - mechanoreceptors, 9, 10
 - of the pulp, 11
 - on sodium channels in nerves, 11–12
 - nerve desensitisation and nociception
 - depolarising toothpastes, 57
 - nitric oxide, 58–59
 - potassium ion diffusion, 58
 - potassium nitrate, 56
 - topical guanethidine, 59
 - periodontal surgeries
 - flap, 70
 - gingival recession., 68
 - GTR procedures, 68
 - Miller classification system, 69–70
 - placebo effect
 - clinical study duration, 60
 - nocebo, 59
 - restorative approaches
 - dentin desensitising solutions, 61
 - iontophoresis, 65
 - lasers and treatment, 65–66
 - mouthguards, 65
 - non-polymerising products, 61–64
 - polymerisation reactions, 64–65
 - post-operative sensitivity, 66–67
 - smear layer loss and tubule occlusion
 - cervical regions, 13, 15
 - covered, 13, 15
 - dentin surface, 14, 15
 - EDTA, 14, 15
 - LADS, 16, 17
 - remineralization, 14, 15
 - sodium channels, 11–12
 - Hydrostatic pressure, 99
 - Hydroxyapatite toothpastes, 55
 - Hypnosis/hypnotherapy, 90
- I**
- Iatrogenic factors, 31
 - Ice stick, 48
 - Iontophoresis, 65

L

Listerine advanced defence sensitive (LADS), 16, 17

M

Marginal fibers, 43

Mechanical pressure stimulators, 46

Mouthguards, 65

O

Odontoblasts, 11, 12

Oral health impact profile (OHIP), 4

Oral health-related quality of life (OHRQoL), 4

P

Plaque control, 12

Potassium toothpaste, 86

Predentinal fibers, 43

Pulp

 bacterial products, 12–14

 inflammation, 11, 12

 mechanoreceptors, 9, 10

 testers, 47

Pulpal mechanoreceptors, 9, 10

Pulpal tissue pressure, 9–10

Q

Quality of life, 34

R

Relative dentin abrasivity (RDA), 29–30

S

Scanning electron microscope (SEM), 98

Scratchometer, 47

Self-etch resin, 103–104

Sensory nerves, 43

Sjögren syndrome (SS), 34

Sodium channels, 11–12

Stimuli

 chemical, 47

 dehydrating, 47–48

 electric, 47

 radiographic changes, 48

 tactile method/mechanical, 46–47

 thermal, 48

Strontium chloride

 dental professionals, 85, 86

 dentin blocking agents, 52, 54

T

Tactile method, 46–47

Temptronic device, 47

Theory of dental pain, 10

Thermal stimulation, 48

Thermoelectric device, 48

Toothbrush disease, 1

Toothbrushing

 excessive, 29–30

 lack of, 30

X

Xerostomia, 34

Y

Yeaple probe, 46

Yeh air thermal system, 47