

Subject Index

- adenoid-degenerating agent (AD) 191
- adenovirus(es)
 - 2 and Ad5, nononcogenic 25
 - 2-transformed hamster cells 17
 - 2-transformed hamster and rat cells, virus-specific immunogenicity 10
 - 2-transformed inbred rat cell lines 13
 - 3 and Ad7 strains, distribution of 200
 - 3, molecular epidemiology of 201
 - 4 isolates 208
 - 4, prevalence of antibody against 208
 - 5 isolates 206
 - 7 isolates 199
 - 7, molecular epidemiology of 201f.
 - 12 TSTA 7
 - 12-transformed cells, highly oncogenic 14
 - 12-transformed inbred rat cell lines 13
 - 12-transformed rat cells, allogeneic 7
 - 41, virion polypeptide of 211
- , acquisition of specific immunity to 200f.
- antigen → antigen
- , archetype of human 209
- , avian 26
 - DNA → DNA
- , endemic 202f.
- , enteric 212
- , epidemiology of 191ff.
- fiber 184ff.
- gene → gene
- genome → genome
- , grouping of 54
- hamster tumors 14
- hexon 181f., 183, 209
 - - gene 181f.
- , host-range-dependent 216
- , human, and tumors 1
 - -, classification of 3, 192ff.
 - -, epidemiology of 195ff.
 - -, oncogenic subgenera A and B 24
 - -, properties of 191
 - -, - of subgenera A to G 194
 - -, transforming regions of 26
 - - induced carcinogenesis, mechanism of 2
 - - neoplasia 2ff.
 - infection, age-specific incidence of 198
 - - in immunocompromised patient 213ff.
 - intermediate strains 207
 - mammalian 24
 - of nonhuman origin 24
 - -, oncogenic → oncogenic
 - oncogenicity → oncogenicity
 - proteins → proteins
 - RNA → RNA
 - S16 169ff.
 - -, biological properties 169ff.
 - - clones, characteristics 170
 - - DNA, cloning and replication 178ff.
 - - - physicochemical characteristics 174ff.
 - - - restriction maps 177
 - - fiber antigenic determinants 184
 - -, tumorigenicity of 171
 - serotypes 23, 53
 - -, simian 169ff.
 - -, classification of 176
 - -, molecular biology of 169ff.
 - -, physical characteristics of DNA of 175
 - -specific T antigens 15
 - subgenera 24, 192ff.
 - subgenus A 194, 197, 215f.
 - - B 197
 - - B1 215
 - - B2 215
 - - C 204f., 215f.
 - - D 207f., 215
 - - D, molecular epidemiology 207
 - - E 208, 215
 - - F 212ff.
 - - F, clinical features 212
 - - G 212ff.
 - - G, clinical features 212
 - subgroups 3, 24, 53, 180
 - - A, highly oncogenic human 3
 - - B, weakly oncogenic 3
 - - C, nononcogenic 3
 - - D, nononcogenic 3
 - -, highly oncogenic 53
 - -, weakly oncogenic 53
 - -transformed cells → transformed cells
 - - cell host effector cell interactions 13ff.
 - - - lines → cell lines
 - - - tumorigenic phenotypes 10ff.
 - tumor biology 15

- adenovirus(es), tumor inducing capacity 56
 allogeneic Ad12-transformed rat cells 7
 amino acid compositions of some early and late adenovirus proteins 137f.
 antibodies, adenovirus-specific 196
 – against Ad4, prevalence of 208
 – prevalence of 205
 – specific for nonvirion Ad2 T antigen 11
 antigen(s), cell surface histocompatibility 7
 –, class 1, of the major histocompatibility complex 8
 – -containing tumor cells 6
 – expression, viral 17
 –, group specific 196
 –, major histocompatibility 8
 –, surface histocompatibility 8
 –, T → T antigen
 –, tumor specific transplantation (TSTA) → TSTA
 antigenic determinants, Ad type specific, intersubgroup-specific and group specific 184f.
 – – of AdS16 184
- Bacillus subtilis* phage ϕ 29 222
- carcinogens, chemical 2
 carcinogenesis, mechanism of adenovirus-induced 2
 cell(s) – host effector cell interactions, adenovirus transformed 13ff.
 – hybrids, somatic 16
 – line(s), Ad2-transformed Syrian hamster 14
 – –, Ad5-transformed human embryonic kidney 32
 – –, Ad5-transformed rat 40
 – –, Ad12-transformed rat 15
 – –, Ad12-transformed rat kidney 40
 – –, S16-transformed 172
 – –, SV40-transformed hamster 14
 – transformation, molecular mechanism of 2
 –, transformed → transformed cells
 cellular immune defenses, suppression of host 11
 – – response, host 10f.
 – – –, interface between adenovirus-transformed cells and 1ff.
 – – system 2
 – sequences, flanking 69
 CELO virus (avian virus) 26
 coding region for pTP 235
 – – in Ad7 DNA 58
 – – in early region E1 of Ad12 DNA 56
- DBP (DNA-binding protein), adenovirus 154, 160, 223, 229, 237, 238
 –, –, activity necessary for DNA replication 239
 –, –, and frequency of transformation 156
 –, –, a protein with multifunctional domains 157
 –, –, gene 237
 –, –, H5ts 107, 239
 – -gene, E2a sequences of human Ad2, Ad5 and Ad12, comparison of 135f.
 –, –, ts mutants in 155
 – mutants 237ff.
 – mutations 156
- DNA
 –, adenovirus 24, 221
 –, – 2 225
 –, – 2, landmarks in 88, 93, 105ff.
 –, – 2, model for replication 222
 –, – 2, schematic representation of reading frames and RNA coordinates in 94, 108
 –, – 2, sequence of human 88ff., 98ff.
 –, – 5, landmarks in 84, 97
 –, – 5, schematic representation of reading frames and RNA coordinates in 86, 98
 –, – 5, sequence of 76ff., 95ff.
 –, – 7, landmarks in 116f., 122
 –, – 7, schematic representation of reading frames and RNA coordinates in 118
 –, – 7, sequence of human 109ff.
 –, – 12, landmarks in 125f.
 –, – 12, schematic representation of reading frames and RNA coordinates in 123
 –, – 12, sequence of human 119ff., 123ff.
 –, –, fragments 29
 –, –, with transforming activities 55
 –, –, homology cluster 1 (B:1) 197ff.
 –, –, – 2 (B:2) 204ff.
 –, –, in vitro replication of 221f., 223ff.
 –, –, patterns of integration of 26
 –, –, polymerase, characterization of 233
 –, –, poly (dT): oligo (dA)-primed DNA synthesis using 234
 –, –, separation of pTP from 232
 –, –, restriction pattern of human 193
 –, – S16, cloning and replication 178ff.
 –, – S16, restriction maps of 177
 –, –, simian 175
 –, –, synthesis by SLE (systemic lupus erythematosus) sera, inhibition of 249
 –, –, terminal region of pLA1 DNA, nucleotide sequence of 245
 –, –, viral proteins required for replication 229ff.
 –, ϕ 174 233, 248
 – chain elongation 248
 –, correlation between oncogenicity and GC content in 174
 – fragment of the Ad7 genome, physical map 61
 –, heteroduplex MBI/KB230, heterology regions in 183

- , nascent 224
- polymerase 160, 230f., 233
- - activity 230
- -pro, adenovirus, initiation of 243
- -, -, model of replication 250f.
- -, -, replication with isolated subunits 233, 234, 241
- regions, cleavage maps of integrated and flanking viral cellular 68
- replication 248
- -, Ad DBP activity necessary for 239
- -, proteins essential for the initiation of 246
- replicative transcription unit 151f.
- requirements 248f.
- restriction patterns 193, 195, 202
- - - of Ad3 prototype and Ad3a genome type 202
- - - of Ad4 prototype and Ad4 genome type 208
- - - of Ad7 genome types 202
- - - of Ad40 and Ad41 211
- - - of chimpanzee adenoviruses Y25, Pan5, and Pan9 with human adenovirus from subgenera A to E, comparison of 210
- - - of human adenoviruses 193
- sequences of human Ad2 and Ad5, comparison of the right terminal 136f.
- - - Ad2, Ad5, Ad7 and Ad12, comparison of the left terminal 125ff.
- synthesis, nonreplicative initiation of 248
- terminal protein (E2B) 160
- topoisomerase 247
- - activity 247
- transfection 24
- , viral → viral DNA

- E2A DBP-gene sequences of human Ad2, Ad5, and Ad12, comparison of 135f.
- effector cell(s) 13ff., 17
- - -induced lysis, susceptibility to nonspecific 17
- elongation, early 238
- , primer for 222
- enhancer region, SV40 31
- enteric infections, etiology of 213
- epidemiology, molecular, of Ad3 and Ad7 201ff.
- of adenoviruses 191ff., 195ff.
- exonuclease activity with the 140K Pol, cosedimentation of 235
- expression of integrated viral genes, role of methylation on 26

- formation of an 80K-dCMP complex 226
- of elongated protein-nucleic acid complexes (pTP-26mer) 227

- gene(s), adenovirus early, classes of 144
- , DBP 155
- , delayed early viral 144
- functions, immediate early 144
- herpes virus thymidine kinase 36
- , integrated Ad12 69
- , - viral, role of methylation on the expression of 26
- , region E1, regulation of expression 36
- , transforming → transforming genome of strongly oncogenic and nononcogenic viruses 172
- types, Ad3, distribution of 201
- -, Ad7 201f.
- -, global distribution of Ad3, Ad7, and Ad4 203
- glycoprotein, 19-kd, encoded by region E3 43
- , E3 19K 157, 158
- Goldberg-Hogness box 62
- Gomen strain, Ad7 57
- Green-Goodheart rule 174
- Grider strain, Ad7 57
- GT-AG rule 63

- herpes virus thymidine kinase gene 36
- hexon, adenovirus 181f., 209
- , -, gene 181f.
- , -, sizes 181
- polypeptides 183
- histocompatibility complex 8
- -, major 42
- host cellular immune defenses, suppression of 11
- - responses 13
- -coded replication factor 229
- effector cells, immunologically nonspecific 13
- factors involved in adenovirus DNA replication 240f.
- immune system 42f.
- , immunocompetent 13
- -range-dependent adenoviruses 216
- responses, secondary 16
- homology/ies 59, 231
- cluster 1 (B:1), DNA 197ff.
- - 2 (B:2), DNA 204ff.
- , patch → patch homologies

- immune defenses, suppression of host cellular 11
- mechanisms 6
- system, cellular 2
- -, host 42f.
- immunity to adenoviruses, acquisition of specific 200f.
- immunocompetent adult syngeneic hamsters 5
- animals 41
- host 13

- immunocompromised, patient adenovirus infections in 213ff.
- immunogenicity and tumorigenicity of Ad2- and Ad12-transformed rat and hamster cells, correlation between 9
- of the transformed cell 8
- , virus-specific 6ff., 10
- , –, of Ad2-transformed rat and hamster cells 10
- immunological mechanism 8
- immunosuppressed rodents 5
- immunosuppression 5
- infection, persistent 205
- inflammatory reactions, late 13
- integration of adenovirus DNA, patterns of 26
- of the viral genome 65f.
- of transforming genes of adenovirus types 12 and 7 55
- pattern 26, 67f.
- intermediate strains 207
- intermediates, endogenous replicative 223
- , protein nucleotide 223
- intron regions 63
- inverted terminal repeats 221, 180
- inverted repeats, S16 178
- junction sites 66
- –, patch homologies around 66
- landmarks in Ad2 DNA sequence 89, 93, 105ff.
- in Ad5 DNA sequence 85f., 97
- in Ad7 DNA sequence 116f., 122
- in Ad12 DNA sequence 125
- late inflammatory reactions 13
- left-terminal DNA sequences of human Ad2, Ad5, Ad7 and Ad12, comparison of 125ff.
- lymphocytes, cytotoxic T 8
- lytic infection 44
- methylation, role of, on the expression of integrated viral genes 26
- microglobulin, β_2 - 42
- molecular weights of some early and late adenovirus proteins 137f.
- mRNA \rightarrow RNA
- mutagenesis, site directed 35
- mutants, adenovirus 32ff.
- , – 5 (H5ts36, H5ts149) 235ff.
- , – 5 (H5ts125) 224, 237f.
- , – 5 (H5ts107) DBP mutant 237f.
- , – 5 host range 34
- , –, cold-sensitive 34f., 151
- , –, cyt 34f.
- , –, defective in transformation 32ff.
- , –, dl 32f.
- , –, hr 32f.
- , –, ts 155, 223, 235ff.
- , –, N-group 235
- , –, –, replication defect in 236
- , –, with specific lesions in region E1 genes 35ff.
- , autoregulatory 153
- , in DBP gene, temperature-sensitive 155
- in region E1B defective in transformation 34
- mutations, DBP 156
- , E1B 33
- , H5ts 125 238
- neoplasia as biological entity 2
- , patterns of Ad2- and Ad4-induced 2ff.
- nononcogenic adenovirus(es) 44
- – 2 4, 16, 25
- – 2, rat cells transformed by 40
- – 2, transforming genes of 26
- – 5 25
- – 5, transforming genes of 26
- but transforming adenoviruses 53
- nuclear factor I 241ff.
- – –, DNA-binding property of 244
- – II 246ff.
- – – complementing activity 247
- – –, effect of, on the formation of the pTP-dCMP complex 247
- – –, substitution of, by DNA topoisomerases 247
- nucleotide sequence(s) of adenovirus DNA 73ff.
- – – – terminal region of pLA1 DNA 245
- – from adenoviruses, terminal 245
- – of E1 region 26, 54
- – of transforming genes 54ff.
- oncogenic adenovirus(es) 3, 23ff., 44, 53ff., 170
- – 12 4, 16, 29
- – 12, hamster and rat cells nonpermissive to replication of 25
- –, highly 53
- – subgenera A and B of human adenoviruses 24
- – subgroups 3
- –, weakly 53
- , highly, Ad12-transformed cells 14
- oncogenicity, adenoviral 17, 54, 170, 172
- and GC content in DNA 174
- of Ad2 and Ad12 in rodents 4
- of Ad2, lack of 3
- of adenovirus-transformed cells 41
- oncogenes, cotransformation based on the use of 179
- oncogenesis, region E1A and E1B 40f.

- oncology, viral 1
- organization of adenovirus transforming genes, comparison of 59f.
 - of the adenovirus genome 1
 - - - E1 region 26
 - - - - of human Ad5 27
 - - transforming genes of adenovirus type 12 and 17 53f., 55f.
- papovavirus 23
- patch homologies around junction sites 66
- persistence of virus 145
- phenotypes, aberrant transformed 26
 - , adenovirus-transformed cell tumorigenic 10ff.
 - , host-defined tumorigenic 14
 - of transformation 54
 - , transformed 67
- poly(A) addition signal 64f.
 - - - sequences 65
 - - - sites 63, 65
- polypeptide(s) IX 26, 55
 - , 20kd E1B 29
 - , Ad5 E1B 60
 - , Ad12 E1B 60
 - , E1A 28, 58
 - , E1B 59
 - , hexon 183
 - , homologous amino acids in E1 59
 - , virion 193, 215
- precursor terminal protein (pTP) 233
 - - -, coding region for 235
- Pribnow box 62
- primer for elongation 222
 - , homopolymer template- 233
- promoter-enhancer segment, SV 40 32
- /leader segment 36
- protein(s)
 - , 33-kd E1B 29
 - , 55-kd 37
 - , 55-kd E1B 29, 30, 37
 - , adenovirus 137, 138
 - , - 5 E1A and E1B 37
 - , - 5-transforming 37
 - , - region E1 44
 - , cellular 53-kd 37
 - complexes, oligomeric 146
 - , DNA-binding (DBP) → DBP
 - -DNA interaction 246
 - , E1, replicative and transforming functions 146
 - , E1A 147f.
 - , E1B 33, 148, 150
 - , E2 151f.
 - , E3 157f.
 - , E4 158f.
 - , early, adenoviruses 28, 138, 143ff.
 - , -, -, methods for detection 145f.
 - , -, -, identification, structure and function 146
 - essential for the initiation of DNA replication 246
 - , intracellular localization of adenovirus-transforming 38f.
 - kinase activity 36f.
 - , adenovirus specific 37
 - p53, cellular 149
 - -protein interactions 146
 - , terminal → terminal
 - , viral, required for Ad DNA replication 229f.
 - , virion, of simian adenovirus 180
- pTP-dCMP complex, effect of nuclear factor II on the formation of 247
 - -, elongation of 242
 - - formation, factor I stimulatory activity for 242
 - - - with purified components 242
 - synthesis with purified pTP-Pol 231
- pTP-Pol complex 231, 232
- pTP, separation of, from Ad DNA polymerase 232f.
- reading frames and RNA coordinates in Ad2 DNA 94, 108
 - - - - - Ad5 DNA 86, 98
 - - - - - Ad7 DNA 118
 - - - - - Ad12 DNA 123
- recombinant viruses, intergenotypic 43f.
- region E1 and transformation 150ff.
 - -, nucleotide sequence 26, 54
 - -, organization of 26
 - - proteins, adenovirus 44
 - E1A 36
 - -, Ad12 30, 44
 - -, properties of 36ff.
 - E1B 8, 26, 27, 28f., 31, 36, 40f., 57
 - - of the adenovirus genome 8
 - - properties of 36ff.
 - - transcription of 36
 - - for transformation 33
 - E3, 19-kd glycoprotein encoded by 43
- replication defect in N-group mutants 236
 - factors, host coded 229, 240f.
 - with isolated subunits, Ad DNA-pro 233, 241
 - mechanism, eukaryotic 250
- , model for Ad2 DNA 222
- , - of Ad DNA-pro 250f.
- using purified components 229
- , viral proteins required for Ad DNA 229ff.
- , in vitro 224
- right terminal DNA sequence of human Ad2 and Ad5, comparison of 136f.

- RNA(s) coordinates and reading frames in Ad2 DNA 94, 108
- - - - - Ad5 DNA 86, 98
 - - - - - Ad7 DNA 118
 - - - - - Ad12 DNA 123
 - , major cytoplasmic 27
 - , messenger, E1A 35
 - , specific sequences for splicing of adenovirus 64
 - , structure of the E1B/E1A chimeric 60
 - , processing of adenovirus 1
 - species, chimeric 60f.
 - splice points 57
- rodents, immunosuppressed 5
- Rous sarcoma virus 36
- somatic cell hybrids 16
- splice points, RNA 57
- splicing of adenovirus mRNA, specific sequences 64
- , optional sequences for 63f.
- subgenera → adenovirus
- subgroups → adenovirus
- SV40-E1B hybrid region 32
- T antigen(s) 145
- , adenovirus 37
 - , Ad2 16, 17
 - , Ad5 55-kd 38
 - , adenovirus-specific 15, 16
 - , major viral 148
 - , middle, of polyoma virus 37
 - , nonvirion 3
 - , SV40 large 37, 154
 - , -specific 16
 - , viral 17
- T lymphocytes → lymphocytes
- TATA-box 62
- sequences 62ff.
 - - - in the adenovirus genome 63
- terminal protein (TP) 185, 221f.
- , (E2B) DNA 160
 - - on the transforming and tumorigenic activity of Ad DNA, inhibiting effect of 185
 - repeats, inverted 221
 - repetitions, inverted (ITR), in adenovirus DNA 73ff.
- thymidine kinase gene, herpes virus 36
- transcription map of Ad7 DNA 58
- - of early E1 region of Ad12 DNA 56
 - of transforming genes of adenovirus types 7 and 12 53f., 55f.
 - signals 62
 - , specific sequences for 62ff.
 - , specific sequences for 62
 - unit, DNA replicative 151f.
- transfection, DNA 23
- transformation, efficiencies of 4
- , neoplastic 7
 - of cells with S16 DNA fragments 178
 - of rat embryo cells 32
 - , region E1A in 28ff.
 - , region E1B in 28ff., 33
 - , roles of adenovirus region E1 proteins in 44
 - transformed cells 42f.
 - , adenovirus-, and cellular immune response 1ff.
 - , -, oncogenic properties 39ff.
 - , -, oncogenicity of 41
 - -, - (rat) 31
 - -, - 2 6
 - -, - 2 (rat) 40
 - -, - 5 (rat) 42
 - -, - 5 (rat kidney) 33
 - -, - 12 6, 30, 41
 - -, - 12 (rat) 31
 - -, - 12, highly oncogenic 14
 - -, immunogenicity of 8, 9f.
 - -, interaction of, with host immune system 42f.
 - - lines → cell lines
 - , persistence of viral transforming genes in 65
 - , tumorigenicity of 9
- transforming activity, adenovirus DNA segments with 55
- - of DNA segments smaller than region E1 28f.
 - - of region E1B 31
 - gene(s) 24ff., 53ff.
 - , Ad7 and Ad12 69
 - , integrated, in cells transformed by Ad12 DNA fragments 65ff.
 - , localization of 24ff.
 - - of nononcogenic Ad2 and Ad5 26
 - - of oncogenic human adenovirus types 7 and 12 53ff.
 - , specific mutations in 29
 - , viral, analysis by cloning of 69
 - , -, in transformed cells, persistence of 65
 - region E1 of human adenovirus 5, organization of 27
 - - of human adenoviruses 26
 - , organization of 26ff.
- TSTA (tumor-specific transplantation antigen) 6, 158
- s, Ad12 7
 - s, Ad-specific 8
 - s, on tumor cells 7
 - s, role of the viral genome in inducing 7
 - -specific tumor rejection 13
- tumor(s), adenovirus hamster 14
- , Ad2 produced 5
 - -bearing animals 37

- biology, adenovirus 15
- cell rejection 14
- cells, antigen containing 6
- -, TSTA on 7
- development in animals 2
- evolution in inbred LSH Syrian hamsters 12
- -host relationships 2
- , human adenoviruses and 1
- -inducing capacity 14
- - - of Ad2- and Ad12-transformed inbred rat and hamster cells 6
- - - of viruses 5
- induction, differences in 4
- - in rodents 5
- rejection, TSTA-specific 13
- -specific transplantation antigen (TSTA)
 - TSTA
- tumorigenic activity of S16 virus 170
- tumorigenicity 9, 39
- , intensity of 8

- vertex capsomer 209
- viral-cellular joints 69
- DNA, integration patterns of 62
- - sequences 66
- - - present in transformed cell lines, copy number of 67

- genes → genes
- genome → genome
- proteins → proteins
- virion(s), biochemical and biophysical properties of 173f.
- , polypeptide of 193
- - - Ad41 215
- protein of simian adenoviruses 180
- virus(es), adeno- → adenovirus
- , adenovirus-SV40 recombinant 154
- , encephalomyocarditis 222
- , hepatitis B 222
- , herpes 36
- , intergenotypic recombinant 43f.
- , oncogenic and nononcogenic 2, 4, 174
- , papova- 23
- , parvo- 222
- , persistence of 145
- , picorna- 222
- , polio- 222
- , polyoma 37
- , Rous sarcoma 36
- -specific immunogenicity 6ff., 10
- , tumor-inducing capacity 5
- , wild type 236

- wild-type isolates 203

The Molecular Biology of Adenoviruses 1

30 Years of Adenovirus Research 1953–1983

Editor: **W. Doerfler**

1983. 69 figures. XII, 232 pages

(Current Topics in Microbiology and Immunology,
Volume 109)

ISBN 3-540-13034-9

Contents:

L. Philipson: Structure and Assembly of Adenoviruses. – *J.S. Sussenbach, P.C. van der Vliet*: The Mechanism of Adenovirus DNA Replication and the Characterization of Replication Proteins. – *F. Tamanoi, B.W. Stillman*: The Origin of Adenovirus DNA Replication. – *M. Salas*: A New Mechanism for the Initiation of Replication of ϕ 29 and Adenovirus DNA: Priming by the Terminal Protein. – *U. Pettersson, A. Virtanen, M. Perricaudet, G. Akusjärvi*: The Messenger RNAs from the Transforming Region of Human Adenoviruses. – *R. Weinmann, S. Ackerman, D. Bunick, M. Concino, R. Zandomeni*: In Vitro Transcription of Adenovirus Genes. – *W.D. Richardson, H. Westphal*: Adenovirus Early Gene Regulation and the Adeno-associated Virus Helper Effect. – *M. Green, K.H. Brackmann, L.A. Lucher, J.S. Symington*: Antibodies to Synthetic Peptides Targeted to the Transforming Genes of Human Adenoviruses – An Approach to Understanding Early Viral Gene Function. – *W. Doerfler, R. Gahlmann, S. Stabel, R. Deuring, U. Lichtenberg, M. Schulz, D. Eick, R. Leisten*: On the Mechanism of Recombination Between Adenoviral and Cellular DNAs: The Structure of Junction Sites. – Subject Index.



Springer-Verlag
Berlin
Heidelberg
New York
Tokyo

The Molecular Biology of Adenoviruses 3

30 Years of Adenovirus Research 1953-1983

Editor: **Walter Doerfler**

1984.

(Current Topics in Microbiology and
Immunology, Volume 111)

ISBN 3-540-13138-8

In preparation

Contents:

T. Shenk and J. Williams: Genetic Analysis of Adenoviruses. – J. Fütterer and E.-

L. Winnacker: Adenovirus DNA Replication. – E.I. Frolova and E.S. Zalmanzon: A Study of Viral Genomes in Cells Transformed by the Nononcogenic Human Adenovirus Type 5 and Highly Oncogenic Bovine Adenovirus Type 3. – H. Esche, M. Reuther, and K. Schughart: The Early and Late Proteins of Adenovirus Type 12: Translation Mapping with RNA Isolated from Infected and Transformed Cells. – T. Grodzicker: Expression of Foreign Genes Using Adenovirus Controlling Elements.



Springer-Verlag
Berlin
Heidelberg
New York
Tokyo
