

Subject Index

- abrin 52
- N*-acetyl-D-glucosamine 3, 7, 48, 89
- N*-acetyl-D-neuraminic acid 48
- affinity 69, 147
- amylases 123
- “anomeric effect” 139
- anti-carbohydrate mAbs 60
- antibodies, monoclonal (mAbs) 50
 - , –, anti-carbohydrate 60
- antigen, stage-specific embryonic 68
 - , blood group 59
 - , tumor-associated 59
- arabinose-binding protein-sugar complex 135
- L*-arabinose-binding protein, active transport 136
 - –, affinity constants 136
 - –, *L*-arabinose 136
 - –, bacterial chemotaxis 136
 - –, crystal structure 137
 - –, deep cleft 137
 - –, dissociation rate constant 136
 - –, *D*-galactose 136
 - –, *D*-fucose 136
 - –, gram negative bacteria 136
 - –, kinetics of substrate binding 137
 - –, ligand affinity 137
- cis* aspartic acid 44
- axes, pseudo-twofold 50

- bidentate 141

- carbohydrate binding sites, cleft, biological macromolecules 144
 - , buried 143
 - , domains 143
 - , electrostatic interactions 144
 - , enzyme catalysis 144
 - , hydrogen bond arrays 144
 - , ion-binding and transport system 144
 - , isolated charges 144
 - , low dielectric constant environment 143
 - , mutual polarization 144
 - , resonating peptide bonds 144
 - , sequestered residues 144
 - , solvent-inaccessible site 144
 - , solvent-accessible area 143
 - , stabilization of charged intermediates 144
 - , sulfate dianion 144
 - , uncompensated 144
 - , – buried charge residues 144
- carbohydrate-protein linkage 7, 8
 - , α -D-*N*-acetylgalactosamine-serine (threonine) 8
 - , β -L-arabinosyl-hydroxyproline 8
 - , β -D-galactosyl-hydroxylysine 8
 - , α -D-galactosyl-serine 9
 - , GlcNAc-Asn 7
 - , β -D-xylosyl-serine 8
- cell wall, rhamnogalacturonan II 10
- chitin 49
- conformation change 42, 144
 - –, sugar-induced 144
 - –, domains 145
 - –, hinge-bending motion 145
- CO 19-9 antibody 70
- concanavalin A (Con A) 37, 39
 - –, demetallized 43
 - “cooperative effect” 139
 - –, “active hydrogen” 139
 - –, dielectric environment 139
 - –, stronger than average hydrogen bond 139
 - hydrogen bonding 140
 - “cooperativity” 146
- correctness of fit 147
- crystallography 39, 89, 137
 - , X-ray 39, 89, 137

- data, thermodynamic 137
- 2-deoxy-2-iodo-methyl-*D*-mannopyranoside 142
- Dioclea grandiflora* 38
- dissociation, rapid 147
- Dolichos biflorus* 38

- favin 38, 45

- gene duplications, internal 39
- geometry 146
 - , novel ligand site 138
 - , – –, aldehyde form 138
 - , – –, biosynthesis 138

150 Subject Index

- geometry, novel ligand site, glucose metabolism 138
 -, - -, glucose-b-phosphates 138
 -, - -, glukokinase 138
 -, - -, hexokinase 138
 -, - -, pentose phosphates 138
 glucose 45
 N-glycans 15-19
 -, biosynthesis 15
 -, bromelain 19
 -, glycoprotein laccase 19
 -, structure 15
 -, animal, biosynthesis 17
 O-glycans 22
 -, animal 22
 -, -, biosynthesis 23
 -, -, core 22
 -, -, structure 23
 -, -, GalNAc-Ser(Thr)-O-glycans 22
 -, plant 24
 -, -, β -L-arabinofuranosyl-hydroxyproline 24
 -, -, carrot cell wall glycoprotein 25
 -, -, cell wall glycoprotein 24
 -, -, α -D-galactosyl-serine 24
 -, -, glycoprotein lectins 24
 -, -, hydroxyproline 25
 -, -, potato 24
 glycogen particle 107
 - phosphorylase 106
 glycopeptide, biantennary class 43
 glycoporphin A 49
 glycoproteins 15
 glycosyltransferase, tumor-specific 72
 Graminae 48

 hydrogen bond donors and acceptors 139
 - -, anomeric hydroxyl, α (equatorial) 139
 - -, -, β (axial) 139
 - - geometry, hydrogen bond parameters 141
 - - -, lone pairs of electrons 141
 - - -, tetrahedral coordination 141
 - - networks 146
 - -, neutral charged 146
 - -, neutral-negative 139
 - -, neutral-neutral 139, 146
 - -, number 146
 - -, protein-sugar complexes 138
 hydrophobic binding sites 53
 - patch, aromatic residues stacking 143
 - -, epimers 143

 immunotherapy 72
 interaction between protein and oligosaccharide 91, 145
 -, nonpolar 127
 -, polar 127
 -, protein-carbohydrate 111
 -, -, deoxynorjirimycin 111
 -, -, glycogen storage site 116
 -, -, heptulose 2-phosphate 111
 -, -, molecular features and basic understanding 135
 -, -, phosphorylase *b*-maltoheptose complex 117
 -, -, protein-oligosaccharide 81
 isolectins 49

 jack bean 37

Lathyrus odoratus 38
 legumes 36
 Leguminosae 37
 lectins 35-37
 -, affinity reagents 36
 -, bacteria 35
 -, binding of nitrogen-fixing bacteria 36
 -, blast transformation 37
 -, changes in plasma membrane fluidity 36
 -, chromatin 36
 -, hormones 37
 -, inhibition of fungal growth 36
 -, insect feeding 36
 -, lower vertebrates 35
 -, macrophages 37
 -, mitochondria 36
 -, mitosis 37
 -, neurites 36
 -, oocytes 37
 -, pea 47
 -, plants 35
 -, platelets 37
 -, receptor mobility 36
 -, -, rearrangements in the distribution 36
 -, ribosomes 36
 -, slime molds 35
 -, storage 36
 -, synaptic vesicles 36
 -, transport 36
Lens culinaris 38
 lentil 52
 lysozyme 84
 -, bacteriophage T4L 104
 -, binding of monosaccharides to HEWL 89
 -, binding of oligosaccharides 86
 -, chicken-type 98
 -, conformational changes accompanying the binding of (GlcNAc)₃ to HEWL 94
 -, crystallographic studies of saccharide binding 87
 -, disaccharide complexes of HEWL 90
 -, hen egg-white, structure 85
 -, human 100
 -, oligosaccharide binding at high resolution 90

- , - - to site D in HEWL 96
- , phage 105
- , temperature factors for the trisaccharide complex 94
- , tortoise 100
- , turkey 100

- modulation, surface 37
- monosaccharides, modification 4
 - , - , mannose 6-phosphate marker 6
 - , - , phosphorylated sugar 5
 - , - , sialic acids 2

- networks 141

- oligosaccharide binding 147
 - conformation 125, 147
 - , α -(1-4)linked glucosyl polymer 82
 - , β -(1-4)linked glucosyl polymer 82
 - recognition site, topology 125
 - Onobrychis viciifolia* Scop. 38
 - ovomucoid, egg-white 49

- pea lectin 39
- peanuts 38, 52
- phosphorylase, crystallographic studies 108
- Pisum sativum* 38
- polar planar side chains, Arg 141
 - , Asn 141
 - , Asp 141
 - , bidentate hydrogen bonds 141
 - , Glu 141
 - , network of hydrogen bonds 142
- polysaccharides 9-10, 81
 - , amylose 9
 - , callose 9
 - , cellulose 9
 - , hyaluronic acid 11
- posttranslational modification 47
- protein-carbohydrate interactions 51, 81, 91, 145
 - , entropic effect 145, 146
 - - , amphipathic 145
 - - , L-arabinose 146
 - - , arabinose-binding protein 146
 - - , degrees of freedom 146
 - - , dehydration 145
 - - , disaccharide of *N*-acetylglucosamine 146
 - - , enthalpically controlled 146
 - - , ΔG° 146
 - - , D-galactose 146
 - - , D-glucose 146
 - - , ΔH° 146
 - - , hexasaccharide of *N*-acetylglucosamine 146
 - - , hexokinase 146
 - - , highly polar organic molecules 145
 - - , hydrogen bonding 146
 - - , hydrophobic effect 146
 - - , - surfaces 145
 - - , immobilization 146
 - - , lysozyme 146
 - - , monosaccharide of *N*-acetylglucosamine 146
 - - , α -(2-3)-neuraminyl-lactose 146
 - - , nonpolar groups 145
 - - , ordered water structure 145
 - - , polar hydroxal groups 145
 - - , - surfaces 145
 - - , ΔS° 146
 - - , solvent accessible areas 145
 - - , - - groups 145
 - - , stable solvation shell 146
 - - , thermodynamic characterizations 146
 - - , - data 146
 - - , trisaccharide of *N*-acetylglucosamine 146
 - - , van der Waal's forces 146
 - - , wheat germ agglutinin 146
- proteoglycans 12-13
 - , animal 12
 - , - , chondroitin sulfate 12
 - , - , - - protein 13
 - , - , dermatan sulfate 12
 - , - , heparan sulfate 13
 - , - , heparin 13
 - , - , keratan sulfate 13
 - , - , proteoglycan core proteins 13
 - , pituitary glycoprotein hormones 6
 - , plant 14
 - , - , arabinogalactan proteins 14
 - , - , β -galactosyl-hydroxyproline 14
 - , sulfation 6
- pseudo-twofold axes 50

- red kidney beans 38
- ricin 39, 52

- shell of residues, favorable orientations 142
 - - , full utilization 142
 - - , functional groups 142
 - - , multiple interactions 142
 - - , potentials hydrogen bond donor group 142
- snake venom toxins 39
- solvent accessibility 126, 146
- soybeans 38, 52
- specificity 69
 - , disaccharide 128
 - , saccharide-binding 40
- SSEA-1 68
- stability 146
- stabilization, charge 143
- stereoselectivity 147
- stereospecificity 147

152 Subject Index

- β -structures 45
- structure analysis 137
 - , three-dimensional 135
 - , –, common feature 135
 - , –, glycogen 135
 - , –, glycolipids 135
 - , –, glycoproteins 135
 - , –, mode of binding 135
 - , –, monosaccharides 135
 - , –, polysaccharides 135
 - , –, starch 135
 - , X-ray 135
- substrate binding 137
 - –, kinetic and equilibrium data 137
- sugar, anomeric 138
 - ring oxygen 141
- thermodynamic data 137
- valency, reduced 37
- van der Waals contacts 143
 - Vicia cracca* 38
 - *faba* 38
 - *sativa* 38
- water, bound 142
 - , –, molecule 142
 - , –, tetrahedrally coordinated 142
- wheat germ agglutinin 39, 48
- X-ray crystallography 39, 89, 136
 - scattering, low angle 137
 - structure 39, 89, 136
 - –, 1.7-Å resolution 136