

Index

A

- Accessory muscle, 67, 68, 207, 221, 318
- Accessory nerve, 124, 131, 133
- Alcock's canal syndrome, 278
- Amyloidoma, 102, 397, 399
- Amyloidosis, 203
- Amyotrophic lateral sclerosis (ALS), 200, 338, 339
- Anatomical anomalies, 69, 166, 211
- Anatomical variations, 4, 67, 68, 147, 169, 203, 260, 277, 291, 296
- Anterior interosseus nerve, 106, 171, 195–201, 341
- Anterior tarsal tunnel syndrome, 308, 309
- Antidromic recording, 35
- Apparent diffusion coefficient (ADC), 88
- Arcade of Frohse, 178, 181, 184
- Autoimmune neuropathies, 92, 106, 349–356, 393
- Autoimmune origin, 105, 340, 350
- Autologous graft, 21, 373, 374
- Axillary (circumflex) nerve, 152, 163–166, 170, 379

- Axonal disorders, 34–35, 37–38, 45
- Axonal sprouting, 88

B

- Baxter's neuritis, 315
- Bioengineered nerve grafts, 374
- Bloodlessness, 126
- Blood-thinning medication, 50
- Brachial plexus, 3, 40, 82, 90, 92, 105, 137–149, 158, 340, 341, 347, 384, 386

C

- Cable grafts, 369, 373
- Calcaneal nerve, 318, 322
- Carpal tunnel syndrome, 62–67, 88, 94–95, 128, 201–212, 231, 313, 338, 344, 346, 352, 389
- Causalgia, 20, 127, 253
- Cavernous haemangioma, 389
- Cervical nerve roots, 105, 137, 142, 351, 356
- Cervical rib resection, 144
- Charcot-Marie-Tooth (CMT) disease, 342–347

- Cheiralgia paraesthetica, 185
- Chronic inflammatory
demyelinating neuropathy
(CIDP), 30, 82, 104, 105,
219, 349–353
- Chronic nerve compression, 13
- Churg-Strauss syndrome
(CSS), 357
- Collateral axonal sprouting, 49
- Collateral over-branching, 376
- Color Doppler
sonography, 174
- Colour Doppler flow, 76
- Common peroneal nerve,
73, 82, 92, 101, 104,
292–308, 314, 390
- Compartment syndrome,
45, 303
- Complex regional pain syndrome
(CRPS), 20, 127
- Complex repetitive discharges,
45, 46
- Compound imaging, 58
- Compound muscle action potential
(CMAP), 27, 28, 141, 153,
158, 164, 167, 199, 296,
345, 359
- Connective tissue reaction,
6, 12–14
- Contrast enhanced ultrasound
(CEUS), 58, 80
- Costoclavicular syndrome,
149–150
- Cross sectional area, 60, 63, 82,
90, 95, 98, 186, 206, 217,
232, 255, 260, 299, 316,
346, 349, 360, 393
measurement, 61, 66
- Cubital to humeral ratio, 65
- Cubital tunnel, 212
- Cut-off value, 65, 66, 69, 205,
276, 299
- D**
- Decreased recruitment
pattern, 47
- Deep peroneal branch
at ankle, 308–309
- Demyelination disorders,
30–34, 37
- De Quervain tenosynovitis,
185–187
- Diffusion tensor imaging (DTI),
88, 95, 99, 103
- Diffusion-weighted MR imaging
(DWI), 87
- Disputed neurogenic TOS, 140, 142
- Distal motor latency (DML), 28,
30–31, 35, 158, 164, 167,
205, 231, 267, 296
- Dorsal scapular nerve,
152, 153
- 3D sequences, 87
- E**
- Endoneurial sheath, 6, 90
- Endplate noise, 41
- Endplate spikes, 41
- End-to-end suture, 136, 369, 370,
374
- Entrapment, 63–69, 87, 93–96,
123, 144, 181, 301, 306
- Epineurectomy, 368, 380
- Erlanger and Gasser classification,
26
- Erythema nodosum, 395, 396
- F**
- Failed carpal tunnel surgery,
88, 208
- Fascicle, 45–47, 84, 338, 353
architecture, 7, 61
biopsy, 104, 394, 398, 399

- pattern, 6, 7, 91, 384, 386
 - remodelling, 219
 - sign, 100
- Fat-suppressed, 89, 100, 101
- Femoral nerve, 73, 98, 285–289
- Fibrillations, 45, 46
- Fibrolipomas, 81, 389–390
- Fibrosis of connective nerve tissue, 125
- Fibrotic nerve, 13, 371
- Fibrous ligaments, 69, 137
- Finkelstein test, 185
- First rib resection, 144, 150
- Flexor pollicis longus (FPL) rupture, 200
- Floating, 81, 101
- Floppy infant, 344
- Fractional anisotropy (FA), 88
- Fractionated motor nerve
 - conduction, 34, 172, 215, 230, 298
- F-waves, 38, 40, 51, 140, 274

- G**
- Ganglia(lion), 81, 157, 162, 182, 207, 213, 229, 286, 294, 302, 306, 307, 309, 316–318, 321, 324, 385, 390–391
 - cyst, 67–69, 76, 100, 101, 160, 181, 222, 229, 231, 299
- Gasser and Erlanger and classification, 26
- Gate control theory, 22, 256
- Generalized neuropathies, 87, 219
- Genito-femoral nerves, 251–257
- Ginkgo leaf sign, 325
- Granuloma(tous), 186, 394, 396
- Group arrangement
 - fascicular, 61
 - nerve trunk with five fascicles, 6–7

- Guillain-Barre syndrome, 350
- Guyon's canal syndrome (GCS), 96, 228–233

- H**
- Hamate bone, 228, 233
- HANSEN's disease, 395
- Hashimoto thyroiditis, 314
- Hereditary motor-sensory neuropathy (HMSN), 342, 343
 - type I, 83
- Hereditary neuralgic amyotrophy, 340
- Hereditary neuropathy, 82, 347
 - with liability to pressure palsies (HNPP), 82, 347–349
- Hernia surgery, 21, 251, 255
- High spatial resolution b-FFE gradient echo MRI, 135
- Hoffmann-Tinel sign, 77
- Honeycomb-like appearance, 60, 72, 91
- Honeycomb-like echotexture, 64
- Hook of hamate, 234
- Hour-glass-like appearance, 64
- Hourglass-shaped constriction, 379
- Hunter's channel, 289
- Hyperabduction syndrome, 150–151

- I**
- Iatrogenic nerve injury, 131, 207
- Ilio-hypogastric nerves, 251–257
- Ilio-inguinal nerve, 251–257
- Immune neuropathy, 102
- Incomplete flexor retinaculum release, 69

- Increased intraneural
 - vascularisation, 62
 - Inflammatory disease, 17, 18, 196, 198, 199, 204
 - Infrapatellar nerve, 289, 292
 - Inguinal nerves, 21, 251, 256
 - Insertional activity, 41, 44
 - Interfascicular neurolysis,
 - 123, 125, 126, 368, 383, 390
 - Interference pattern, 44, 50
 - Interosseus anterior nerve, 155
 - Interosseus anterior syndrome,
 - 106, 342
 - Intraneural architecture, 5
 - Intraneural damage, 214, 265
 - Intraneural fibrosis, 13, 313,
 - 314, 365
 - Intraneural ganglia, 390
 - Intraneural ganglion cysts, 81, 82,
 - 303, 313
 - Intraneural nerve pattern, 5
 - Intra-pelvic malignancies, 266
 - Intravenous immune globulin,
 - 351, 352, 356, 360
 - Isomorphic regeneration, 373
- J**
- Joint communication, 307, 321, 391
- K**
- Kiloh-Nevin syndrome, 198
- L**
- Lateral femoral cutaneous nerve,
 - 5, 258–265
 - Leash of Henry, 178
 - Leprosy, 81, 395
 - Lipoma, 81, 178, 183, 213
 - Local hypertrophic
 - neuropathy, 385
 - Long thoracic nerve, 133, 152,
 - 154, 341
 - Low frequency stimulation, 376
 - Lumbosacral plexus, 39, 105, 108,
 - 340–342, 351
 - Lymph node biopsies, 131
- M**
- Macroductyly, 389
 - Magic angle, 92, 232, 304
 - Magnetic resonance-neurography (MRN), 71, 86–109,
 - 174, 182, 195, 200, 217, 274, 276, 283, 299, 316, 394
 - Major lesion, 70–73, 97, 134,
 - 168, 174, 209
 - Malignancy, 58, 80, 100,
 - 101, 357
 - Malignant peripheral nerve sheath tumours, 100
 - Malignant transformation risk, 77
 - Malignant tumours, 80
 - Martin-Gruber anastomosis,
 - 4, 199
 - Median nerve, 189–196, 201, 206,
 - 354, 355
 - palmar branch, 209
 - Meralgia paresthetica, 84, 259,
 - 265
 - Microneurolysis, 23, 124
 - Micro-surgical neurolysis, 14
 - Millesi, H., 13
 - Minor lesion, 70, 72, 73, 97, 134
 - Mis-sprouting, 12
 - Mononeuritis multiplex, 352, 356
 - Morton neuroma, 326

- Motor nerve conduction velocity, 29, 30, 32, 37, 216, 355
- Motor neuron disease, 338–340, 354
- Motor unit action potential (MUAP), 42, 46
- M-response, 38, 267
- Multi-cystic ganglia, 162
- Multifocal acquired demyelinating sensory and motor neuropathy (MADSAM), 352
- Multifocal motor neuropathy (MMN), 30, 82, 83, 199, 340, 351, 353–356
- Multifocal nerve enlargement, 82, 353, 356
- Multifocal peripheral nerve enlargement, 351
- Multiplanar isotropic reformats (MPR), 89
- Muscular atrophy, 84, 141, 276
- Musculocutaneous nerve, 4, 166–170
- Myokymic discharges, 46, 47
- N**
- Needle electromyography, 35, 41–50, 69, 134, 158, 268, 297, 340
- Nerve conduction studies, 27–38, 134, 141, 158, 169, 215, 260, 298, 340, 345, 350, 354
- Nerve density, quantification of, 62
- Nerve fascicles, approximation of, 371
- Nerve fiber, 6, 13
classification, 13
types, 26
- Nerve graft re-vascularisation, 373
- Nerve kinking, 224
- Nerve lesion, degrees of, 11–13
- Nerve pain, 19, 21, 22
- Nerve repair, 23, 74, 136, 183, 188, 292, 369, 372, 387
- Nerve rotation, 171, 176, 198, 201
- Nerve stimulation, 256, 292
- Nerve torsion, 174, 176, 179, 379–380
- Nerve tumour, 75, 381–391
- Neuralgic amyotrophy, 105, 106, 340
- Neurinoma, 76, 383, 385–386
- Neurofibroma, 76, 78, 79, 103, 275, 302, 384
- Neurofibromatosis type I, 77, 175, 275, 386
- Neurolysis, 14, 74, 124, 136, 201, 263, 307, 368, 386, 388
- Neuroma in continuity, 23, 71, 73, 98, 99, 133, 168, 169, 175, 187, 253, 288, 302, 325, 369
- Neuromodulation, 22
- Neuropathies
needle electromyography, 44–50
pain, 20, 22, 124, 188, 252, 253, 265, 290, 314, 320, 325
- Neurothekeoma, 388–389
- O**
- Obturator nerve, 266–271
- Oligofascicular pattern, 8
- Orthodromic nerve conduction studies, 298
- Orthodromic recording, 35

P

Pain, 15
Paraneural space, 5, 123
Park bench palsy, 170
Parsonage-Turner syndrome, 22,
105–107, 152, 153, 155,
158, 163, 167, 171, 179,
196, 197, 217, 311
Pathological spontaneous
activity, 44
Pelvic congestion syndrome, 278
Perilunate luxation, 211
Perineurioma, 77, 79, 102, 104,
385, 388
Peripheral nerve stimulation (PNS),
22, 23, 128, 188, 257
Phrenic nerve, 145, 146, 148
Piriformis syndrome, 276
Plantar digital nerves, 324–327
Plasmacytoma, 81, 398, 399
Plexiform nerve structure, 14
Plexiform neurofibroma, 77, 102,
387–388
Plexiform structure, 368
Plexus neuritis, 22, 155,
174, 196, 200
Polyarteritis nodosa
(PAN), 357, 358
Positive sharp waves, 45, 46
Post-acoustic shadowing, 254
Posterior femoral cutaneous
nerve, 277, 279
Posterior interosseus nerve
(PIN), 177–184
Posterior tarsal tunnel
syndrome, 320
Pre-and post-fixation, 147
Preganglionic lesion, 38, 51
Primary lymphoma, 399
Pronator teres syndrome, 190
Proton density (PD), 87, 89

Pseudoneuroma, 13, 23, 64, 65,
71, 124, 372
Pudendal nerve, 278–285
Pulmonary embolism, 144

Q

Quadrilateral space, 163, 166

R

Radial nerve, 75, 170–177,
180, 341, 371, 379,
398, 399
Reactive fibrosis, 14, 71, 319
Recovery chances, 13
Regeneration capacities, 12
Retroperitoneal approach, 289
Riche-Cannieu anastomosis, 4,
235
Rotation neuropathy, 174
Rotator cuff tear, 157, 160

S

Sacro-tuberous ligament, 281, 283
Saphenous nerve, 289–292, 294
Sarcoidosis, 81, 186, 357, 394, 396
Saturday night palsy, 170, 175
Scalene muscles, 137
Schwannoma, 68, 76, 78, 102,
383–386
Sciatic nerve, 59, 75, 103, 104,
270–278, 299, 397, 399
Short-tau-inversion-recovery
(STIR), 87
Sliding capacities, 6, 13, 20, 145
Soleal sling, 311
Spatial dispersion, 43, 48
Spectral adiabatic inversion
recovery (SPAIR), 87, 89

- Spectral presaturation with inversion recovery (SPIR), 87
- Spinal accessory nerve, 131–136
- Split fat sign, 100, 103
- Struther's arcade, 212
- Struther's ligament, 67, 189, 212
- Stump neuroma, 73, 99, 209, 255, 303
- Sunderland, 12, 72, 97, 209, 369
classification, 13, 70
- Superficial peroneal nerve, 75, 274, 297, 302–304, 307, 309
- Superficial radial nerve (SRN), 75, 172, 183–188, 256, 396, 399
- Superior scapular ligament, 156
- Superior transverse ligament, 160
- Supinator syndrome, 177
- Supraclavicular approach, 145
- Suprascapular nerve, 156–163, 341
- Sural nerve, 373
- Sympathetic skin response, 27
- Synkinesias, 376
- T**
- Target sign, 99, 100, 103
- Tarsal tunnel, 4, 69, 81, 312, 315, 317, 318, 322, 390
- Tarsal tunnel syndrome, 128, 316
- Temporal dispersion, 28–31, 37, 51, 216, 340, 351, 353, 355
- Thoracic outlet syndrome (TOS), 137–149, 204
- Thoracodorsal nerve, 153, 173
- Tibial nerve, 4, 81, 107, 124, 272, 310–311, 390
at ankle, 312–323
- Tinel sign, 18, 139, 144, 151, 188, 192, 215, 281, 295, 366, 381
- Torsions of radial nerve, 176, 178
- Tourniquet application, 127
- Transaxillary approach, 145
- Triple neurotomy, 256, 257
- Trömmner reflex, 139
- True neurogenic TOS, 140, 141
- U**
- Ulnar nerve, 212–228
at axilla, 218
deep branch, 4
deep palmar branch of, 234
at elbow, 212
transposition of, 224, 226
- Ulnar neuropathies, 32, 65–68, 140, 212, 220–222, 339, 343, 344
at elbow (UNE), 95
- Ultrasound guided injection, 69, 262, 263
- Ultrasound guided nerve blocks, 84, 283
- Ultrasound-guided radiofrequency ablation, 263
- V**
- Vasculitic disorders, 356–359
- Voluntary activity, 44
- W**
- Wallerian degeneration, 12, 35, 45, 71, 94, 97
- Wegener's granulomatosis (WG), 357
- Wrist to forearm ratio, 65