
Index

A

Actinastrum hantzschii 174, 311
Adashim Reservoir 71
adipates 207
Aeromonas 178
AGP, *see* algal growth potential
Al 221
alcohols 207
algae 51, 115, 129, 139, 173, 233, 247, 289, 309, 364
 -, benthic 364
 -, control 364
 -, counts 372
 -, species in reservoirs 175
 -, tolerance to pollution 174
algae-bacteria relationships 177
algal growth potential (AGP) 364
algicides 241
alkalinity 332
alkyl phenols 207
aluminum sulfate 286
ammonia 173, 312, 332, 372
 -, in effluents 160
ammonium 146
Amoeba 188
Anabaena 161
analysis
 -, multiple regression a. 101
 -, multivariate regression a. 72
 -, principal component 265, 275, 339
Anas 185
Ancylostoma 31, 34
Ankistrodesmus 174-177
aquatic animal taxa 183
Araneidae 185
area/volume relationship 66
areas, arid and semiarid 24
Aristichthys nobilis 190, 239
Arthrospira 174
Ascaris 10, 26, 29-34, 44, 45
 -, *limbriocoides* 44
Asplanchna 188
ATMLIT 234, 235, 236, 237
ATMMIN 234, 235, 236, 237, 240, 243

B

backwash 236
bacteria 34, 247

 -, counts 313
 -, heterotrophic 177
 -, inhibitors 179
 -, nitrifying b. in reservoirs 163
 -, slime 233
batch operation 289
Bdelloidea 184
Beggiatoa alba 239
biochemical oxygen demand (BOD) 3, 6-9, 37,
 40-44, 47, 49-60, 68-75, 78, 86-89, 102,
 106-108, 110-112, 126, 127, 150, 154, 160, 163,
 171, 175, 191, 199, 205, 212, 214, 229, 284-289,
 293-295, 308, 312, 321-324, 327, 335, 336, 339,
 344, 358-363, 372, 378-380
 -, and algae 175
 -, removal 72, 110, 284, 289, 312, 358
biofilms 249, 364
bioflocs 247
biomanipulation 190, 239, 365
bioturbidity 173
birds 185, 290
BOD, *see* biochemical oxygen demand
Boron 19
Boucher's Law 253
Brachionus 188, 311
 -, *angularis* 311
 -, *budapestinensis* 312
 -, *calyciflorus* 189, 311

C

CaCO₃ precipitate 247
Campylobacter 26
Canada 284
Carassius auratus 290
Ceratophyllum 290
chemical oxygen demand (COD) 6, 8, 43, 71-74,
 110-112, 126-134, 289-291, 308, 339, 361-362
 -, removal 72, 110, 289
chemical/floculant treatment 286
chemicals
 -, industrial 207
 -, organosynthetic in agricultural soils 213
chemoclines 332
Chile 293
China 283, 290
Chironomidae 185, 312
Chironomus 188

- Chlamydomonas* 51, 59, 174–176, 289, 311, 320, 357
Chlorella 51, 59, 162, 174–180, 189, 191, 242, 264,
 270, 272, 278–281, 289, 309, 310, 318, 319,
 320–322, 325, 326, 357, 367
 –, *pyrenoidosa* 178, 281
 –, *vulgaris* 59, 174, 178–180, 242, 309, 310,
 318–320, 326
 chloride 372
 chlorine 242
 –, dioxide 251
Chlorobium 289
Chlorococcum 367
 chlorophyll 173, 348
 chlorophyll a 50, 263, 311, 340, 372
Cholera 29, 31
 chromatic coordinates 266
Chromatium 289
 ciliates 289
Ciliophora 183
Citrobacter 178
Cladocera 183, 186, 188, 191, 290, 312, 344, 357
 clay 235, 247
 climatic changes 342
 climatic characteristics 329
 clogging 233, 364
 –, capacity of effluents 234
 –, of irrigation systems 190
 –, of the drippers 233
Closteridium 51, 59, 174
 CO₂ 162
 coagulation, chemical 258
 COD, *see* chemical oxygen demand
Coelastrum 174, 189, 367
 Coleoptera 185, 188, 191
 compensation
 –, depth 173
 –, level 308
 computer algorithm 86
 conductivity, electrical 332, 338, 372
 construction 153
 continuous-flow
 –, reactor 287, 289
 –, single reservoirs 65
 –, stabilization reservoirs 66
 copepoda 183, 186, 191, 238
 copper sulfate 241
 Corixidae 186, 312
Cosmarium 365
 country, arid 305
 Cr 221
 Cu 221
Culex 185, 190
 –, *pipiens* 190
 currents 66, 229
 cyanobacteria 238, 364
Cyclopoidea 187, 188
Cyclops scutifer 188
Cyclotella 174, 376
Cyprinus carpio 380, 386
- D**
 Dan Region Wastewater Reclamation Project 361
Daphnia 143, 144, 186, 188, 190, 225, 235, 312, 344,
 345
 –, *longispina* 344
 –, *magna* 143, 186, 188, 189, 225, 235, 312
 data analysis 81
 degradation constants in sediment 147
 depth 66, 140, 356, 284, 370
 design 61
 detergents 74, 205, 207, 290, 340, 358
 detritivorous 188
Dictyosphaerium 174, 367
Didinium 188
 dissolved organic carbon (DOC) 127, 205,
 214–217, 363
 dissolved oxygen (DO) 40, 58, 59, 79, 131, 174, 308,
 319, 325, 372–375, 379, 382
 DO, *see* dissolved oxygen
 DOC, *see* dissolved organic carbon
- E**
 EC, *see* electrical conductivity
 ecological simulation 80
 ecosystem, stability of 188
 effluent quality, microbial guidelines for 23
 electrical conductivity (EC) 329–331, 335,
 341–347
 embankment 153, 370
 Enterococci 43
 epidemiology 28, 34
 epilimnion 66, 327, 339, 373
Epiphanes senta 311
Eristalis 185, 188, 191
Escherichia coli 43, 82, 361, 363
 esters 207
 ethers 207
Euglena 51, 57, 59, 174, 175, 176, 191, 264, 311, 320,
 357
 Euglenidae 188
 evaporation 66, 116, 331
 experimental treatment plant 293
- F**
 FACTOR 327–351
 faecal coliforms 43, 74, 101, 131, 141, 359, 372
 –, removal 289
 fatty acids 207
 ferric chloride 286
 fertilization 160
Filinia 188
 filter 233
 –, cake 254
 –, simulation of screen f. 234
 –, specific resistance 234
 filterability
 –, index 234, 254
 –, test 234
 filtration
 –, deep-bed 256
 –, granular media f. 256
 –, mechanical 253
 fish 190, 239, 290, 365
 –, farming 370

–, ponds 146
 –, reservoirs 336
 flocculation 258
 food chains 188

G

Gambusia 188, 190
 –, *affinis* 190
 gas chromatography (GC) 205
 GC, *see* gas chromatography
 Germany 291
 Geta'ot Reservoir 100
Glennodinium 376
Golenkinia 174, 175, 289
 golf courses 65, 287, 294
 –, irrigation 286
 grants and loans 3
 grazing 188
 green algae 263
 ground truth 264

H

Haifa 18, 355
 harvesting matrix 94
 health
 –, requirements 23
 –, risks 23
 heavy metals 358
 helminths 29, 33, 34
 –, removal 41
 Hemiptera 185, 186, 188, 191
 herbivorous 188
Hexarthra 312
 high performance liquid chromatography (HPLC) 205
 hookworm 31
 HPLC, *see* high performance liquid chromatography
 humic acid 250, 271
 hydraulic
 –, age distribution 80, 85, 112
 –, short-circuiting 66
Hydrilla 290
 hydrological cycle in the reservoirs 61
 hypertrophic waters, regulatory potential 324
 hypertrophy 305
 hypolimnetic accumulation of dissolved solids 333
 hypolimnion 66, 327, 339, 373
Hypophthalmichthys molitrix 190, 239, 245

I

India 295
 insects, demersal 185
 irrigation 291, 305, 355
 –, drip i. 233, 247, 364
 –, season 181, 356
 –, wastewater 23, 285
 Italy 292

J

Japan 283

Jeezrael Valley 219, 355
 –, Project 18

K

ketones 207
Klebsiella 178

L

lagoons, aerated 18
Lepocinlis 189
 Leslie matrix 85, 90, 91, 94, 102
 light 160, 372
 –, limitation 174
 –, penetration 51
 lime 286
 loading
 –, external 340
 –, internal 347
 –, surface organic l. 69

M

Ma'aleh HaKishon Reservoir 18, 50, 71, 146, 175, 186, 219, 355–360
 mass spectrometry (MS) 205
Mauremys caspica rivulata 185, 192, 193
 MBAS 340, 345
 mean residence time (MRT) 68–72, 88, 94, 99, 102, 330, 331
Mesocyclops oquinnus 188, 238
 metals, removal of 230
 meta-model 113
 México 283
Micractinium 51, 59, 174–177
 –, *pusillum* 175
Microcyclops minutus 312
Microcystis 190, 319, 320, 376
 microorganisms, pathogenic 23
 –, in wastewater 26
 micropollutants, accumulation of 206
 mixotrophic nutrition 177
 model 285, 289
 –, simulation 113
 –, spectral radiance m. 269
 –, statistical 110
 modelling 150
Moina 188, 312
 –, *micrura* 312
 monitoring 80, 263, 355
 –, program 6, 8
 Morocco 294
 MRT, *see* mean residence time
 MS, *see* mass spectrometry
 MS/MS, *see* tandem mass spectrometry
Mugil cephalus 382
 multiple regression 111

N

Na'an Reservoir 196, 206, 305–326
Nannochloris 175, 367
 Nematoda 184, 188, 191
 nitrate 364
 Nitrogen 19, 145, 159, 358

- Nitrosomonas* 164, 166, 167, 171
 –, *europaea* 166, 167, 171
Notonectidae 186
 nutrients 358
 –, balance 148
 –, in sediment 145
 –, removal 71
-
- O**
- odours
 –, in freshwater, classification 196
 –, nuisances 56, 195
 olfactory sense 195
Oligochaeta 184, 188, 191
Oocystis 51, 59, 174, 242, 367
 operation 61, 243, 306, 328, 356
 –, of reservoirs 80, 222
Oreochromis
 –, *aureus* 239, 381, 384
 –, *niloticus* 239, 381, 385
 organic carbon 145
 –, loading 78, 106, 141, 284, 327, 383
 –, matter 49, 122, 124, 127, 131, 140–142, 263
 –, pollutants, degradation mechanisms 214
Oscillatoria 190
Ostracoda 184, 188, 191
 outlet 66, 154, 329
 –, location 229
 oxidants 241, 251
 oxygen 289
 ozone 242
-
- P**
- Panagrolaimus* 188
 PAR, *see* photosynthetic active radiation
 PAR, *see* photosynthetically active radiation
 particles
 –, characterization 247
 –, mixture of 248
 –, size distribution 250
 –, surface composition 248
 pathogens 115, 321
 –, removal in reservoirs 42
 –, survival of 26
 Pb 221
 PC 275–280
Pediastrum 174, 365, 367
 percentage of fresh effluents 68, 87, 220, 243
 Percentage of Fresh Effluents (PFE) 68, 69, 73,
 74, 80, 86–90, 95, 98–102, 129, 131, 142, 220,
 330, 336, 338, 340, 347, 360
Peridinium 376
 pesticides 205
 PFE, *see* Percentage of Fresh Effluents
Phacus 357
Phormidium minnesotense 242
 phosphate 173, 312
 –, esters 207
 phosphorus 20, 145, 364
 –, removal 286
 photosynthesis 342
 –, inhibition by ammonia 160
 photosynthetic
 –, active radiation (PAR) 329
 –, bacteria 264, 289
 –, reservoirs 264
 photosynthetically active radiation (PAR) 162,
 329, 333, 334
 phthalates 207
 phytoplankton 357, 376
Planktosphaeria 175
 plasticizers 207
Platymonas 376
Pleurochloris pyrenoidosa 242
 polivirac 285
 polysaccharides 249
 pond
 –, anaerobic 18, 212, 327
 –, controlled discharge p. 284
 –, holding p. 285
 –, oxidation 59, 198, 312
 –, stabilization p. 41, 61, 69, 85, 87, 327, 340
 –, waste stabilization 66
Porcellinoides
 –, *alchata* 190
 –, *coronatus* 190
 –, *orientalis* 190
 –, *pruinosis* 185, 189
 –, *senegallus* 190
 potassium 358
 precipitation, chemical 247
 productivity, primary 308, 372
 products, decomposition 200, 201
 properties, optical p. of the water constituents
 271
 protozoa 33
Prymnesium parvum 161, 171
Pseudomonas 178
Pterocles 189
 purple bacteria 263
-
- R**
- radiance 263
 –, values 265
 rain 116
 rate constants 126
 raw sewage
 –, composition 312
 –, quality in Israel 16
 reactors
 –, non-steady-state r. 61
 –, sequential batch 61, 85
 –, steady-state flow r. 227
 –, with controlled discharge 227
 REDOX 340
 refractory organic compounds 290
 regime, operational 110, 117, 139
 –, of stabilization reservoirs 63
 regions, arid 66
 relationships
 –, antagonistic 320
 –, competitive 320
 remote sensing 263
 research and development 3

- reservoirs
 –, classification 264
 –, number of 16
 –, physical structure of 117
 –, recreational and landscape wastewater 286
 –, sequential batch 43, 74
 –, typology of the hypertrophic r. 191
- residence time 85, 330
- respiration 119, 123, 342
 –, rate 50
- retention time 284, 289, 363
- reuse 13, 23, 61
 –, in agriculture 247
- river discharge 284
- Rotifera* 183, 184, 186–188, 191, 312, 322, 357
- rotifers 289
- runoff water 370
-
- S**
- salinity 66, 337
- Salmonella* 308, 319, 321, 325
 –, *faecalis* 361, 363
 –, *galilaeus* 384
- salts 13, 19
- sampling 48, 81, 101, 196, 220, 307, 329, 339, 372
- Sarotherodon galilaeus* 381
- SAT, *see* soil aquifer treatment
- satellite 263
- Scenedesmus* 161, 162, 174–180, 235, 242, 289, 311, 325, 365, 367
 –, *dimorphus* 175, 311
 –, *obliquus* 161, 178
- Schroederia 376
- secchi disk 181, 331
- sediment 109, 140, 145
 –, traps 148, 221
- seepage, losses by 227
- Selenastrum* 51, 59, 174, 176, 189, 311
 –, *minutum* 59, 311
- sewage, annual flow 15
- slimes 249
- sludge, activated 361
- snails 365
- socio-economic research 8
- soft ionization techniques 205
- soil aquifer treatment (SAT) 16, 18, 362
- soil samples 212
- solar radiation 116, 329
- solvents 205, 207
- Spain 287
- species
 –, primary aquatic 182
 –, species, secondary aquatic 182
- spillway 154
- Spirulina* 161, 162, 171, 238, 320
 –, *platensis* 161, 171, 238
- Spondylomorom* 174
- stability 324
- standard
 –, California 25, 28, 34
 –, EPA 37
 –, WHO 34
- Staphylococcus* 178
- steady-state 85
- Stichococcus* 175
- storage
 –, capacity 355
 –, lagoons 285
- stratification 55, 115, 129, 139, 173, 289, 316, 327, 373
- succession 191
- sulfides 340
- sulfur bacteria 239
- sulfur, compounds 207
- supersaturation 174
- surfactants 208
- suspended
 –, matter 247
 –, solids 263
- Synechococcus* 289
- Synedra* 365
-
- T**
- Taenia* 26, 31, 34, 45, 46
 –, *saginata* 31, 45, 46
- tandem mass spectrometry (MS/MS) 205
- tapeworms 31
- technology, semi-intensive 18
- Tel Aviv 18, 361
- temperature 118, 181, 308, 327, 372
 –, gradient, vertical 181
- temporary desiccation 366
- Tetraedron muticum* 311
- Tetragnathidae 185
- thermoclines 332
- Thiocapsa* 264, 269–272, 275, 276, 279–281, 289
- TOC 126, 127, 131, 136, 138, 361, 363
- TON 198, 199
- total suspended solids (TSS) 3, 43, 44, 49–54, 58, 59, 71, 72, 173, 256, 284, 287, 308, 339–342, 348, 372
- trace
 –, elements 20
 –, metals, base level 224
- tracer 335
- Trichuris* 26, 29, 34, 44
 –, *trichuria* 44
- TSS, *see* total suspended solids
- turbidity 336, 372
- typhoid fever 30
-
- U**
- United States 284
- UV absorption 333
- V**
- Vibrio cholerae* 30
- viruses 34
- volume 370
 –, active 65
 –, dead 65
 –, dry 65
-
- W**
- wastewater treatment 14

- wastewater treatment and reuse plan 5
- water reclamation projects in Israel 18
- water
 - , balance 222
 - , control of quality 350
 - , demand for irrigation 4, 61
 - , discharge curves 64
 - , jet 287
 - , quality 339, 341, 378
 - , scarcity 3, 9, 13
 - , supply 5
- wind 66, 185, 229, 329, 383
- Y**
- yellow matter 263
- Z**
- zeta potential 249
- Zn 221
- zooplankton 115, 123, 127, 129, 131, 135, 136, 140, 142, 174, 183, 193, 233, 238, 239, 249, 308, 311, 357, 386