

## References

- BACHMANN, P. (1923a): Die Arithmetik der quadratischen Formen II. Leipzig and Berlin.
- BAMBAH, R. P. (1951a): On the geometry of numbers of non-convex star-regions with hexagonal symmetry. *Phil. Trans. Roy. Soc. Lond.* **243**, 431–462.
- (1954a): Lattice coverings with four-dimensional spheres. *Proc. Cambridge Phil. Soc.* **50**, 203–208 (1954).
- (1954b): On lattice coverings by spheres. *Proc. Nat. Inst. Sci. India* **20**, 25–52.
- (1954c): On polar reciprocal convex domains (and addendum). *Proc. Nat. Inst. Sci. India* **20**, 119–120, 324–325.
- (1955a): Polar Reciprocal Convex bodies. *Proc. Cambridge Phil. Soc.* **51**, 377–378.
- (1955b): Divided cells. *Res. Bull. Panjab Univ.* **81**, 173–174.
- (1958a): Some transference theorems in the geometry of numbers. *Mh. Math.* **62**, 243–249.
- , and H. DAVENPORT (1952a): The covering of  $n$ -dimensional space by spheres. *J. Lond. Math. Soc.* **27**, 224–229.
- , and C. A. ROGERS (1952a): Covering the plane with convex sets. *J. Lond. Math. Soc.* **27**, 304–314.
- , and K. ROGERS (1955a): An inhomogeneous minimum for non-convex star regions with hexagonal symmetry. *Canad. J. Math.* **7**, 337–346.
- BARNES, E. S. (1950a): Non-homogeneous binary quadratic forms. *Quart. J. Math. Oxford* (2) **1**, 199–210.
- (1951a): The minimum of the product of two values of a quadratic form I. *Proc. Lond. Math. Soc.* (3) **1**, 257–283.
- (1954a): The inhomogeneous minima of binary quadratic forms IV. *Acta Math.* **92**, 235–264.
- (1955a): The non-negative values of quadratic forms. *Proc. Lond. Math. Soc.* (3) **5**, 185–196.
- (1956a): The inhomogeneous minimum of a ternary quadratic form. *Acta Math.* **96**, 67–97.
- (1956b): The coverings of space by spheres. *Canad. J. Math.* **8**, 293–304.
- (1956c): On linear inhomogeneous Diophantine approximation. *J. Lond. Math. Soc.* **31**, 73–79.
- (1957a): On a theorem of Voronoï. *Proc. Cambridge Phil. Soc.* **53**, 537–539.
- (1957b): The complete enumeration of extreme senary forms. *Phil. Trans. Roy. Soc. Lond.* **249**, 461–506.
- , and A. OPPENHEIM (1955a): The non-negative values of a ternary quadratic form. *J. Lond. Math. Soc.* **30**, 429–439.
- , and H. P. F. SWINNERTON-DYER (1952a, b): The inhomogeneous minima of binary quadratic forms I, II. *Acta Math.* **87**, 259–323; **88**, 279–316.
- (1954a): The inhomogeneous minima of binary quadratic forms III. *Acta Math.* **92**, 199–234.
- BIRCH, B. J. (1956a): A transference theorem of the geometry of numbers. *J. Lond. Math. Soc.* **31**, 248–251.

- BIRCH, B. J. (1956b): Another transference Theorem of the geometry of numbers. Proc. Cambridge Phil. Soc. **53**, 269–272.
- (1957a): A grid with no split parallelepiped. Proc. Cambridge Phil. Soc. **53**, 536.
- (1958a): The inhomogeneous minima of quadratic forms of signature 0. Acta Arithmetica **4**, 85–98.
- , and H. P. F. SWINNERTON-DYER (1956a): On the inhomogeneous minimum of the product of  $n$  linear forms. Mathematika **3**, 25–39.
- BLANEY, H. (1948a): Indefinite quadratic forms in  $n$  variables. J. Lond. Math. Soc. **23**, 153–160.
- (1950a): Some asymmetric inequalities. Proc. Cambridge Phil. Soc. **46**, 359–376.
- (1957a): On the Davenport-Heilbronn Theorem. Mh. Math. **61**, 1–36.
- BLICHFELDT, H. F. (1914a): A new principle in the geometry of numbers with some applications. Trans. Amer. Math. Soc. **15**, 227–235.
- (1929a): The minimum value of quadratic forms and the closest packing of spheres. Math. Ann. **101**, 605–608.
- (1939a): Note on the minimum value of the discriminant of an algebraic field. Mh. Math. Phys. **48**, 531–533.
- BONNESEN, T., u. W. FENCHEL (1934a): Theorie der Konvexen Körper. Ergebnisse der Math. usw. **3** (1). Berlin.
- BRUNNGRABER, E. (1944 a): Über Punktgitter. Diss. Wien.
- CASELS, J. W. S. (1947a): On a theorem of Rado in the geometry of numbers. J. Lond. Math. Soc. **22**, 196–200.
- (1948a): On two problems of Mahler. Proc. Kon. Ned. Akad. Wet. **51**, 854–857 (= Indag Math. **10**, 282–285).
- (1952a): The inhomogeneous minimum of binary quadratic, ternary cubic and quaternary quartic forms. Proc. Cambridge Phil. Soc. **48**, 72–86, 519–520.
- (1952b): The product of  $n$  inhomogeneous linear forms in  $n$  variables. J. Lond. Math. Soc. **27**, 485–492.
- (1953a): A short proof of the Minkowski-Hlawka Theorem. Proc. Cambridge Phil. Soc. **49**, 165–166.
- (1955a, b): Simultaneous diophantine approximation I, II. J. Lond. Math. Soc. **30**, 119–121 and Proc. Lond. Math. Soc. (3), **5**, 435–448.
- (1956a): On a result of Marshall Hall. Mathematika **3**, 109–110.
- (1957a): An introduction to diophantine approximation. Cambridge: Cambridge University Press.
- (1958a): On subgroups of infinite abelian groups. J. Lond. Math. Soc. **33**, 281–284.
- W. LEDERMANN and K. MAHLER (1951a): Farey section in  $k(i)$  and  $k(\rho)$ . Phil. Trans. Roy. Soc. Lond. A **243**, 585–628.
- , and H. P. F. SWINNERTON-DYER (1955a): On the product of three homogeneous linear forms and indefinite ternary quadratic forms. Phil. Trans. Roy. Soc. Lond. **248**, 73–96.
- ČERNÝ, K. (1952a): On the minima of binary biquadratic forms I (in Russian). Czechos. Math. J. **2**, 1–56.
- CHABAUTY, C. (1949a): Sur les minima arithmétiques des formes. Ann. Sci. Éc. Norm. Sup., Paris (3) **66**, 367–394.
- (1950a): Limite d'ensembles et géométrie des nombres. Bull. Soc. Math. France **78**, 143–151.
- (1952a): Empilement de sphères égales dans  $R^n$ . etc. C. R. Acad. Sci., Paris **235**, 529–532 (but see Math. Reviews **14**, 541).

- CHALK, J. H. H. (1947a, b): On the positive values of linear forms I, II. *Quart. J. Math. Oxford* **18**, 215–227; **19**, 67–80 (1948).
- (1949a): Reduced binary cubic forms. *J. Lond. Math. Soc.* **24**, 280–284.
- (1950a): On the frustrum of a sphere. *Ann. of Math. (2)* **52**, 199–216.
- , and C. A. ROGERS (1948a): The critical determinant of a convex cylinder. *J. Lond. Math. Soc.* **23**, 178–187.
- (1949a): The successive minima of a convex cylinder. *J. Lond. Math. Soc.* **24**, 284–291.
- (1951): On the product of three homogeneous linear forms. *Proc. Cambridge Phil. Soc.* **47**, 251–259.
- CHAUNDY, T. W. (1946a): The arithmetic minima of positive quadratic forms. *Quart. J. Math., Oxford* **17** (67), 166–192.
- CLARKE, L. E. (1951a): On the product of three non-homogeneous forms. *Proc. Cambridge Phil. Soc.* **47**, 260–265.
- (1958 a): The critical lattices of a star-shaped octagon. *Acta Math.* **99**, 1–32.
- COHN, H. (1953a, b): Stable lattices I, II. *Canad. J. Math.* **5**, 261–270; **6**, 265–273 (1954).
- COLE, A. J. (1952a): On the product of  $n$  linear forms. *Quart. J. Math. Oxford (2)* **3**, 56–62.
- CORPUT, J. G. VAN DER (1936a): Verallgemeinerung einer Mordellschen Beweismethode in der Geometrie der Zahlen. *Acta Arithmetica* **2**, 145–146.
- COXETER, H. S. M., and J. A. TODD (1953a): An extreme duodenary form. *Canad. J. Math.* **5**, 384–392.
- DAVENPORT, H. (1938a): On the product of three homogeneous linear forms I. *Proc. Lond. Math. Soc. (2)* **44**, 412–431.
- (1939a): A simple proof of Remak's Theorem on the product of 3 linear forms. *J. Lond. Math. Soc.* **14**, 47–51.
- (1939b): On the product of three homogeneous linear forms III. *Proc. Lond. Math. Soc.* **45**, 98–125.
- (1939c): Minkowski's inequality for the minima associated with a convex body. *Quart. J. Math. Oxford* **10**, 119–121.
- (1941a): Note on the product of three homogeneous linear forms. *J. Lond. Math. Soc.* **16**, 98–101.
- (1941b): On a conjecture of Mordell concerning binary cubic forms. *Proc. Cambridge Phil. Soc.* **37**, 325–330.
- (1943a): On the product of three homogeneous linear forms. IV. *Proc. Cambridge Phil. Soc.* **39**, 1–21.
- (1945a, b): The reduction of a binary cubic form I, II. *J. Lond. Math. Soc.* **20**, 14–22, 139–157.
- (1946a): On a theorem of Tschebotareff. *J. Lond. Math. Soc.* **21**, 28–34 and *Corrigendum* **24**, 316 (1949).
- (1947a): On a theorem of Markoff. *J. Lond. Math. Soc.* **22**, 96–99.
- (1947b): The geometry of numbers. *Math. Gazette* **31**, 206–207.
- (1947c): On the product of three non-homogeneous linear forms. *Proc. Cambridge Phil. Soc.* **43**, 137–152.
- (1948a): Non-homogeneous ternary quadratic forms. *Acta Math.* **80**, 65–95.
- (1949a): On indefinite ternary quadratic forms. *Proc. Lond. Math. Soc. (2)* **51**, 145–160.
- (1950a): Note on a binary quartic form. *Quart. J. Math. Oxford (2)* **1**, 253–261.
- (1951a): Indefinite quadratic forms and Euclid's algorithm in real quadratic fields. *Proc. Lond. Math. Soc. (2)* **53**, 65–82.

- DAVENPORT, H. (1952a): Simultaneous diophantine approximation. *Proc. Lond. Math. Soc.* (3) **2**, 406–416.
- (1952b): The covering of space by spheres. *Rend. Circ. Mat. Palermo* (2) **1**, 92–107.
- (1955a): On a theorem of Furtwängler. *J. Lond. Math. Soc.* **30**, 186–195.
- (1956a): Indefinite quadratic forms in many variables. *Mathematica* **3**, 81–101.
- , and M. HALL (1948a): On the equation  $ax^2 + by^2 + cz^2 = 0$ . *Quart. J. Math. Oxford* **19**, 189–192.
- , and H. HEILBRONN (1947a): Asymmetric inequalities for non-homogeneous linear forms. *J. Lond. Math. Soc.* **22**, 53–61.
- , and C. A. ROGERS (1947a): Hlawka's Theorem in the geometry of numbers. *Duke Math. J.* **14**, 367–375.
- (1950a): Diophantine inequalities with an infinity of solutions. *Phil. Trans. Roy. Soc. Lond.* **242**, 311–344.
- (1950b): On the critical determinants of cylinders. *Quart. J. Math. Oxford* (2) **1**, 215–218.
- , and H. P. F. SWINNERTON-DYER (1955a): Products of inhomogeneous linear forms. *Proc. Lond. Math. Soc.* (3) **5**, 474–499.
- DAVIS, C. S. (1951a): The minimum of a binary quartic form. *Acta Math.* **84**, 263–298.
- DELAUNAY, B. N. (1947a): An algorithm for divided cells [Russian]. *Izv. Akad. Nauk SSSR. (Ser. Mat.)* **11**, 505–538.
- DICKSON, L. E. (1929a): Introduction to the theory of numbers. Chicago, Ill.: Chicago University Press.
- (1930a): Studies in the Theory of Numbers. Chicago, Ill.: Chicago University Press.
- DOWKER, C. H. (1944a): On minimum circumscribed polygons. *Bull. Amer. Math. Soc.* **50**, 120–122.
- DYSON, F. J. (1948a): On the product of four non-homogeneous forms. *Ann. of Math.* (2) **49**, 82–109.
- EGGLESTON, H. G. (1958a): Convexity. Cambridge: Cambridge Univ. Press.
- ENNOLA, V. (1958a): On the first inhomogeneous minimum of indefinite binary quadratic forms and Euclid's algorithm in real quadratic fields. *Ann. Univ. Turkuensis (Turun Yliopiston Julkaisuja) A 1* **28**, 1–58.
- ERDÖS, P., and C. A. ROGERS (1953a): The covering of  $n$ -dimensional space by spheres. *J. Lond. Math. Soc.* **28**, 287–293.
- FEJES TÓTH, L. (1950a): Some packing and covering theorems. *Acta Univ. Szeged, Acta Sci. Math* **12/A**, 62–67.
- (1953a): Lagerungen in der Ebene, auf der Kugel und im Raum. Berlin: Springer.
- FENCHEL, W. (1937a): Verallgemeinerung einiger Sätze aus der Geometrie der Zahlen. *Acta Arithmetica* **2**, 230–241.
- FEW, L. (1956a): Covering space by spheres. *Mathematika* **3**, 136–139.
- FOSTER, D. M. E. (1956a): Indefinite quadratic polynomials in  $n$  variables. *Mathematika* **3**, 111–116.
- GAUSS, C. F. (1831a): Besprechung des Buchs von L. A. Seeber: Untersuchungen über die Eigenschaften der positiven ternären quadratischen Formen usw. *Göttingische Gelehrte Anzeigen* **1831**, Juli 9. Reprinted in *Werke* (1876), Vol. II, 188–196.
- GODWIN, H. J. (1950a): On the product of five homogeneous linear forms. *J. Lond. Math. Soc.* **25**, 331–339.
- HAJÓS, G. (1942a): Über einfache und mehrfache Bedeckung des  $n$ -dimensionalen Raumes mit einem Würfelgitter. *Math. Z.* **47**, 427–467.

- HALL, M. (1947a): On the sum and product of continued fractions. *Ann. Math.* (2) **48**, 966–993.
- HARDY, G. H., and E. M. WRIGHT (1938a): *An introduction to the theory of numbers*. Oxford.
- HLAWKA, E. (1944a): Zur Geometrie der Zahlen. *Math. Z.* **49**, 285–312.
- (1949a): Ausfüllung und Überdeckung konvexer Körper durch konvexe Körper. *Mh. Math. Phys.* **53**, 81–131.
- (1952a): Zur Theorie des Figurengitters. *Math. Ann.* **125**, 183–207.
- (1954a): Grundbegriffe der Geometrie der Zahlen. *Jber. DMV* **57**, 37–55.
- (1954b): Zur Theorie der Überdeckung durch konvexe Körper. *Mh. Math. Phys.* **58**, 287–291.
- (1954c): Inhomogene Minima von Sternkörpern. *Mh. Math. Phys.* **58**, 292–305.
- JOHN, F. (1948a): Extremum problems with inequalities as subsidiary conditions. *Studies and essays presented to R. COURANT*, p. 187–204. New York.
- KELLER, O. H. (1954a): Geometrie der Zahlen. *Enzyklopädie der Math. Wissenschaften*, Bd. I<sub>2</sub>, H. 11, Teil iii.
- KHINTCHINE, A. YA (1948a): A quantitative formulation of Kronecker's Theory of approximation [in Russian]. *Izv. Akad. Nauk SSSR. (Ser. Mat.)* **12**, 113–122.
- KLEIN, F. (1895a): Über eine geometrische Auffassung der gewöhnlichen Kettenbruchentwicklung. *Nachr. Ges. Wiss. Göttingen* **1895**, 357–359.
- (1896a): *Ausgewählte Kapitel der Zahlentheorie*. (Ausgearbeitet von A. SOMMERFELD und PH. FURTWÄNGLER.) Leipzig.
- KNESER, M. (1955a): Ein Satz über abelsche Gruppen mit Anwendungen auf die Geometrie der Zahlen. *Math. Z.* **61**, 429–434.
- (1956a): Summenmengen in lokalkompakten abelschen Gruppen. *Math. Z.* **66**, 88–110.
- LEKKERKERKER, C. G. (1956a): On the Minkowski-Hlawka theorem. *Proc. Kon. Ned. Acad. Wet. Amsterdam A* **59** (= *Indag. Math.* **18**), 426–434.
- (1957a): On the volume of compound convex bodies. *Proc. Kon. Ned. Acad. Wet. A* **60** (= *Indag. Math.* **19**), 284–289.
- MACBEATH, A. M. (1951a): The finite volume theorem for non-homogeneous lattices. *Proc. Cambridge Phil. Soc.* **47**, 627–628.
- (1952a): A theorem on non-homogeneous lattices. *Ann. of Math.* (2) **56**, 269–293.
- (1953a): On measure of sum sets. II. The sum-theorem for the torus. *Proc. Cambridge Phil. Soc.* **49**, 40–43.
- , and C. A. ROGERS (1955a and 1958b): A modified form of Siegel's mean-value theorem I, II. *Proc. Cambridge Phil. Soc.* **51**, 565–576 and **54**, 322–325 (1958).
- (1958a): Siegel's mean value theorem in the geometry of numbers, *Proc. Cambridge Phil. Soc.* **54**, 139–151.
- MAHLER, K. (1938a): On Minkowski's theory of reduction of positive definite quadratic forms. *Quart. J. Math. Oxford* **9**, 259–263.
- (1939a): Ein Übertragungsprinzip für lineare Ungleichungen. *Časopis pro pest. mat. a fys.* **68**, 85–92.
- (1939b): Ein Übertragungsprinzip für konvexe Körper. *Časopis pro pest. mat. a fys.* **68**, 93–102.
- (1946a, b, c): Lattice points in two-dimensional star domains I, II, III. *Proc. Lond. Math. Soc.* (2) **49**, 128–157, 158–167, 168–183.
- (1946d, e): On lattice points in  $n$ -dimensional star-bodies. I. Existence theorems. *Proc. Roy. Soc. Lond. A* **187**, 151–187. — II. Reducibility theorems. *Proc. Kon. Ned. Akad. Wet.* **49**, 331–343, 444–454, 524–532, 622–631.
- (1946f): The theorem of Minkowski-Hlawka. *Duke Math. J.* **13**, 611–621.

- MAHLER, K. (1946g): On lattice points in a cylinder. *Quart. J. Math. Oxford* **17**, 16–18.
- (1947a): On irreducible convex domains. *Proc. Kon. Ned. Akad. Wet.* **50**, 98–107 (= *Indag. Math.* **9**, 3–12).
- (1947b): On the area and the densest packing of convex domains. *Proc. Kon. Ned. Akad. Wet.* **50**, 108–118 (= *Indag. Math.* **9**, 14–24).
- (1947c): On the minimum determinant and the circumscribed hexagons of a convex domain. *Proc. Kon. Ned. Akad. Wet.* **50**, 692–703 (= *Indag. Math.* **9**, 326–337).
- (1948a): On lattice points in polar reciprocal convex domains. *Proc. Kon. Ned. Wet.* **51**, 482–485 (= *Indag. Math.* **10**, 176–179).
- (1949a): On the minimum determinant of a special point set. *Proc. Kon. Ned. Akad. Wet.* **52**, 633–642 (= *Indag. Math.* **11**, 195–204).
- (1949b): On the critical lattices of arbitrary point sets. *Canad. J. Math.* **1**, 78–87.
- (1950a): The geometry of numbers (Duplicated lectures, Boulder, Colorado, U.S.A.).
- (1955a, b): On compound convex bodies I, II. *Proc. Lond. Math. Soc.* (3) **5**, 358–384.
- MARKOFF, A. (1879a): Sur les formes quadratiques binaires indéfinies. *Math. Ann.* **15**, 381–409.
- MELMORE, S. (1947a): Densest packing of equal spheres. *Nature, Lond.* **159**, 817.
- MINKOWSKI, H. (1896a): *Geometrie der Zahlen*. Leipzig and Berlin.
- (1904a): Dichteste gitterförmige Lagerung kongruenter Körper. *Nachr. K. Ges. Wiss. Göttingen* **1904**, 311–355. (Reprinted in *Gesammelte Abhandlungen II*, 3–42).
- (1907a): *Diophantische Approximationen*. Leipzig.
- MORDELL, L. J. (1931 a): Indefinite quadratic forms in  $n$  variables. *Proc. Roy. Soc. A* **131**, 99–108.
- (1937a): A theorem of Khintchine on linear diophantine approximation. *J. Lond. Math. Soc.* **12**, 166–167.
- (1940a): Tschebotareff's theorem on the product of non-homogeneous linear forms. *Vjschr. naturforsch. Ges. Zürich* **85**, Beiblatt (Festschrift Rudolf Fueter) 47–50.
- (1941a): The product of homogeneous linear forms. *J. Lond. Math. Soc.* **16**, 4–12.
- (1942a): The product of three homogeneous linear ternary forms. *J. Lond. Math. Soc.* **17**, 107–115.
- (1943a): The product of  $n$  homogeneous forms. *Mat. Sbornik (Rec. Math.)* **12** (54), 273–276.
- (1943b): On numbers represented by binary cubic forms. *Proc. Lond. Math. Soc.* (2) **48**, 198–228.
- (1944a): Lattice points in the region  $|x^3 + y^3| \leq 1$ . *J. Lond. Math. Soc.* **19**, 92–99.
- (1944b): Observation on the minimum of a positive definite quadratic form in eight variables. *J. Lond. Math. Soc.* **19**, 3–6.
- (1946a): Further contributions to the geometry of numbers for non-convex regions. *Trans. Amer. Math. Soc.* **59**, 189–215.
- (1948a): The minimum of a definite ternary quadratic form. *J. Lond. Math. Soc.* **23**, 175–178.
- (1951a): On the equation  $ax^2 + by^2 - cz^2 = 0$ . *Mh. Math.* **55**, 323–327.
- (1952a): The minima of some non-homogeneous functions of two variables. *Duke Math. J.* **19**, 519–527.
- (1956a): The minimum of an inhomogeneous quadratic polynomial in  $n$  variables. *Math. Z.* **63**, 525–528.

- MORDELL, L. J. (1959a): Tschebotareff's theorem on the product of non-homogeneous linear forms II. (To appear.)
- MULLENDER, P. (1945a): Toepassing van de meetkunde der getallen op ongelijkheden in  $K(i)$  en  $K(i\sqrt{m})$ . Diss. Amsterdam.
- (1948a): Lattice points in non-convex regions. I, II, III. Proc. Kon. Ned. Acad. Wet. **51**, 874–884, 1251–1261; **52**, 50–60 (1949) [= Indag. Math. **10**, 302–312, 395–405; **11**, 18–28 (1949)].
- (1950a): Simultaneous approximation. Ann. of Math. **52**, 417–426.
- MULLINEUX, N. (1951a): Lattice points in the star-body  $|x_1^2 + x_2^2 - x_3^2| \leq 1, |x_3| \leq \sqrt{2}$ . Proc. Lond. Math. Soc. (2) **54**, 1–41.
- OLLERENSHAW, K. (1945a): The minima of a pair of indefinite harmonic binary quadratic forms. Proc. Cambridge Phil. Soc. **41**, 77–96.
- (1945b): The critical lattices of a circular quadrilateral formed by arcs of three circles. Quart. J. Math. **17**, 223–239.
- (1953a): An irreducible non-convex region. Proc. Cambridge Phil. Soc. **49**, 194–200.
- (1953b): Irreducible convex bodies. Oxford Quart. J. Math. (2) **4**, 293–302.
- OPPENHEIM, A. (1932a): The lower bounds of indefinite Hermitian forms. Quart. J. Math. Oxford **3**, 10–14.
- (1934a): Minima of quaternary quadratic forms of signature 0. Proc. Lond. Math. Soc. (2) **37**, 63–81.
- (1936a): The lower bounds of Hermitian quadratic forms in any quadratic field. Proc. Lond. Math. Soc. (2) **40**, 541–555.
- (1946a): Remark on the minimum of quadratic forms. J. Lond. Math. Soc. **21**, 251–252.
- (1953a): One-sided inequalities for quadratic forms. (I) Ternary forms. Proc. Lond. Math. Soc. (3) **3**, 328–337.
- (1953b): One-sided inequalities for quadratic forms. (II) Quaternary forms. Proc. Lond. Math. Soc. (3) **3**, 417–429.
- (1953c, d): Value of quadratic forms I, II. Quart. J. Math. Oxford (2) **4**, 54–59, 60–66.
- (1953e): Value of quadratic forms III. Mh. Math. **57**, 97–101.
- (1953f): One-sided inequalities for hermitian quadratic forms. Mh. Math. **57**, 1–5.
- PITMAN, J. (1958a): The inhomogeneous minima of a sequence of symmetric MARKOV forms. Acta Arithmetica **5**, 81–116.
- POITOU, G. (1953a): Sur l'approximation des nombres complexes par les nombres des corps imaginaires quadratiques etc. Ann. Sci. Éc. Norm. Sup. Paris (3) **70**, 199–265.
- PRASAD, A. V. (1949a): A non-homogeneous inequality for integers in a special cubic field. Proc. Kon. Ned. Akad. Wet. Amst. **52**, 240–250, 338–350 (= Indag. Math. **11**, 55–65, 112–124).
- RADO, R. (1946a): A theorem on the geometry of numbers. J. Lond. Math. Soc. **21**, 34–47.
- RANKIN, R. A. (1947a): On the closest packing of spheres in  $n$  dimensions. Ann. of Math. **48**, 1062–1081.
- (1949a, b, c): On sums of powers of linear forms I, II, III. I. Ann. of Math. **50**, 691–698. — II. Ann. of Math. **50**, 699–704. — III. Proc. Kon. Ned. Akad. Wet. **51**, 846–853 (1948) (= Indag. Math. **10**, 274–281).
- (1953a): The anomaly of convex bodies. Proc. Cambridge Phil. Soc. **49**, 54–58.
- (1955a): The closest packing of spherical caps in  $n$  dimensions. Proc. Glasgow Math. Assoc. **2**, 139–144.

- RÉDEI, L. (1955a): Neuer Beweis des Hajósschen Satzes über die endlichen abelschen Gruppen. *Acta Math. Hungarica* **6**, 27–40.
- (1959a): Neuer Beweis eines Satzes von DELONE über ebene Punktgitter. *J. Lond. Math. Soc.* **34**, 205–207.
- REINHARDT, K. (1934a): Über die dichteste gitterförmige Lagerung kongruenter Bereiche in der Ebene usw. *Abh. Math. Sem. Hansische Univ.* **10**, 216–230.
- REMAK, R. (1923a, b): Verallgemeinerung eines Minkowskischen Satzes I, II. *Math. Z.* **17**, 1–34; **18**, 173–200 (1924).
- (1925a): Über die geometrische Darstellung der indefiniten binären quadratischen Formen. *Jber. DMV* **33**, 228–245.
- (1938a): Über die Minkowskische Reduktion. *Comp. Math.* **5**, 368–391.
- RIDOUT, D. (1958a): Indefinite quadratic forms. *Mathematika* **5**, 122–124.
- RIESZ, M. (1936a): Modules réciproques. *Comptes Rendus, Congr. Intern. des Math., Oslo* **2**, 36–37.
- ROGERS, C. A. (1947a): A note on irreducible star-bodies. *Proc. Kon. Ned. Akad. Wet.* **50**, 868–872 (= *Indag. Math.* **9**, 379–383).
- (1947b): Existence theorems in the geometry of numbers. *Ann. of Math.* **48**, 994–1002.
- (1947c): A note on a problem of Mahler. *Proc. Roy. Soc. Lond. A* **191**, 503–517.
- (1949a): The product of the minima and the determinant of a set. *Proc. Kon. Ned. Akad. Wet.* **52**, 256–263 (= *Indag. Math.* **11**, 71–78).
- (1949b): On the critical determinant of a certain non-convex cylinder. *Quart. J. Math. Oxford* **20**, 45–47.
- (1950a): The product of  $n$  real homogeneous linear forms. *Acta Math.* **82**, 185–208.
- (1950b): A note on coverings and packings. *J. Lond. Math. Soc.* **25**, 327–331.
- (1951a): The closest packing of convex two-dimensional domains. *Acta Math.* **86**, 309–321.
- (1951b): The number of lattice points in a star-body. *J. Lond. Math. Soc.* **26**, 307–310.
- (1952a): The reduction of star-sets. *Phil. Trans. Roy. Soc. Lond. A* **245**, 59–93.
- (1952b): Indefinite quadratic forms in  $n$  variables. *J. Lond. Math. Soc.* **27**, 314–319.
- (1953a): Almost periodic critical lattices. *Arch. der Math.* **4**, 267–274.
- (1954a): The Minkowski-Hlawka Theorem. *Mathematika* **1**, 111–124.
- (1954b): A note on the theorem of Macbeath. *J. Lond. Math. Soc.* **29**, 133–143.
- (1954c): The product of  $n$  non-homogeneous linear forms. *Proc. Lond. Math. Soc.* (3) **4**, 50–83.
- (1955a): Mean values over the space of lattices. *Acta Math.* **94**, 249–287.
- (1955b): The moments of the number of points of a lattice in a bounded set. *Phil. Trans. Roy. Soc. Lond. A* **248**, 225–251.
- (1956a): The number of lattice points in a set. *Proc. Lond. Math. Soc.* (3) **6**, 305–320.
- (1957a): A note on coverings. *Mathematika* **4**, 1–6.
- (1958a): Lattice coverings of space: the Minkowski-Hlawka theorem. *Proc. Lond. Math. Soc.* (3) **8**, 447–465.
- (1958b): Lattice coverings of space with convex bodies. *J. Lond. Math. Soc.* **33**, 208–212.
- (1958c): The packing of equal spheres. *Proc. Lond. Math. Soc.* (3) **8**, 609–620.
- (1959a): Lattice coverings of space. *Mathematika* **6**, 33–39.
- ROGERS, K. (1953a): The minima of some inhomogeneous functions of two variables. *J. Lond. Math. Soc.* **28**, 394–402.



- ROGERS, K. (1955a): On the generators of an ideal, with an application to the geometry of numbers in unitary space  $U_2$ . *Amer. J. Math.* **77**, 621–627.
- (1956a): Indefinite binary hermitian forms. *Proc. Lond. Math. Soc.* (3) **6**, 205–223.
- , and H. P. F. SWINNERTON-DYER (1958a): The geometry of numbers over algebraic number fields. *Trans. Amer. Math. Soc.* **88**, 227–242.
- SAMET, P. A. (1954a, b): The product of linear non-homogeneous linear forms I, II. *Proc. Cambridge Phil. Soc.* **50**, 372–379, 380–390.
- SAWYER, D. B. (1948a): The product of two non-homogeneous linear forms. *J. Lond. Math. Soc.* **23**, 250–251.
- (1950a): A note on the product of two non-homogeneous linear forms. *J. Lond. Math. Soc.* **25**, 239–240.
- (1953a): The minima of indefinite binary quadratic forms. *J. Lond. Math. Soc.* **28**, 387–394.
- SCHMIDT, W. (1955a): Über höhere kritische Determinanten von Sternkörpern. *Mh. Math.* **59**, 274–304.
- (1956a): Eine neue Abschätzung der kritischen Determinanten von Sternkörpern. *Mh. Math.* **60**, 1–10.
- (1956b): Eine Verschärfung des Satzes von Minkowski-Hlawka. *Mh. Math.* **60**, 110–113.
- (1958a): The measure of the set of admissible lattices. *Proc. Amer. Math. Soc.* **9**, 390–403.
- SCHOLZ, A. (1938a): Minimaldiskriminanten algebraischer Zahlkörper. *Crelle* **179**, 16–21.
- SCHUR, I. (1918a): Über die Verteilung der Wurzeln bei gewissen algebraischen Gleichungen mit ganzzahligen Koeffizienten. *Math. Z.* **1**, 377–402.
- (1929a): Einige Sätze über Primzahlen mit Anwendungen auf Irreduzibilitätsfragen I, II. *Sitzgsber. preuß. Akad. Wiss.* **1929**, 125–136, 370–391.
- SEGRE, B. (1945a): Lattice Points in infinite domains and asymmetric diophantine approximations. *Duke Math. J.* **12**, 337–365.
- SIEGEL, C. L. (1935a): Über Gitterpunkte in konvexen Körpern und ein damit zusammenhängendes Extremalproblem. *Acta Math.* **65**, 309–323.
- (1940a): Einheiten quadratischer Formen. *Abh. Hans. Univ.* **13**, 209–239.
- (1945a): A mean value theorem in the geometry of numbers. *Ann. of Math.* **46**, 340–347.
- SWINNERTON-DYER, H. P. F. (1953a): Extremal lattices of convex bodies. *Proc. Cambridge Phil. Soc.* **49**, 161–162.
- (1954a): Inhomogeneous lattices. *Proc. Cambridge Phil. Soc.* **50**, 20–24.
- (1954b): The inhomogeneous minima of complex cubic norm forms. *Proc. Cambridge Phil. Soc.* **50**, 209–219.
- SYLVESTER, J. J. (1892a): On arithmetical series. *Messenger of Maths.* **21**, 1–19, 87–120 (= *Collected works* **4**, 687–731).
- TORNHEIM, L. (1955a): Asymmetric minima of quadratic forms and asymmetric diophantine approximation. *Duke Math. J.* **22**, 287–294.
- TSCHEBOTAREW, N. (1934a): Beweis des Minkowskischen Satzes über lineare inhomogene Formen [Russian]. *Ucen. Zapiski Kazansk. Gos. Univ.* **94**, 3–16. There is a German version in *Vjschr. naturforsch. Ges. Zürich* **85** (1940), Beiblatt (Festschrift Rudolf Fueter) 27–30.
- VARNAVIDES, P. (1948a): On lattice points in a hyperbolic cylinder. *J. Lond. Math. Soc.* **23**, 195–199.
- VENKOV, B. A. (1945a): On the extremal problem of Markov for indefinite ternary quadratic forms [Russian]. *Izv. Akad. Nauk SSSR. (Ser. Mat.)* **9**, 429–494.

- VORONOI, G. (1907a): Sur quelques propriétés des formes quadratiques positives parfaites. *Crelle* **133**, 97–178.  
 — (1908a): Recherches sur les paralléloèdres primitifs I, II. *Crelle* **134**, 198–287; **136**, 67–181 (1909).  
 WAERDEN, B. L. VAN DER (1956a): Die Reduktionstheorie der positiven quadratischen Formen. *Acta Math.*, Stockh. **96**, 265–309.  
 WATSON, G. L. (1956a): The covering of space by spheres. *Rend. Circ. Mat. Palermo* (2) **5**, 1–8.  
 WEIL, A. (1951a): L'intégration dans les groupes topologiques et ses applications (*Actualités Sci. Ind.* 869–1145). Paris: Hermann.  
 WEYL, H. (1940a): The theory of reduction for arithmetical equivalence. *Trans. Amer. Math. Soc.* **48**, 126–165; **51**, 203–231 (1942).  
 — (1942a): On geometry of numbers. *Proc. Lond. Math. Soc.* (2) **47**, 268–289.  
 WHITWORTH, J. V. (1948a): On the densest packing of sections of a cube. *Ann. Mat. pura appl.* (4) **27**, 29–37.  
 — (1951a): The critical lattices of the double cone. *Proc. Lond. Math. Soc.* (2) **53**, 422–443.  
 WHITTAKER, E. T., and G. N. WATSON (1902a): *A course of Modern Analysis*. Cambridge: Cambridge University Press.  
 WOLFF, K. H. (1954a): Über kritische Gitter im vierdimensionalen Raum. *Mh. Math.* **58**, 38–56.  
 WOODS, A. C. (1956a): The anomaly of convex bodies. *Proc. Cambridge Phil. Soc.* **52**, 406–423.  
 — (1958a): The critical determinant of a spherical cylinder. *J. Lond. Math. Soc.* **33**, 357–368.  
 — (1958b): On two-dimensional convex bodies. *Pacific J. Maths.* **8**, 635–640.  
 — (1958c): On a theorem of TSCHEBOTAREFF. *Duke Math. J.* **25**, 631–638.  
 YEH, Y. (1948a): Lattice points in a cylinder over a convex domain. *J. Lond. Math. Soc.* **23**, 188–195.  
 ŽILINKAS, G. (1941a): On the product of four homogeneous linear forms. *J. Lond. Math. Soc.* **16**, 27–37.

## Index

Commonly used symbols are listed first, followed by words and phrases in alphabetical order

$ \mathbf{x} $	viii	$\Delta(\mathcal{S})$	80
$  \boldsymbol{\tau}  $	123	$\det(\boldsymbol{\tau})$	123
$  \xi  $	318	$e(\chi) = \exp(2\pi i \chi)$	293
$\equiv (a \equiv b(h))$	99 f. n.	$F(\Lambda)$	119
$(\mathbf{y}_1 \equiv \mathbf{y}_2(\Lambda))$	194, 303	$F(\mathfrak{z})$	195
$\{x\}$	207	$\mathfrak{t}$	124
$\Gamma_n$	164, 247	$M(f)$	26
$\Gamma_{m,n}$	269	$M_+(f)$	41
$d(\Lambda)$	10	$m(\mathcal{S})$	197
$D(f)$ (for quadratic forms)	35	$m(\mathbf{x}_0)$	304
— (for cubic forms)	51	$\mu(\Lambda)$	305
$\mathcal{D}_{r,s}$	269	$\mathcal{R}, \mathcal{R}/\Lambda$	194
$\mathcal{D}_n$	163, 246	$V(\mathcal{S})$	viii
$b(F), \mathfrak{D}(F)$	307	$V(\psi)$	74
$\delta(F)$	120		