

Literatur

1. Abramowitz, M. and I. Stegun (1972) Handbook of Mathematical Functions. Dover Publications, Inc., New York.
2. Abt, K. (1977) Skalenerunabhangigkeits multivariate nichtparametrische Toleranzbereiche. Tagungsbericht 8/1977, "Mathematische Methoden in der Medizin", 20.-26.2.1977, Math. Forschungsinst. Oberwolfach.
3. Abt, K. (1982) Scale-independent non-parametric multivariate tolerance regions and their application in medicine. Biom. J. Vol. 24, No. 1, pp.27-48.
4. Abt, K. und H. Ackermann (1981) Univariate und multivariate Normbereiche in der Medizin. Med. Welt 13/81, S. 409-413.
5. Ackermann, H. (1977) BASIC in der medizinischen Statistik. Vieweg-Verlag Braunschweig.
6. Ackermann, H. (1979) Dokumentation von FORTRAN IV- und BASIC-Programmen zur Berechnung und graphischen Darstellung von multivariaten nicht-parametrischen Normbereichen. Unveroeff. Univ. Ffm.
7. Ackermann, H. (1980) Skalierungsinvariante multivariate nicht-parametrische Normbereiche. Diss. Univ. Frankfurt am Main.
8. Ackermann, H. (1983a) Multivariate Non-parametric Tolerance Regions: A New Construction Technique. Biom. J. 25, pp. 351-359.
9. Ackermann, H. (1983b) Sind ' $\bar{x} \pm 2s$ '-Bereiche nuetzliche diagnostische Hilfsmittel? Med. Welt 34, Heft 7, pp. 212-215.
10. Ackermann, H. (1983c) Eine Monte-Carlo-Untersuchung zum Zentralen Grenzwertsatz. EDV in Medizin und Biologie 14, Heft 1, pp. 19-23.
11. Ackermann, H. (1984) Algorithmen zur Theorie der multivariaten nicht-parametrischen Normbereiche. Statistical Software Newsletter Vol. 10, No. 2, pp. 93-95.
12. Ackermann, H. und K. Abt (1984) Designing the Sample Size for Non-parametric Multivariate Tolerance Regions. Biom.J. 26, No. 7, pp. 723-734.
13. Albritton, E.C. (1952) Standard Values in Blood. Philadelphia, Saunders.
14. Anderson, M.W. and R.D. Bunnings (1970) A Distribution-free Discrimination Procedure Based on Clustering. IEEE Trans. Inform. Theory IT-16, pp. 541-548.
15. Bauer, H. (1974) Wahrscheinlichkeitstheorie und Grundzuege der Masstheorie. De Gruyter Berlin, New York.

16. Birnbaum, Z.W. and H.S. Zuckerman (1949) A graphical determination of sample sizes for Wilks' tolerance limits. *Ann.Math.Stat.* 20, pp. 313-316.
17. Bock, H.E. (1972) *Pathophysiologie I & II.* Georg Thieme - Verlag Stuttgart.
18. Breth, M. (1979) Nonparametric Bayesian Interval Estimation. *Biometrika* 66, 3, pp. 641-644.
19. Buechner, F., E. Letterer und F. Roulet (1969) *Handbuch der allgemeinen Pathologie.* In: *Prolesomena.* Springer Verlag Berlin.
20. Cansuilhem, G. (1977) *Das Normale und das Pathologische.* Ullstein-Verlag.
21. Cochran, A.L. and P.C. Elwood (1969) Laboratory Data and Diagnosis. *Lancet* 22. Feb. 1969, p.420.
22. Danziger, L. and S.A. Davis (1964) Tables of Distribution-Free Tolerance Limits. *Ann. Math. Stat.* 35, pp. 1361-1365.
23. David, H.A. (1970) *Order Statistics.* John Wiley.
24. Eimeren, W. van (1972) *Normwerte in der Medizin. Methodologische Aspekte und mehrdimensionale Normen.* Habilitation Univ. Ulm.
25. Elveback, L.R. (1973) The Population of Healthy Persons as a Source of Reference Information. *Hum. Path.* 4, pp. 9-16.
26. Elveback, L.R., C.L. Guillier and F.R. Kesting (1970) Health, Normality and the Ghost of Gauss. *J. Am. Med. Ass.* 211, pp.69-75.
27. Elveback, L.R. and W.F. Taylor (1969) Statistical Methods of Estimating Percentiles. *Ann. N.Y. Acad. Sci.* 161, pp. 538-548.
28. Feinstein, A.R. (1974) The Derangements of the "Range of Normal". *Clin. Pharm. Ther.* 15, 5, pp.528-540.
29. Feinstein, A.R. (1977) *Clinical Biostatistics.* Mosby St.Louis.
30. Feller, W. (1968) *An Introduction to Probability Theory and Its Applications.* John Wiley.
31. Fischer, K. and Chr. Thiele (1979) On a Distribution-Free Method in Discriminant Analysis. *Math. Operationsforsch. und Stat.* 10, pp. 281-290.
32. Fisher, R.A. (1936) The Use of Multiple Measurements in Taxonomic Problems. *Ann. Eugen.* 7, pp. 179-188.
33. Fisher, R.A. and F. Yates (1963) *Statistical Tables for Biological, Agricultural and Medical Research.* Oliver & Boyd, Edinburgh, London.

34. Fisz, M. (1976) Wahrscheinlichkeitsrechnung und mathematische Statistik. VEB Deutscher Verlag der Wissenschaften Berlin.
35. Fraser, D.A.S. (1951) Sequentially Determined Statistically Equivalent Blocks. Ann. Math. Stat. 22, pp. 372-381.
36. Fraser, D.A.S. (1953) Nonparametric Tolerance Regions. Ann. Math. Stat. 24, pp. 44-55.
37. Fraser, D.A.S. and I. Guttman (1956) Tolerance Regions. Ann. Math. Stat. 27, pp. 162-179.
38. Fraser, D.A.S. and R. Wormleighton (1951) Nonparametric Estimation IV. Ann. Math. Stat. 22, pp. 294-298.
39. Gabriel, K.R. (1969) Simultaneous test procedures - some theory of multiple comparisons. Ann. Math. Stat. 40, pp. 224-250.
40. Gibbons, J.D. (1971) Nonparametric Statistical Inference. McGraw-Hill.
41. Graesbeck, R. and N.E. Saris (1969) Establishment and Use of Normal Values. Scand. J. Clin. Lab. Invest. 24, 110, p. 62.
42. Grams, R.R., E.A. Johnson and E.S. Benson (1972) Laboratory Data Analysis System (Section I - VI). Amer. J. Clin. Pathol. 58, pp. 177-219.
43. Gross, R. und H.E. Wichmann (1979) Was ist eigentlich "normal"? Med. Welt Band 30, Heft 1, s. 2-14.
44. Grubbs, F.E. (1949) On Designing Single Sampling Inspection Plans. Ann. Math. Stat. 20, pp. 242-256.
45. Gupta, A.K. and B.K. Kim (1978) On a Distribution-Free Discriminant Analysis. Biom. J. 20, pp. 729-736.
46. Guttman, I. (1970a) Construction of beta-content tolerance regions at confidence level γ for large samples from the k -variate normal distribution. Ann. Math. Stat. 41, pp. 376-400.
47. Guttman, I. (1970b) Statistical Tolerance Regions: Classical and Bayesian. Griffin's Stat. Monographs and Courses. No. 26, London.
48. Herrera, L. (1958) The Precision of Percentiles in Establishing Normal Limits in Medicine. J. Lab. & Clin. Med. 52, pp. 34-42.
49. Hoevels, O., G. Makosch, K. Bergmann et al. (1983) Repräsentative Untersuchungen zur Vitamin-D-Versorgung zweijähriger Kleinkinder in Frankfurt am Main. Monatsschr. Kinderheilkunde 131, pp. 23-27.
50. Holm, S. (1979) A simple sequentially rejective multiple test procedure. Scand. Statist. 6, pp. 65-70.

51. Hommel, G. (1979) Entwicklung einer statistischen Testtheorie fuer komplexe medizinische Fragestellungen. Habil. Erlangen, Reprint Palm und Enke Erlangen 1982.
52. Hommel, G. (1980) Test der Globalhypothese und ihrer Implikationen fuer die Kombination mehrerer Einzeltests. Aus: Biometrie-heute und morgen, Springer-Verlag.
53. Hommel, G. (1983) Tests of the Overall Hypothesis for Arbitrary Dependence Structures. *Biom. J.* 25, 5, pp. 423-430.
54. Jílek, M. (1981) A Bibliography of Statistical Tolerance Regions. *Math. Operationsforsch. und Statistik, Ser. Stat.*, 12, pp. 441-456.
55. Kamke, D. und K. Kraemer (1977) *Physikalische Grundlagen der Masseinheiten*. Teubner-Verlag Stuttgart.
56. Keating, F.R., J.D. Jones, L.R. Elveback, R.V. Randall (1969) The relation of age and sex to distribution of values in healthy adults of serum calcium, inorganic phosphorus, magnesium, alkaline phosphatase total proteins, albumin, and blood urea. *J. Lab. Clin. Med.* 73, p. 825.
57. Kemperman, J.H.B. (1956) Generalized Tolerance Limits. *Ann. Math. Stat.* 27, pp. 180-186.
58. Kendall, M.G. and A. Stuart (1969) *The Advanced Theory of Statistics I, II*. Hafner Publ. Comp. New York.
59. Koehler, J., R. Hoewelmann und H. Kraemer (1968) *Abbildungsgeometrie in vektorieller Darstellung*. Otto Salle Frankfurt Hamburg.
60. Koffler, S.L. and D.A. Penfield (1979) Nonparametric Discrimination Procedures for Non-Normal Distributions. *J. Statist. Comput. and Simul.* 8, pp. 281-300.
61. Kowalsky, H.J. (1970) *Lineare Algebra*. De Gruyter Berlin.
62. Kubinger, K.D. (1983) Some elaborations towards a standard procedure of distribution-free discriminant analysis. *Biom. J. Vol.* 25, 8, pp. 765-774.
63. Lukacs, E. and R.G. Laha (1964) *Applications of Characteristic Functions*. Charles Griffin & Co. Ltd. London.
64. Mainland, D. (1969) Normal Values in Medicine. *Ann. N.Y. Acad. Sci.* 161, pp. 527-537.
65. Makosch, G., H. Ackermann und O. Hoevens (1982a) Multivariate Normbereiche fuer Knochen-, Nieren- und Blutbildparameter bei Kindern unter klinischen Gesichtspunkten. 18. Arbeitstagung fuer Paediatrische Forschung in Goettingen, 11.-12. Maerz 1982. Publ. in *Europ. J. Pediatr.* (1982) 138, p. 99.

66. Makosch, G., H. Ackermann und O. Hoevens (1982b) Bivariater Normbereich fuer Koerpergewicht und Koerperlaenge unter diagnosti-schen Gesichtspunkten. Monatsschr. Kinderheilkd. 130, S.276-279.
67. Marcus, R., E. Peritz and K.R. Gabriel (1976) On Closed Testing Procedures with Special Reference to Ordered Analysis of Variance. Biometrika 63, PP. 655-660.
68. Merrington, M. (1941) Numerical Approximations to the Percentage Points of the Chi-squared Distribution. Biometrika 32, PP.200-202.
69. Miller, R.G. (1981) Simultaneous Statistical Inference. Springer-Verlag New York, Heidelberg, Berlin, 2. Auflage.
70. Mood, A.M., F.A. Graybill and D.C. Boes (1974) Introduction to the Theory of Statistics. McGraw-Hill.
71. Moran, P.A.F. (1980) Calculation of the Normal Distribution Function. Biometrika 67, PP. 675-676.
72. Morgenstern, D. (1980) Berechnung des maximalen Signifikanz-niveaus des Testes "Lehne H_0 ab, wenn k unter n α -Ebenen Tests zur Ablehnung fuehren". Metrika 27, PP. 285-286.
73. Murphy, E.A. (1966) A Scientific Viewpoint on Normalcy. Perspect. Biol. Med. 9, PP. 333
74. Murphy, E.A. (1972) The Normal, and the Perils of the Galileic Argument. Perspect. Biol. Med. 15, PP. 566-582.
75. Murphy, E.A. (1973) The Normal. Am. J. Epidemiol. 98, PP.403-411.
76. Murphy, E.A. (1976) The Logic of Medicine. Johns Hopkins University Press Baltimore.
77. Murphy, E.A. and H. Abbey (1967) The Normal Range - A Common Misuse. J. Chronic Dis. 20, PP. 79-88.
78. Murphy, R.B. (1948) Non-Parametric Tolerance Limits. Ann. Math. Stat. 19, PP. 581-589.
79. Noether, G.E. (1951) On a Connection between Confidence and Tolerance Intervals. Ann. Math. Stat. 22, PP. 603-604.
80. O'Halloran, M.W., J. Studley-Ruxton and M.L. Wellby (1970) A Comparison of Conventionally Derived Normal Ranges with those Obtained from Patients Results. Clin. Chim. Acta 27, P. 35.
81. Owen, D.B. (1962) Handbook of Statistical Tables. Addison-Wesley Publishing Company, Inc.
82. Paulson, E. (1943) A Note on Tolerance Limits. Ann. Math. Stat. 14, PP. 90-93.
83. Peach, P. and S.B. Littauer (1946) A Note on Sampling Inspection. Ann. Math. Stat. 17, PP. 81-84.

84. Pearson, E.S. and H.O. Hartley (1972) Biometrika Tables for Statisticians I,II. Cambridge University Press.
85. Pearson, K. (1934) Tables of the Incomplete Beta-Function. Cambridge University Press.
86. Pequisnot, H. (1961) Initiation de la Medecine. Masson, Paris.
87. Proschan, F. (1953) Confidence and Tolerance Intervals for the Normal Distribution. J. Am. Stat. Ass. 48, pp. 550-564.
88. Quesenberry, C.P. and M.P. Gessaman (1968) Nonparametric Discrimination Using Tolerance Regions. Ann. Math. Stat. 39, 2, pp. 664-673.
89. Rasch, D. (1976) Einfuehrung in die mathematische Statistik. VEB Deutscher Verlag der Wissenschaften Berlin.
90. Rehmann, W. (1983) Multivariate Datenbeurteilung. Springer-Verlag Berlin Heidelberg New York Tokyo.
91. Reyses, R. (1975) Ein sequentielles nicht-parametrisches Trennverfahren. EDV in Medizin und Biologie 6, 1/2, S. 9-13.
92. Robbins, H. (1944) On Distribution-Free Tolerance Limits in Random Sampling. Ann. Math. Stat. 15, pp. 214-216.
93. Rothschild, K. (1965) Prinzipien der Medizin. Urban & Schwarzenbers Muenchen.
94. Rueser, B. (1978) Das maximale Signifikanzniveau des Tests: "Lehne H_0 ab, wenn k unter n gestapelten Tests zur Ablehnung fuehren". Metrika Vol. 25, Fasc. 3, S. 171-178.
95. Rueser, B. (1981) Scharfe untere und obere Schranken fuer die Wahrscheinlichkeit der Realisation von k unter n Ereignissen. Metrika Vol. 28, Fasc. 2, S. 71-77.
96. Ruenke, C.L. und P.D. Bezemer (1972) Methoden voor de bepaling van normale waarden I & II. Nederlands Tijdschrift voor Geneeskunde 116, pp. 1224-1230, pp. 1559-1568.
97. Saris, N.E. (1979) Provisional Recommendation on the Theory of Reference Values. J. Clin. Chem. Clin. Biochem. 17, pp. 337-339.
98. Schadewald, H. (1977) Grenzen von Gesundheit und Krankheit - historisch gesehen. Med. Welt Bd. 28/Heft 13, pp. 613-619.
99. Scheffé, H. and J.W. Tukey (1944) A Formula for Sample Sizes for Population Tolerance Limits. Ann. Math. Stat. p. 217.
100. Scheffé, H. and J.W. Tukey (1945) Nonparametric Estimation. I. Validation of Order Statistics. Ann. Math. Stat. 16, pp. 187-192.
101. Schneiders, A.J. (1960) Some Thoughts on Normal, or Standard, Values in Clinical Medicine. Pediatrics 26, p. 973.

102. Schulz, F. (1984) Persoenliche Mitteilung.
103. Severo, N.C. and M. Zelen (1960) Normal Approximation to the Chi-squared and Non-central F Probability Functions. *Biometrika* 47, pp. 411-416.
104. Shapiro, S.S. and M.B. Wilk (1965) An Analysis of Variance Test for Normality (Complete Samples). *Biometrika* 52, pp. 591-611.
105. Shewhart, W.A. (1931) Economic Control of Quality of Manufactured Product. D. Van Nostrand Company, Princeton, New York.
106. Sitzmann, F.C. (1976) Normalwerte. Hans Marseille Verl. Muenchen.
107. Somerville, P.N. (1958) Tables for Obtaining Non-Parametric Tolerance Limits. *Ann. Math. Stat.* 29, pp. 599-601.
08. Sonnemann, E. (1981) Tests zum multiplen Niveau α . *Biom. Seminar der Resion Oesterreich-Schweiz der Internat. Biom. Gesellschaft in Bad Ischl*, 28.9.-2.10.1981.
09. Sonnemann, E. (1982) Allsemeine Loesung multipler Testprobleme. *EDV in Med. und Biol.* 13, Heft 4, pp. 120-128.
10. Stummel, F. und K. Hainer (1971) *Praktische Mathematik*. Teubner-Verlag Stuttgart.
11. Sunderman, F.W. (1975) Current Concepts of "Normal Values", "Reference Values" and "Diskrimination Values" in Clinical Chemistry. *Clin. Chem.* 21, pp. 1873-1877.
12. Tatsuoka, M.M. (1971) *Multivariate Analysis: Techniques for Educational and Psychological Research*. John Wiley Inc. New York.
13. Tautu, P. and G. Wasner (1978) The Process of Medical Diagnosis: Routes of Mathematical Investisitions. *Meth. Inform. Med.* 17, pp. 1 - 10.
14. Thompson, C.M. (1941) Tables of Percentage Points of the Incomplete Beta-Function. *Biometrika* 32, II, pp. 151-181.
15. Thompson, W.R. (1936) On Confidence Ranges for the Median and Other Expectation Distributions for Populations of Unknown Distribution Form. *Ann. Math. Stat.* 7, pp. 122-128.
16. Thompson, W.R. (1938) Biological Applications of Normal Range and Associated Significance Tests in Ignorance of Original Distribution Forms. *Ann. Math. Stat.* 9, pp. 281-287.
17. Tukey, J.W. (1947) Nonparametric Estimation II: Statistically Equivalent Blocks and Tolerance Limits - the Continuous Case. *Ann. Math. Stat.* 18, pp. 529-539.
18. Tukey, J.W. (1948) Nonparametric Estimation III: Statistically Equivalent Blocks and Tolerance Limits - the Discontinuous Case. *Ann. Math. Stat.* 19, pp. 30-39.

119. Vogel, T. (1976) Die Bedeutung der Diskriminanzanalyse bei mehrdimensionalen Normbereichsuntersuchungen - dargestellt am Beispiel des Luftencephalogramms. Aus: H.J. Bochnik und W. Pittrich (Hrsg.): Multifaktorielle Probleme in der Medizin. Akademische Verlagsgesellschaft Wiesbaden.
120. Wagner, G., P. Tautu and U. Wolber (1978) Problems of Medical Diagnosis. Meth. Inform. Med. 17, pp. 55-74.
121. Wald, A. (1942) Settings of Tolerance Limits When the Sample is Large. Ann. Math. Stat. 13, pp. 389-399.
122. Wald, A. (1943) An Extension of Wilks' Method for Setting Tolerance Limits. Ann. Math. Stat. 14, pp. 45-55.
123. Wald, A. and J. Wolfowitz (1946) Tolerance Limits for a Normal Distribution. Ann. Math. Stat. 27, pp. 208-215.
124. Walter, E. (1975) Biomathematik fuer Mediziner. Teubner Stuttgart.
125. Wernecke, K.-D., and G. Kalb (1983) Further Results in Estimating the Classification Error in Discriminance Analysis. Biom. J. 25, pp. 247-258.
126. Wilks, S.S. (1941) Determination of Sample Sizes for Setting Tolerance Limits. Ann. Math. Stat. 12, 91-96.
127. Wilks, S.S. (1942) Statistical Prediction With Special Reference to the Problem of Tolerance Limits. Ann. Math. Stat. 13, pp. 400-409.
128. Wilks, S.S. (1962) Mathematical Statistics. John Wiley.
129. Witte, E.H. (1980) Signifikanztests und statistische Inferenz. Enke-Verlag Stuttgart.
130. Wittig, H. (1974) Mathematische Statistik. Teubner Stuttgart.