

# Subject Index

- Absorption
  - , high 43
- Accelerometer 25
- Acoustic
  - decoupling 156
  - density 20
  - energy 15, 35, 162, 167, 239
  - excitation 233
  - flow 169, 170
  - fluid oscillations 164
  - generation 167
  - imaging 19
  - impedance 43, 162, 166, 173, 224, 266
  - interaction 93, 109, 111, 113, 116, 203, 267
  - load 4, 165
  - mass 134
  - metrology 221, 228
  - output 6, 171
  - performance 83
  - quieting 3
  - rays 15
  - radiation 75
  - resistance 134, 135, 136
  - signal 204
  - tank 253
  - tomography 14, 16
  - windows 165
- Active
  - array 265
  - material 132, 134, 135, 136, 137
  - sonar 3, 75, 186
- Adiabatic temperature 170, 174
- Admittance 94
- Aerosol agglomeration 45
- Air guns 25
- Air-compensated 75
- Air-water interface 167
- Ambient noise 17
- Amplifier
  - configuration 186
  - , driving 91
  - , Individual 117
  - output 193
- Analog circuit 251, 252
- Anechoic coating 223
- Anechoic tank facility 223, 229, 231, 238
- Angular resolution 19
- Anisotropy 30
- Antiresonance 134, 138, 143, 147, 148
- Array 41, 42, 68, 77, 79, 203, 229, 233, 237, 238
  - coupling effect 92
  - , conformal 265
  - , cylindrical 100
  - element 114
  - equation 92
  - interaction 13, 91, 109, 110, 115, 124, 263
  - , interelement spacing 117
  - , line 100, 233
  - of flextensional 110, 117
  - performance 86
  - , planar 102
  - , single line 238
  - source 117
  - , spherical 100
  - , towed-line 225, 229, 233, 235, 236
  - , volumetric 86, 264
- Atmospheric pressure 163, 171, 261
- Atomization 35, 45

- Attenuation 29
- Audio loudspeaker 30
- Audio-frequency range 222
- Autocorrelation function 243
  
- Backing material 33
- Backward substitution 139
- Balancing inductor 186
- Barrel stave 9
- Bathymetry 19
- Bathothermal conditions 75
- Batteries 16
- Beam pattern 20, 86, 95, 238
- Beamforming 16, 79
- Beamwidth 19
- Bender 30
- Bender bar 9, 12, 265
- Bipolar transistor 194, 205
- Blocking ability 209
- booster , 40, 41
- Borehole 22, 23
- Bottom penetrator 19
- Boundary
  - echoes 243, 255
  - reflection 231, 233
- Broadside steering 66
- Buoyant floats 17
  
- Calibration 52, 225, 229
  - , absolute 225, 227
  - accuracy 228
  - , acoustical 163
  - , coupler reciprocity 225
  - , electronic 230
  - , element-by-element 233
  - , freefield reciprocity 225, 229
  - , magnitude 227
  - measurements 71, 221, 227
  - , phase 227
  - practices 230
  - , reciprocity 221, 225, 231, 263
  - techniques 231
  - , tube 236
- Capacitance 198, 252
  - , blocked 251
  - , free 68
- Carbon graphite 48, 51
- Cavitation 35, 45
- Cement 22, 32
- Ceramic 12
  - plate 64, 72
  - stack 79, 82
  - staves 61
- Characterization
  - device 144
  - method 149
- Circular piston 90, 93
- Cleaning 35
- Close packing 86
- Coercive field 214
- Coherence function 244
- Coil resistance 134, 160
- Compact projectors 162
- Compensation
  - device 260
  - mechanism 6
- Compliant
  - element 81
  - tubes 7, 9
- Compressed gas 6
- Compression band 55
- Compressional stress 156
- Concentric ribs 155
- Conductivity modulation 209
- Conventional sound sources 163
- Cooling system 259
- Core saturation 206
- Corrosion 32
- Coupling
  - coefficient 57, 145

- equations 114
- factor 136, 137, 138, 148
- matrix 115
- Cross correlation function 243, 242, 244, 248, 256
- Cross spectral density 243
- Crosswell imaging 27
- Curie point 36, 37, 40
- Current
  - , coil 141
  - , constant 135, 143
  - controlled amplifier 254
  - , eddy 134, 137, 142, 160
  - feedback 193
  - response 231
  - , step-down 230
  - waveform 157
- Deep water 14
- Defoaming 35, 45
- Degassing 35, 45
- Dendritic growth 126
- Depolarization 38
- Depth
  - capability 6, 62
  - compensation 48, 49, 56, 60, 62, 64
  - limitation 49
  - , moderate 6
  - , operating 49, 50, 54, 82
  - , operational 75, 84
  - performance 80
  - range 62
  - , shallow 8, 152
- Design limitation 50
- Deterministic signal 248
- Dielectric
  - material 218
  - resistance 251
- Diffusion 35
- Dipolar source 165
- Dipole 22, 25, 30, 33
- Direct signal 243
- Directivity 42 43, 63, 65, 77, 79, 236, 267
- Dirichlet
  - problem 112
  - type conditions 142
- Dispersion 29
- Displacement amplification 40
- Distortion rate 206
- Doppler frequency 66
- Drifting mode 66
- Drying 35, 45
- Dynamic
  - coupling 56, 133
  - filter 57, 82, 84
  - strain 82,144
  - stress 55
  - of oceans 15
- Echo trace 20
- Efficiency 44
- Elasto-magnetic tensor 147
- Electric
  - energy 257
  - field 9, 50, 164
  - input power 86
  - loss 135
- Electrical
  - failure 91
  - resistance heating 168
  - resistivity 160
- Electroacoustic
  - source 167
  - efficiency 68, 135
  - transducers 264
- Electrode 38
- Electrodynamic 30
  - projector 165
  - sources 163
  - fields 164

- Electromagnetism 23
- Electromechanical
  - coupling 19, 36, 40, 68, 132, 136, 141
  - efficiency 135, 136
  - gyrator ratio 134
  - properties 38
  - transformation ratio 87
- Electronic
  - circuit 204
  - component 44, 252
  - circuit optimisation 205
- Emission pattern 44
- Emitter 205
- Emulsification 35
- Endfire
  - steering 66
  - patterns 95
- Energy storage 188, 189
- Equivalent
  - circuit 197, 205, 262, 266
  - matrix 139
  - resistance 205
- Excitation vector 139
- Experimental waveform 231
- Explosive shock 25, 71, 73
  
- Failure mode 50
- Farfield 63, 235, 238
- Feedback loop 194
- Filter 187, 196
- Filtering technique 262
- Finite element 44, 48, 50, 60, 61, 71, 76, 84, 109, 110, 111, 114, 115, 124, 132, 140
- Finite-amplitude pressure 35
- Fish
  - detection 14
  - farms 18
- Flexextensional 1, 8, 12, 48, 49, 54, 56, 75, 76, 82, 84, 93, 100, 109, 114, 124, 132, 139, 163, 259, 262, 263, 265
- Flexural
  - disc 7, 8, 9, 12, 17, 54, 55
  - mode 43, 117
  - resonance 49
  - resonant frequency 56
  - vibrating plate 43, 44
  - vibration 43
- Floats tracking 14
- Flow noise 224, 239
- Fluid pumping mechanism 164
- Flywheel effect 192
- Focused radiator 43
- Fracture
  - detection 33
  - initiation 29
- Freefield
  - conditions 52, 226, 229
  - reciprocity 225, 227
- Free-flooded
  - ring 30
  - transducer 75, 76
- Free-standing zone melt (FSZM) 125, 126, 127
- Friction 35
  
- Gas storage 6
- Gas-filled resonator 171
- Gasborne transducer 45
- Gaseous emissions 189
- Generator control loop 191
- Geophysical measurement 22
- Giant magnetostrictive material 125
- Glass Composite 48
- Gold-plated copper electrodes 165
  
- Hamilton's principle 142
- Harmonic
  - current consumption 190
  - distortion 182, 187, 192, 230, 231

- filter 199
- reduction 196
- Harsh environment 22
- Headmass 139, 242, 251, 256
- Heat 35
  - dissipation 41, 50
  - engine 164
  - exchangers 174
  - flow 175
  - pumping 167
  - transfer 168, 169
  - treatment 125
- Helmholtz
  - integral 109, 112, 124
  - projector 166
  - resonator 17, 165
- Hoop stiffness 65
- Hydraulically actuated
  - source 12
  - transducer 11
- Hydrodynamic
  - constraints 217
  - Hall effect 164
  - pressure 239
- Hydrographic surveying 19
  
- Imaging technique 25
- Immittance 230, 231
- Impedance
  - , capacitive 197
  - , internal 87, 89
  - , low 187, 200
  - matching 43, 174, 264
  - matrix 113
  - measurements 262
  - , mechanical 41, 79
  - mismatch 6
  - , motional 252
  - mutual 88, 89
  - , mutual radiation 86, 88, 89, 100, 114
  - , radiation 26, 87, 91
  - , self radiation 114
  - ratio 178
- Impulse type sources 12
- Inactive
  - elasticities 137
  - energy 134
- Inductance
  - , clamped 134
  - , leakage 134, 137, 206
  - , magnetizing 212
  - , wire 210
- Insulator permittivity 218
- Integral equations 109
- Interaction 1, 86, 117, 164
- Interrelation function 243
- Interface
  - conditions 139
  - instabilities 35
- Interlaminar shear 50, 56
- Internal
  - pressure oscillations 165
  - tides 16
- Isobaric 17, 163
- Isopycnal 17
  
- Lagrangian drifters 15
- Lateral coupling 40
- Leakage flux 134, 135, 136, 161
- Line
  - configuration 8
  - efficiency 217, 219
  - voltage 190
- Linear
  - mode 205
  - motor 125
- Linearised circuits 204
- Lithology 22
- Load resistance 197
- Loading condition 49

Logging mode 24

Long pulses 189

Long term stability 129

Longitudinal

- compliance 81

- mode 136

- motion 40

- resonator 7

- stress 138

- vibration 233

- vibrator 110, 139

losses, 40, 160, 257

-, additional 210, 216

-, assembling 134

-, dielectric 37, 68

-, heat conduction 174

-, internal 37

-, line 219

-, mechanical 37, 38

-, viscous 174

Low frequency

- arrays 267

- facility 224, 227, 229

- tonpilz 257

- transducers 161

Lumped parameter model 132, 133, 137, 138,  
139, 140

Machining 35, 40

Machining tolerance 71

Macrosegregation 127

Magnetic

- anisotropy 125

- bias 133, 138, 144

- core 203

- coupling factor 137

- energy 137, 138

- enthalpy 143

- field 30, 125, 138, 141, 143, 148, 165, 166

- flux 212, 257

- flux density 142

- hysteresis 213

- induction 206

- leakage flux 139

- material saturation 213

- permeability 212

Magnetisation component 197

Magnetizing current 212

Magneto-elastic

- coefficients 139

- constants 144

- matrix 133, 149

- tensor 144

Magneto-strain 135

Magneto-hydrodynamic 162

Magnetomechanical 257

Magnetostriction 125, 132, 146, 186

- jumping 126

Magnetostrictive 49

- coupling 132 142

- effects 141

- materials 1, 36

- properties 127, 129

- rods 126, 139

- strain 125, 257

Mass transport 167

Matching 42, 186, 217, 219

- capacitor 159

- circuit 198

- layer 33

Maximum

- current capacity 166

- power 174

- strain 126

- variance 127

Measurement

- distances 227

- facilities 221

- Mechanical
  - amplification 49
  - amplifiers 40
  - behavior 138
  - characteristics 217
  - quality factor 135, 136, 138
  - resistance 134, 135
  - resonance 89, 138
  - rupture 35
  - transduction 5
- Mechano-acoustic
  - coupling 140, 141
  - efficiency 135, 136
- Medical imaging 14
- Mesoscale 15
- Metallic transmission line 40
- Microacoustic 45
- Modified Bridgman (MB) 125, 126, 127
- Modulation bandwidth 175
- Modulation frequency 182
- Module weighting 267
- Monopolar source 165
- Monopole 22, 25, 26, 30
- Mooring lines 15
- MOS transistor 205
- Motional
  - branch 251
  - current 252, 253, 255
- Moving coil 10, 30, 227
- Mud attenuation 22
- Multibeam echo-sounder 14
- Multimode radiators 86
- Multipaths 15
- Multipole excitation 179
- Multiwound transformer 190
- Mutual
  - coupling 86, 91
  - interaction 86, 124
- Narrow bandwidth 174, 193
- Nearfield pressure 63
- Neumann type conditions 142
- Noise level 30
- Non destructive technique 32
- Non linear magnetostrictive systems 258
- Non-acoustic
  - pressure field 233
  - wavenumbers 239
- Non-destructive control 14
- Normal modes 111
- Nuclear physics 23
- Null-balance technique 231
- Ocean acoustic tomography 15
- Oceanography 1, 14
- Oil research 1
- Open-circuit voltage 226
- Operation transients 216
- Optimal load 165
- Oval metal tubes 6
- Over-voltage factor 136, 138
- Overheating 38
- Parallel matching capacitor 198, 199
- Peak modulation pressure 182
- Peak to peak strain 157
- Permanent magnet 160, 165, 196
- Phase
  - cancellation 43
  - control 193
  - error 193
- Piezoelectric
  - ceramics 7
  - composite 19
  - device 25, 26
  - effect 36
  - element 16

- material 33, 36
- projector 252
- transducer 133, 134, 136, 137, 138, 143
- Piezomagnetic element 141
- Plane wave
  - direction 236
  - method 132
  - model 133, 139, 140, 145
- Plastic welding 44
- Point source 68, 93, 95
- Pop-up floats 17
- Positioning systems 19
- Powder densification 35
- Power, 29, 42
  - amplifier 186, 193, 203, 205, 219
  - capacity 38
  - control 187, 193
  - electronics 1
  - limitation 44
  - , negative 265
  - , reactive 138
  - spectra 249
  - spectral density 243
  - to-weight ratio 7, 8, 11
- Pressure
  - compensation 75, 76
  - , constant 163
  - gradient 45, 164, 224
  - pulse 29
  - waveform 251
- Prestress 127, 133, 136, 139
- Principal stress 50
- Prony method 231
- Pulsating sphere 4
- Pulse
  - frequency 188
  - sound technique 222, 242, 248
- PZT 33, 36, 186, 199, 259
- Radial
  - flexure 82
  - resonance mode 224
  - response 65
- Radiation
  - loading 86, 88, 265
  - mass 154, 182
  - , omnidirectional 162
  - pattern 86
  - reactance 90
  - resistance 43, 90, 92
- Radio Frequency Interference 187
- Random binary process 250
- Receiving voltage 226, 254
- Reciprocal transducer 225, 226, 231, 238
- Rectangular piston 90
- Rectifier set 190
- Reflected path 25
- Reluctance 137, 165
- Remote sensing networks 14
- Resonance
  - frequency 10, 40, 52, 62, 66, 111, 133, 134, 135, 138, 152, 250, 252, 253
  - method 144
- Resonant
  - air cavity 179
  - cavities 178
  - pipe projector 264
- Rigid
  - baffle 93
  - bolt 156
  - plane 89
- Rock porosity 29
- Sandwich
  - arrangement 35
  - transducer 36, 38, 40, 42, 43, 45
  - horn 44, 45



- Saturation induction 214
- Scattering 3, 86, 264
- Seismic
  - geometry 26
  - imaging 24
  - range 22
- Seismometer 18
- Semiconductor 196
  - switching amplifier 194
- Sensitivity 18, 19
- Series inductor 198, 199
- Shear
  - failure 49
  - velocity 29
  - wave 30, 33
- Shell
  - , aluminum 61
  - aging 132
  - , composite 49, 52, 56
  - , concave 71
  - , deep 70
  - , E-glass 117
  - , interchangeable 60
  - internal stresses 260
  - material 48, 50, 54
  - , ring 60, 64, 73, 94, 95
  - , shallow 70
  - , spherical 60
  - , steel 65
  - stress 48
- Shipborne equipment 192
- Short pulse signature 26
- Side scan sonar 14, 19
- Solidification direction 126
- Sonochemistry 45
- Spacer ring 7
- Spatial
  - coverage 15
  - scales 16
- Spherical baffle 90
- Stack
  - impedance 175
  - plates 174
  - prestress 56
  - stress 48
- Stagger-tuned resonant tubes 16
- Static
  - pressure 75, 79, 222
  - properties 257
- Stepped
  - horn 40
  - plate 43, 45, 46
- Stoichiometry 125
- Streaming 35
- Stress failure 91
- Striped-electrode pattern 239
- Sub-bottom profiling 14, 18, 20
- Subsurface
  - circulation 15
  - drifting 14
- Surface
  - pressure 114
  - reflection 159
- Switching
  - amplifier 186, 187, 191, 194, 198
  - frequency 196
  - pattern 196
  - waveform 191
- Target strength distribution 20
- Temperature 15, 24, 40, 80, 144, 205, 222, 223
  - gradient 167, 168, 170
- Temporal
  - resolution 15
  - scale 15
  - spacing 15

## Tensile

- force 49
- strength 38
- stress 56, 82

Terfenol 125, 127, 132, 133, 135, 136, 137, 138,  
139, 144, 145, 149, 152, 156, 157, 161, 257, 259

## Thermal

- conduction 169, 170
- conductivity 169, 172
- coupling 64
- energy 167
- expansion 163
- interaction 167
- limitation 44
- penetration 170, 171, 172, 175
- relaxation 174

## Thermoacoustic 162

- engine 164, 167
- oscillation 171
- oscillator 169
- sound generation 164
- source 2, 167, 171, 174, 175

Thickness resonance 32

Tomography, 2, 22, 25

Toroid coil 252

Tow-powered source 12, 178, 181

## Transduction

- efficiency 7, 165, 167
- mechanism 7, 10, 11, 12

## Transfer

- function 242, 243
- matrix 139, 140, 236

Transformer 187, 191, 203, 205

- core 212
- output 159
- ratio 212
- tuning 94
- windings 206

## Transient

- analysis 204
- part 242

Transistor 205

## Transmission

- chain 203, 204
- line 203, 217, 218

## Transmitting

- current response 165, 166, 226
- voltage 71, 231

Transverse modes 233

## Tube

- wave 27, 28, 29

Tuned projector 17

Twisting mode 145

Two-projector null method 225, 227

## Ultrasonic

- cleaner 42
- cleaning 45
- frequencies 35
- method 144
- vibration 44
- wave 32

Variational principle 109, 110, 140, 142, 143

Velocity distribution 109, 117

Vertical sampling 16

Viscoelastic material 84

Viscosity 170

Viscous penetration 171

## Voltage

- constant 143, 212
- feedback 193, 253, 254
- gradient 218
- transient 187, 191
- waveforms 231

## Volume

- displacement 178, 180
- velocities 5, 7, 13, 91

## Volumetric

- velocity 162, 163, 166

Water bladder 60, 62

Waveform 32, 187, 196, 199, 250

Weathered zone 24

Wedge band 57

Welding 35, 40, 44

Wiring resistance 213