

# Subject Index

- $\langle \cdot, \cdot \rangle$ , 9
- $\langle \hat{\mathbf{q}} \rangle$ , 137
- $\nabla$ , 12
- $\oplus$ , 196
- $\otimes$ , 9
- $\overline{\lambda}$ , 12
- $\times$ , 9
- $\| \cdot \|$ , 9
  
- aberration, 6, 7
- absolute conic, 73–87, 95
  - camera calibration and, 59, 73–74, 79, 178
  - Cartesian coordinates of, 74, 77
  - collineation of, 78, 84
  - definition of, 74
  - horopter curve and, 96–97, 130
  - image of, 79, 80
  - invariance of, 74
  - involution of, 81–84
  - Kruppa’s method and, 178
  - orthogonality and, 59, 77
  - plane at infinity and, 75
  - rectangular quadric and, 86, 87
  - spheres contain, 74
- absolute size, 123
- acnode, 147
- adjungierte Erzeugende, 92
- affine algebraic variety, 188
- affine space, 185
- algebraic variety, 183–192
  - affine, 186–188
  - degree of, 190, 191
  - dimension of, 187
  - ideal of, 186
  - irreducible, 186–187
  - projective, 186, 188
- algorithm, 217–252
  - Chan’s, 224
  - descent, 219, 224–232
    - first order descent, 228–229, 231
    - second order descent, 228, 230–232
  - first order, 232, 233, 246–252
    - stability of, 232, 246
  - least squares, 218, 232–246
  - SVD based, 219–224
- ambiguity in reconstruction, 18–35, 50, 54–56, 58–63, 73–120
  - conventions, 24
  - image correspondences and, 63, 64, 66–70, 114
  - image velocities and, 123–136
  - instability and, 27–28, 219
  - planar surface causing, 28–33, 133–134
  - scaling, 19–20, 22, 122–123
  - twisted pair, 4, 20–24
- anaglyphic method, 2
- angular velocity, 121
- area change, 170
- associativity, 74–75
- asym(), 10
  
- Bézout’s Theorem, 11, 160
- base point
  - image velocity, 122, 136, 238
    - close, 138–141, 240–245
    - coincident, 138–140, 143, 236, 239

- perturbation of, 143
  - square of, 136, 144–152, 157
  - tripod of, 136, 144, 150–154, 157
- linear system, 120, 137, 154, 158–162
- Bertini's Theorem, 157
- biological vision, 2
- camera, 1–3, 6
  - calibration, 6–8, 65, 68, 69, 73, 74, 79–81, 84, 119, 174, 178–180, 199
  - absolute conic and, *see* absolute conic, camera calibration and
  - description of, 74, 79
  - reconstruction and, 62–64, 199
  - coordinate frame, 18, 19
  - displacement, 8, 19
    - essentially different, 28
  - motion, 8
- Cartesian coordinates, 77, 78
- centre
  - of pencil, 12
  - of star, 12, 94
- characteristic equation, 10
- closure of a set, 38
- collineation, 30
  - definition of, 11
  - matrix representation of, 11
  - orthogonal, 82
  - real affine, 26
- column vector, 9
- computer vision, 2, 3
- cone, 26, 60–61, 88
  - vertex of, 61
- conic, 13, 96
  - (1,1) curve, 85
  - defining quadratic transformation, 50
  - definition of, 13
  - dual, 178
  - eigenvalues of, 89–91
  - involution of, 81–82
  - orthogonal matrices and, 78
  - polarity defined by, 76
  - real, 13, 74
  - singular, 13
- correlation, 77
- corresponding image points, 17, 19
- covering space, 188
- critical surface, 24–26, 28–35, 56, 61, 68–70, 73, 84, 86–90, 102, 106–118, 126–133, 135–136, 174, 202
  - geometrical construction of, 59–60
  - image correspondences and, 63, 69, 114, 116–118
  - image velocities and, 120, 126–133, 135–136, 203, 211–215
  - lines in, 26
  - pair, 25, 95, 106–107, 116–118, 120, 129–131
    - intersection of, 61–62, 73, 94
  - polynomial constraint on, 91, 110–114, 120, 132–133
  - principal point of, 86, 89, 107, 110
  - singular, 127–129
    - with one principal point, 88
- cross ratio, 79
- cubic plane curve, 52, 63, 161, 167, 199–201, 203, 205, 206, 210, 213, 214
  - rational, 168
  - singular, 96, 167, 168
- curve, 12–14
  - ( $m, n$ ) type, 85
  - irreducible, 12
  - non-singular, 12
  - plane, 12–13
    - conic, *see* conic
    - cubic, *see* cubic plane curve
    - definition of, 12
    - quartic, *see* quartic plane curve
    - sextic, *see* sextic plane curve
  - rational, 95
  - real, 13
  - reducible, 12
  - singular point of, 12
  - space, 13
    - cubic, *see* twisted cubic
    - definition of, 13
- cuspidal, 53
- cylinder, 88–89
- dangerous surface, 25, *see* critical surface

- data, 3
- degree, *see* algebraic variety, degree of
- dehomogenisation, 185
- Demazure's method, 174, 183–185, 190–195, 198
- differential operator, 12
- dilatation, 164–165, 170
- dimension, *see* algebraic variety, dimension of
- double cover, 188
- dual plane, 77
  
- eigenvalue, 10
- eigenvector, 10, 11
- elementary deformation, 169
- ellipsoid, 26
- elliptic paraboloid, 26, 88
- epipolar
  - line, 65, 70, 174
  - used in matching, 56
  - planes, 56
  - transformation, 55–58, 62–67, 69, 174
- epipole, 55–56, 58, 63–67, 69, 174
- equivalence
  - class, 104
  - relation, 104, 124, 134
- essential matrix, 18, 22–25, 28, 34–55, 65, 90, 220, 225
  - algebraic variety of, 38, 50, 174, 183–198
  - ambiguity and, 22
  - antisymmetric part of, 45, 47–49
  - characterisation of, 38–44, 49
  - closure of set of, 38, 184–185
  - complex entries, 36, 38, 183
  - definition of, 22, 36
  - different reconstructions and, 22, 24
  - effects of rotation and scaling on, 37
  - epipoles defined by, 57–58
  - polynomial constraint on, 36, 38–40, 42, 43, 184
  - rank of, 42
  - rank one matrix as limit of, 183–185
  - real entries, 36, 38, 45, 193–195
  - reconstruction based on, 22
  - singular values of, 36, 44–45
  - symmetric part of, 45–48
  - trace of, 47
  - twisted pair and, 22, 36
  - unstable reconstruction and, 27, 28
  - variety of
    - degree of, 184
    - dimension of, 187–188
    - irreducibility of, 187
    - singular points of, 185, 189–190
- Euclidean
  - distance, 9
  - length, 9
  - space, 9
  - transformation, 74–76, 80, 104
    - conjugacy and, 104
    - definition of, 74
    - group of, 74–75
- field of view, 217
- filtering, 4
- first order algorithm, *see* algorithm, first order
- form, 12
- fundamental
  - line, 51
  - point, 51–53, 181, 182
    - definition of, 51
    - epipole as, 66–67
- gefährlichen Flächen, 25, *see* critical surface
- general position, 13–14
- generator, 60–61, 92–93, 131
  - definition of, 60
  - family of, 60, 85, 93
  - main, 92
  - projecting to epipole, 69, 202
  - skew quadrilateral of, 115
- geometry
  - analytic, 18
  - synthetic, 18
- gradient descent, 225
- Grassmannian variety, 190–191
- grey level, 2, 3, 5
- group law, 74
  
- harmonic homology, 82, 93
- Hauptzeugende, 92
- Hauptzeugenden, *see* generator, main

- homeomorphism, 8
- homography, 12
  - on twisted cubic, 96
- horopter curve, 61, 73, 94–114, 120, 130, 131
  - centre of, 98–100, 103, 105, 131
  - conjugate, 104–106
  - defining equations, 95
  - definition of, 94
  - examples of, 100–101
  - involution of, 94, 97–98
  - on rectangular quadric, 102–108
  - star generation, 94–95
- hyperbolic paraboloid, 26
- hyperboloid, 26
  - of one sheet, 26, 68, 69, 73, 114, 127
  - of two sheets, 26
- hyperplane, 9, 183, 190
  - at infinity, 11
- ideal, 186
- identity, 74
- image
  - correspondences, 4
    - degenerate, 66
  - deformation, 164–165, 169
  - difference, 120
  - displacement field, 8
    - dense, 8
  - formation, 6
  - motion, 8
  - noise, 119, 138
  - sequence, 120, 218
  - velocity field, 8
    - computer generated, 142, 218
    - decomposition of, 123, 125–126, 134, 135
    - definition of, 8
    - dense, 8, 124–126, 133–136
    - derivatives of, 162–170, 232, 233
    - estimation of, 5
    - irregular, 8, 120, 136, 138–144, 218–219, 232, 237–246
    - perturbation of, 142–144
    - smooth, 136, 138, 142–144, 147–150, 232, 238
- imaging surface, 17
- intersection
  - multiplicity, 11, 196
  - simple, 207
- inverse distance, 122
- inversion in the unit circle, 51–53
- invertible map, 50
- involution, 81–84
  - definition of, 81
  - example of, 81
  - fixed points of, 82
  - of conic, *see* conic, involution of
  - of horopter curve, *see* horopter curve, involution of
  - of rectangular quadric, *see* rectangular quadric, involution of
  - orthogonal, *see* absolute conic, involution of
  - skew, 82–83, 93, 97
  - trivial, 82
  - vertex of, 82
- Kruppa
  - equations, 179
  - method, 173–183
- Lagrange multipliers, 228, 230
- Laguerre formula, 80, 81
- least squares algorithm, *see* algorithm, least squares
- least squares error function, 234–246
- lens distortion, 6, 7
- line
  - at infinity, 52
  - notation  $\langle \cdot, \cdot \rangle$  for, 9
  - pair, 13
  - real, 13
- linear system, 120, 137, 153–162
- manifold, 195, 196
- map making, 3
- matrix, 9
  - adjoint, 167
  - antisymmetric, 10, 21
  - diagonal, 9
  - invertible, 10
  - norm, 10, 219
  - orthogonal, 11, 38–39
  - pseudo-inverse of, 234, 240, 241

- rank, definition of, 210
- symmetric, 10, 45–46
  - eigenvalue of, 45
  - eigenvector of, 45
- motion constraint equation, 5
- node, 96, 167, 168
- Noether's Theorem, 161
- norm, 9
  - Euclidean, 9, 74
  - Frobenius, 219, 220
  - matrix, *see* matrix, norm
  - properties of, 9
- null space, 10
- Nullstellensatz, 213
- $O()$ , 137
- obstacle, 169
- open set, 124
- optic nerve, 2
- optical
  - centre, 4, 6
  - flow, 5
- order notation, *see*  $O()$
- origin, 9, 19
- orthogonal projection, 7
- pencil
  - definition of, 12
  - of lines, 12
  - of planes, 12
- photogrammetry, 1–2, 5, 25, 94
- pixel, 2
- plane
  - at infinity, 11
  - pair, 60, 88, 128
  - reconstruction of, 133–134
- polar coordinates, 52
- polar line, 76–78
- polarity, 76, 77
- pole, 76
- polyhedron, 120, 218
- polynomial ring, 185
- prime ideal, 186
- principal point, 85–87, 127
  - definition of, 85
  - horopter curve containing, 102–106
  - tangent plane at, 91
- projection
  - plane, 6, 18
    - position of, 6
  - sphere, 6–7, 18
- projective
  - plane, 6, 18
  - space, 11
- quadratic
  - form, 177
  - transformation, 50–54, 67–69, 177, 180–182
    - resolution by, 52
    - standard, 51
- quadric, 192–194
- quadric surface, 60–61, 84–85, 92–93
  - classification by
    - collineation, 26
      - real affine collineation, 26, 88
    - critical for reconstruction, 25–26, 73, 128
  - curves on, 85
  - equation of, 85
  - real, 26
  - singular, 60, 85
- quartic plane curve, 120, 136–162, 174, 203, 206–210
  - cubic factor of, 139–140, 152–153
  - least squares and, 235–236
  - linear factor of, 120, 136, 139, 142–144, 147, 152
  - linear system of, 120, 153–162
  - non-singular, 154, 157–158
  - perturbation of, 142–144
  - quadratic factor of, 120, 136, 142
  - stability of, 120, 148–150, 152
  - symmetric base points and, 144–154
- quaternion, 17, 225–227
  - inverse, 226
  - multiplication, 226
  - norm, 226
  - representation of rotation, 226
  - scalar part, 225
  - unit, 225–227
  - vector part, 225
- radical ideal, 186

- range, 10  
 rational map, 50, 191  
 reconstruction, 1, 3–5, 8, 19, 119–170  
   algebraic nature of, 38, 42, 173, 225  
   algorithms for, 218, 224, 232–252  
   complex, 173, 183, 203, 215  
   curve based, 3, 4  
   degree of, 173–174, 190, 191, 203, 211  
   essentially different, 22, 25, 28, 36, 50  
   feasible, 122  
   from minimal data, 123, 173–215  
   general principals of, 217  
   grey level based, 4  
   horopter curve and, 99, 106–114  
   instability of, 27, 119–120, 217–218  
   line based, 3, 4  
   maximum number of, 28–35, 133–136, 183, 192  
   up to collineation, 7, 8, 17, 18, 42, 62–70, 114–118, 173, 174, 198–202  
 rectangular hyperboloid, 114, 120  
   of one sheet, 126  
 rectangular quadric, 73, 84–94, 102–110, 112–123, 127–128  
   absolute conic and, 85  
   characterisation of, 87–91  
   definition of, 85  
   involution of, 91–94  
   pencil of, 113  
 resultant, 206  
 rigid displacement, 74, 76  
   definition of, 74  
   essentially different, 22  
   extension to  $\mathbb{P}^3$ , 74  
 rigid motion, 74  
 rigidity assumption, 3  
 Rodrigues' formula, 39, 88  
 rotation, 11, 19  
 row vector, 9  
  
 scalar, 9  
 segmentation, 3  
 sextic plane curve, 174, 180, 181  
   singular point of, 182  
 shear, 165  
 shift, 164  
 singular point, 128, 189  
   definition of, 188  
   example of, 189  
   of a critical surface, 128  
   ordinary, 52  
   resolution of, 52  
 singular value, 219  
   decomposition, 8, 44, 219–224  
   definition of, 44  
   of an essential matrix, 44  
 $SO(3, \mathbb{C})$ , 187  
 space curve, *see* curve, space  
 spherical polar coordinates, 168  
 spurious solution, 174, 181, 183, 203, 211  
 star, 12  
   definition of, 12  
   generation, 94  
   of lines, 12, 17, 94  
 Steiner's Theorem, 114  
 stereoscopic plotter, 2  
 stereoscopic vision, 2  
 Sturm's method, 199  
 surface  
   algebraic, 13  
   real, 13  
   singular point of, 13  
 SVD, *see* singular value decomposition  
 $\text{sym}()$ , 10  
  
 tangent  
   line, 12, 13  
   plane, 13  
   space, 187–189, 196  
 Taylor coefficient, 163, 166, 170  
 Taylor series, 148, 163, 166, 188, 225, 227, 231, 249  
 tensor product, 9  
 time to contact, 120, 162, 169–170  
 $\text{tr}()$ , 10  
 trace, 10  
 transversality, 195–198, 207  
 triangle inequality, 9  
 twisted cubic, 94–101, *see* horopter curve  
   (2,1) curve, 85  
   collineation of, 96  
   definition of, 68

- in a critical surface, 116–118
- in a quadric surface, 116
- parameterisation of, 95
- projection of, 96
- projective structure on, 96
- star generation of, 94
- twisted pair, *see* ambiguity in reconstruction, twisted pair
- vector product, 9
- virtual quadric, 26
- vorticity, 165
- weighting, 227