

Subject Index

- α -tocopherol 147
- 5 α -cholestane-3 α ,7 α -diol
- 12 α -hydroxylase
 - bile acids 606–608
 - cytochrome b5 607
 - diabetes 606–607
 - inhibitors 607
 - purification and properties 607
 - starvation 607
 - thyroidectomy 607
- A ring aromatization 611
- acetaminophen 243, 247, 261, 269
- acetone 9
- 3-acetylpyridine adenine dinucleotide phosphate 16, 20
- ACTH – see corticotropin
- active oxygen 6, 7, 145–154
- 2,5'-ADP-Sepharose 4B 17, 40
- adrenodoxin 62, 538–539, 552
- adrenodoxin reductase 62, 538–539
- Adx – see adrenodoxin
- affinity labeling 17-(Bromoacetoxy)-progesterone
- afatoxin 242
- Ah (arylhydrocarbon) receptor
 - 495–497, 507–509
- aldosterone 641
- aldosterone synthetase – see CYP11B2
- alkyl halides cleavage 94
- allelic variants 217–218
- allylic hydroxylation 96
- allylisopropylacetamide 262
- anaerobic titration 19
- androstenedione 611
- androstenedione 7 α -hydroxylation
- angiotensin II 641
- aniline 226
- antibodies 239
- arachidonic acid 135–136, 228
- arnt 513–514
- aromatase – see CYP19
- ascorbate 145, 147
- avian, P450 – also see CYP2H1 and CYP2H2
- 2E 266–270
- dexamethasone treatment 270
- induction, phenobarbital 260
- MC treatment 266
- uroporphyrinogen oxidation 265
- azidowarfarin – see photoaffinity labeling
- azole
 - compounds 671–672
 - inhibition 671–672
- β -naphthoflavone – see P450 induction
- 11 β -hydroxylase deficiency – see CYP11B1 and CYP11B2
- B. megaterium
 - barbituate induction 516
- benzo(a)pyrene 266 – also see P450 induction
- benzphetamine 266, 261
- beta-carotin 147
- bile acids
 - biosynthesis 129–130, 705–707
 - hydroxylase 132–134
- binary complex 72, 584, 586
- BP – dependent regulatory region 514
- BP – see benzo(a)pyrene also P450 induction
- brain, P450
 - arachidonic acid 392
 - induction 391
 - mitochondrial 387, 391–392
 - multiple forms 388
 - steroid metabolism 388–393
- 2-bromo-4'-nitroacetophenone 549
- bufuralol 437
- C20,22 desmolase – see CYP11A1
- caffeine 242
- calciferol 677
- cAMP responsive element [CRE] 9, 668
- carbon-carbon cleavage 123
- carbon hydroxylation 91

- carboxyls neutralization 529
 catabolic reactions 124
 catalase 145
 cerebrotendinous xanthomatosis
 710–714
 charge neutralization 529, 533
 charge pairing interactions 42, 528,
 550–551
 adrenodoxin-P450 552
 ionic strength 534–536, 651
 reductase-P450 551
 chemical inducers of P450 229 – also
 see P450 induction
 chemical probes 547–560
 modification of amino groups 549,
 552
 modification of bacterial P450
 553–554
 modification of carboxyl groups 40,
 531–533
 modification of cysteine residues
 548–549
 modification of histidine residues
 549
 modification of tyrosine residues 550
 chick hepatocytes 262
 inducers of P450 262
 chimeric protein 65
 cholesterol 7 α -hydroxylase – see CYP7
 cholestyramine 601, 605
 chlorzoxazone 247
 cis-regulatory sequences 498
 citrulline 719–721
 clofibrate – see P450 induction
 cluster model – see NADPH
 Cytochrome P450 reductase – also
 P450 interaction
 CO inhibition 722–723
 colonic mucosa microsomes 363–371
 human 364
 induction 363–364
 substrate metabolism 365–366
 complementary charge pairing – see
 Chapters 34, 35
 congenital adrenal hyperplasia 644, 695
 corticosterone 641
 corticosterone methyloxidase II
 deficiency 641, 644–646
 corticotropin 641, 656–657
 cortisol 641
 COS cells – see monkey kidney COS
 cells
 CRE – see cAMP responsive element
 cross-linked complexes 40, 528–530,
 552
 cumene hydroperoxide 7, 113
 Cushing's disease 671
 cutin 299
 cyanogenic glucosides 300–304
 cyclic AMP-dependent protein kinase
 561
 cycloheximide 264
 cyclophosphamide 367
 CYP1A1
 cell culture 403–404
 development 464
 gene 493–497, 509–515
 glucocorticoid regulatory element
 (GRE) 509
 heme adducts 173–178
 induction 221, 364, 382, 493,
 503–514
 lung 382
 senescence 481
 substrate site 178
 XRE 494–497
 CYP1A1, fish
 induction 284–285
 CYP1A1, human
 cancer 240–241
 cDNA 240–241
 colon mucosa 366
 gene 240–241
 induction 240–241
 CYP1A1, rabbit 229–233
 lung 375, 378–379
 Cyp1a-1 229–233
 induction 233, 494
 regulation 233
 CYP1A2
 cell culture 221
 development 221
 gene 509–515
 induction 221, 493, 510–514
 lung 221
 protein kinase C 567
 site directed mutagenesis 172
 substrates 232
 CYP1A2, chicken 267–269
 CYP1A2, human
 cDNA 242
 gene 242
 substrates 241–242
 CYP1A2, rabbit 229–233, 355
 Cyp1a-2 229–233
 CYP2A1
 3-methylcholanthrene induction 224
 Aroclor 221
 development 224
 phosphorylation 566
 sex specific suppression 462
 thyroidectomy 463

- CYP2A2
 - development 224
 - male specific 224, 463
- CYP2A3 357
 - induction 382
 - lung 382
- Cyp2a-3 229–233
- Cyp2a-4
 - cytochrome b5 567
 - site-directed mutagenesis 9, 163
- Cyp2a-5
 - site directed mutagenesis 9, 163, 172
- CYP2A6, human
 - cDNA 242
 - gene 243
 - polymorphism 243
 - substrates 242–243
- CYP2A7, human 243
- CYP2B1
 - Aroclor inducible 224
 - constitutive expression 497
 - gene 496–498
 - heme loss 570
 - hypophysectomy 451, 498
 - lung 281
 - phenobarbital inducible 224
 - phosphorylation 566
 - transcriptional activation 515
 - upstream promoter region 497
- CYP2B1, human
 - colon mucosa 366
 - senescense 481
- CYP2B2
 - Aroclor 224
 - gene expression 497
 - hypophysectomy 451, 498
 - phenobarbital inducible 224
 - phosphorylation 566
 - transcriptional activation 515–516
 - thyroid hormone 454–455
- CYP2B4, rabbit 229–233, 355
 - cyclic-AMP-dependent protein kinase 565
 - lung 375–378
 - lys384 555
 - phosphorylation 562, 564–571
 - reduction, ionic strength 534–536
- CYP2B6, human
 - cDNA 244
- CYP2B7, human
 - cDNA 244
- CYP2C3, rabbit 229–233
- CYP2C5, rabbit 173, 299–233, 700–701
- CYP2C6
 - development 468
 - phenobarbital 224
 - phosphorylation 566–570
- CYP2C7
 - developmental regulation 465
 - diabetes 224, 465
 - ethanol 224
 - growth hormone 451, 465
 - phosphorylation 566
- CYP2C8, human
 - cDNA 245
- CYP2C9, human
 - cDNA 245
 - colon mucosa 366
 - mephenytoin metabolism 440
- CYP2C11
 - allozymic forms 466
 - development 467
 - growth hormone 450–451
 - hormonal regulation 225
 - hypophysectomy 449
 - male specific 224–225, 447–449, 466–467
 - neonatal imprinting 467
 - phosphorylation 566
- CYP2C12
 - female specific 224–225, 447–449, 467
 - growth hormone 450–451, 467
 - hypophysectomy 449, 467
 - maturation 467
 - protein kinase C 567
 - senescent male 467
- CYP2C13 224–225, 465–466
 - hormonal regulation 225
 - male specific 225, 465
- CYP2C17–19, human
 - cDNA 245
- CYP2C22
 - growth hormone 451
- CYP2D1
 - development 225
 - polymorphism 225, 434
- CYP2D2 225
- CYP2D6, human
 - allelic variants 436–437
 - chromosome location 246, 434
 - debrisoquine phenotype 246
 - polymorphism 246, 434
 - pseudogenes 246, 434
- Cyp2d-9 229–233
- CYP2E1
 - brain 388–389
 - degradation 570
 - development 468
 - diabetes 225, 469
 - growth hormone 469

- heme loss 570
- induction 225
- phosphorylation 566
- regulation 517
- starvation 225
- transcriptional activation 137
- CYP2E1, human
 - cDNA 247
 - colon mucosa 368
- CYP2E1, rabbit 229–233, 355
- CYP2E2, rabbit 229–233, 357
- CYP2F1, human
 - cDNA 247–248
 - chromosome 248
 - lung 247–248
- CYP2G1, rabbit 352–357
 - catalytic properties 354
 - cDNA 353
- CYP2H1 261
- CYP2H2 261
- CYP2H1/2
 - half-life 264
 - heme regulation 263
 - inducing chemicals 262–263
 - mechanism of induction 262–263
- CYP3A1
 - cDNA 248
 - dexamethasone 225, 248–249
 - induction 225, 469
 - nifedipine 248
 - PCN 225
- CYP3A2
 - dexamethasone 225
 - growth hormone 469
 - hypophysectomy 451–452
 - induction 225
 - male specific 248, 469
 - PCN 225
- CYP3A3, human
 - drug substrates 249
 - gut 249
- CYP3A6, human
 - fetal liver 248
- CYP3A6, rabbit 229–233
- CYP3A9 357
- CYP4A1
 - clofibrate 226
 - senescence 481
- CYP4A2 226
- CYP4A3
 - streptozotocin 226
- CYP4A5 488–489
- CYP4A6 488–489
- CYP4A7 488–489
- CYP4B1, rabbit 229–233, 355
 - lung 375, 377–378
- CYP4B1
 - cDNA 382–383
 - lung 382–383
- CYP4B4, rabbit
 - lung 379
 - pregnancy 379
 - prostaglandin hydroxylation 379
- CYP4C1, cockroach
 - cDNA 313
 - fatty acid oxidation 313
 - gene 313
 - induction 313
- CYP4D1, fruitfly
 - cDNA 313
- CYP6A1, housefly
 - gene 312
 - induction 312
- CYP6A2, fruitfly
 - cDNA 312
 - gene 312, 319
- CYP6B1, caterpillar
 - cDNA 313
 - gene 313
 - xanthotoxin induction 313
- CYP7
 - 7 α -hydroxylase 562–564, 601–602
 - bile acids 601
 - cDNA 603
 - cholesterol 601, 605
 - cholestyramine 605
 - dexamethazone 605
 - diurnal variation 601, 604
 - evolutionary distance 604
 - feedback inhibition 605
 - gene 604
 - half-life 564, 605
 - phosphorylation 562–564, 606
 - pregnenolone-16 α -carbonitrile 605
 - properties 603
 - purification 603
 - regulation 601, 604–606
- CYP11A1
 - adrenodoxin binding 552
 - binding of substrate 653
 - biochemistry 656
 - brain 391, 657
 - charge pairing interactions 538–541, 651–653
 - component interactions 651–653
 - conserved residues 654
 - deficiency 658–659
 - gene 657–659
 - inhibitors 653
 - mechanism 651–653
 - phosphorylation 562, 571–573
 - proteolytic processing 573–574

- reconstituted systems 654
- regulation 656–657
- sequence comparisons 654–656
- solubilization 654
- translocation 574, 653–654
- solubilization 654
- translocation 574, 653–654
- CYP11B1
 - biochemistry 641–643
 - cortisol 641–642
 - genes 643
 - genetic disorder 644–645
 - mutations 646–648
 - signal peptide 641–643
- CYP11B1 regulation
 - ACTH 643
 - adrenodoxin 572
 - angiotensin II 643
 - cAMP 643
 - phosphorylation 562, 571–574
 - proteolytic processing 573–574
- CYP11B2
 - aldosterone 641–642
 - biochemistry 641–643
 - deficiency 645–646
 - mutations 646–648
 - signal peptide 641–643
- CYP11B2 regulation
 - angiotensin II 643
- CYP17
 - biochemistry 670–671
 - cAMP responsive elements 668–669
 - development 667–668
 - feedback regulation 671
 - gene 668–669
 - inhibitors 671
 - localization 667–668
 - regulation 668
 - senescence 667
 - sequence alignments 669
 - signal sequence 669
 - species 668
 - substrate binding site 670
 - suppression 671
- CYP19
 - aromatase 611
 - brain 389–390, 611–612
 - cDNA 613–615
 - gonads 612
 - human adipose 612, 619–620
 - human gene 615
 - location 641
 - membrane anchor 615
 - pathology 612
 - promoter sequences 618–622
 - reaction 611
 - regulation 618
 - site directed mutagenesis 171–172
 - species comparison 613–614
 - substrate binding pocket 613
 - substrates 611
- CYP19, chicken 271
- CYP21A1, bovine 172
- CYP21A2
 - adrenal 696
 - biochemistry 693
 - cDNA 693–694
 - CYP2C5 701
 - deficiency 695–700
 - gene 694
 - regulation 700
- CYP27
 - 26-hydroxycholesterol 708
 - 26-hydroxylation 712–713
 - bile acid synthesis 706–707
 - biochemistry 709–711
 - cholesterol 679
 - posttranslational modification 711
 - purification 708–711
 - regulators of cholesterol 708
 - signal sequence 710
 - vitamin D3 25-hydroxylation 708–712
 - vitamin D3 metabolism 707
- CYP51A1
 - gene 336
 - lanosterol oxidation 334
- CYP52A1 336–337
 - fatty acid hydroxylase 337
 - gene 337
- CYP52A2 337
 - alkane hydroxylase 337
 - gene 337
- CYP52A3 337
- CYP52A4 337
- CYP52A5 337
- CYP52A6 337
- CYP53 340
- CYP55 341
- CYP56 338
- CYP57 340
- CYP70 341
- CYP71A1
- CYP101 327–328
 - crystal structure 1, 156–158
 - oxygenated 6
 - phosphorylation 572
 - site-directed mutagenesis 186–188
 - substrate access channel 158
 - three-dimensional structure 169–170
 - uncoupled 8

- CYP102
 fatty acid hydroxylation 329
 gene 329, 516
 reductase 329–330
- CYP105
 gene 330
- CYP105C1 331, 516
- CYP106 330
- CYP107 332–333
- cytochrome b5 16, 79, 148
 charge neutralization 529–530
 charge pairing 528–530
 heterodimer complex 586
 P450 interaction 16, 528–530
 phosphorylation 567
 reduction 40, 148
 substrate turnover 8, 79, 148
- cytochrome c 16, 20, 35
- cytochrome P450 – see P450
- 1,25(OH) 2 D – see CYP27
- deakylations 93
- debrisoquine 246
- debrisoquine polymorphism 434
 consequences 438
 interethnic variation 438
 poor metaboliser phenotype 434
 variant alleles 435–437
- dehydrohalogenation 94, 95
- dexamethasone 404, 605 also see P450
 induction
- DHL – see dihydrolanosterol
- diamantane diazirine 185
- dibutyryl cyclic AMP 568–570
- dichlorophenolindophenol (DCPIP)
 16, 20, 35
- 2,2-diethyl-4-pentenamide 174
- diethylnitrosamine 286
- diethylpyrocarbonate 549
- dilauroylglyceryl-3-phosphatidylcholine
 (DLPC) 71–73
- dimethylnitrosamine 269
- dimethyl sulfoxide – see P450 induction
- dioxin-responsive elements 513
- dioxygen 4, 105, 113–115
 activation energy 105
 heterolytic cleavage 7, 113–115
 homolytic cleavage 113–115
- 5,5'-dithiobis (Z-nitrobenzoate) 45
- dithiobisnitrobenzoic acid 548
- DLPC – see dilauroylglyceryl-3-phosphatidylcholine
- DRE – see drug regulatory element
- Drosophila melanogaster* P450 – see CYP6A1
- drug metabolism polymorphisms
 435–439
- drug regulatory element 9
- DTNB – see dithiobisnitrobenzoic acid
- ecdysone
 phosphorylation 573
- EDC – see 1-ethyl
 3-(3-dimethylaminopropyl)
 carbodiimide
- EET – see arachidonic acid
- electron
 abstraction 92
 spin resonance 6
 transfer 21–27
- electrostatic interactions 80–81,
 651–652
- enzyme substrate complex 106
- epinephrine phosphorylation 571
- ESR (electron spin resonance) 107
- estrogen biosynthesis – see aromatase
- ethanol
 metabolism 136–137
 also see P450 induction
- ethoxycoumarin 226, 242
- 1-ethyl 3-(3-dimethylaminopropyl)
 carbodiimide (EDC) 529, 531, 534
- evolutionary distance 212
- extension peptide – see mitochondrial
 P450 import signal
- FAD – see NADPH – cytochrome P450
 reductase
- fatty acid metabolism 297–300
- ferredoxin
 binding 61, 533, 651–653
 reductase 651–653, 681
- ferricyanide 16, 18, 20, 35
- ferryl oxygen 105
- fish, P450
 2E1 286
 distribution 286–287
 evolutionary development 283–284
 genes 283–286
 inducers 281, 284–285, 287
 species 279–291
 steroid 6 β -hydroxylase 286
 substrates 279–280
- FITC – see fluorescein isothiocyanate
- fluorescein isothiocyanate 533, 540,
 549–551, 555
- FMN – see NADPH cytochrome P450
 reductase
- formic acid 611, 627, 632
- free polysomes 63
- fungal, P450 338–342 also see CYP53,
 CYP57, CYP70

- gene disappearance – see pseudogene
- gene expression, regulation
 - glucocorticoid responsive element (GRE) 285, 494–495, 576
 - receptor protein 495–497
 - silencer element 494–495
 - xenobiotic responsive element (XRE) 494–495
- genetic polymorphism 215
- glucagon 570
- glucocorticoid responsive element (GRE) – see gene expression, regulation
- glutathione peroxidase 145
- glutathione 147
- glutethimide 262, 264
- GRE – see glucocorticoid responsive element
- growth hormone 405
- H4IIEC3 Reuber hepatoma – see mammalian cell lines
- heat shock protein (hsp) 496–507
- heme adducts 177
- heme thiolate ligand 113–114
- HepG2 human hepatoma – see mammalian cell lines
- HETE – see arachidonic acid
- heteroatom oxygenation 91–94
- hormonal regulation 127–129, 228–229
 - androgen 447–448
 - gonadotropin 656–657
 - growth hormone 449–453
 - thyroid hormone 454–457
- hsp90 – see heat shock protein
- hydrogen peroxide 7, 145–147
- hydroperoxides 7
- hydrophobic interactions 583
- hydrophobicity 156
- hydroxyl radical 145
- 18-hydroxylase – see CYP11B2
- 21-hydroxylase, deficiency – see CYP21A2
- 21-hydroxylase – see CYP2C5, rabbit
- 25-hydroxylase 679
- 26-hydroxylase (27 hydroxylase) – see CYP27
- 25-hydroxyvitamin D-1 α -hydroxylase
 - amino terminal sequence comparison 683–684
 - biochemistry 685–687
 - extrarenal 681
 - isolation and reconstitution 681
 - metabolic control 679–681
 - regulation 680, 683
 - sequence alignment 684
 - species 681
 - vitamin D metabolism 677–680
- hyperaldosteronism 644–646
- hypervalent oxygen 98–99
- import signal sequence – see mitochondrial P450 import signal
- induction of P450 – see P450 induction
- insect expression system
 - Baculovirus 320
- insect, P450 – also see CYP6A1, CYP6A2, CYP6B1, CYP4C1, CYP4D1
 - ecdysteroid metabolism 315–317
 - fatty acid metabolism 318
 - inducers 314–315, 319
 - inhibitor 318
 - insecticide resistance 315
 - juvenile hormone biosynthesis 318
 - pheromone biosynthesis 318
 - sequence alignment 312
- insecticides 319
- insertion peptide 574
- iodosylbenzene 113
- ionic strength 534–536
 - electron transfer 534–536
 - salt bridging 534–536
- 4-ipomeanol 232
- iron sulfur protein – see ferridoxin
- isoniazid 9, 225
- 2-isopropyl-4-pentenamide 174
- Klinefelter's syndrome 673
- L-arginine 719–720
- lanosterol 14 α -demethylase (P45014DM) 627–639
 - computer modeling 629–630
 - deduced sequences 629–631
 - mechanism 631–635
 - properties 627–631
 - sources 627
 - substrate binding 633–635
 - substrate specificities 635–637
- lateral diffusion – see membrane topology and phospholipids
- Lauric acid 228
- leader sequence – see mitochondrial P450 import signal
- lipid polymorphism 586
- lipid-protein interactions
 - microsomal membrane 581–587
- lung, P450 373–386
 - P450 forms 374–376
 - substrate specificities 380–382
- lysine neutralization 529–533

- mammalian cell lines
 chinese hamster ovary (CHO) 422
 H4IIEC3 Reuber hepatoma
 405–406, 510–512
 HepG2 406–407, 422
 human B-lymphoblastoid (AHH1)
 423
 monkey kidney (COS) 421–422,
 679, 710
 mouse 10T1/2 423
 mouse NIH 373, 423
 V79 chinese hamster 422
- MC – see 3-methylcholanthrene
- mechanism-based inactivation 173–178
 heme alkylation 173
 olefins, alkylation 173
- membrane-binding peptide 37, 537,
 556
- membrane bound ribosomes 63
- membrane topology
 P450 582–583
 reductase 582–583
 rotational diffusion 656
- menadione 16, 20, 35
- mephenytoin polymorphism
 poor metaboliser 439
 stereospecificity 439
- 2-methoxy-5-nitropropone (MNT) 534,
 551
- methylamidation 40, 531, 533 – see
 also chemical probes
- 3-methylcholanthrene 464
- 3MC – see 3-methylcholanthrene also
 P450 induction
- 4-methylpentanal 652
- mevalonate 603
- mitochondrial lipid
 asymmetric distribution 589
 composition 589
 lipid protein interactions 589–591
- mitochondrial P450 – see also CYP11A1,
 CYP11B1, CYP11B2, CYP27
- adrenodoxin 61
 biosynthesis 62–63
 electrons from NADPH 61
 import signal 63–66, 669
 inner membrane 62
 leader sequences 63, 710
 mature forms 61–63, 654
 nuclear genes 62–63
 precursor proteins 62, 654
 proteolytic processing 573–574
 protein interaction 538–539, 552
 translocation 66, 574
- mitotane 262
- mitomycin C 35
- MNT – see 2-methoxy-5-nitropropone
- monkey kidney COS cells – see
 mammalian cell lines
- monooxygenases
 definition 3
 reaction 4
 uncoupling 7–8, 147–150
- mutagenesis, site directed
 CYP101 8, 186–188
 Cyp2a-4 9, 163
 Cyp2a-5 9, 163
 CYP19 171–172
- N-oxide 92
- N-phenylprotoporphyrin IX 174–176
- NADPH-cytochrome c reductase 16
- NADPH cytochrome P450 reductase
 15–34, 35–59, 293–294
 absorption maxima 17, 20
 acidic amino acids 40
 acidic clusters 40–42, 530–533
 air-stable semiquinone 17, 47
 amino acid sequence 35–36
 apoflavodoxin treatments 20
 binary complex – see – P450
 interaction
 chemical modification 40–41
 cross-linking 40
 cytochrome b5 complex 40
 cytochrome b5 interaction 531
 detergent solubilized 16
 developmental regulation, different
 species 35–59
 electron transfers 16, 20, 27
 FAD binding domain 36, 42–43
 flavin adenine dinucleotide [FAD]
 15, 37
 flavin mononucleotide [FMN] 15, 37
 flavin reductase potentials 19–20
 FMN/FAD depleted [KBr treatment]
 20
 FMN binding domain 38
 gene regulation 48–52
 hydrophobic amino terminal fragment
 16
 interflavin electron transfers 22
 intramolecular electron transfer 20,
 46–48
 membrane binding domain 37, 537
 molecular weight 17, 35
 NADPH binding domain 44–46
 P450 interaction 6, 72–76, 80–81,
 531–533, 584–585
 purification 17
 reduction 21, 23, 28
 sequence alignment 38, 43–44

- sequence similarity 35–59, 314
- trypsin solubilization 16
- nitric oxide synthase (NOS) 719–728
 - brain 720
 - characterization 721–723
 - CO inhibition 721–723
 - macrophage 720
 - mechanism 719–721, 724
 - P450 reductase 720
 - sequence alignment 723
 - substrate 719–721
- nitro blue tetrazolium 16
- nitro reduction 29
- NOS – see nitric oxide synthase
- olfactory mucosa, P450 351–361 – also see CYP2A3, CYP2G1, CYP3A9
 - different species 356–358
 - rabbit 352–355
- orthologous genes 217
- orthologs 216
- oxidations – olefins, acetylenes, aromatic 96–98
- oxy-P450 – see P450 oxygenated
- oxyferrous P450 – see P450 oxygenated
- p-chloromercuribenzoate [PCMB] 6
- PDX – see putidaredoxin
- P450
 - 14DM – see lanosterol
 - 14 α -demethylase (P45014DM)
 - aggregation state 584–586
 - aromatase – see CYP19
 - CAM – see CYP101
 - cycle 6
 - cysteine-containing segment 212
 - cytochrome b5 binary complex 40, 528–530
 - evolution 211–216
 - family and subfamily 216–218
 - gene polymorphisms 433–446
 - heme N-alkylation 174–177
 - hydrogen abstraction 90–91
 - hydrophobicity profile 159–160
 - membrane stabilization 857
 - neonatal imprinting 461–462, 464
 - nomenclature 216–218
 - oxygenated 7, 111–113
 - polymorphisms 215, 433–442
 - redox route 556
 - reduction 99
 - secondary structure 156
 - senescence 477–492
 - sequence alignment 170, 188–194, 197–222
 - sex specific 461
 - structural homology 161
 - substrate and inhibitor design 195–204
 - tertiary structure 156
 - three-dimensional models 159
- P450 active site
 - model 173–178, 183–188, 198–199
 - perimeter 178
- P450 expression systems
 - E. Coli 419
 - insect cells 320
 - mammalian cells – see mammalian cell lines
 - yeast 420–421
- P450 heterologous expression 415–429
 - cDNA library 415–416
 - expression vector 418–423
- P450 induction
 - 2,3,7,8-tetrachlorodibenzodioxin (TCDD) 281, 284–285, 374, 493, 496, 506–507, 605
 - 3-methylcholanthrene (3MC) 224, 464, 486–488, 493
 - 7,8-benzoflavone 312
 - acetone 9
 - Aroclor 221, 224, 284–285, 357
 - β -naphthoflavone 221, 281–285, 364, 488
 - benzo[a]pyrene 266, 493
 - clofibrate 266, 499
 - DDT 312
 - dexamethesone 225, 248–249, 270, 285, 404, 605
 - dieldrin 312
 - dimethyl sulfoxide 225
 - ethanol 136–137, 224–225, 269–270, 286
 - hormones 313
 - isosafrole 464, 487–488
 - macrolide antibiotic 225
 - mechanism 505–507
 - naphthalene 312
 - phenobarbital 224, 312, 364, 403, 486–488, 497, 515–517
 - polycyclic aromatic hydrocarbons 281–285, 503
 - pregnenolone-16 α -carbonitrile (PCN) 286, 605
 - pyrazole 9, 225
 - receptor protein 495–496
 - starvation 313
 - transcriptional regulation 493–501
 - xanthotoxin 313
- P450 oxygenated 6, 7, 113
 - hydrogen abstraction 116
- P450 reduction 6, 20, 24, 28

- cluster model 111
- redox coupling model 112
- sequential spin state model 112
- P450 regulation 127–128
 - gonadal hormone 447–449
 - growth hormone (GH) 127, 449–453
 - hypophysectomy 498
 - insulin 453–454
 - thyroid hormone 128, 453–455
- P450 substrate
 - access channel 158
 - binding site 184–185, 188–191
 - catalyzed redox cycling 147–149
 - chemical modification 40–41
 - detergent solubilized 16
 - endogenous 123–144
 - fatty acids 134–136
 - hydrogen abstraction 90–93
 - molecular modeling 202
 - oxidation 87–103
 - specificities 125–127
 - stereoselectivity 125–127, 188–191
 - steroids 128–131
 - turnover 115–116
- p-nitrophenol 261, 269
- PB – see phenobarbital
- PCN – see pregnenolone-16 α -carbonitrile
- PdX – see putidaredoxin
- pharmacophor models 200–205
- phenobarbital – see P450 induction
- phenyldiazene 174–175
- phenylhydrazine 174–175
- phenylpropanoids 296
- phospholipids 582
 - cholesterol 588
 - critical micellar concentration (CMC) 583
 - endoplasmic reticulum 582
 - phase transition temperature 583
 - protein lateral diffusion 583–588, 656
- phosphorylation – see protein phosphorylation
- photoaffinity labeling
 - 1-(4-Azidophenyl) limidazole 184–185
 - 3-(trifluoromethyl)-3-(m[125I]iodophenyl) diazirine 184–185
 - 4'-azidowarfarin 184–185
 - 6-azidowarfarin 184–185
 - 7-azidowarfarin 184–185
 - 8-azidowarfarin 184–185
 - 17 (Bromacetoxy)-progesterone 184–185
- phylogenetic trees 213–217
- phytoalexins 340
- plant, P450
 - isoforms 295
 - metabolism 299–302
 - multiple herbicide resistance 306
 - physiological substrates 296–305
 - specific content 295
 - subcellular localization 293
- polycyclic aromatic hydrocarbons – see P450 induction
- polymorphism, human
 - antipyrine 440–441
 - caffeine 440–441
 - debrisoquine 440–441
 - mephenytoin 440–441
 - nifedipine 440–441
 - tolbutamide 440–441
- poor metaboliser phenotype – see P450, polymorphisms
- post-translational modification – see protein phosphorylation, proteolytic processing, mitochondrial P450
- pregnenolone 641–652
- pregnenolone-16 α -carbonitrile 225
- primary hepatocyte cultures
 - changes in P450 level 400
 - different species 399–400
 - induction 403–405, 493–494
- processing protease 66 – also see proteolytic processing
- progesterone 641
- prokaryote, P450 325–334 – also see CYP101, CYP102, CYP105, CYP106, CYP107
 - Actinomycetes 330–334
 - Bacillus megaterium 329–330
 - Pseudomonas putida 327–329
- propylisopropylacetamide 262
- propylthiouracil 454
- prostaglandin 228, 233
- protein kinase C 561
- protein phosphorylation 561–573
- proteolytic processing 62, 573–574 – also see mitochondrial P450
- pseudogene 214, 646–647, 694 – also see CYP2D6
- putidaredoxin (PDX) 553 – also see ferredoxin
- pyrazole – see P450 induction
- pyridoxal 5'-phosphate 552
- pyrrole rings – see P450 heme N-alkylation
- QSAR – see Quantitative structure activity relationship

- Quantitative structure activity relationship (QSAR) 262
quinone reduction 29
- reactive oxygen – see active oxygen
reconstituted systems 71–85, 654
 binary complex 72–74
 detergents 78–79
 kinetics 71–76
 organic solvents 79
 role of lipid 73–74, 77–78
 vesicular system 81–82
redox cycling 35, 149–150
 benzene 150
 naphthalene 150
 quinones 150
 t-butyl-hydroxyanisole 150
redox potential 109–112
regulation of expression
 Cyp2E1 9
 mRNA stabilization 9
 P450 diabetes 9
 starvation 9
renal 25-hydroxyvitamin D-1 α -hydroxylase 677–691
restriction fragment length polymorphism 435
rotational diffusion – see phospholipids and membrane topology
- salt bridging – see charge pairing interactions
salt effects – see ionic strength
senescence 481–485
 human P450 486
 P450 metabolism 486
signal-anchor sequence 65, 156
silencer elements – see gene expression, regulation
singlet oxygen – see active oxygen
site-directed mutagenesis – see mutagenesis, site directed
spin equilibria
 thermodynamic parameters 108–109
spin state 6, 106–108, 656
 redox potential 109
starvation – see P450 induction
steroid 21-hydroxylase – see CYP21A2
succinic anhydride 552 – see also chemical probes
- suicide substrates
 10-undecynoic acid 185
 2-ethynyl-naphthalene 185
 chloramphenicol 185
 N-methylcarbazole 185
 pregn-4-en-20-yne-3-one 185
sulfoxides 92
superoxide anion – see active oxygen
- TCDD – see 2,3,7,8-tetrachlorodibenzo-p-dioxin
teleost, P450 279–291
temperature difference spectrum 108
terpenes 296–297
testosterone 226, 611
testosterone hydroxylation 125–126, 611–612
3,4,3',4'-tetrachlorobiphenyl 266
2,3,7,8-tetrachlorodibenzo-p-dioxin – see P450 induction
6(R)-tetrahydrobiopterin 723
tetrahydrocannabinol 233
tetranitromethane 551
theophylline 568
thiolate ligand 113
TNM – see tetranitromethane
triacyloleandomycin 225
trypsin 16
- vitamin D
 metabolism 677–691
- w and w-1 hydroxylation
 clofibrate 135
 fatty acids 134–136, 228
 induction 135
 prostaglandins 228
 regulation 135
warfarin
 regio-selective metabolism 190
 substrate 245
- xenobiotic responsive element (XRE) 285, 494–495
XRE – see xenobiotic responsive element
- yeast, P450 334–338 – also see CYP51 to CYP56
- zinc finger protein 497