

Literaturverzeichnis

- [1] S. Abiteboul and S. Grumbach. COL: A logic-based language for complex objects. Technical Report 714, INRIA, 1987.
- [2] S. Abiteboul and S. Grumbach. COL: A logic-based language for complex objects. In *EDBT*, pages 271–293, 1988.
- [3] S. Abiteboul and R. Hull. Data functions, datalog and negation. In *Proc. of the 17th ACM SIGMOD*, pages 143–153, 1988.
- [4] R. Agrawal and H.V. Jagadish. Direct algorithms for computing the transitive closure of database relations. In *VLDB*, 1987.
- [5] K.R. Apt, H.A. Blair, and A. Walker. Towards a theory of declarative knowledge. In J. Minker, editor, *Foundations of Deductive Databases and Logic Programming*. Morgan Kaufmann, 1988.
- [6] K.R. Apt and M.H. van Emden. Contributions to the theory of logic programming. *Journal of the ACM* 29, pages 841–862, (1982).
- [7] F. Bancilhon, T. Briggs, K. Khoshafian, and P. Valduriez. FAD, a powerful and simple database language. In *Proc. 13th. Int. Conf. VLDB*, pages 97–105, 1987.
- [8] F. Bancilhon and K. Koshafian. A calculus for complex objects. In *ACM Symp. on Principles of Database Systems*, pages 53–59, 1986.
- [9] F. Bancilhon, D. Maier, Y. Sagiv, and J. Ullman. Magic sets and other strange ways to implement logic programs. In *Proc. of the 15th ACM SIGMOD*, pages 1–15, 1986.
- [10] F. Bancilhon and R. Ramakrishnan. An amateurs introduction to recursive query processing. In *Proc. ACM Conf. on Management of Data*, pages 16–52, 1986.
- [11] C. Beeri. Data models and languages for databases. In *2nd. Int. Conf. on Database Theory*, pages 19–40, 1988.
- [12] C. Beeri, S. Naqvi, R. Ramakrishnan, O. Shmueli, and S. Tsur. Sets and negation in a logic database language (LDL1). In *ACM Symp. on Principles of Database Systems*, pages 21–37, 1987.
- [13] C. Beeri, S. Naqvi, O. Shmueli, and S. Tsur. Set constructors in a logic database language. Technical report, MCC, 1988.

- [14] C. Beeri and R. Ramakrishnan. On the power of magic. In *Proc. of the 17th ACM SIGMOD*, pages 269–283, 1987.
- [15] P. Bernstein, B. Blaustein, and E. Clarke. Fast maintenance of semantic integrity assertions using redundant aggregate data. In *Proc. 6th Int. Conf. VLDB*, pages 126–136, 1980.
- [16] K.H. Bläsius and H.-J. Bürckert. *Deduktionssysteme*. Oldenbourg, 1987.
- [17] W.W. Bledsoe. Splitting and reduction heuristics in automatic theorem proving. *Artificial Intelligence*, 2:55–77, 1971.
- [18] A. Borgida, T.M. Mitchel, and K. Williamson. Learning improved integrity constraints and schemas. in: *M. Brodie, J. Mylopoulos (eds.): On Knowledge Base Management Systems*, Springer:259–286, 1986.
- [19] K.A. Bowen. Programming with full first-order logic. *Machine Intelligence*, 10:421–440, 1982.
- [20] U.S. Chakravarthy, D.H. Fischman, and J. Minker. Semantic query optimization in expert systems and database systems. In *International Conference on Expert Database Systems*, pages 659–674, 1986.
- [21] A.K. Chandra and D. Harel. Horn clause queries and generalizations. *The Journal of Logic Programming*, 1:1–15, 1985.
- [22] C.-L. Chang and R.C.-T. Lee. *Symbolic Logic and Mechanical Theorem Proving*. Academic Press, 1973.
- [23] Q. Chen and G. Gardarin. An implementation model for reasoning with complex objects. In *Proc. of the 17th ACM SIGMOD*, pages 164–172, 1988.
- [24] K.L. Clark. Negation as failure. in: *H. Gallaire and J. Minker (eds.), Logic and Data Bases*, Plenum, New York:293–322, 1978.
- [25] V. Dahl. On database development through logic. *ACM Transactions on Database Systems*, 7:102–123, 1982.
- [26] C.J. Date. *An Introduction to Database Systems*. Addison-Wesley, 1981.
- [27] R. Davis. Diagnosis based on description of structure and function. In *Proceedings National Conference on Artificial Intelligence*, pages 137–142, 1982.
- [28] H. Decker. Integrity enforcement on deductive databases. In *1st International Conference on Expert Database Systems*, pages 271–285, 1986.
- [29] J. deJong and R. Mooney. Explanation-based learning: An alternative view. *Machine Learning*, 1:145–176, 1986.
- [30] J.P. Delgrande. Formal limits on the automatic generation and maintenance of integrity constraints. In *Proc. of the 16th ACM SIGMOD*, pages 190–196, 1987.

- [31] B. Dreben and W.D. Goldfarb. *The Decision Problem: Solvable Classes of Quantificational Formulas*. Academic Press, 1973.
- [32] T. Flanagan. The consistency of negation as failure. *J. Logic Programming*, 2:93–114, 1986.
- [33] A.L. Furtado, C.S. dos Santos, and J.M.V. de Castilho. Dynamic modeling of a simple existence constraint. *Inform. Systems*, 6:73–80, 1981.
- [34] H. Gallaire, J. Minker, and J.M. Nicolas. Logic and databases: A deductive approach. *ACM Comp. Surveys*, 16:153–185, 1984.
- [35] A. Van Gelder, K. Ross, and J.S. Schlipf. Unfounded sets and well-founded semantics for general logic programs. In *Proc. of the 17th ACM SIGMOD*, pages 221–230, 1988.
- [36] A. Van Geldern. Negation as failure using tight derivations for general logic programs. In *Proc. 3rd. IEEE Symp. on Logic Programming*, pages 127–138, 1986.
- [37] M.R. Genesereth. The use of design descriptions in automated diagnosis. *Artificial Intelligence*, 24:411–436, 1984.
- [38] J.A. Goguen and J. Meseguer. Unifying functional, object-oriented and relational programming with logical semantics. In *Research Directions in Object-Oriented Programming (B. Shriver, P. Wegner (eds.))*, pages 417–477, 1987.
- [39] P. Helmann and R. Veroff. Designing deductive databases. *J. of Automated Reasoning*, 4:29–68, 1988.
- [40] R. Hill. LUSH-Resolution and its completeness. Dcs memo no. 78, School of AI, Edinburgh University, 1974.
- [41] B.E. Jacobs. On database logic. *J. of the ACM*, 29:310–332, 1982.
- [42] M. Jarke and J. Koch. Query optimization in database systems. *ACM Comp. Surveys*, 16:111–152, 1984.
- [43] S. Karl and P.C. Lockemann. Design of engineering databases: A case for more varied semantic modelling concepts. Int. rep. 33/87, Fak. f. Informatik, University of Karlsruhe, 1987.
- [44] S.T. Kedar-Cabelli and L.T. McCarty. Explanation-based generalization as resolution theorem proving. In *Proc. 4th. Int. Workshop on Machine Learning*, pages 383–389, 1987.
- [45] M. Kifer and G. Lausen. F-logic: A "higher-order" logic for reasoning about object, inheritance, and schema. In *Proc. of the 18th ACM SIGMOD*, 1989.
- [46] M. Kifer and A. Li. On the semantics of rule-based expert systems with uncertainty. In *2nd. Int. Conf. on Database Theory*, pages 102–117, 1988.

- [47] M. Kifer, R. Ramakrishnan, and A. Silberschatz. An axiomatix approach to deciding query safety in deductive databases. In *ACM Symp. on Principles of Database Systems*, pages 52–60, 1988.
- [48] M. Kifer and J. Wu. A logic for object-oriented logic programming (maier's o-logic revisited). In *ACM Symp. on Principles of Database Systems*, 1989.
- [49] J.de Kleer and B.C. Williams. Diagnosing multiple faults. *Artificial Intelligence*, 32:97–130, 1987.
- [50] R. Kowalski. A proof procedure using connection graphs. *J. of the ACM*, 22:572–595, 1975.
- [51] R. Kowalski and D. Kuehner. Resolution with selection function. *Artificial Intelligence*, 2:227–260, 1970.
- [52] R. Kowalski, F. Sadri, and P. Soper. Integrity checking in deductive databases. In *Proc. 13th Int. Conf. VLDB*, pages 61–69, 1987.
- [53] R. Krishnamurthi, R. Ramakrishnan, and O. Shmueli. A framework for testing safety and effective computability of extended datalog. In *Proc. of the 17th ACM SIGMOD*, pages 154–163, 1988.
- [54] G. Kuper. Logic programming with sets. In *ACM Symp. on Principles of Database Systems*, pages 11–20, 1987.
- [55] G.M. Kuper and M.Y. Vardi. A new approach to database logic. In *ACM Symp. on Principles of Database Systems*, 1984.
- [56] C. Lècluse and P. Richard. Modeling inheritance and genericity in object oriented databases. In *2nd. Int. Conf. on Database Theory*, pages 223–238, 1988.
- [57] C. Lecluse, P. Richard, and F. VELEZ. O_2 , an object-oriented data model. In *Proc. of the 17th ACM SIGMOD*, pages 424–433, 1988.
- [58] J.W. Lloyd. *Foundations Of Logic Programming*. Springer, 1984.
- [59] J.W. Lloyd. *Foundations Of Logic Programming (2nd Ed.)*. Springer, 1987.
- [60] J.W. Lloyd, Sonenberg, and R.W. E.A.Topor. Integrity constraint checking in stratified databases. *J. Logic Programming*, 4:331–343, 1987.
- [61] J.W. Lloyd and R.W. Topor. Making prolog more expressive. *J. Logic Programming*, 3:225–240, 1984.
- [62] J.W. Lloyd and R.W. Topor. A basis for deductive database systems. *J. Logic Programming*, 2:93–109, 1985.
- [63] J.W. Lloyd and R.W. Topor. A basis for deductive database systems II. *J. Logic Programming*, 1:55–67, 1986.

- [64] D. Loveland. *Automated Theorem Proving: A Logical Basis*. North Holland, 1978.
- [65] E. L. Lozinskii. Evaluating queries in deductive databases by generating. In *IJCAI*, pages 173–177, 1985.
- [66] D. Maier. A logic for objects. In *Proc. Of The Workshop On Foundations Of Deductive Databases And Logic Programming*, 1986. 6-26.
- [67] J. Minker. Search strategy and selection function for an inferential relational system. *ACM Transactions On Database Systems*, 3, 1978. 1-31.
- [68] J. Minker. *Foundations Of Deductive Databases And Logic Programming*. Morgan Kaufmann, 1988.
- [69] J Minker. Perspectives in deductive databases. *The Journal Of Logic Programming*, 5, 1988. 33-60.
- [70] T.M. Mitchell, R.M. Keller, and S.T. Kedar-Cabelli. Explanation-based generalization: A unifying view. *Machine Learning*, 1, 1986. 47-80.
- [71] G. Moerkotte and S. Karl. Efficient consistency checking in deductive databases. In *2nd. Int. Conf. On Database Theory*, 1988. 118-128.
- [72] K.A. Morris. An algorithm for ordering subgoals in Nail! In *Proc. of the 17th ACM SIGMOD*, 1988. 82-88.
- [73] J.L. De Siqueira N. and J.-F. Puget. Explanation-based generalisation of failures. In *ECAI*, 1988. 339-344.
- [74] S. Naqvi. A logic for negation in database systems. In *Proc. Workshop On Logic Databases*, 1986.
- [75] D.S. Nau and J.A. Reggia. Relationship between deductive and abductive inference in knowledge based diagnostic problem solving. In *International Conference On Expert Database Systems*, 1986. 549-558.
- [76] W. Nejdl. Recursive strategies for answering recursive queries – The Rqa/Fqi-Strategy. In *Proc. 13th Int. Conf. VLDB*, 1987. 43-50.
- [77] J.-M. Nicolas. Logic for improving integrity checking in relational data bases. *Acta Informatica*, 18, 1982. 227-253.
- [78] J.-M. Nicolas and Gallaire H. Data base: Theory vs. interpretation. In: *H. Gallaire And J. Minker (Eds.)*, *Logic and Data Bases*, Plenum, New York, 1978.
- [79] J.M. Nicolas and K. Yazdanian. Integrity checking in deductive data bases. In: *H. Gallaire And J. Minker (Eds.)*, *Logic And Data Bases*, Plenum, New York, 1978. 325-344.
- [80] T. Przymusinski. On the semantics of stratified deductive databases and logic programs. *J. Of Logic Programming*, 1986. To Appear.

- [81] T. Przymusiński. On the declarative and procedural semantics of stratified deductive databases. In J. Minker, editor, *Foundations Of Deductive Databases And Logic Programming*. Morgan Kaufmann, 1988. 163-219.
- [82] R. Reiter. Deductive question-answering on relational data bases. In: *H. Gallaire And J. Minker (Eds.), Logic And Data Bases*, Plenum, New York, 1978. 149-177.
- [83] R. Reiter. On closed world data bases. In: *H. Gallaire And J. Minker (Eds.), Logic And Data Bases*, Plenum, New York, 1978. 227-253.
- [84] R. Reiter. Equality and domain closure in first-order databases. *Journal Of The ACM*, 27, 1980. 235-249.
- [85] R. Reiter. Towards a logical reconstruction of relational database theory. In: *M. Brodie, J. Mylopoulos, J.W. Schmidt (Eds.): On Conceptual Modelling*, Springer, 1984. 191-233.
- [86] R. Reiter. A theory of diagnosis from first principles. *Artificial Intelligence*, 32, 1987. 57-95.
- [87] R. Reiter. On integrity constraints. In M.Y. Vardi, editor, *Proc. Of The 2nd. Conf On Theoretical Aspects Of Reasoning About Knowledge*, pages 97-111. Morgan Kaufmann, 1988.
- [88] J.A. Robinson. A machine oriented logic based on the resolution principle. *J. Of The ACM*, 12, 1965. 23-41.
- [89] J.A. Robinson and L. Wos. Paramodulation and theorem proving in first order theories with equality. *Machine Intelligence*, 4, 1969. 135-150.
- [90] J. Rohmer, R. Lescoeur, and J.M. Kerisit. The Alexander method – a technique for the processing of recursive axioms in deductive databases. *New Generation Computing*, 4, 1986. 273-285.
- [91] H. Rybinski. On first-order-logic databases. *ACM Transactions On Database Systems*, 12, 1987. 325-349.
- [92] D. Sacca and C. Zaniolo. The generalized counting method for recursive logic queries. In *ICDT*, 1986. 31-53.
- [93] D. Sacca and C. Zaniolo. Implementation of recursive queries for a data language based on pure horn logic. In *Proc. 4th Int. Conf. On Logic Programming*, 1987. ?
- [94] F. Sadri and R. Kowalski. A theorem-proving approach to database integrity. In [68], 1988. 313-362.
- [95] P. Schmitt. Personal Correspondance.
- [96] J.C. Shepherdson. Negation as failure: A comparison of Clark's completed data base and Reiter's closed world assumption. *J. Logic Programming*, 1, 1984. 51-79.

- [97] J.C. Shepherdson. Negation as failure II. *J. Logic Programming*, 3, 1985. 185-202.
- [98] C.-D. Shum and R. Muntz. Implicit representation for extensional answers. In *L. Kerschberg: Expert Database Systems*, 1988. 257-273.
- [99] R.M. Smullyan. *First-Order Logic*. Springer, 1968.
- [100] A. Tomasic. View update translation via deduction and annotation. In *ICDT*, pages 338–352, 1988.
- [101] D.C. Tsichritzis and F.H. Lochovsky. *Data Base Management Systems*. Academic Press, 1977.
- [102] J.D. Ullman. *Principles Of Database Systems*. Pitman, 1980.
- [103] J.D. Ullman. Implementation of logical query languages for databases. *ACM Trans. On Database Systems*, 10, 1985. 289-321.
- [104] J.D. Ullman and M.Y. Vardi. The complexity of ordering subgoals. In *Proc. of the 17th ACM SIGMOD*, 1988. 74-81.
- [105] P. Valduriez and S. Khoshafian. Parallel evaluation of the transitive closure of a database relation. *Int. Journal Of Parallel Programming*, 17(1), 1988. 19-42.
- [106] M.H. van Emden. Quantitative deduction and its fixpoint theory. *Journal of Logic Programming*, 1:37–53, 1986.
- [107] M.H. van Emden and R.A. Kowalski. The semantics of predicate logic as a programming language. *Journal of the ACM*, 23:733–742, 1976.
- [108] L. Vieille. Recursive axioms in deductive databases: The Query/Subquery approach. In *International Conference On Expert Database Systems*, 1986. 179-193.
- [109] I. Walter, P.C. Lockemann, and H.-H. Nagel. Database support for knowledge-based image evaluation. In *Proc. 13th Int. Conf. VLDB*, 1987. 3-11.
- [110] D.H.D. Warren. Efficient processing of interactive relational database queries. In *Proc. 7th Int. Conf. VLDB*, 1981. 272-281.