

# Literatur

- Anderson, L., McDonald: The origin; frequency and significance of microscopic calculi in the kidney. *Surg. Gynecol. Obstet.* 82; 275–282 (1946)
- Archer, H. E., Dormer, A. E., Scowen, E. F., Watts, R. W. E.: Studies on the urinary excretion of oxalate by normal subjects. *Clin. Sci.* 16, 405–411 (1957)
- Baadenhuijsen, H., Jansen, A. P.: Colorimetric determination of urinary oxalate recovered as calcium oxalate. Application of a simple correction factor for incomplete precipitation. *Clin. Chim. Acta* 62; 315–324 (1975)
- Barillia, D. E., Townsend, J., Pak, C. Y. C.: An exaggerated augmentation of renal calcium excretion after oral glucose ingestion in patients with renal hypercalciuria. *Invest. Urol.* 15, 486–488 (1978)
- Bennett, D. J., Cole, F. E., Frohlich, E. D., Erwin, D. T.: Radioenzymatic procedure for urinary oxalate determination. *J. Lab. Clin. Med.* 91, 822–830 (1978)
- Binder, H. J.: Intestinal oxalate absorption. *Gastroenterology* 67, 441–446 (1974)
- Boyce, W. H., Garvey, K., Norfillt, Ch. M.: The metal chelate compounds of urine. Their relation to the initiation and growth of calculi. *Am. J. Med.* 19, 87–94 (1955)
- Boyce, W. H., King, J. S.: Crystal matrix interrelations in calculi. *J. Urol* 81, 351–365 (1959)
- Broadus, A. E.: Clinical cyclic nucleotide research. In: *Advances in Cyclic Nucleotide Research*. Greengard and Robinson (Hrsg.), Bd. 8, S. 509–548. New York: Raven Press 1977
- Calkins, V. P.: Microdetermination of glycolic and oxalic acids. *Industrial and Engineering Chemistry, Analytical Edition* 15, 762–763 (1943)
- Carr, J. R.: A new theory on the formation of renal calculi. *Br. J. Urol.* 26, 105–117 (1954)
- Caspary W. F., Graf, S.: Bindung von Gallensäuren an Antacida. *Dtsch. med. Wschr.* 103, 825–827 (1978)
- Caspary, W. F.: Oxalaturolithiasis bei gastroenterologischen Erkrankungen: Pathogenese, Klinik und Therapie. *Therapiewoche* 29, 2158–2165 (1979). G. Braun, 7500 Karlsruhe 1 (1979)
- Cattel, W. R., Spencer, A. G., Taylor, G. W., Watts, R. W. E.: The mechanism of the renal excretion of oxalate in the dog. *Clin. Sci.* 22, 43–52 (1962)
- Coe, F. L.: Hyperuricosuric calcium oxalate nephrolithiasis. *Kidney Int.* 13, 418–426 (1978)
- Cousin, J. L., Motais, R.: The role of carbonic anhydrase inhibitors on anion permeability into red blood cells. *J. Physiol. (Lond.)* 256, 61–80 (1976)
- DeLuca, H. F.: *Am. J. Med.* 58, 39 (1975)
- Dent, C. E., Harper, M. Ch., Parfitt, A. M.: The effect of cellulose phosphate on calcium metabolism in patients with hypercalciuria. *Clin. Sci.* 27, 417–425 (1964)
- Deodhar, S. D. et al.: Renal homotransplantation in a patient with primary familial oxalosis. *Arch. Pathol.* 87, 118–124 (1969)
- Ditzel, H.: Oxalsäureausscheidung im Urin von Gesunden und Harnsteinkranken. Aachen, Habilitationsschrift (1977)

- Dobbins, J. W., Binder, H. J.: Effect of bile salts and fatty acids on the colonic absorption of oxalate. *Gastroenterology* 70, 1096–1100 (1976)
- Dodds, E. C., Gallimore, E. J.: The determination of small quantities of oxalic acid. *Biochem. J.* 26, 1242 (1932)
- Dosch, W.: Mineralogische Grundlagen der Harnsteinbildung. *Med. Welt*, 29, 39–43 (1978)
- Duburque, M. Th., Melon, J. M., Thomas, J., Thomas, E., Pierre, R., Charransol, G., Desgrez, P.: Dosage et identification de l'acide oxalique dans les milieux biologiques. I. Macrométhode. *Ann. Biol. Clin.* 28, 95–101 (1970)
- Dulce, H. J.: Untersuchungen über die Bedeutung der Schutzkolloide und Kristalloide für die Löslichkeit von Calciumoxalat im Harn. *Z. physiol. Chem. Ärtzl. Wschr.* 11, 445 (1956)
- Dulce, H. J.: Biochemie der Harnsteine. *Urol Int* 7, 137 (1958)
- Finlayson, B.: Calcium stones, some physical and clinical aspects. In *Calcium Metabolism in Renal Failure and Nephrolithiasis*, p. 337, D. J. David (Editor). J. Wiley and Sons, Inc. New York, 1977.
- Finlayson, B.: Physicochemical aspects of urolithiasis. *Kidney Int.* 13, 344–360 (1978)
- Finlayson, B., Reid, F.: The expectation of free and fixed particles in urinary stone disease. *Invest. Urol.* 15, 442–448 (1978)
- Fleisch, H.: Inhibitors and promoters of stone formation. *Kidney Int.* 13, 361–371 (1978)
- Greger, R., Lang, F., Oberleithner, H., Deetjen, P.: Handling of oxalate by the rat kidney. *Pfluegers Arch.* 374, 243–248 (1978)
- Jahansson, S., Tabova, R.: Determination of oxalic and glycolic acid with isotope dilution methods and studies on the determination of glyoxylic acid. *Biochem. Med.* 11, 1–9 (1974)
- Haggit, R. C., Pitcock, J. A.: Renal medullary calcifications. A light and electron microscopic study. *J. Urol.* 106, 342 (1971)
- Hallson, P. C., Rose, G. A.: A simplified and rapid enzymatic method for determination of urinary oxalate. *Clin Chim Acta* 55 29, 1974
- Hammarsten, G.: (1929). On calcium oxalate and its solubility in the presence of inorganic salts, with special reference to the occurrence of oxaluria. *Comptes Rendus des Travaux du Laboratoire Carlsberg* 17, 1–85 (1929)
- Hammarsten, G.: Ca oxalate and its solubility in the presence of inorganic salts. Occurrence of oxaluria. *C.R. Trav. (Carlsberg)* 17, 53 (1927/1928)
- Hammarsten, G.: (1956). On calcium oxalate stones. In „Etiologic Factors in Renal Lithiasis“ (A. J. Butt, ed.). Thomas, Springfield, pp. 89–109.
- Harada, S., Saito, S.: On the organic substances in urinary calculi. *Jap. J. Urol.* 45, 589 (1954)
- Hasselbach, W., Makinose, M.: Die Calciumpumpe der „Erschlaffungsgrana“ des Muskels und ihre Abhängigkeit von der ATP-Spaltung. *Biochem. Z.* 333, 518–528 (1961)
- Hasselbach, W., Weber, H. H.: Anion specific carriers in the sacroplasmic membranes. In: *Membrane proteins in transport and phosphorylation*. Azzone, G. F., Klingenberg, M. E., Quagliariello, E., Siliprandi, N. (Eds.) pp. 103–111 Amsterdam, North-Holland 1974
- Hausman, E. R., McAnally, J. S., Lewis, G. T.: Determination of oxalate in urine. *Clin. Chem.* 2, 439–444 (1956)
- Hatch, M., Bourke, E., Costello, J.: New enzymic method for serum oxalate determination. *Clin. Chem.* 23, 76–78 (1977)
- Hautmann, R., Hering, F., Terhorst, B., Lutzeyer, W.: Neue Gesichtspunkte in der Behandlung des Oxalatsteinleidens: *Urologe [A]* 15, 148–152 (1976b)

- Hautmann, R., Osswald, H., Lutzeyer, W.: New aspects in urinary oxalate excretion in man. In: Urolithiasis Research. Fleisch, H., Robertson, L. H., Smith, L. H., Vahlensieck, W. (Hrsg), S. 389. New York, London: Plenum Press 1976a
- Hautmann, R., Hering, F. J., Lutzeyer, W.: Effects and side effects of cellulose phosphate and succinate in long-term treatment of hypercalciuria or hyperoxaluria. *J. Urol.* 120, 712–715 (1978)
- Hautmann, R., Osswald, H.: Renal Handling of Oxalate. A micropuncture study in the rat. *Naunyn Schmiedebergs Arch. Pharmacol.* 304, 277–281 (1978)
- Hautmann, R., Osswald, H.: Pharmacokinetic studies of oxalate in man. *Invest. Urol.* 16, 395–398 (1979)
- Hautmann, R., Lehmann, A., Komor, S.: Calcium and Oxalate Concentrations in Human Kidney Tissue: The Key to the Pathogenesis of Stone Formation? *J. Urol. im Druck*
- Hockaday, T. D. R., Frederick, E. W., Clayton, J. E., Smith, L. H.: Studies on primary hyperoxaluria. II. Urinary oxalate, glycolate and glyoxylate measurement by isotope dilution methods. *J. Lab. Clin. Med.* 65, 677–687 (1965)
- Hodgkinson, A.: Relations between oxalic acid, calcium, magnesium and creatinine excretion in normal man and male patients with calcium oxalate kidney stones. *Clin. Sci.* 46, 357–367 (1974)
- Hodgkinson, A., Wilkinson, R.: Plasma oxalate concentration and renal excretion of oxalate in man. *Clin. Sci.* 46, 61–73 (1974)
- Hodgkinson, A., Zarembski, P. M.: Oxalic acid metabolism in man: A review. *Calc. Tiss. Res.* 2, 115–132 (1968)
- Hodgkinson, A.: Oxalic acid in biology and medicine. London, New York, San Francisco: Academic Press 1977
- Hofmann, A. F., Poley, J. R.: Role of bile acid malabsorption in pathogenesis of diarrhea and steatorrhea in patients with ileal resection I. Response to cholestyramine or replacement of dietary long chain triglyceride by medium chain triglyceride. *Gastroenterology* 62, 918 (1972)
- Keutel, H. J., Hermann, G., Licht, W. B.: Immunoelktrophoretische Untersuchungen über den Serumidentischen Anteil der Harnkolloide und ihre Bedeutung bei der Harnsteinbildung. *Clin. Chem. Acta* 4, 665 (1959)
- King, J. St.: Currents in renal stone research. *Clin. Chem.* 17, 971 (1971)
- Klauwers, J., Wolf, P. L., Cohn, R.: Failure of Renal Transplantation in Primary Oxalosis. *Jama* 209, 551 (1969)
- Knappworst, A., Matouschek, E.: Löslichkeit von Apatiten in Zitratpuffern und Lösbarkeit von Phosphat-Nierensteinen. *Naturwissenschaften* 54, 367 (1967)
- Knappworst, A.: persönliche Mitteilung (1979)
- Knowles, C. F., Hodgkinson, A.: Automated enzymic determination of oxalic acid in human serum. *Analyst* 97, 474–481 (1972)
- Koch, Fr. E.: Experimentelle Untersuchungen über die Nierensteinbildung. Sonderheft *Z. Urol.* 1, 110 (1950)
- Koch, Fr. E.: Weitere Untersuchungsergebnisse zur Frage der Nierensteinbildung. *Med. Welt* 20 876 (1951)
- Lee, K. S., Samuelson, O.: Anion exchange chromatography of organic acids in magnesium acetate medium. *Anal. Chim. Acta* 37, 359–363 (1967)
- Mayer, G. G., Markow, D., Karp, F.: Enzymatic oxalate determination in urine. *Clin. Chem.* 9, 334–339 (1963)
- McIntosh, G. H., Belling, G. B.: An isotope study of the oxalate excretion in sheep. *Aust. J. Exp. Biol. Med. Sci.* 53, 475–487 (1975)
- Menache, R.: Routine microtometry for determination of oxalic acid in urine by atomic absorption spectrophotometry. *Clin. Chem.* 20, 1444–48 1974

- Pak, Ch. Y. C.: Sodium cellulose phosphate: Mechanism of action and effect on mineral metabolism. *J. Pharmacol.* 1, 15–27 (1973)
- Pak, Ch. Y. C.: Idiopathic renal lithiasis: New developments in evaluation and treatment. In: *Urolithiasis Research*. Fleisch, H., Robertson, W. G., Smith, L. H., Vahlensieck, W., (Hrsg.) S. 213–228 New York, London: Plenum Press 1976
- Parson, V.: *Nephron* 10, 157 (1973)
- Pitts, R. F.: *Physiology of the Kidney and Body Fluids*. Chicago: Medical Book Publishers 1974
- Pinto, B., Crespi, G., Sole-Balcells, F., Barcelo, P.: Patterns of oxalate metabolism in recurrent oxalate stone formers. *Kidney Int.* 5, 285–291 (1974)
- Pinto, B., Paternain, J. L.: Oxalate transport by the human small intestine. *Invest. Urol.* 15, 502–506 (1978)
- Pinto, B., Bernshtam, J.: Diethylaminoethanol-Cellulose in the Treatment of absorptive Hyperoxaluria. *Urol.* 119, 630–632 (1978)
- Prien, E. L.: The riddle of Randall's Plaques. *J. Urol.* 114, 500–507 (1975)
- Raafflaub, J.: Komplexchemische Grundlagen der Harnsteingenes. *Helv. Med. Acta* 30, 724–755 (1963)
- Randall, A.: Hypothesis for origin of renal calculus. *N. Engl. J. Med.* 214, 234 (1936)
- Randall, A.: Papillary pathology as a precursor of primary renal calculus. *J. Urol.* 44, 580–589 (1940)
- Ribeiro, M. E., Elliot J. S.: Direct enzymatic determination of urinary oxalate. *Invest Urol.* 2, 78–83 (1964)
- Robertson, W. G.: Physical Chemical Aspects of Calcium Stone-Formation in the Urinary Tract. In: *Urolithiasis Research*. Fleisch, H., Robertson, W. G., Smith, L. H., Vahlensieck, W. (Hrsg), S. 25–39. New York, London: Plenum Press 1976
- Rosenow, E. C.: Renal calculi: A study of papillary calcification. *J. Urol.* 44, 19 (1940)
- Schneider, H. J.: Organisation, Aufgaben und Wirkung einer Harnsteinambulanz. *Therapiewoche* 29, 2188–2198 (1979)
- Schwarz, G.: Der Calcium-Phosphat-Stoffwechsel. In: *Handb. Kinderheilkunde Band IV*, Opitz, H., Schmid, F. (Hrsg.), S. 305–315. Berlin, Heidelberg, New York: Springer 1965
- Shigematsu, S. H.: Elektronenmikroskopische Betrachtung über die Entstehung der Nierensteine. 50. Kongreß Dtsch. Ges. f. Urol., S. 289–292 Wien (1957) Hrsg. Boeminghaus und Stolz VEB Thieme Leipzig (1958)
- Smith, L. H.: Calcium-containing renal stones. *Kidney Int.* 13, 383–389, (1978)
- Sommerkamp, H.: Diagnostik der renalen tubulären Azidose. In: *Pathogenese und Klinik der Harnsteine v. Vahlensieck, W., Gasser, G. (Hrsg.)* S. 339–341. Darmstadt: Steinkopf 1977
- Stewart, H. H.: Calcification and calculus formation in the upper urinary tract. *Brit. J. Urol.* 27, 352 (1955)
- Staemmler, M.: Diskussion. Symposium „Formale Steingenes“ Köln. *Urol. Int.* 7, 129 (1958)
- Terhorst, B., Lübke, W.: Untersuchungen über den Serum- und Urinspiegel von Magnesium. *Z. Urol.* 64, 649–655 (1971)
- Terhorst, B., Lutzeyer, W.: Möglichkeiten der medikamentösen Oxalatsteinprophylaxe. *Z. Urol.* 65, 815–825 (1972)
- Thomas, D. W., Edwards, J. B., Gilligan, J. E., Lawrence, J. R., Edwards: Complications following intravenous administration of solutions containing xylitol. *J. Aust. J.* 1, 1238–1248 (1972)
- Thomas, W.: Use of phosphates in patients with calcareous renal calculi. *Kidney Int.* 13, 390–396 (1978)
- Vermeulen, C. W., Lyon, E. S., Gill, W. B., Chapman, W. H.: Prevention of phosphate

- stones by phytate, phosphate and hexametaphosphate: *Environmental urolithiasis XV. Urol. 82*, 249 (1959)
- Vermooten, V.: Occurrence of renal calculi and their possible relation to diet as illustrated in the South African Negro. *JAMA 109*, 857 (1937)
- Vittu, Ch., Lemahieu, J. C.: Determination de Proxalurie par methode polarographique. *Ann. Biol. Clin. 23*, 913–923 (1965)
- Watts, R. W. E.: Oxalate biosynthesis and the primary hyperoxaluria syndromes. In: *Urolithiasis Research*. Fleisch, H., Robertson, W. G., Smith, L. H., Vahlensieck, W. (Hrsg.) S. 189–196 New York, London: Plenum Press 1976
- Weinman, E. J., Frankfurt, S. J., Ince, A., Sansom, S.: Renal tubular transport of organic acids. *Clin. Invest. 61*, 801–806 (1978)
- Williams, H. E., Johnson, G. A., Smith, L. H.: The renal clearance of oxalate in normal subjects and patients with primary hyperoxaluria. *Clin. Sci. 41*, 213–218 (1971)
- Williams, H. E., Smith, L. H.: Primary Hyperoxaluria. In: *The metabolic basis of inherited disease*. Stanbury, P. B., Wyngaarden, P. B., Fredrickson, D. S. (Hrsg.), S. 196–219. New York: McGraw-Hill 1975
- Williams, H. E.: Oxalic acid: absorption, excretion and metabolism. In: *Urolithiasis Research*. Fleisch, H., Robertson, W. G., Smith, L. H., Vahlensieck, W. (Hrsg.), S. 181–188 New York, London: Plenum Press 1976
- Williams, H. E.: Oxalic acid and the hyperoxaluric syndromes. *Kidney International 13*, 410–417 (1978)
- Wright, R. S., Hodgkinson, A.: Oxalic acid, calcium and phosphorus in the renal papilla of normal and stone-forming rats. *Invest. Urol. 9*, 369–375 (1972)
- Yendt, E. R., Guay, G. F., Garcia, D. A.: The use of thiazides in the prevention of renal calculi. *C. M. A. Journal 102*, 614–620 (1970)
- Yendt, E. R., Cohanin, M.: Prevention of calcium stones with thiazides. *Kidney Int. 13*, 397–409 (1978)
- Zarembski, P. M., Hodgkinson, A.: The renal clearance of oxalic acid in normal subjects and in patients with primary hyperoxaluria. *Invest. Urol. 1*, 87–93 (1963)
- Zarembski, P. M., Hodgkinson, A.: The fluorimetric microdetermination of glyoxylic acid in blood, urine and bacterial extracts. *Biochem. J. 96*, 218–223 (1965 a)
- Zarembski, P. M., Hodgkinson, A.: The fluorimetric determination of oxalic acid in blood and other biological materials. *Biochem. J. 96*, 717–721 (1965 b)