
Literatur

- Alcock, I., White, L. E., Wheeler, B. W., Fleming, L. E., & Depledge, M. H. (2014). Longitudinal effects on mental health of moving to greener and less green urban areas. *Environmental Science and Technology*, *48*, 1247–1255.
- Annear, M., Keeling, S., Wilkinson, T., Cushman, G., Gidlow, B., & Hopkins, H. (2014). Environmental influences on healthy and active ageing: A systematic review. *Ageing and Society*, *34*, 590–622.
- Arminius (1874). *Die Großstädte in ihrer Wohnungsnoth und die Grundlagen einer durchgreifenden Abhilfe*. Leipzig: Duncker & Humblot.
- Babisch, W. (2000). Traffic noise and cardiovascular disease: Epidemiological review and synthesis. *Noise and Health*, *2*, 9–32.
- Bandura, A. (1991). Human agency: The rhetoric and the reality. *American Psychologist*, *46*, 157–162.
- Baumeister, H., et al. (2016). *Leitfaden Gesunde Stadt. Hinweise für Stellungnahmen zur Stadtentwicklung aus dem öffentlichen Gesundheitsdienst*. Bielefeld: LZG.NRW.
- Berman, M. G., et al. (2012). Interacting with nature improves cognition and affect for individuals with depression. *Journal of Affective Disorder*, *140*, 300–305.
- Böhme, C., & Bunge, C. (2016). Umweltgerechtigkeit und gesundheitsfördernde Stadtentwicklung. *Public Health Forum*, *24*(4), 258–260.
- Böhme, C., Kliemke, C., Reimann, B., & Süß, W. (Hrsg.). (2012). *Handbuch Stadtplanung und Gesundheit*. Bern: Huber.
- Bourdieu, P. (1982). *Die feinen Unterschiede. Kritik der gesellschaftlichen Urteilskraft*. Frankfurt a. M.: Suhrkamp.
- Bronfenbrenner, U. (1981). *Die Ökologie der menschlichen Entwicklung. Natürliche und geplante Experimente*. Stuttgart: Klett-Cotta.
- Brown, S., et al. (2016). Neighbourhood greenness and chronic health conditions in medicare beneficiaries. *American Journal of Preventive Medicine*, *30*, 2529–2536.
- Bucksch, J., & Schneider, S. (Hrsg.). (2014). *Walkability. Das Handbuch zur Bewegungsförderung in der Kommune*. Bern: Huber.
- BZgA, (2009). *Zum Zusammenhang von Nachbarschaft und Gesundheit*. Köln: BZgA.
- Cai, X., Scott, E. M., Li, Z., & Tang, M. (2016). Short-term effect of atmospheric particulate matter on myocardial infarction. A cumulative meta-analysis. *Environmental Science and Pollution Research*, *23*, 6139–6148.


- Capaldi, C. A., Dopko, R. L., & Zelenski, J. M. (2014). The relationship between nature connectedness and happiness: A meta analysis. *Frontiers in Psychology, 5*, 976.
- Cessarioni, G., et al. (2014). Long term exposure to ambient air pollution and incidence of acute coronary events: Prospective cohort study and meta-analysis in 11 European cohorts from the ESCAPE Project. *British Medical Journal, 348*, f7412.
- Cheng, H., et al. (2017). Living near major roads and the incidence of dementia, Parkinson's disease, and multiple sclerosis: A population-based cohort study. *The Lancet*. doi:[10.1016/S0140-6736\(16\)32399-6](https://doi.org/10.1016/S0140-6736(16)32399-6).
- Christensen, K., et al. (2013). Physical and cognitive functioning of people older than 90 years: A comparison of two Danish cohorts born 10 years apart. *The Lancet, 382*, 1507–1513.
- Corbun, J., Arredondo, G., & Malagon, J. (2014). Health in all urban policy: City services through the prism of health. *Journal of Urban Health, 91*, 623–636.
- Cox, D. T. C., et al. (2017). Doses of neighborhood nature: The benefits for mental health of living with nature. *BioScience, 67*, 147–155.
- deStatis, (2016). *Statistisches Jahrbuch*. Wiesbaden: Statistisches Bundesamt.
- Diez Roux, A. V., & Mair, C. (2010). Neighborhoods and health. *Annals of the New York Academy of Sciences, 1186*, 125–145.
- Duncan, D. T., Aldstadt, J., Wahlen, J., Melly, S. J., & Gortmaker, S. L. (2011). Validation of WalkScore® for estimating neighborhood walkability: An analysis of four US metropolitan areas. *International Journal of Environmental Research and Public Health, 8*, 4160–4179.
- Dye, C. (2008). Health and urban living. *Science, 319*, 766–769.
- Eisinger, A. (2004). Urbanität: Ein Element zeitgemäßer Standortpolitik. In M. L. Hilber & A. Ergez (Hrsg.), *Stadtidentität. Der richtige Weg zum Stadtmarketing* (S. 93–103). Zürich: Orell Füssli.
- Ewing, R., & Handy, S. (2009). Measuring the unmeasurable: Urban design qualities related to walkability. *Journal of Urban Design, 14*, 65–84.
- Fehr, R. (2016). Urban Health/StadtGesundheit in Deutschland. *Public Health Forum, 24*(4), 251–254.
- Fehr, R., Fertmann, R., Stender, K.-P., Lettau, N., & Trojan, A. (2016). StadtGesundheit (Urban Health) – Eine Blickfelderweiterung am Beispiel Hamburgs. *Gesundheitswesen, 78*, 498–504.
- Feigin, V. L., et al. (2016). Global burden of stroke risk factors in 188 countries, during 1990–2013: A systematic analysis for the Global of Disease Study 2013. *The Lancet Neurology, 15*, 913–924.
- Foratster, M. (2013). Is it traffic-related air pollution or road traffic noise, or both? Key questions not settled. *International Journal of Public Health, 58*, 647–648.
- Frank, L. D., Sallis, J. F., Saelens, B. E., Leary, L. K. C., Conway, T. L., & Hess, P. M. (2010). The development of a walkability index: Application to the neighbourhood quality of life study. *British Journal of Sports Medicine, 44*, 924–933.
- Galea, S., & Vlahov, D. (2005). Urban health: Evidence, challenges, and directions. *Annual Review of Public Health, 26*, 341–365.
- Gibson, J. J. (1979). *The ecological approach to visual perception*. Boston: Houghton Mifflin.
- Glass, T. A., & McAtee, M. J. (2006). Behavioral science at the crossroads in public health. Extending horizons, envisioning the future. *Social Science and Medicine, 62*, 1650–1671.

- Haddad, L., & Meyer-Lindenberg, A. (2012). Soziale Umweltrisikofaktoren und psychische Erkrankungen. *Nervenarzt*, *83*, 1403–1409.
- Häfele, J. (2013). *Die Stadt, das Fremde und die Furcht vor Kriminalität*. Wiesbaden: Springer.
- Hall, P., & Pfeifer, U. (2000). *Urban 21. Der Expertenbericht zur Zukunft der Städte*. Stuttgart: DVA.
- Haluza, D., Schönbauer, R., & Cervinka, R. (2014). Green perspectives for public health: A narrative review on the physiological effects of experiencing outdoor nature. *International Journal of Public Health*, *11*, 5445–5461.
- Hartig, T., Mitchell, R., deVries, S., & Frumkin, H. (2014). Nature and Health. *Annual Review of Public Health*, *35*, 21.1–21.22
- Haubl, R. (2013). Psychisches Risiko „Großstadtleben“. *Psychotherapeut*, *58*, 176–183.
- Häußermann, H., & Siebel, W. (2000). *Stadtsoziologie – Eine Einführung*. Frankfurt a. M.: Campus.
- Heuschmann, P. U., et al. (2010). Schlaganfallhäufigkeit und Versorgung von Schlaganfallpatienten in Deutschland. *Aktuelle Neurologie*, *37*, 333–340.
- Hunter, A., & Askarinejad, A. (2015). Designer’s approach for scene selection in test of preference and restoration along a continuum of natural to manmade environments. *Frontiers in Psychology*, *6*, 1228.
- IPCC (2014). *Climate Change 2014: Synthesis Report. Contribution of Working Groups I, II and III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Core Writing Team, R.K. Pachauri and L.A. Meyer (eds.)]*. Genf: IPCC.
- Jokela, M. (2014). Are neighborhood health associations causal? A 10-year prospective cohort study with repeated measurements. *American Journal of Epidemiology*, *180*, 776–784.
- Joye, Y., & Berg, A. E. van den. (2011). Is love for green in our genes? A critical analysis of evolutionary assumptions in restorative environments research. *Urban Forestry & Urban Gardening*, *10*, 261–268.
- Kahlert, D., & Schlicht, W. (2015). Older people’s perception of pedestrian friendliness and traffic safety: An experiment using computer-simulated walking environments. *International Journal of Environmental Research and Public Health*, *12*, 10066–10078.
- Kaplan, S. (1995). The restorative benefits of nature: Towards an integrative framework. *Journal of Environmental Psychology*, *15*, 169–182.
- Kardan, O., Gozdyra, P., Mistic, B., Moola, F., Palmer, L. J., Paus, T., et al. (2015). Neighborhood greenspace and health in a large urban center. *Scientific Reports*, *5*, 11610.
- Kelly, J. F. (2012). *Social cities*. Melbourne: Grattan Institute.
- Lafond, J. L. (Hrsg.). (2015). *National healthy cities networks in the WHO European region*. Copenhagen: WHO Regional Office Europe.
- Laireiter, A.-R. (2006). Soziale Unterstützung. In H.-W. Bierhoff & D. Frey (Hrsg.), *Handbuch der Sozialpsychologie und Kommunikationspsychologie* (S. 166–173). Göttingen: Hogrefe.
- Latour, B. (2005). *Eine neue Soziologie für eine neue Gesellschaft. Einführung in die Akteur-Netzwerktheorie*. Frankfurt a. M.: Suhrkamp.
- Lederbogen, F., & Meyer-Lindenberg, A. (2015). Macht Stadtleben krank. *MMW – Fortschritte der Medizin*, *21*, 70–74.

- Luepker, R. V., et al. (1994). Community education for cardiovascular disease prevention: Risk factor changes in the Minnesota heart health program. *American Journal of Public Health, 84*, 1383–1393.
- Mackiewicz, K. (2016). Urban planning as a tool to enhance the health of city inhabitants. *Urban Health, 24*(4), 307–309.
- Merton, R. K. (1938). Social structure and anomie. *American Journal of Social Reviews, 3*, 672–682.
- Mitscherlich, A. (1965). *Die Unwirtlichkeit unserer Städte. Anstiftung zum Unfrieden*. Frankfurt a. M.: Suhrkamp.
- Moran, M., Cauwenberg, J. van, Hercky-Linnewiel, R., Cerin, E., DeForche, B., & Plaut, P. (2014). Understanding the relationship between the physical environment and physical activity in older adults: A systematic review of qualitative studies. *International Journal of Behavioral Nutrition and Physical Activity, 11*, 79–91.
- Morris, J. N., et al. (1953). Coronary heart disease and physical activity at work. *Lancet, 256*(6796), 1053–1057.
- MRFIT. (1982). Multiple risk factor research trial: Risk factor changes and mortality results. *Journal of the American Medical Association, 248*, 1465–1477.
- Münzel, T., Gori, T., Babisch, W., & Basner, M. (2014). Cardiovascular effects of environmental noise exposure. *European Heart Journal, 35*, 829–836.
- NICE. (2007). *Physical activity and the environment. Review five: Building design*. London: NICE.
- Niemann, H., Bonnefoy, X., Braubach, M., Hecht, K., Maschke, C., Rodrigues, C., et al. (2006). Noise induced annoyance and morbidity results from the pan-European LARES study. *Noise Health, 8*, 63–79.
- Oswald, F., Jopp, D., Rott, C., & Wahl, H.-W. (2011). Is aging in place a resource for or a risk to life satisfaction? *The Gerontologist, 51*, 238–250.
- Park, R. E., & Burgess, E. (1921). *Introduction to the science of sociology*. Chicago: University of Chicago Press.
- Peen, J., Schoevers, R. A., Beekman, A. T., & Dekker, J. (2010). The current status of urban-rural differences in psychiatric disorders. *Acta Psychiatrica Scandinavia, 121*, 84–93.
- Power, M., Kioumourtoglou, M.-A., Hart, J. E., Okereke, O. I., Laden, F., & Weiskopf, M. G. (2015). The relation between past exposure to fine particulate air pollution and prevalent anxiety: Observational cohort study. *British Medical Journal, 350*, h1111.
- Putnam, R. (1995). Bowling alone. America's declining social capital. *Journal of Democracy, 6*, 65–78.
- Radkau, J. (1998). *Das Zeitalter der Nervosität*. München: Hanser.
- Reichow, H. B. (1959). *Die autogerechte Stadt. Ein Weg aus dem Verkehrs-Chaos*. Ravensburg: Otto Maier.
- Reyer, M., Fina, S., Siedentop, S., & Schlicht, W. (2014). Walkability is only part of the story: Walking for transportation in Stuttgart, Germany. *International Journal of Environmental Research and Public Health, 11*, 5849–5865.
- Rodenstein, M. (1988). *Mehr Licht, mehr Luft: Gesundheitskonzepte im Städtebau seit 1750*. Frankfurt a. M.: Campus.
- Rosso, A. L., Auchincloss, A. H., & Michael, Y. L. (2011). The urban built environment and mobility in older adults: A comprehensive review. *Journal of Aging Research, 2011*, doi:10.4061/2011/816106

- Rottman, M., & Mielck, A. (2013). Walkability und körperliche Aktivität – Stand der empirischen Forschung auf Basis der Neighbourhood Environment Walkability Scale (NEWS). *Gesundheitswesen*, 76, 108–115.
- Schnur, O. (2012). Nachbarschaft und Quartier. In E. Frank (Hrsg.), *Handbuch Stadtsoziologie* (S. 449–474). Wiesbaden: VS Verlag.
- Schwarzer, R., & Leppin, A. (1997). Sozialer Rückhalt, Krankheit und Gesundheitsverhalten. In R. Schwarzer (Hrsg.), *Gesundheitspsychologie* (S. 395–414). Göttingen: Hogrefe.
- Shah, A. S. V., et al. (2015). Short term exposure to air pollution and stroke: Systematic review and meta-analysis. *British Medical Journal*, 350(24), h1295.
- Stokols, D. (1996). Translating social ecological theory into guidelines for community health promotion. *American Journal of Health Promotion*, 10(4), 282–297.
- Stokols, D. (2003). The ecology of human strengths. In L. G. Aspinwall, & M. Staudinger (Hrsg.), *A psychology of human strengths. Fundamental questions and future directions for a positive psychology* (S. 331–343). Washington, DC: American Psychological Association.
- Stübgen, H.-J. (1890). *Der Städtebau*. München: Vieweg.
- Thompson, W. C., Curl, A., Aspinall, P., Alves, S., & Zuin, A. (2014). Do changes to the local street environment alter behaviour and quality of life of older adults. The ‘DIY Streets’ intervention. *British Journal of Sports Medicine*, 48, 1059–1065.
- Ulrich, R. S. (1984). View through a window may influence recovery from surgery. *Science*, 224, 420–423.
- Ulrich, R. S. (1993). Biophilia, biophobia and natural landscapes. In S. Kellert & E. O. Wilson (Hrsg.), *The biophilia hypothesis* (S. 73–137). Washington, DC: Island Press.
- Vlahov, D., Boufford, J. J., Pearson, C. E., & Norris, L. (Hrsg.). (2010). *Urban health: Global perspectives*. San Francisco: Jossey-Bass & Wiley.
- Vogler, P., & Kühn, E. (Hrsg.). (1957). *Medizin und Städtebau (Bde. 1 und 2)*. München: Urban & Schwarzenberg.
- Völker, S., Claßen, T., Baumeister, H., & Kistemann, T. (2012). “Stadtblau” – Die Renaissance eines gesundheitsförderlichen Faktors. *Public Health Forum*, 20, 21.e1–21.e3.
- Wallwork, R. S., et al. (2016). Ambient fine particulate matter, outdoor temperature, and risk of metabolic syndrome. *American Journal of Epidemiology*, 185, 30–39.
- WBGU. (2016). *Der Umzug der Menschheit: Die transformative Kraft der Städte. Zusammenfassung*. Berlin: WBGU.
- Weltgesundheitsorganisation. (2011). *Burdens of disease from environmental noise. Quantification of healthy life years lost in Europe*. Copenhagen: WHO Regional Office for Europe.
- Weltgesundheitsorganisation. (2016). *Urban green spaces and health*. Copenhagen: WHO Regional Office for Europe.
- Wolf, S., Grimshaw, V. E., Sacks, R., Maguier, T., Matera, C., & Lee, K. K. (2015). The impact of a temporary recurrent street closure on physical activity in New York City. *Journal of Urban Health*, 92, 230–241.
- Yen, I. H., Michael, Y. L., & Perdue, L. (2009). Neighborhood environment in studies of health of older adults. *American Journal of Preventive Medicine*, 37, 455–463.
- Yen, I. H., Fandel Flood, J., Thompson, H., Anderson, L. A., & Wong, G. (2014). How design of places promotes or inhibits mobility of older adults: Realist synthesis of 20 years research. *Journal of Aging and Health*, 26, 1340–1372.

Lesen Sie hier weiter



Wolfgang Schlicht,
Marcus Zinsmeister

**Gesundheitsförderung
systematisch planen
und effektiv intervenieren**

2015. XI, 191 S., 24 Abb.
Softcover: € 39,99
ISBN: 978-3-662-46988-0

Änderungen vorbehalten.
Erhältlich im Buchhandel oder beim Verlag.

Einfach portofrei bestellen:
leserservice@springer.com
tel +49 (0)6221 345-4301
springer.com

 **Springer**