

Subject Index

- Acidophilic plants 47, 388
Advanced very-high resolution radiometer 38, 157
Advection
 role in snowmelt 136, 152
Air temperature see Temperature
Albedo 131–132, 155, 160–163, 421
Amchitka Island 27
Amino acid uptake 209
Anaktuvuk glaciation 96
Anaktuvuk Pass 51
Animal habitat 56–57, 60–61, 422
Anoxia see Waterlogged soils
ANWR see Arctic National Wildlife Refuge
ARC see US Arctic Research Commission
ARCO 46
Arctic LTER 19, 25, 330, 420, 422
Arctic National Wildlife Refuge 4–5, 12, 52–54, 425–426
Arctic System Science Program 27
ARCUS see Arctic System Science program
Atigun Pass 330
Atkasook 22
Atmospheric deposition 187, 192–195
 see also Disturbance
Atmospheric transport 333–335, 420
AVHRR see Advanced very-high resolution radiometer
- Barrow 4, 19, 21, 23, 25, 48, 50–51, 125, 133, 228, 244, 297, 302, 311, 422, 424
Beaded stream 12, 79, 85, 87, 93, 275, 283, 420
Beaufort Sea 3
Bedrock 74, 97, 109
Beringia 80
Biomass
 aboveground, along toposequence 118–119
 and spectral indices 157
 and respiration 234
 in water tracks 118–119, 211
 live aboveground in heath 114–116
 of aboveground litter in heath 115, 117
 of lichen species in heath 117
 photosynthetic in heath 116
 turnover 117
 see also Plant growth, Productivity, Model
Blading see Disturbance
Bonanza Creek LTER 258, 267, 422
Boundaries
 transport across 14, 198, 295
 see also Disturbance
Boundary layer atmospheric, planetary 330–333
Brine see Disturbance
- Canol Pipeline 43, 57
Canopy
 leaf angle 300
 leaf area index 223, 226, 247, 250, 299–302, 370–371, 374
 shading effects 115
 stem angle 300
 stem area index 299–300, 374
 structure 126, 300, 371
 see also Model
Cape Simpson 45, 49
Cape Thompson 24, 27, 43, 48, 51
Carbon balance 258, 275
 sink 247–252, 380–383
 source 247–252, 380–383
 see also Climate Change, Model, Net CO₂ Exchange
Carbon isotope ratio
 of leaves 229
Carbon storage 223, 275, 369, 384
Cassiope Dwarf Shrub heath
 definition 110–111
 see also Model, Vegetation

- CDS heath see *Cassiope* Dwarf Shrub heath
- Cephalodia 120–121
- Climate change 3, 5, 24, 36, 38, 257, 275, 347, 369, 422
and elevated carbon dioxide 223, 347
and nutrient availability 217–218, 305, 359–360
see also Model
- Cloud index 161–162
- Colluvial basin 78, 79
see also Vegetation
- Colonization 39, 43–44, 46, 55
- Community see Vegetation
- Community CO₂ uptake
contribution by growth forms 125
see also Net CO₂ exchange
- Competition
among growth forms 115, 125
microbiota and plants 208–210, 350
- Cumulative impacts see Disturbance
- Dalton Highway 3–4, 12, 43, 57–58, 267, 325–326, 342, 360, 388
- Darcy equation 313, 371, 391
- Deadhorse see Prudhoe Bay
- Decomposition
and blading 42, 49
and lemming populations 20
controls on 206–208, 347, 350
rates 347, 356–358, 420
see also Model
- DEM see Digital elevation model
- Dempster Highway 57
- Denali National Park 57
- Department of Energy 6–8, 12, 419
- Devon Island 261, 424
- Diesel spill see Disturbance
- Digital elevation model 374, 390–391
- Discharge
and thermokarst erosion 396
effects of topography 311–315, 372–373
from water tracks 186, 188, 196
from watershed 144, 150–151, 186, 188, 277–278, 280–283, 377–378
see also Model
- Dissolved CO₂ in lakes and streams 26, 275
- Dissolved organic carbon 191–192, 196–197, 252, 275, 278–287, 420
measurement methods 277, 279
- Disturbance
and albedo 161
and effects on material transfer across boundaries 295
and effects on community spatial patterns 407–408
animal digging 50
atmospheric 5, 36
blading 36, 38, 42, 48–49
brine 36, 45–47
bulldozing see blading
cumulative impacts 35, 36, 43, 61–62, 421
definition 15, 35
deposition see atmospheric
diesel spill see hydrocarbon spill
dust 5, 35–36, 38, 58–59, 216–217, 325–326, 339–343
effects on nutrients 215–218
energy development 3, 6, 24
fire 5, 36, 38, 47–48, 193–198
gasoline spill see hydrocarbon spill
gravel pads see road construction
gravel pits 5, 36, 38, 42, 55–56
gray water 5, 55, 217
hydrocarbon spill 5, 35–36, 38, 43–45
ice road see snowpad
impoundment 5, 36, 42–43, 54, 59–61
manipulations 7, 421
material site see gravel pit
off-road vehicle 35–36, 38, 48, 50–52, 215
oil spill see hydrocarbon spill
road construction 5, 36, 38, 42–43, 54–55, 59, 61, 420
scale 15, 38
seawater 38, 45–47
seismic trail see snowpad
snowpad 5, 36, 38, 42, 52–54
solid waste see trash
storm surge see seawater
trash 36, 38–39, 42, 52
see also Model, Herbivory
- Diurnal rhythms
and gas exchange 226
- DOC see Dissolved organic carbon
- DOE see Department of Energy
- Dry deposition see Atmospheric deposition
- Dryas* heath
definition 110–111

- Dryfall see Atmospheric deposition
- Dust
 and community composition 246
 and depth of thaw 245–247
 and ecosystem CO₂ exchange 224, 245–247
 and soil characteristics 247
 and soil water content 245–247
 chemical composition 194, 217, 333–335
 deposition into vegetation 194, 325, 335–342, 396
 effects on extracellular enzyme activity 360–361
 effects on plants 58, 216–217, 388, 406
 effects on CO₂ efflux 240
 mass transfer through atmosphere 333–335
 particle size spectra 340–343
 see also Model, Disturbance
- Eagle Creek 23–25, 126
- Eagle Summit 21, 23, 424
- Ecosystem carbon balance see Net CO₂ exchange
- Electron transport capacity 227–228, 371
- Energy balance 131, 133, 136, 141, 149, 421–422
- Eriophorum vaginatum* 110, 224, 241, 303–305, 310, 383, 389
 and methane oxidation 270
 effects of dust 246
 effects of water tracks 211
 effects on water table and depth of thaw 237, 259
 net photosynthesis 227–228, 231, 233, 301
 nitrogen limitations to growth 305, 411
 nutrient uptake 213–214, 306–307
 phosphatase activities of roots 361–362
 respiration 234–236
 retranslocation of nutrients 214–215
 rooting strategy 212
 spatial pattern of tussocks 13
 see also Model
- Evaporation 132, 135, 143, 145–146
- Evapotranspiration 131–132, 135–136, 143, 145, 174, 371–372, 376–379, 391, 420–421
- Fairbanks 44
- Fire see Disturbance
- Fish Creek 39, 43, 48–49, 51
- Floodplain 79
- Flora
 at Imnavait Creek 79–80, 98
- Flow path 14, 294–295
- Franklin Bluffs 44
- Frost scars 36, 78
- Functional groups see Models
- Gas exchange
 see Leaf photosynthesis, Net CO₂ exchange, Soil CO₂ efflux
- Gasoline spill see Disturbance
- Geostatistics 13, 73, 313–315
 see also Semivariance
- Glacial till 74–75, 78, 85, 109
- Glacier National Park 408
- Global climate model 257
- Gravel pads see Disturbance
- Gray water see Disturbance
- Greenland 3
- Growth form
 composition at sites 24
 of shrubs in heath 112
 see also Models (functional groups)
- Heat flux see Soil heat flux
- Herbivory 20, 23, 38
- Heterogeneity see Spatial heterogeneity
- Hickel Highway 48
- Hydraulic conductivity 141, 371, 377
- Hydrograph 141, 188, 278, 281–282
 see also Discharge
- Hydrologic response units see Spatial simulation units
- Hydrology
 transport 12, 14, 26, 185, 252, 281–283, 285–287, 369, 420
 water saturation 185–186, 189, 373, 382, 420
 see also Model
- IBP see International Biological Program
- Ice
 on Imnavait Creek 278, 280–281
- Ice road see Disturbance
- Immobilization
 Carbon 209, 307–311, 359–360
 Nitrogen 204, 307–311, 359–360
- Imnavait Creek 4, 10, 419, 424–426
 characteristics 275–277, 283

- Imnavait Creek nutrients see Water
 Imnavait Creek temperature see Temperature
 Impoundment see Disturbance
 Integrated flow systems see Spatial simulation units
 Intensive research site 4, 12, 74–77, 80–85, 88–93, 110
 International Biological Program 22, 125, 302, 296, 349–350
 Invertebrates
 in Imnavait Creek 277
 IRS see Intensive research site
 Isotopes
 analysis in watersheds 165
 as tracers 165–179
 Beryllium-7 166–167, 174–175, 178
 Cesium-137 166, 174–178
 characteristics 166
 Cs uptake in plants 176–178
 Deuterium 165, 171–174
 evaporation and soil moisture 172–173
 hydrological flow paths 168–172
 Lead-210 166, 174, 178
 Nitrogen-15 209
 Oxygen-18 165–174, 179
 Potassium-40 177
 sulfur cycling 168
 Sulfur-35 166–167, 174
 transpiration 173–174
 unit definition 166
 Itkillik glaciation 13, 97

 Kevo, Finland 126
 Kokolik River 47
 Kuparuk oil field 3, 5, 46, 61
 Kuparuk River 4, 10, 79, 92, 141, 258, 267, 285

 Landscape 7, 9, 12–15, 26, 63, 96–97, 158, 160, 223–224, 293, 311–312, 318–319, 383, 387, 419–420, 422–426
 and soil CO₂ efflux 233–234, 240–246
 and net CO₂ exchange 247–250
 defined as Spatial simulation units 294–295
 fragmentation 422
 indices 399–400
 patterns in leaf photosynthesis 230–233
 see also Model, Toposequence, Net CO₂ exchange

 Latent heat flux see Evapotranspiration
 Lateral flow 144, 185, 286, 419, 423
 Leaching in active layer 196
 Leaf area
 determination of 225
 Leaf area index see Canopy
 Leaf photosynthesis
 and landscape gradients 230–233
 and light 226–228
 and micronutrients 230
 and nutrition 229–230, 232
 and phenology 227–228
 and temperature 226–227
 and water availability 229
 measurement methods 224–225
 Leaf pigmentation
 and phenology 228
 Leaf respiration 234
 Lemmings 20, 23
 Lichen heath
 definition 110–111
 Lichens
 carbon content 118
 community sampling 113
 on rocks 84–85
 Loess 36, 38
 Long-term research 7, 19, 25, 330, 421–422

 Mackenzie River 80
 Management 7, 12, 14–15, 61–63, 293, 422, 425–426
 Meade River 22–25, 373
 Meteorological station 74
 Methane
 and climate change 251, 257–258, 270–271
 and soil temperature 258, 262
 and water table 258, 262–264, 268–269
 controls on net flux 258, 260–265
 oxidation 258
 sampling procedures 258–260
 Microbes
 and disturbance 215–218
 and methane oxidation 259–260, 265–267
 and mineralization 207
 and nutrient availability 205–206, 350, 354
 and nutrient availability 209
 and root competition 208
 see also Competition

- Mineralization
 carbon 307–311
 controls on 205–208
 nitrogen 204–205, 307–311, 409–410
 phosphorus 205
- Model
 ABISKO 350–353, 357–358
 ARTUS 24, 296, 298, 350–353, 357–358
 BARK 350–351, 353–354, 357–358, 362
 biomass 305, 395
 bottom-up 297
 canopy 299–302
 carbon balance 380–382
Cassiope Dwarf Shrub heath
 (moist) 248–249, 299–302, 370–371
 climate change scenarios 26, 304–306, 311, 359–360
 decomposition 307–311, 348–349
 disturbance 293, 304, 396–398, 402–408
 dust 325–342, 360–361
 effects of elevated CO₂ 305, 360
 effects of road-building 420
Eriophorum vaginatum 301, 303–307, 362, 389
 extrapolation 15, 411, 419
 functional groups 299–301, 316–317, 370–371, 373–375, 388, 393, 407
 GAS-FLUX 224, 247–250, 296–302, 312, 369–371, 374–375, 378–384
 GENDEC 296, 308–311, 350–351, 354–362
 HBV 150–152, 296
 hydrology 150–152, 311–315
 International Biological Program 22, 296, 349–350
 landscape 12, 109, 294–297, 311–319, 342, 369–370, 382–383, 387–388, 419, 422
 NECS 24
 nitrogen availability 304–305, 359–360, 393–394, 399–401, 409–411
 nitrogen uptake 296, 306–308
 of road construction and effects of
 dust 325–326, 335–342, 360–361, 396–397, 406
 of road construction and effects on
 discharge 396–397, 402–406
 photosynthesis 299–302
 plant growth 302–306
 productivity 394–395
 riparian 248–249, 299–302
 sensitivity analysis 307
 SHE 371
 snowmelt 148–150
 soil CO₂ efflux 299–302, 308, 371, 375, 379, 381–382
Sphagnum 299–302, 394–396, 398, 404–406
 summary of R4D products 296–298
 T-HYDRO 296–297, 312–315, 390–391
 T-MAP 296–297, 312, 387–388, 390, 397
 T-NUT 296–297, 390, 393–394
 T-PLT 296–297, 390–391, 394–396
 T-VEG 296–297, 390, 393
 TDHC 146, 296
 top-down 297, 311–317
 TOPMODEL 249–250, 296–297, 312, 316, 370–384
 topographically derived 296, 315–317, 369, 383, 419–420
 toposequence 300–302
 tussock tundra 248–249, 299–302, 370–371
 TVM 296–297, 315–317
 types 296, 302, 348–349
 uncertainty 15, 308, 318, 343, 380, 398
 validation 304, 318, 355–356, 398
 vegetation 315–317, 374–375
 see also Road construction
- Moss see *Sphagnum*
 MSS see Multispectral scanner
 Multispectral scanner 38, 156
 Mycorrhizal fungi 209, 214, 360
- NARL see Naval Arctic Research Laboratory
 National Petroleum Reserve 39, 43, 52, 55, 57
 National Research Council 6–8, 14–15, 419, 425–426
 Naval Arctic Research Laboratory 19
 Naval Petroleum Reserve see National Petroleum Reserve
 NDVI see Normalized difference vegetation index
 Net CO₂ exchange
 and landscape gradients 247–250, 369, 380–384
 and site hydrology 248–252

- in communities 223–224, 250–252, 369, 380–384
 - measurement methods 225
- Net radiation 132, 136, 141
- Nitrification 204, 208–210
- Nitrogen
 - availability 359, 410
 - availability index 393–394
 - content of leaves 232
 - content of lichens 118, 120
 - control over growth 203, 302–303
 - fixation 121
 - in soil 203–204
 - pools along toposequence 121–124
 - uptake 203, 210, 306–307, 389
 - see also Model
- Nitrophilic plants 50
- Niwot Ridge, Colorado 21
- Noatak 47–48
- Normalized difference vegetation index 157–160, 313–315, 391, 398–399, 401–402, 409–413
 - and dust transect 159–160
 - relation to discharge 313–314, 410
 - relation to productivity 157, 313, 410
- Northwest Territories 3
- NPR-A see National Petroleum Reserve
- NRC see National Research Council
- Nutrient
 - absorption 211–214
 - analyses 112
 - recovery hypothesis 19–21
 - retranslocation 214
 - sequestering 422
 - turnover 9, 20, 25
- Nutrient availability
 - and blading 42, 49
 - and lemming populations 20
 - and off-road vehicles 50
 - and organic matter quality 208
 - and vegetation composition 24–25, 232, 423
- Off-road vehicle see Disturbance
- Oil seeps 36, 38, 45
- Oil spill see Disturbance
- ORV see Disturbance
- Oumalik 39, 43, 48–49, 51
- Overland flow 185–186, 189, 373, 382
- Palsa 92
- Particulate organic carbon 252, 275, 278–287, 420
 - measurement methods 277, 279
- Patch ecosystems 14, 294–295
 - see also Spatial simulation units
- Percent cover
 - by litter 113
 - by rocks and bare soil 114
 - see also Vegetation
- Percolation 140
- Permanent plots
 - at Imnavait Creek 74
- Persistence 9
- Phenology
 - and landscape gradients 232
 - in GAS-FLUX 300–302, 370–371
 - of tundra species 223
- Phosphatase activity
 - in tussocks 361–362
- Phosphorus
 - availability 360
 - content of leaves 232
 - content of lichens 118, 120
 - control over growth 203
 - pools along toposequence 121–124
 - pools in heath 121
- Photobiont
 - blue-green algal 120
 - green algal 118, 120
- Photosynthesis see Leaf photosynthesis, Net CO₂ exchange
- Pixel 312–314, 316, 372–373, 391–392, 399, 404–405
- Plankton 283, 285
- POC see Particulate organic carbon
- Polygon 20, 43, 53, 60, 79
- Porosity
 - soil profile 375
- Precipitation
 - at Imnavait Creek 131, 136, 145–146, 151, 241, 243, 371–372, 382, 390–391, 420
 - chemistry 193–194
 - intercepted by plants 379
- Productivity
 - controls on 203, 301, 304–306, 369–370, 389–390
 - of mosses 115
 - plant 20, 25, 313, 420, 423
 - see also Model
- Productivity: biomass ratio 389, 396
- Prudhoe Bay 3–5, 21, 35, 43–46, 50–52, 54–55, 57–59, 61, 421
- R4D program 6, 8, 12, 19, 28, 419, 425–426

- R4D region 4, 10–12, 74–76, 79, 81
 RATE see Research on Arctic Tundra Eco-
 systems
 Recovery
 of ecosystems 8–9, 15, 21, 35–37, 43–
 44, 47–49, 421–422
 Reflectance 132, 155–160
 see also Albedo, Normalized difference
 vegetation index
 Regional perspectives 61, 424
 Rehabilitation see Restoration
 Remote sensing 12, 38
 Research on Arctic Tundra Ecosy-
 stems 22–24
 Resilience 8–9, 15, 37, 50, 53, 423–424
 Resistance 3, 8–9, 423–424
 Restoration
 of ecosystems 5, 21, 35, 37, 44–45,
 55–57
 Revegetation see Restoration
 Rime
 chemistry 195
 Riparian
 nutrient pools 109
 see also Model
 Road construction see Disturbance, Mo-
 dels
 Rooting zone 212, 420
 Roots
 and nutrient uptake 212–214, 306–
 307
 uptake kinetics 306–307
 Rubisco 300, 371
 RuBP see Rubisco
 Runoff 131, 136, 141, 143, 150, 188
 Runoff phases
 during snowmelt 189
 during summer 280, 284–285
 Runoff plots 78, 139, 142–143, 187

 Sagavanirktok glaciation 13, 75, 95
 Sagavanirktok River 97, 294, 310
 Scaling 15, 28, 257, 411, 419
 Scandinavia 3
 Seawater see Disturbance
 Seed bank 39, 57
 Seedling 39, 57
 Semivariance 13, 313–315, 407–408
 Sensible heat 132–133
 Sensitivity see Terrain sensitivity
 Seward Peninsula 47–48, 52
 Shortwave radiation 132
 Siberia 3, 62
 Signy Island, Antarctica 355–356
 Snow ablation 132, 141–142, 149
 Snow accumulation 131–132, 137–139,
 419
 Snow distribution 36, 137–139, 143
 Snow gauge 74, 78, 186–187
 Snowbank see Snowbed
 Snowbed 23, 36, 38
 see also Vegetation, Snowbed
 Snowmelt 131–132, 141–142, 148, 151,
 165, 187, 280
 Snowmelt phases
 defined 189
 Snowpack 135–139, 142–143, 187, 198
 Soil
 active layer 96, 132, 141, 149–150
 aeration 235, 240–244, 419
 bulk density 235
 C:N ratio 235, 310, 355
 Ca²⁺ content 96
 carbon 235, 306–311
 extracellular enzyme activity 206,
 360–362
 freezing and thawing 140, 207, 419
 heat flux 132, 135, 421
 heterotrophs 209
 insulation 20, 421
 moisture 144, 296, 308–309, 353, 371,
 390–394
 nitrogen 235, 306–311
 NO₃ content 96
 organic horizon 96, 98, 347
 organic matter 308–309, 347, 350
 pH 96, 241
 solution 306–307
 thermal conductivity 135
 water content variation 238
 Soil basal respiration 235–236
 Soil CO₂ efflux
 and belowground biomass 233
 and landscape gradients 240–244
 and soil moisture 234, 238–243
 and soil temperature 234–236, 239–
 245, 420
 and water table 234–237, 240–244,
 248, 301, 369
 and water table 301, 379
 measurement methods 225
 see also Model
 Soil temperature see Temperature
 Solar radiation 131–132, 230
 Solid waste see Disturbance
 Spatial heterogeneity 13, 387

- and importance in models 294, 318, 382–383, 387–388
- and landscapes 9, 293, 318–319, 387
- Spatial simulation units
 - defined 294–295
 - hydrologic response units 292–295, 372, 420
 - integrated flow systems 295
 - see also Flow paths
- Spectral vegetation indices see Normalized difference vegetation index
- Sphagnum* 174, 243, 286, 299–300, 389, 397–398, 404, 406
 - effects of dust 217
 - photosynthesis and water availability 229, 247, 302
 - water content 238
 - see also Model
- SPOT see Systeme Probatoire d'observation de la Terre
- Stability
 - ecosystem 8–9, 421, 423–424
- Stigstuv, Norway 126
- Stomatal conductance
 - and cold soils 228
 - and humidity 229
- Stone stripes 75, 78
- Stream gauge see Weir
- Subpermafrost water 141
- Succession 21, 30, 37, 57, 60, 421–422
- Surficial geology
 - at Imnavait Creek 76
- Surficial geomorphology at IRS 77
- Systeme Probatoire d'observation de la Terre 38, 157

- TAPS see Trans-Atlantic Pipeline System
- TDR see Time domain reflectometry
- Temperature
 - air 131, 133, 138, 151, 382
 - of Imnavait Creek 277–278, 280
 - soil 131, 299–300, 308, 405
- Temperature acclimation 226
- Terrain sensitivity 3, 97–98, 421
- Thaw depth
 - and blading 147
 - and dust 245–247
 - and hydrocarbon spills 44–45
 - and off-road vehicles 50
 - and seawater spill 46
 - and snowpads 54
 - natural 20, 88, 96, 147, 237, 241–243, 420
 - Thaw lake 20–21, 36, 38, 43, 60
 - Thaw lake cycle 20–21
 - Thematic mapper 38
 - Thermal gradient 138, 140, 146–148
 - Thermokarst 3, 5, 36, 42, 47–49, 52, 59–60, 97, 148, 396, 421
 - Time domain reflectometry 375–376, 379, 381
 - TM see Thematic mapper
 - Toolik Lake 4, 24–25, 97, 325, 330, 342, 355–356, 419, 422, 424
 - Toolik River 10
 - Topographic index 372, 383
 - Topographically derived model see Model
 - Topography
 - effect on snow distribution 137–139
 - and community distribution see Vegetation
 - Toposequence
 - and NDVI 159
 - and nitrification 196, 204
 - and nitrogen mineralization 196, 204
 - and soil water 237–238
 - and thaw depth 237
 - at Imnavait Creek 14, 74, 93–98, 187, 223–224, 230–231, 294, 420
 - at Sagavanirktok River 202, 294
 - role in future research 422–423
 - see also Model
 - Trace gases 3
 - see also Methane
 - Trans-Atlantic Pipeline System 3, 13, 52–53, 55, 57
 - Transpiration 135, 376–377
 - Trash see Disturbance
 - Trophic structure 26
 - Tundra Biome program 21–22
 - Tussock tundra
 - heterogeneity 13–14, 73
 - nutrient pools 109
 - see also Model, Vegetation

 - US Arctic Research Commission 6
 - UTM grid 4, 73

 - Valdez 3–4
 - Vapor pressure 135
 - Vegetation
 - and spectral reflectance 158
 - and topography 374–375, 388–389
 - at Imnavait Creek 82–84
 - classification 80, 109

- colluvial basin 84–85, 87, 92
 - composition 96
 - exposed 81, 84, 88
 - heath 84–86, 110–111, 125–126
 - in marshes (see mire)
 - in mire 81, 84, 92–93
 - in snowbeds 81, 84–86, 88–89, 126
 - in tussock tundra 84, 89–90, 110
 - in water tracks 84–85, 87, 90–92, 110
 - map unit 80, 98
 - moist upland 84–86, 90
 - mosaic 13, 109
 - percent cover by growth forms 96, 112–114
 - physiognomy 81
 - riparian 81, 90–92, 110
 - sedge meadow 110
 - see also Model
- Water
- and nutrient availability 389
 - balance 131, 136, 372, 373, 376–379, 421
 - control on plant structure/function 211, 311–312, 369, 383, 419–420
 - moss storage 379
 - post-snowmelt solution chemistry 185, 195–199
 - snowmelt solution chemistry 185, 189–192, 198
 - see also Discharge, Hydrology
- Water table
- depth and spatial variability 234–237, 240–244, 248, 301, 371–373, 375–376, 379–381, 419
- Water track
- definition 75, 78
 - nutrient pools 109
 - with *Carex aquatilis* 92, 241
 - with *Eriophorum angustifolium* 92, 241
 - see also *Eriophorum vaginatum*, Vegetation
- Waterlogged soil 89, 196
- Weir
- on Imnavait Creek 74, 186–187
- Wetfall see Atmospheric deposition
- Wind
- and snow distribution 137
 - at Imnavait Creek 134–135
 - at Toolik Lake 331
- Wrangel Island 228
- Yukon 3
- Yukon-Tanana uplands 47

Ecological Studies

Volumes published since 1990

Volume 80

Plant Biology of the Basin and Range
(1990)

B. Osmond, G.M. Hidy, and L. Pitelka (Eds.)

Volume 81

**Nitrogen in Terrestrial Ecosystems:
Questions of Productivity, Vegetational
Changes, and Ecosystem Stability** (1991)

C.O. Tamm

Volume 82

**Quantitative Methods in Landscape
Ecology: The Analysis and Interpretation
of Landscape Heterogeneity** (1990)

M.G. Turner and R.H. Gardner (Eds.)

Volume 83

The Rivers of Florida (1990)

R.J. Livingston (Ed.)

Volume 84

**Fire in the Tropical Biota: Ecosystem
Processes and Global Challenges** (1990)

J.G. Goldammer (Ed.)

Volume 85

The Mosaic-Cycle Concept of Ecosystems
(1991)

H. Remmert (Ed.)

Volume 86

Ecological Heterogeneity (1991)

J. Kolasa and S.T.A. Pickett (Eds.)

Volume 87

**Horses and Grasses: The Nutritional
Ecology of Equids and Their Impact
on the Camargue** (1992)

P. Duncan

Volume 88

**Pinnipeds and El Niño: Responses
to Environmental Stress** (1992)

F. Trillmich and K.A. Ono (Eds.)

Volume 89

Plantago: A Multidisciplinary Study (1992)

P.J.C. Kuiper and M. Bos (Eds.)

Volume 90

**Biogeochemistry of a Subalpine Ecosystem:
Loch Vale Watershed** (1992)

J. Baron (Ed.)

Volume 91

**Atmospheric Deposition and Forest
Nutrient Cycling** (1992)

D.W. Johnson and S.E. Lindberg (Eds.)

Volume 92

**Landscape Boundaries: Consequences
for Biotic Diversity and Ecological Flows**
(1992)

A.J. Hansen and F. di Castri (Eds.)

Volume 93

**Fire in South African Mountain Fynbos:
Ecosystem, Community, and Species
Response at Swartboskloof** (1992)

B.W. van Wilgen et al. (Eds.)

Volume 94

The Ecology of Aquatic Hyphomycetes
(1992)

F. Bärlocher (Ed.)

Volume 95

Palms in Forest Ecosystems of Amazonia
(1992)

F. Kahn and J.-J. DeGranville

Volume 96

**Ecology and Decline of Red Spruce,
in the Eastern United States** (1992)

C. Eagar and M.B. Adams (Eds.)

Volume 97

**The Response of Western Forests
to Air Pollution** (1992)

R.K. Olson, D. Binkley, and M. Böhm (Eds.)

Volume 98

Plankton Regulation Dynamics (1993)

N. Walz (Ed.)

Volume 99

Biodiversity and Ecosystem Function
(1993)

E.-D. Schulze and H.A. Mooney (Eds.)

Volume 100

Ecophysiology of Photosynthesis (1994)

E.-D. Schulze and M.M. Caldwell (Eds.)

Ecological Studies

Volumes published since 1990

Volume 101

Effects of Land Use Change on Atmospheric CO₂ Concentrations: South and South East Asia as a Case Study (1993)
V.H. Dale (Ed.)

Volume 102

Coral Reef Ecology (1993)
Y.I. Sorokin

Volume 103

Rocky Shores: Exploitation in Chile and South Africa (1993)
W.R. Siegfried (Ed.)

Volume 104

Long-Term Experiments With Acid Rain in Norwegian Forest Ecosystems (1993)
G. Abrahamsen et al. (Eds.)

Volume 105

Microbial Ecology of Lake Plußsee (1993)
J. Overbeck and R.J. Chrost (Eds.)

Volume 106

Minimum Animal Populations (1994)
H. Remmert (Ed.)

Volume 107

The Role of Fire in Mediterranean-Type Ecosystems (1994)
J.M. Moreno and W.C. Oechel

Volume 108

Ecology and Biogeography of Mediterranean Ecosystems in Chile, California and Australia (1994)
M.T.K. Arroyo, P.H. Zedler, and M.D. Fox (Eds.)

Volume 109

Mediterranean-Type Ecosystems. The Function of Biodiversity (1995)
G.W. Davis and D.M. Richardson (Eds.)

Volume 110

Tropical Montane Cloud Forests (1995)
L.S. Hamilton, J.O. Juvik, and F.N. Scatena (Eds.)

Volume 111

Peatland Forestry. Ecology and Principles (1995)
E. Paavilainen and J. Päivänen

Volume 112

Tropical Forests: Management and Ecology (1995)
A.E. Lugo and C. Lowe (Eds.)

Volume 113

Arctic and Alpine Biodiversity. Patterns, Causes and Ecosystem Consequences (1995)
F.S. Chapin III and C. Körner (Eds.)

Volume 114

Crassulacean Acid Metabolism. Biochemistry, Ecophysiology and Evolution (1995)
K. Winter and J.A.C. Smith (Eds.)

Volume 115

Islands. Biological Diversity and Ecosystem Function (1995)
P.M. Vitousek, L.L. Loope, and H. Adersen (Eds.)

Volume 116

High Latitude Rainforests and Associated Ecosystems of the West Coast of the Americas: Climate, Hydrology, Ecology and Conservation (1995)
R.G. Lawford, P. Alaback, and E.R. Fuentes (Eds.)

Volume 117

Anticipated Effects of a Changing Global Environment on Mediterranean-Type Ecosystems (1995)
J. Moreno and W.C. Oechel (Eds.)

Volume 118

Impact of Air Pollutants on Southern Pine Forests (1995)
S. Fox and R.A. Mickler (Eds.)

Volume 119

Freshwater Ecosystems of Alaska (1996)
A.M. Milner and M.W. Oswood (Eds.)

Volume 120

Landscape Function and Disturbance in Arctic Tundra (1996)
J.F. Reynolds and J.D. Tenhunen (Eds.)

Volume 121

Biodiversity and Savanna Ecosystem Processes. A Global Perspective (1996)
O.T. Solbrig, E. Medina, and J.F. Silva (Eds.)
