

## AUTHOR AND SUBJECT INDEX

- abacus 3  
absolute difference 64  
ACKERMANN 82, 84, 88, 171  
Ackermann's function 84, 88ff  
AL CHWARIZMI 26  
algebra of logic V, 28  
algorithm Vf, 1ff, 18ff, 26, 141, 175ff,  
201, 231ff  
—, Euclidean V, 2  
—, idealization of 5  
—, realization of 3  
—, terminating 2  
alphabet 3, 31, 38, 165  
alternative 68  
antinomy of the liar 29, 176  
argument strip 95  
ARISTOTLE 28  
arithmetic, incompleteness of VI, 175  
—, Peano's 30  
—, undecidability of VI, 175  
arithmetical formula 177f  
— predicate 177f, 179, 192ff  
— predicates, hierarchy of 192  
— sentence 177f, 201  
— term 177  
arithmetization 4  
ars inveniendi 27  
ars iudicandi 27  
ars magna 26ff  
ASSER 234  
  
basic logic 219  
BERNAYS 66  
BOOLE 28  
BOONE 155  
BRITTON 155  
  
calculation, actual 5  
calculus 2f, 117, 222  
—, propositional 8  
— in canonical form (Post) 231f  
CANTOR 27  
CARDANO 27  
  
characteristic function 14, 67, 112  
CHURCH 17, 29ff, 156, 163, 171, 176,  
186, 206, 209, 219, 234  
Church's thesis V, 17, 26, 30, 234  
cleaning up machine 51, 52  
complement 67, 189, 193  
completeness theorem of Gödel 155  
computable convergence 235  
— decimal 238  
— function VI, 9ff, 17, 59, 61, 75, 82,  
212  
— real number 236  
computing instruction 23  
— machine 6  
— procedure, non-periodic 43  
— step 20, 32  
— tape 19, 32, 103  
configuration 20, 32, 108, 149  
—, complete 32  
—, consecutive 32  
—, initial 32  
—, internal 25  
—, starting 20  
—, terminal 32  
— word 149, 151  
conjunction 67, 71  
—, generalized 68  
consequence 148  
constant 156  
—  $C_0^0$  60, 122, 181, 212, 225  
—  $C_0^w$  37  
—  $C_n^k$  63  
constructive proof VI, 104, 129  
constructivity, theory of 9  
copying machine 51, 53  
correctness of rules 115, 120  
corresponding classes in the Kleene-  
Mostowski hierarchy 192  
— configurations 204  
course of values recursion 81  
COUTURAT 28  
CURRY 9, 219, 234

- DAVIS VII**, 118, 202  
 decidability, absolute 12  
   —, relative 12  
 decidable VI, 12f  
   — relation 11  
   — relative to 12  
   — set 11, 17, 156  
 decimal notation 9  
 decision problem of the predicate  
   calculus 29, 171  
   — procedure 12  
 deductable 8, 14  
 deduction 6ff  
   —, length of the 7  
 define 179  
 defining relation 147  
 definition by cases 72  
 $\delta$ -function 65  
 derivability in the  $\lambda$ - $K$ -calculus 209  
**DESCARTES** 27  
**D'ETLOV** 234  
 diagonal procedure 85, 145, 198  
 diagrams of Turing machines 44  
 difference function 41  
   — index 115  
 digital computer 20  
 diophantine equation V, 200  
**DIRICHLET** 207  
 divide 72  
 domain of individuals 157  
  
 elementary machine 39  
 empty predicate 69  
 Entscheidungsproblem of the predicate  
   calculus 171  
 enumerable predicate 11, 187ff  
   — relation 11  
   — set 11  
 enumeration theorem, Kleene's 112, 189  
 $\varepsilon$ -function 65  
 equal 72  
 equality relation 58  
 equation 115, 208  
   — calculus 117  
 erasure 20  
 essential undecidability 117  
 even 72  
 existential quantifier 10  
 exponent function 77  
  
 factorial function 64  
 false sentence 178  
  
 Fermat's conjecture 12  
   — predicate 191  
**FEYS** 219  
**FINSLER** 29f  
**FITCH** 219, 230f  
 Fitch's calculus 222  
 flow diagram 42  
 follow 158  
 formula  
   — of the predicate calculus 156  
   — — of the second order 172  
   — of the propositional calculus 8  
 free occurrence 156, 159, 172, 177, 208  
**FREGE** 28  
*F*-term 116  
 function 207  
   —, characteristic 14, 67  
   —, computable VI, 9ff, 18, 59, 61, 75,  
     82, 89, 212  
   —,  $\lambda$ - $K$ -definable 211ff  
   —,  $\mu$ -recursive 59ff, 88ff  
   —, non-computable 141  
   —, non- $\mu$ -recursive 139  
   —, partially computable 10  
   —, primitive recursive 59ff  
   — of zero arguments 37, 96  
  
 generable relation 14  
   — set VI, 14, 15  
 generalization 68  
   —, bounded 68f  
 general procedure 1ff  
   — recursive function 117  
   — word problem for groups 146  
   — word problem for semi-Thue sys-  
     tems 148  
   — word problem for Thue systems 149  
 generated vid. generable  
**GÖDEL** 9, 29, 30, 65, 113, 118, 155, 163,  
   171, 175, 176, 186  
 Gödel number 4  
   — numbering 4, 9, 17, 91, 130f  
   — numbering of Turing machines 103  
 Gödel's completeness theorem 28  
   — predicate 185  
**GOODSTEIN** 187  
 group system 148f  
**GRZEGORCZYK** 187, 240  
  
**halt** 20, 33  
**HASENJAEGER** 163, 171  
**HERBRAND** 113, 118

- HERMES 163, 231  
 hierarchy (Kleene-Mostowski) 192ff  
 HILBERT 66, 82, 202  
 Hilbert's tenth problem V, 30, 141, 200ff  
  
 identification 68  
   — of variables 61  
 identity functions  $U_n^i$  60  
 immediate consequence 147  
 implication 68  
 incompleteness of arithmetic 175  
   — of the predicate calculus of the second order 29, 171ff  
 individual 157  
   — variable 156  
 induction axiom 176  
   — procedure 62  
   — schema 60, 176  
 initial function 60  
 integer 9  
 integrand 20  
 internal configuration 25  
 interpretation 120, 178  
 interpret 155  
 inverse relation 148  
  
 jump 22  
  
**KAHR** 171  
**KALMÁR** 17, 26, 140, 155, 171, 187  
**KEMENY** 26  
**KLAUA** 240  
**KLEENE** VII, 29, 30, 66, 89, 93, 97, 112, 113, 118, 129, 130, 140, 192, 202, 219, 240  
 Kleene-Mostowski hierarchy 192ff  
 Kleene's enumeration theorem 112, 189  
   — normal form theorem 97, 111  
  
 $\lambda$ -calculus 206, 208  
 $\lambda$ - $K$ -calculus 206ff  
 $\lambda$ - $K$ -convertibility 209  
 $\lambda$ - $K$ -definability 206ff  
 $\lambda$ - $K$ -definable function 211ff  
 $\lambda$ -operator 207  
 large left machine 49, 50  
   — right machine 49, 50  
 left 20  
   — end machine 49, 50  
   — machine 39  
   — parentheses 208  
  
 left search machine 49, 50  
   — translation machine 51, 52  
**LEIBNIZ** V, 27  
 letter 3  
 liar, antinomy of the 29, 176  
 logic, algebra of 28  
   —, basic 219  
   —, modern 28  
**LORENZEN** 9, 223, 231, 232  
 Löwenheim and Skolem, theorem of 173  
**LULLUS** 26  
  
 machine 18f  
   —  $a_j$  39f  
   — **C** 51, 52  
   — **K** 51, 53  
   —  $K_n$  51, 54  
   —  $l$  39  
   — **L** 49, 50  
   —  $\mathfrak{L}$  49, 50  
   —  $\lambda$  49, 50  
   — **r** 39  
   — **R** 49, 50  
   —  $\mathfrak{R}$  49, 50  
   —  $\rho$  49, 50  
   — **S** 49, 50  
   —  $\sigma$  51, 52  
   — **T** 51, 52  
   — table 25  
   — word 143  
**MARKOV** 147, 155, 231, 233f  
 max 74  
**MENNINGER** 9  
 min 74  
 minimal basic logic 219  
 minimal logic of Fitch 219f  
 modified difference 64  
 modus ponens 8, 232  
**MOORE** 171  
**MOSTOWSKI** 177, 187, 192, 202  
 $\mu$ -operator 89  
   —, bounded 74f  
   —, unbounded 74  
 $\mu$ -recursive function 59ff, 88ff, 118, 130  
   — predicate 88ff  
 $\mu$ -recursiveness VI, 59, 89, 93ff  
**MYHILL** 240  
  
 $n$ -copying machine 51, 54  
 negation 67  
 normal algorithm (Markov) 233  
   — calculus in canonical form (Post) 232

- normal form theorem 97, 111  
 — word 153  
 notation, decimal 9  
 NOVIKOV 155  
 number, natural 9  
 —, rational 9  
 —, real 9f, 236  
 — representation 5  
 numeral 115
- odd 72
- partially computable function 10  
 — recursive function 118  
 particularization 68  
 —, bounded 69  
 PEANO 28  
 Peano axioms 176  
 Peano's arithmetic 30  
 permutation of variables 61  
 PÉTER 18, 26, 66, 78  
 $\pi$ -permutation 67  
 place index 115  
 POST VI, 26, 30, 35, 147, 155, 192, 231,  
 234  
 power function 64  
 predecessor function 64  
 predicate, arithmetical 192ff  
 —, decidable 11  
 —, enumerable 11, 187ff  
 —,  $\mu$ -recursive 88ff  
 —, primitive recursive 66ff  
 —, regular 75  
 —, undecidable 141ff  
 — calculus VI, 155  
 — calculus, decision problem 29  
 — calculus, undecidability VI, 163ff  
 — calculus of the first order 172  
 — calculus of the second order 172  
 — variable 156  
 prime function 77  
 — number 72  
 primitive recursion 66  
 — recursive function 59, 60f, 65  
 — recursive predicate 66ff  
 print 21, 32  
 procedure, general 1ff  
 process II 65  
 —  $\Sigma$  65  
 product function 57, 64  
 PUTNAM 202
- quantification, bounded 71  
 —, unbounded 71  
 quotient 76
- RAYMUNDUS LULLUS** vid. LULLUS  
 recursion schema 60  
 recursive analysis 234ff  
 — decidability 113  
 — enumerability 113  
 — function VI, 65, 113, 117  
 — predicate 113  
 regular function 89, 101  
 — predicate 75, 88  
 — system of equations 122  
 relation, decidable 11  
 —, empty 11  
 —, enumerable 11  
 —, finite 13  
 —, generable 14  
 replacement rule (RR) 117, 120  
 right 20  
 — end machine 49, 50  
 — machine 39  
 — search machine 49, 50  
 ROBINSON 177, 187, 192  
 ROSSER 176f, 186, 189, 192  
 rule of inference (Post) 231  
 rule (RR) 114, 116, 120  
 — (SR) 114, 116, 120  
 — system VI, 7f  
 RUSSELL 28
- SCHOLZ 163  
 SCHÖNFINKEL 207  
 search machine 49, 50  
 semantics 129, 155, 157, 176  
 semi-group 147  
 semi-Thue system 30, 147, 187  
 sentence 48  
 sequence, computably convergent 236  
 —, convergent 235  
 set, decidable 11  
 —, denumerable 11  
 —, empty 11  
 —, enumerable 11  
 —, finite 13  
 —, generable 14  
 sg-function 64  
 $\overline{sg}$ -function 64  
 shift 34  
 shifting machine 51, 52  
 $\sigma$ -function 77ff

- sign 3  
 situation (Turing machines) 20  
 SKOLEM 187  
 SMULLYAN 192  
 soroban 3  
 SPECKER 238, 240  
 square, empty 20, 32  
 —, initial, choice of 55  
 —, marked 20, 48  
 —, observed 22  
 —, scanned 21  
 standard decomposition of a word 233  
 — definable function 119  
 state 32  
 —, initial 32  
 —, terminal 32  
 state of mind 25  
 stop 33  
 substitution 69, 161  
 —, simultaneous 220  
 — for a variable 62  
 — formula 233  
 — in a parameter 78, 80  
 — operation 208  
 — process, general 61  
 — rule (SR) 116, 120  
 — schema 60  
 sub-word 233  
 successor function 57, 60  
 sum function 57, 64  
 superimposed 8  
 SURÁNYI 171  
 symbol 3  
 —, actual 20  
 —, empty 20  
 —, ideal 20  
 — of a diagram, initial 45  
 — of a Turing machine 25  
 syntactic 129  
  
 tape 19  
 —, a half 95  
 — expression 20, 32  
 TARSKI 30, 163, 176f, 186f  
 term 115, 177, 208  
 theorem of Löwenheim and Skolem 173  
 THUE 155  
 Thue system 30, 145, 148f, 154f, 187  
 TRACHTÉNBROT 171  
  
 true sentence 178  
 TURING 19, 26, 30, 155, 206, 219  
 Turing-computability 31, 35f, 36, 55,  
     59, 93ff, 98ff, 108, 235  
 —, standard 95ff, 98ff  
 Turing-decidability 31, 35, 37f, 55, 58  
 — relative to  $M_1$  37  
 Turing-enumerability 31, 35f, 37f  
 Turing-enumerable 37  
 Turing machine VI, 17ff, 25, 31ff, 34f,  
     44, 48, 103ff, 110, 142, 203  
 —, universal 25, 187, 203ff  
 —, placed behind a word 34  
 —, placed on a tape 33  
 Turing machines and periodicity 55  
 Turing machines, combination of 44ff  
 —, diagrams of 44  
 —, equivalence of 34  
 —, Gödel numbering of 163  
 —, interchangeable 47  
 Turing table 25  
  
 undecidability, essential 177  
 — of arithmetic VI, 175  
 undecidable predicates 141ff  
 universal machine 150  
 — predicate 69  
 — Turing machine 25, 187, 203ff  
  
 valid 119, 120, 155, 157, 172, 178  
 variables of the first order 172  
 — of the second order 172  
  
 WANG 26, 171  
 WHITEHEAD 28  
 word 3  
 —, empty 3, 5  
 —, ideal 36  
 — over  $\mathfrak{A}$  3  
 — problem for groups Vf, 30, 141  
 — problem for groups, general 146  
 — problem for semi-Thue systems 145ff  
 — problem for semi-Thue systems,  
     general 148  
 — problem for Thue systems VI, 145ff  
 — problem for Thue systems, general  
     149