

---

# Index

## A

- Abrasion, 45
- ALARA, 100
- Alveolar fracture
  - diagnosis, 42, 44, 45, 47
  - treatment, 54
- Ameloblastomas, 110
- Angulated multiple radiographs, 13–14
- Anti-curvature filing, 139
- Apexification
  - mineral trioxide aggregate, 81–84
  - root lengthening, 93
- Apexogenesis, 75
  - root lengthening, 93
  - steps involved in, 80–81
- Apicoectomy, 179
- Aquatine Endodontic Cleanser, 152
- Asphyxia, 73
- Avulsion
  - diagnosis, 44, 45, 47
  - tooth replantation, 52–54

## B

- Bicuspidization, 178
- Bitewing radiographs, 100–101
- Bone fracture. *See* Tooth and bone fracture

## C

- Cement-enamel junction (CEJ)
  - access penetration location selection, 119–120
  - access position, 122
  - cuspal tip to pulp chamber, distance measurement, 122, 123
  - law of root canal centrality, 119–121
  - law of root canal concentricity, 120–122

- tooth angulations, 121
  - visualizing, 119–120
- Cementoblastoma, 111–112
- Central giant cell granuloma (CGCG), 111
- Chlorhexidine gluconate (CHX), 151
- Complete mouth radiographic series (CMRS), 102–103
- Concussion
  - diagnosis, 43, 44, 47
  - treatment, 53, 54
- Cone beam computed tomography (CBCT)
  - advantages, 105–106
  - apical periodontitis detection, 106–107
  - description, 105
  - diagnosis, 106
  - 3-dimensional oral pathology information, 104
  - disadvantages, 106
  - field of view, 105
  - usage, 104
- Contusion, 45
- Cracked tooth
  - bite test, 28
  - diagnosis, 27–28
  - dye test, 28
  - etiology, 27
  - patient history, 28
  - radiograph, 28
  - responsive testing, 28
  - restoration removal, 28
  - surgical exploration, 28
  - transillumination test, 28
  - treatment, 29–30
- Crown fracture
  - complicated, 43–45, 48
  - treatment, 54
  - uncomplicated, 43, 45, 48
- Cvek partial pulpotomy procedure, 75, 76, 80–81

**D**

- Dental pulp aging and removal, 118–119
- Dental pulp vitality
  - dental materials, 79
  - diagnosis
    - assessment information, 4–6
    - cold sensibility testing, 7
    - objective information, 4–5
    - PAIN diagnostic method, 7
    - sensibility testing (*see* Sensibility testing)
    - subjective information, 4–5
    - tissue diagnosis, 32
    - treatment planning, 6
  - endodontic sealers, 79
  - pulp necrosis, 73–74
- Dentigerous cyst, 109
- Dentinogenesis, 118
- Digital radiographs, 99

**E**

- Electric pulp tester (EPT), 8–9
- Electronic apex locators (EAL), 15–16
- Enamel fracture, 44
- Enamel infraction, 25
- Endodontic disease
  - additional canals detection, 13–14
  - cracked tooth
    - bite test, 28
    - diagnosis, 27–28
    - dye test, 28
    - etiology, 27
    - patient history, 28
    - radiograph, 28
    - responsive testing, 28
    - restoration removal, 28
    - surgical exploration, 28
    - transillumination test, 28
    - treatment, 29–30
  - crown examination, 12
  - dental examination, 4
  - dental history checklist, 6
  - dental pulp vitality diagnosis
    - assessment information, 4–6
    - cold sensibility testing, 7
    - objective information, 4–5
    - PAIN diagnostic method, 7
    - sensibility testing (*see* Sensibility testing)
    - subjective information, 4–5
    - tissue diagnosis, 32
    - treatment planning, 6
  - dentin status diagnosis, 32
  - diagnostic criteria, 17–18

- endodontic-periodontic lesions
  - diagnosis, 22
  - endodontic lesions, 23
  - primary endodontic lesions, 23–24
  - primary periodontic lesions, 24
  - true combined lesions, 24–25
- facial examination, 3
- fistula, 20–21
- immature teeth (*see* Immature teeth)
- insurance plans, 1
- irreversible pulpitis, 19
- medical history, 6–7, 18
- oral tissues swelling, 20–21
- pain diagnosis, 2–3
- patient care standards, 31
- patient consent form, 1–2, 35–38
- patient's record, 2
- periapical diagnosis, 25–26
- periapical lesions, nonpulpal origin, 21
- periapical pathosis, 19–20
- periodontal tissue diagnosis, 32
- periodontium examination, 12
- periradicular surgery (*see* Periradicular surgery)
- postoperative pain, 1
- prosthetic teeth, 1
- radicular groove anomaly, 25
- radiographic examination, 4
- reversible pulpitis, 18
- root aspect, 12–13
- root canal
  - access preparation (*see* Root canal access preparation)
  - cleaning and shaping (*see* Root canal cleaning and shaping)
  - irrigation (*see* Root canal irrigation)
  - obturation (*see* Root canal obturation)
  - restoration, 1
  - treatment, 1, 30–31
- root canal working length
  - canal openings detection, 15
  - degree of canal curvature, 14
  - EAL, 15–16
  - measurement, 14
  - off-angle radiograph, 14
  - radiograph, 16
- root defects
  - clinical diagnosis, 26–27
  - etiology, 26
  - treatment, 27
- safety protocols, 3
- sinus tract, 20
- tooth structure for restorations, 12
- traumatic dental injuries (*see* Traumatic dental injuries (TDIs))

- Endodontic sealers, 163–164  
*Enterococcus faecalis*, 149  
 Ethylene-diaminetetraacetic acid (EDTA), 154  
 Extrusion  
   diagnosis, 43, 44, 46, 49  
   treatment, 55
- F**  
 Ferrule effect, 12  
 Focal osseous dysplasia (FOD), 112  
 Follicular cyst, 109  
 Full mouth series (FMS/FMX) of radiographs, 102–103
- G**  
 Gingival/oral mucosa injuries, 45  
 Gutta-percha obturation  
   advantages, 165–166  
   anterior and posterior teeth, 167  
   filling techniques, 166–167  
   procedure, 167–169  
   quality, 166  
   semi-plastic physical properties, 165  
   vertical/lateral condensations, 166
- H**  
 Hand files, 137–139  
 Hypochlorous acid (HOCl), 152
- I**  
 Immature teeth  
   apex size and stage, 76–77  
   apexification  
     mineral trioxide aggregate, 81–84  
     root lengthening, 91  
   apexogenesis, 77  
     root lengthening, 91  
     steps involved in, 80–81  
   avulsion injuries, 93–94  
   Cvek partial pulpotomy procedure, 75, 76, 80–81  
   health status and compliance, 77–78  
   irreversible pulpitis, 75  
   necrotic pulp, 75  
   patient age, 77  
   pulp vitality  
     dental materials, 79  
     endodontic sealers, 79  
     pulp necrosis, 73–74  
     regenerative endodontic procedure, 74–76  
       biodegradable polymer, 91–92  
       cell activity, 92  
       closed apical foramen, 90  
       open apical foramen, 89–90  
       root lengthening, 91  
       single-visit vs. multiple-visit, 89  
   root canal disinfection, 78–79  
   root canal revascularization, 74, 76  
     apical pathosis, 85–86  
     avulsed replanted tooth and tissue formation, 85, 86  
     Hoshino's triple antibiotic paste, 85  
     root lengthening, 91  
     sodium hypochlorite, 85  
     steps involved in, 87–89  
   root canal treatment, 76
- Infraction, 43, 46, 49  
 Intentional tooth replantation, 179  
 Intrusion  
   diagnosis, 43, 44, 46  
   treatment, 55
- J**  
 Jaws  
   ameloblastomas, 110  
   cementoblastoma, 111–112  
   central giant cell granuloma, 111  
   dentigerous cyst/follicular cyst, 109  
   FOD/cemento-osseous dysplasia, 112  
   KCOT, 109  
   lateral periodontal cyst, 109  
   odontogenic myxoma, 112  
   odontomas, 111  
   ossifying fibroma/osteofibrous dysplasia, 111  
   periapical cyst/radicular cyst, 108  
   radiolucent and radiopaque lesions, 107, 108  
   solitary eosinophilic granuloma, 113
- K**  
 Keratocystic odontogenic tumor (KCOT), 109
- L**  
 Laceration, 45  
 Lateral luxation  
   diagnosis, 43, 44, 46, 49  
   treatment, 55  
 Lateral periodontal cyst, 109  
 Law of dentin color change, 126

Law of root canal centrality, 119–121  
 Law of root canal concentricity, 120–122

#### Luxation injuries

- avulsion
  - diagnosis, 44, 45, 47
  - tooth replantation, 52–54
- concussion
  - diagnosis, 43, 44, 47
  - treatment, 53, 54
- extrusion
  - diagnosis, 43, 44, 46, 49
  - treatment, 55
- intrusion
  - diagnosis, 43, 44, 46
  - treatment, 55
- lateral luxation
  - diagnosis, 43, 44, 46, 49
  - treatment, 55
- subluxation
  - diagnosis, 46, 50
  - treatment, 56

#### M

Marsupialization, 179  
*Morinda citrifolia* juice (MCJ), 152  
 MTAD Antibacterial Root Canal Cleanser (MTAD), 154

#### N

Nickel–titanium (NiTi) rotary instruments, 137–138

#### O

Occlusal radiographs, 101–102  
 Odontogenic myxoma, 112  
 Odontomas, 111  
 Ossifying fibroma/osteofibrous dysplasia, 111

#### P

PAIN diagnostic method, 7  
 Panoramic radiographs, 103  
 Perforation repair, 141–142  
 Periapical cyst, 108  
 Periapical radiographs, 101–102  
 Periradicular surgery
 

- anatomical redesigning, 178
- apical resection, 178
- bicuspidization, 178
- complications, 181
- diagnostic surgery, 178

guidelines, 170  
 hemisection, 178  
 incision and drainage, 178–179  
 intentional tooth replantation, 179  
 marsupialization, 179  
 periapical surgery, 179  
 restorative and occlusal factors, 180  
 root amputation, 179  
 surgical flap, 180–181  
 trephination, 179–180

#### Q

Qmix 2in1 Endodontic Cleanser (Qmix), 154

#### R

Radiation dose, 99–100  
 Radicular cyst, 108  
 Root canal access preparation
 

- access modifications, 122
- bur size, shape and type selection, 124–125
- caries decay removal, 125
- CEJ
  - access penetration location selection, 119–120
  - access position, 122
  - cuspal tip to pulp chamber, distance measurement, 122
  - law of root canal centrality, 119–121
  - law of root canal concentricity, 120–122
  - tooth angulations, 121
  - visualizing, 119–120
- characteristics, 118
- defective restorations removal, 125
- dental operating microscope and loupes, 117
- dental  $\rho\lambda\pi$  aging and removal, 118–119
- law of dentin color change, 126
- orifice number and location, 126–127
- pulp chamber roof removal, 125
- straight-line access preparation, 117
- tooth type
  - mandibular molar teeth, 123–124
  - maxillary molar teeth, 124

- Root canal cleaning and shaping
- accessory canals, 140
- anti-curvature filing, 139
- apical enlargement size, 136
- culturing and medication, 141
- cutting tips, 138
- degree of difficulty, 132
- disadvantages, 132

- final instrumentation, 134–135
  - flare-up rate, 131
  - goal, 131
  - hand files, 137–139
  - instrumented straight canal size, 136
  - instrumenting steps, 140–141
  - NiTi rotary instruments, 137–138
  - perforation repair, 141–142
  - preoperative and postoperative root canal, 139
  - root apex, 136
  - tooth anatomy and morphology, 131
  - tooth length measurement, 133–134
  - undiluted sodium hypochlorite, 132–133
  - Root canal irrigation
    - chelating agents
      - activation, 155–156
      - ethylene-diaminetetraacetic acid, 154
      - vs. irrigating solutions, 155
      - MTAD Antibacterial Root Canal Cleanser, 154
      - Qmix 2in1 Endodontic Cleanser, 154
      - smear layer removal, 152–154
    - Enterococcus faecalis*, 149
    - irrigating solutions
      - activation, 155–156
      - functions, 150
      - types and dilutions, 150–152
  - Root canal obturation
    - composite resin, 170
    - gutta-percha obturation
      - advantages, 165–166
      - anterior and posterior teeth, 167
      - filling techniques, 166–167
      - procedure, 167–169
      - quality, 166
      - semi-plastic physical properties, 165
      - vertical/lateral condensations, 166
    - obturation material selection, 164–165
    - pastes, 170
    - posttreatment instructions, 170
    - posttreatment patient management, 170
    - restoration, 171
    - sealers, 163–165
    - silver point obturation, 169
    - treatment, 169–170
  - Root canal restoration, 1
  - Root canal revascularization, 74, 76
    - apical pathosis, 85–86
    - avulsed replanted tooth and tissue formation, 85, 86
    - Hoshino's triple antibiotic paste, 85
    - root lengthening, 91
    - sodium hypochlorite, 85
    - steps involved in, 87–89
  - Root canal treatment, 1, 30–31
  - Root defects
    - clinical diagnosis, 26–27
    - etiology, 26
    - treatment, 27
  - Root fracture, 46, 50
  - Root–crown fractures
    - clinical examination, 42
    - complicated, 44, 46, 48
    - patient report, 42
    - radiographic examination, 42
    - uncomplicated, 45, 46, 48
- S**
- Sensibility testing
    - anesthesia test, 11
    - cavity testing, 11
    - cold testing, 8–11
    - EPT, 8–9
    - experimental noninvasive pulp tests, 11
    - exploratory surgical flap, 11
    - flowchart, 8
    - heat testing, 9
    - palpitation testing, 10
    - percussion testing, 10–11
    - transillumination, 11
  - Silver point obturation, 169
  - Sodium hypochlorite, 150–151
  - Solitary eosinophilic granuloma, 113
  - Subluxation
    - diagnosis, 46, 50
    - treatment, 56
- T**
- Tooth and bone fracture
    - alveolar fracture
      - diagnosis, 42, 44, 45, 47
      - treatment, 54
    - crown fracture
      - complicated, 43–45, 48
      - treatment, 54
      - uncomplicated, 43, 45, 48
    - enamel fracture, 44
    - enamel infraction, 45
    - root–crown fractures
      - clinical examination, 42
      - complicated, 44, 46, 48
      - patient report, 42
      - radiographic examination, 42
      - uncomplicated, 45, 46, 48

- Traumatic dental injuries (TDIs)
- antibiotics, 57–58
  - diagnosis, 45–50
  - differential diagnosis, 39
    - assessment, 41
    - objective information, 40
    - subjective information, 40
    - treatment planning, 41
  - emergency care, 46, 53
  - gingival/oral mucosa injuries, 45
  - immediate patient care, 39
  - local anesthesia, 53, 56
  - luxation injuries (*see* Luxation injuries)
  - orthodontic movement, 56–57
  - pain management
    - doctor–patient communication, 61
    - local anesthesia, 61–63
    - pulpal anesthesia, 64–65
  - patient home care instructions, 57
  - prognosis, 56
  - repositioning and stabilizing, 56
  - root resorption
    - differential radiographic diagnosis, 59
    - external, 58–59
    - internal, 58
    - treatments, 59–60
  - tooth and bone fracture (*see* Tooth and bone fracture)
  - tooth discoloration
    - causes, 65–66
    - whitening/bleaching, 66
  - treatment decision-making, 51
  - type identification, 42–43
- Trephination, 179–180
- X**
- X-rays, 100–101