

Index

Symbols

- T_2^* versus T_2 , 12
- d -wave BCS octet model, 90
- d -wave superconductor, 74
- d -wave symmetry, 74
- s -wave symmetry, 82
- 2π phase winding, 101

A

- Affin transformation, 80
- Andreev, *see* Andreev–Saint James (ASJ) reflections
- Andreev–Saint James (ASJ) reflections, 111, 112, 118
- Antiferromagnetic fluctuations, 92
- Antiferromagnetic order, 25, 228
- ARPES

- 1-step model, 36
- 3-step model, 36, 42
- adiabatic limit, 44
- conservation laws, 39
- cross-section, 46, 49
- electron analyzer, 52
- experimental resolution, 53
- kinematics, 38, 42
- matrix element, 49, 51
- sudden approximation, 36, 42
- the technique, 36, 51

B

- BCS superconductor, 82
- $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$, 76, 233
- Bloch equations, 8
- Bloch-states, 277

- Blonder-Tinkham-Kalpwijk (BTK), 112, 116, 117
- Bogoliubov arc, 90
- Bogoliubov quasiparticles, 76
- Bragg diffraction, magnetic, 220, 221
- Bragg diffraction, neutron nuclear, 216
- Bridgman-type anvil cell, 177
- Brillouin zone
 - extended-zone scheme, 39
 - reduced-zone scheme, 39
- Brillouin-zone boundary, 295
- Broken spatial symmetries, 93

C

- C_2 symmetry, 95
- C_4 symmetry, 95
- $\text{Ca}_{2-x}\text{Na}_x\text{CuO}_2\text{Cl}_2$, 87
- CeCoIn_5 , 23, 150
- CeIn_3 , 159
- Central transition, 16
- CeRhIn_5 , 139
- Cobaltates, 63
- Commutation relations, 293
- Conductance
 - coherence peaks, 118
 - dynamical, 115, 118
 - peak, *see* conductance, zero bias quantum channel, 114
 - zero bias, 118, 120
- Contact
 - ballistic, *see* contact, Sharvin resistance, 113
 - Sharvin, 112, 114
 - size, 116, 119
 - transparency, *see* transparency contact
- Copper oxide superconductors, 139, 147

Correlated electrons, 269
 Correlation effects, *see* interaction, electron-electron
 Correlations, 54
 Course graining, 277
 Cuprate superconductors, 228
 Cuprates
 $\text{Ca}_2\text{CuO}_2\text{Cl}_2$, 58
 $\text{YBa}_2\text{Cu}_3\text{O}_{6+x}$, 60
 Current, 273
 Current operator, 278, 279, 281
 Current-current correlation function, 284

D

De Broglie waves, 88
 De Haas van Alphen effect, 137–169
 back-projection, 148
 Dingle factor, 146, 158, 159, 165
 Fermi liquid behaviour, 146
 in quasi-two-dimensional compounds, 152
 in three-dimensional metals, 150
 Lifshitz-Kosevich formula, 145, 152, 159
 measurement techniques, 153
 choice of magnet, 158–159
 field modulation, 153, 155
 piezoresistive cantilevers, 156, 159
 torque, 155, 157
 tunnel diode oscillators, 157, 159
 non-Fermi liquid behaviour, 146
 Onsager relation, 140–142
 signal analysis, 159–160
 spin damping, 150
 spin damping factor, 147–152
 spin dependent effective mass, 142, 147
 spin-zeros, 150
 temperature dependence, 142–146
 theory, 139–153
 De Haas–van Alphen oscillations, 189
 Debye-Waller factor, 216
 Density matrix, 3
 equilibrium, 5
 statistical ensemble, 4
 time dependence, 6
 Density of states, 76
 Detailed balance, 219
 Diamagnetic part of the current, 280
 Diamond anvil cell (DAC), 179
 Dielectric constant, 271
 Diffidential tunneling conductance, 78
 Dingle factor, 146, 152, 158, 159, 165

Dipole field operator, 292
 Dislocation, 101
 Displacement field, 273
 Displacement vector, 80
 Dissipation-less DC currents, 294
 Drude-Lorentz expression, 288
 Dynamic correlation function, 219
 Dynamic structure factor, 220, 223
 Dynamic structure factor, sum rule, 223

E

Effective mass, 139, 141–146, 159, 165, 167
 spin dependent, 147, 150, 152
 Electric field, 273
 Electric field gradient (EFG), 14
 Electrical transport, 183
 Electromagnetic waves, 270
 Electron energy loss spectroscopy (EELS), 274
 Electron-phonon coupling, 58
 Electron-spin resonance (ESR), 190
 Electronic specific heat capacity
 of CeCoIn_5 , 128, 130
 of PuCoGa_5 , 128
 of UBe_{13} , 130
 Ellipsometry, 270

F

F-sum rule, 291
 Fermi function, 46, 78
 Fermi surface, 137–139, 142, 150–152, 159
 Fermi's Golden Rule, 288
 FFLO phase, 24
 Field induced magnetism, 23
 Field-of-view (FOV), 79
 Fluctuation-dissipation theorem, 220
 Forbidden transitions, 19
 Franck-Condon effect
 H_2 molecule, 55
 Free induction decay, 9
 Frequency versus field plot, 2, 16, 18

G

Gas pressure cell, 180
 Giaever tunneling, 112, 122
 Ginzburg-Landau functional, 101
 Green's function
 electron addition, 46
 electron removal, 46
 retarded, 46
 time-ordered, 45

H

- Hall effect, 168
- Heat capacity, 185
 - ac-method, 186
 - heat-pulse technique, 186
- Heating, 114–115
- Heisenberg representation, 282
- Hole-doped cuprates, 74
- Hole-like Fermi surface, 92
- Hubbard band, 34
- Hyperfine coupling, 20
 - in heavy fermions, 21

I

- Incommensurate magnetic order, 232
- Indenter-type pressure cell, 179
- Infrared spectroscopy, 269
- Inner potential, 41
- Insulator
 - charge-transfer, 34
 - Mott, 34
 - Mott relativistic, 35, 66
- Interaction
 - electron-boson, 128
 - electron-electron, 127
 - electron-phonon, 124, 125
- Interface, 271
- Intra-unit-cell nematicity, 95
- Iridates
 - Na_2IrO_3 , 67
 - Sr_2IrO_4 , 65

J

- Joint-density-of-states (JDOS), 88
- Junction
 - mechanically controlled break, 117
 - tunneling, 112

K

- K_2IrCl_6 , 226
- K-sum rule, 288
- Kinetic energy sum rule, 291
- Kondo lattice coherence, 21
- Korringa constant, 23
- Kubo formalism, 286

L

- La_2CuO_4 , 227, 228
- La_2CuO_4 , antiferromagnetic order, 229, 230
- La_2CuO_4 , spin wave dispersion, 231

- La_2CuO_4 , spin waves, 230, 231
- $\text{La}_{1.48}\text{Nd}_{0.4}\text{Sr}_{0.12}\text{CuO}_4$, 232
- $\text{La}_{2-x}\text{Ba}_x\text{CuO}_4$, 228, 232
- $\text{La}_{2-x}\text{Ba}_x\text{CuO}_4$, magnetic dispersion, 232, 233
- Larmor frequency, 2
- Linear response, 278, 282
- Longitudinal dielectric function, 274
- Luttinger's theorem, 92

M

- Mössbauer spectroscopy, 191
- Magnetic form factor, 222
- Magnetic form factor, anisotropy, 225
- Magnetic form factor, covalency, 225
- Magnetic form factor, Cu^{2+} , 227, 228
- Magnetic form factor, Ir^{4+} , 226
- Magnetic impurity, 82
- Magnetic permeability, 271
- Magnetic scattering length, 218
- Magnetic susceptibility, 187
- Magnetic susceptibility, dynamic, 220
- Magnetization, 187
- Magnetostriction, 186
- Manganites, 61
- Manometer, 181
 - T_c of lead, indium, tin, 182
 - Cu_2O NQR, 183
 - manganin gauge, 182
 - ruby fluoresce, 182
- Many-body, 269
- Mass enhancement, 112
 - factor, 123, 124
 - for CeCoIn_5 , 131
 - for cuprates, 127
 - for LSCO, 127
 - for MgB_2 , 125
 - for Nb, 124, 125
 - for PuCoGa_5 , 129
 - for SmFeAs , 132
 - for UBe_{13} , 130
 - for YBCO, 127
- Matrix element, 63
- Maxwell equations, 271
- Mean free path, 111, 113
 - of CeCoIn_5 , 130
 - of metal, 114
 - of MgB_2 , 125
- Minimal substitution, 277
- Modified Bridgman-type anvil cell, 178
- Mott
 - criterion, 34, 66

gap, 34
 insulator, 34
 Mott insulator, 74
 Multi-anvil pressure cell, 180
 Muon-spin resonance, μ SR, 190
 Muon-spin rotation, μ SR, 190

N

Nanoscale electronic disorder, 85
 Near-field techniques, 269
 Nematic fluctuation, 101
 Nernst effect, 157
 Neutron absorption cross section, 211
 Neutron diffraction, 187, 191
 Neutron energy formulas, 207
 Neutron energy units, 207
 Neutron magnetic interaction, 210
 Neutron magnetic scattering, 218
 Neutron magnetic scattering cross section, 219
 Neutron nuclear scattering, 213
 Neutron nuclear scattering, coherent, 215
 Neutron nuclear scattering, incoherent, 215
 Neutron properties, 206
 Neutron scattering, 191
 Neutron scattering cross section, 211
 Neutron scattering length, 210, 211
 Neutron scattering, differential cross section, 212, 213
 Neutron sources, 207
 NMR receivers, 11
 Non-Fermi liquids, 143
 Non-local optical spectroscopy, 269
 Non-magnetic impurity, 82
 Nuclear magnetic resonance (NMR), 190
 Nuclear quadrupolar resonance (NQR), 18

O

Off-diagonal coherence, 8
 Opposed-anvil type pressure cell, 176
 Optical conductivity, 274
 Optical constants, 270
 Optical spectroscopy, 192
 Oxygen dopant ions, 85

P

Pair density wave, 27
 Partition function, 287
 Pauli limited superconductivity, 24
 Peierls substitution, 278

Phonons, neutron scattering cross section, 217
 Pinholes, 117, 133
 Piston-cylinder type pressure cell, 175
 Planck units, 275
 Plasma frequency, 288
 Polarization, 270
 Polarization density, 273
 Polaron, 58
 Precession, 3
 Pressure cell, 174
 Pressure transmitting medium, 183
 Proximity effect, 118, 126
 Pseudogap (PG), 74

Q

Q phase, 23
 magnetic structure, 25
 NMR spectra, 24
 Quadrature detection, 11
 Quadrupolar interaction, 14
 Quadrupolar moment, 14
 Quadrupolar nuclei, 14
 Quadrupolar satellites, 16, 18
 Quantum electrodynamics, 275
 Quantum oscillations, *see also* de Haas van Alphen effect, 137
 Nernst effect, 157
 Shubnikov-de Haas effect, 157
 specific heat oscillations, 157
 Quasiparticle, 47, 48, 65
 Quasiparticle g -factor, 147
 Quasiparticle interference (QPI), 88
 Quasiparticle weight, 57, 59

R

Raman scattering, 192
 Reflection, 271
 Reflectivity, 273
 Regular part of the current, 279
 Regular part of the optical conductivity, 284
 Regular part of the spectral weight, 292
 Retardation effects, 112, 123
 Rhodates
 Sr_2RhO_4 , 65
 Rotating frame, 5
 Rotation operators, 7
 Ruthenates
 Sr_2RuO_4 , 65

S

Saint James, *see* Andreev–Saint James (ASJ) reflections

Scattering
 elastic, 114
 inelastic, 114
 length, 114, 115, 119

Screening, 275

Second moment, 11

Self-energy, 46, 48
 Fermi liquid, 47

Sharvin limit, 114, 119

Shubnikov de Haas effect, 157

Smectic modulations, 99

Spectral function, 45, 48
 coherent, 48
 Doniach-Sunjic, 57
 Fermi liquid, 47
 incoherent, 48
 sum rule, 48, 49

Spectral weight, 280
 coherent, 56, 57
 vs. band filling, 64
 vs. doping, 60
 vs. photon polarization, 63
 vs. spin-orbit interaction, 65
 vs. temperature, 61
 incoherent, 56, 57

Spectroscopic imaging scanning tunneling microscopy (SI-STM), 78

Spin decoherence time, T_2 , 9

Spin echo, 11

Spin lattice relaxation, 13, 21
 Moriya expression, 23
 time constant T_1 , 9

Spin waves, 224

Spin waves, neutron scattering cross section, 225

Spin-liquid, 74

Spin-orbit coupling, 64, 65

Spin-wave dispersion, 224

Sr_2CuO_3 , 227, 228

Sr_2RuO_4 , 147, 160–166
 de Haas van Alphen oscillations, 162
 effective masses, 165, 166
 Fermi surface, 163
 Fermi surface warping, 164
 linear specific heat vs. effective masses, 167
 normal state properties, 161
 resistivity anisotropy vs. Fermi surface warping, 168

SrCuO_2 , 227

Stripe order, 232

Structure factor, neutron nuclear, 216

Sum rule, 288

Superconducting
 coherence length, 112, 118, 119, 124
 of CeCoIn_5 , 130
 of cuprates, 122
 of MgB_2 , 125
 of Nb, 119, 124
 of PuCoGa_5 , 129
 of SmFeAs , 132
 of UBe_{13} , 130
 of YBCO, 127
 critical temperature, 115
 gap, 111, 115
 anisotropy, 119–121
 order parameter, 112, 119–122

Superconductor, 286

Superexchange energy, 230

Superfluid density, 93

Superfluid helium, phonon-roton dispersion, 214

Surface photoelectric effect, 39, 43

T

Thermal conductivity, 184

Thermal expansion, 186

Thermal transport, 184

Thermodynamic limit, 293

Thermodynamical weight factors, 286

Thermoelectric power, 184

Tight-binding model, 276

Time operator, 17

Time-evolution operator, 282

Tip
 point contact, 117

Topograph, 80

Topological defect, 101

Toroidal-anvil cells, 178

Transition metal oxides, 31, 32
 3d-based, 58, 60, 61, 63
 4d-based, 64
 5d-based, 65, 67

Transmission, 271

Transparency
 contact, 120

Transparency coefficient, 116
 effective, 116, 118

Transverse dielectric function, 274

Transverse polarization, 274

U

Unidirectional clusters, [97](#)
Unitary quasiparticle scattering resonance,
[82](#)
UPt₃, [139](#)
URu₂Si₂, [147](#)

V

Vector potential, [277](#)
Velocity
 critical, [115](#)
 Fermi, [113](#)
 effective, [112](#)
 mismatch, [114](#), [123](#)
 of Cu, [124](#)
 of Cuprates, [122](#)
 fully renormalized, [123](#)

W

Wave-vector, [271](#)
Work function, [78](#)

X

X-ray diffraction, [187](#)
X-ray spectroscopy, [192](#)

Y

YBa₂Cu₃O_{6+y}, [227](#), [233](#)

Z

Zeeman interaction, [1](#)
Zhang-Rice singlet, [59](#)