

# Index

## A

- Adverse perinatal conditions, 6–7
- Ameloblasts
  - direct genetic effect, 54–56
  - indirect effect, 50–53
  - nongenetic effect, 46–49
- Amelodontal junction (ADJ), 75, 76
- Amelogenesis imperfecta (AI), 6, 25, 55
  - classification of, 60–61
  - future directions and, 69–70
  - genes and function, 63, 64
  - hypocalcified (*see* Hypocalcified AI)
  - hypomaturation (*see* Hypomaturation AI)
  - hypoplastic (*see* Hypoplastic, AI)
  - malocclusion and, 69
  - Mendelian inheritance, 61–63
  - nomenclature and genetic basis for, 62, 63
  - psychosocial impacts of, 88–89
  - with taurodontism, 69
- AMELX*, 63, 66
- Autosomal recessive cone-rod dystrophy, 55

## B

- Birth trauma, 6–7
- Bleaching
  - contraindications, 143
  - indications, 143
  - outcomes, 144
  - techniques, 143–144

## C

- Casein phosphopeptide-amorphous calcium phosphate (CPP-ACFP/ACP), 118–119

- Celiac disease, 8
- Cementoenamel junction (CEJ), 78
- Child Oral Health Impact Profile (Child OHIP), 86
- Child Oral Impacts on Daily Performances (Child OIDP) Questionnaire, 86
- Child Perceptions Questionnaires (CPQ<sub>11–14</sub> and CPQ<sub>8–10</sub>), 86
- Chronological hypoplasia/hypomineralization, 124, 125
- CNNM4*, 55
- Composite resin, direct restoration with
  - contraindications, 144
  - indications, 144
  - outcomes, 145–146
  - technique, 145
  - venners (*see* Direct composite veneers)
- Computerized tomography (CT), 80
- C4ORF26, 66
- Cystic fibrosis (CF), 51, 52
- Cystic fibrosis transmembrane regulator protein (CFTR), 51, 52

## D

- DDE. *See* Developmental defects of enamel (DDE)
- Deciduous molar hypomineralization (DMH). *See* Hypomineralized second primary molars (HSPM)
- Dental anxiety, 91
- Dental fluorosis, 87–88
- Developmental defects of enamel (DDE)
  - in adolescents, 169–170
  - bonding protocols, 99
  - child-centered approaches, 86–87

- Developmental defects of enamel (DDE) (*cont.*)
- in children, 169–170
  - classification, 46
  - clinical
    - examination, 102–103
    - history, 101
    - implications, 95
  - crystal development
    - dendrimers, 159
    - FHA (*see* Fluorhydroxyapatite (FHA) crystal)
    - filling without drilling approach, 160
    - Icon technique, 160
    - noninvasive dentistry, 160
    - PAMAM, 159
    - self-assembling peptides, 160
  - dental caries and erosion
    - eruption, 115
    - preventive agents, 116–118
    - preventive strategy, 115–116
    - qualitative defects, 114–115
    - surface integrity and bacterial adhesion, 114
  - descriptions, 100
  - extraction
    - outcomes, 107–110
    - planning, 106–107
  - financial implications, 100
  - gene mutation, 158
  - genetic engineering, 158–159
  - genetic systemic disease (*see* Genetic systemic disease)
  - growth and development assessment, 104–105
  - histological examination, 104
  - hypersensitivity, 113–114
  - media and celebrity industry, 86
  - medical examination, 104
  - permanent dentition, 15–16
    - environmental factors, 23–25
    - etiology, 16–20
    - generalized enamel defects, 21–23
    - genetic disorders, 25
    - localized enamel defects, 21
    - prevalence, 16–18
    - systemic conditions, 25–26
  - permanent teeth
    - periodontal management of (*see* Permanent dentition)
    - restorative management of (*see* Permanent dentition)
  - primary dentition
    - distribution, 4–5
    - etiology, 5–6, 124–126
    - extraction, 135–136
    - hereditary conditions (*see* Hereditary conditions, DDE)
    - interim restorations, 130
    - longer-term restorations, 130–135
    - management, 126
    - pain and anxiety management, 128–129
    - presentations of, 2–3
    - prevalence, 3–4
    - prevention, 126–127
    - quantitative deficiencies of, 2
    - reducing sensitivity, 127–128
    - restorative management, 129–130
    - systemic factors, 124
    - trauma causing, 11
  - psychosocial impacts of
    - AI (*see* Amelogenesis imperfecta (AI))
    - dental fluorosis, 87–88
    - qualitative and quantitative approaches, 87
    - teasing and bullying, 90–91
    - unknown Etiology, 89–90
  - radiographic examination, 103
  - social judgments
    - appearance-related, 94
    - children's views of other children with, 94–95
  - surface sealing
    - methods, 119–120
    - resin infiltration, 119
    - sealants, 118–119
  - systemic disease (*see* Systemic disease)
  - treatment
    - dental anxiety, 91
    - intervention timing, 92–93
    - outcome measures, 91–92
    - treatment planning, 105–106
  - Dietary counseling, 116
  - Direct composite veneers
    - contraindications, 147
    - indications, 147
    - outcome, 147–148
    - for upper incisors, 146
    - uses, 146
  - DLX3, 69
- E**
- Early childhood caries (ECC), 1–2
  - ENAM, 64
  - Enamel formation, 1, 2
  - Enamel hypomineralization, 23, 24
  - Enamel hypoplasia, 2

- central and lateral incisors affected
  - by, 5, 7
- DDE quantitative deficiencies, 2
- prevalence of, 1
- tetracyclines, 10
- tooth with, 4
- Enamel mineralization, 2–3
- Enamel morphogenesis, 16
- Enamel-renal syndrome/Enamel-renal-gingival syndrome, 55
- Endotracheal intubation, 7
- Environmental factors, 23–25
- Epidermolysis bullosa (EB), 55, 56
- European Academy of Pediatric Dentistry (EAPD), 33
  
- F**
- FAM20A*, 63–65
- FAM83H*, 68
- Fluorhydroxyapatite (FHA) crystal
  - advantage, 163–164
  - ambient conditions, 161–162
  - brittle films, 164
  - flexural strength and elastic modulus, 164
  - human incisor tooth, 165
  - hydrothermal conditions, 161
  - paint on enamel
    - early carious lesions, 162
    - occlusal sealant, 162, 163
    - SEM observation, 162, 163
  - vehicle for, 162
- Fluorosis, 23–24
  
- G**
- Gastrointestinal malabsorption, 8
- Generalized enamel defects, 21–23
- Genetic disorders, 19, 25
- Genetic systemic disease
  - CF (*see* Cystic fibrosis (CF))
  - OMIM, 53
  - rickets, 50
  - TS (*see* Tuberous sclerosis (TS))
  - VDDR, 50, 51
  - XLHR, 50–52
- Glass ionomer cement (GIC), 118
  
- H**
- Hall technique, 134
- Hereditary conditions, DDE
  - acquired systemic conditions, 6
  - amelogenesis imperfecta, 6
  - birth trauma and adverse perinatal conditions, 6–7
  - celiac disease and gastrointestinal malabsorption, 8
  - chemicals and toxins, 9–10
  - generalized inherited disorder/syndrome, 6
  - infections, 8–9
  - isolated cleft lip and palate, 8
  - liver and renal conditions, 8
  - malnutrition and nutritional deficiencies, 8
  - premature birth, 7
- Hyperbilirubinemia, 7, 9
- Hypocalcified AI, 68
- Hypomaturation AI
  - AMELX*, 66
  - enamel mineralization degree, 67
  - KLK4, 66
  - MMP20, 66
  - phenotypes, 65
  - preoperative photograph of child with, 134
  - types, 67
- Hypomineralization
  - composition, 81–82
  - enamel, 23, 24
  - fluorotic, 23
  - hardness and elasticity modulus, 77
  - macroscopic changes, 75–76
  - maxillary/mandibular incisor teeth, 18–19
  - mechanical properties, 76–77
  - microstructure, 77–81
  - TEM image of, 79
- Hypomineralized and/or hypoplastic teeth.
  - See* Developmental defects of enamel (DDE)
- Hypomineralized second primary molars (HSPM)
  - clinical implications, 39–40
  - diagnosis, 33
  - etiology, 38
  - goals, 40
  - mild, 32, 33
  - prevalence, 38–39
- Hypomineralized teeth, clinical management tree, 120
- Hypoparathyroidism, and enamel defects, 6
- Hypoplasia, 34
  - intra-radicular infection, 19
  - maxillary central incisors, 18, 20
  - secretory stage of amelogenesis, 20
- Hypoplastic
  - AI
    - AMELX*, 63
    - ENAM*, 64

- Hypoplastic (*cont.*)  
*FAM20A*, 63–65  
*LAMB3*, 64–65  
 preoperative photograph of child with, 134  
 preoperative image, 124, 125
- I**  
 Indirect interim restorations, 151–152  
 Infections, during pregnancy, 8–9  
 Inherited dermatological syndromes, 6  
 Isolated cleft lip and palate, 8
- J**  
 Jalili syndrome. *See* Amelogenesis imperfecta (AI)
- K**  
 Kallikrein 4 (KLK4), 82  
 Kinder Krowns<sup>®</sup>, 135
- L**  
*LAMB3*, 64–65  
 Laryngoscopy, 7  
 Liver, in DDE, 8  
 Localized enamel defects, 21  
 Longer-term restorations  
   anterior teeth, 133, 135, 136  
   molar teeth  
     composite resin, 130–132  
     preformed crowns, 132–135  
 Low birth weights  
   DDE in primary teeth, 25  
   systemic disease, 46–47
- M**  
 Malnutrition deficiencies, 8  
 Malocclusion, 110  
 Microabrasion  
   contraindications, 142  
   indications, 141  
   outcome, 142, 143  
   technique, 142  
 Molar incisor hypomineralization (MIH), 169–170  
   children with, 74, 91  
   clinical features, 34–36  
   with clinical obvious opacities, 76  
   definition, 36  
   diagnosis, 33  
   etiology, 36–38  
   factors putatively associated with, 36, 37  
   gingival margin, 102  
   goals, 40  
   hypomineralized enamel  
     (*see* Hypomineralization)  
   inorganic component, 81  
   mineral density, 80  
   permanent incisors, 32  
   prevalence, 38, 39  
   rapid caries and post-eruptive  
     breakdown, 74  
   serum proteins, 82  
   shiny surface appearance, 34  
   sound enamel, 74–75  
 Mouth prevalence, permanent dentition, 16
- N**  
 Neonatal line, 3  
 Nutritional deficiencies, 8
- O**  
 Occlusal overlays and crowns, 152–153  
 Online Mendelian Inheritance in Man (OMIM), 53  
 Oral health-related quality of life (OHRQoL) questionnaires, 86  
 Oral hygiene, 116
- P**  
 Panoramic radiography, 103  
   of adolescent, 109  
   outcome of extracting, 107–108  
   9-year-old female, 109, 110  
 Partial veneers, 152–153  
 Permanent dentition  
   calcification and eruption dates, 16  
   dose-response relationship, 24  
   enamel defects formation, 15–16, 22  
   environmental factors, 23–25  
   etiology, 16–20  
   generalized enamel defects, 21–23  
   genetic disorders, 25  
   localized enamel defects, 21  
   luxation injuries, 21  
   mouth and tooth prevalence, 16  
   periodontal management of  
     gingival recontouring and crown  
     lengthening, 150–151  
     indirect interim restorations, 151–152

- partial veneers/occlusal overlays
  - and crowns, 152–153
- prevalence, 16–18
- restorative management of
  - anterior teeth, 141
  - bleaching agent, 142–144
  - composite resin, 144–148
  - materials and techniques, 140–141
  - microabrasion, 141–142
  - planning and trialing, 148–149
  - porcelain veneers, 148
  - SSC (*see* Stainless steel crowns (SSC))
- systemic conditions, 25–26
- Polyamidoamine dendrimers (PAMAM), 159
- Posteruptive breakdown (PEB)
  - anterior teeth, 115
  - defects of enamel quality, 113
  - loss of enamel, 34
  - surfaces, 117
- Premature birth, 7, 46–47
- Prenatal factors, 6
- Primary dentition
  - distribution, 4–5
  - enamel defects in, 1–2, 11
  - enamel formation, 1
  - etiology, 5–6, 124–126
  - extraction, 135–136
  - hereditary conditions (*see* Hereditary conditions, DDE)
  - hypoparathyroidism, 6
  - infections during pregnancy, 8–9
  - interim restorations, 130
  - longer-term restorations, 130–135
    - anterior teeth, 133, 135, 136
    - molar teeth, 130–135
  - management, 126
  - mild diffuse opacities in, 9–10
  - pain and anxiety management, 128–129
  - and postnatal factors, 8
  - presentations of, 2–3
  - prevalence, 3–4
  - prevention, 126–127
  - quantitative deficiencies of, 2
  - reducing sensitivity, 127–128
  - restorative management, 129–130
  - systemic factors, 124
  - tooth crown formation of, 3
  - trauma causing, 11

**R**

- RAS/MAPK pathways syndrome, 54–56
- Renal diseases, 8

**S**

- Scanning electron microscopy (SEM),
  - 75, 77, 79–80
- Sealants, 118–119
- Sound enamel
  - enamel mineral, 74
  - hardness and elasticity modulus, 77
  - inter-rod areas, 75
  - mechanical properties, 77
  - microstructure, 79
  - organic component, 75
- Stainless steel crowns (SSC)
  - contraindications, 149
  - indications, 149
  - outcomes, 150
  - radiographic appearance, 150
  - technique, 149
- Systemic disease
  - celiac disease, 47–49
  - childhood oncology, 49
  - Nephrotic syndrome, 47
  - preterm and low birth weight infants,
    - 46–47
  - renal disease, 47

**T**

- Taurodontism, 69
- Thylstrup-Fejerskov Index (TFI), 87–88
- Tooth prevalence, in permanent dentition, 16
- Toxins, 9–10
- Transmission electron microscopy (TEM), 79
- Tricho-dento-osseous syndrome (TDO), 54
- Tuberous sclerosis (TS), 52, 53

**V**

- VDDR. *See* Vitamin D-dependent rickets (VDDR)
- Viral infections, during pregnancy, 9
- Vitamin D deficiency, during pregnancy, 6
- Vitamin D-dependent rickets (VDDR),
  - 25, 50, 51

**W**

- WDR72, 66