

Bibliography

- An GF, Gao DZ (2001) 3D-FEM Application to the prediction of creep settlement of soft clay considering elastic-visco-plastic constitution. *J Tongji Univ* 29(2):195–199 (in Chinese)
- Andrus RD, Stokoe KH, Roesset JM (1991) Liquefaction of gravelly soil at pence ranch during the 1983 Borah Peak, Idaho Earthquake. In: First international conference on soil dynamics and earthquake engineering V, Karlsruhe, Germany, September
- Andrus RD, Stokoe KH, Chung RM (1997) Draft guidelines for evaluating liquefaction resistance using shear wave velocity measurements and simplified procedures, NISTIR 6277. National Institute of Standards and Technology, Gaithersburg, MD 121 pp
- Bahar R, Cambou B (1995) Forecast of creep settlements of heavy structures using pressure meter tests. *Comput Geotech* 17:507–521
- Beijing Disaster Reduction Association (1998) Urban sustainable development and disaster prevention. Meteorological Press, Beijing (in Chinese)
- Cai YQ, Qian L (2001) Seismic liquefaction and stability analysis of Qiantang River embankment. *J Hydraul Eng* 1:57–61 (in Chinese)
- Cai X, Guo XW, Shen PL et al (2001) Three dimensional consolidation analysis of soft soil foundation and its application. *J Hohai Univ* 29(5):27–32 (in Chinese)
- Cao H, Zhong CH, Zhang YJ (2004) The study methods and its progress about soft clay creep. *J Zhuzhou Inst Technol* 18(2):102–106 (in Chinese)
- Chen ZH (1993) Consolidation theory of unsaturated soil based on the theory of mixture (I). *Appl Math Mech* 14(8):687–698 (in Chinese)
- Chen Z (2001) The impact of urban transit on ecological environment. *China Railw Sci* 22(3):126–131 (in Chinese)
- Chen CX, Tang ZH (1990) Numerical method on groundwater flow problems. China University of Geosciences Press, Wuhan (in Chinese)
- Chen ZH, Xie DY, Wang YS (1993) Experimental studies of laws of fluid motion, suction and pore pressures in unsaturated soil. *Chin J Geot Eng* 15(3):9–20 (in Chinese)
- Chen YH, Hong BN, Gong DY et al (2002) Modified Cambridge visco-elastic-plasticity model considering rheology of soil. *J Hohai Univ* 30(5):44–47 (in Chinese)
- Dai RL, Chen H, Yu YY (2001) Subsoil character of pile foundation and settlement analysis of high-rise buildings in Shanghai. *Chin J Geot Eng* 23(5):627–630 (in Chinese)
- Dai FL, Shang HX, Lin GS et al (2002) Study of high temperature creep deformation for crystallizing materials. *Chin J Theor Appl Mech* 34(2):186–191 (in Chinese)
- Dong MG, Fan HB, Hu ZP (2003) Numerical simulation technology of soft clay rheological test. *Soil Eng Found* 17(3):42–45 (in Chinese)
- Escario V, Saez J (1986) The shear strength of partly saturated soils. *Geotechnique* 36(3):453–456
- Fredlund DG (1976) Density and compressibility characteristics of air-water mixtures. *Can Geotech J* 13(4):386–396
- Fredlund DG, Dakshanamurthy V (1982) Prediction of moisture flow and related swelling or shrinking in unsaturated soils. *Geotech Eng* 13:15–49

- Fredlund DG, Hasan JU (1979) One-dimensional consolidation theory: unsaturated soils. *Can Geotech J* 16:521–531
- Fredlund DG, Morgenstern NR (1977) Stress state variables for unsaturated soils. *J Geotech Eng Div ASCE* 103(5):447–466
- Fredlund DG, Rachardjo H (1993) *Soil mechanics for unsaturated soils*. Wiley, New York
- Gan KM, Fredlund DG, Rahardjo H. Determination of the shear strength parameters of an unsaturated soil using the direct shear test. *Can Geotech J* 25(3):500–510
- Gao WH (1998) Time dependent analysis and stiffness calculation of ground model in rheological soft-clay. *Rock Soil Mech* 19(4):25–30 (in Chinese)
- Gao HY, Feng QM (1997) Response analysis for buried pipelines through settlement zone. *Earthq Eng Eng Vib* 17(1):68–75 (in Chinese)
- Gong SL (1998) Effects of urban construction on the land subsidence in Shanghai. *Chin J Geol Hazard Control* 9(2):108–111 (in Chinese)
- He KQ, Wang SQ, Wang RL et al (2007) Action law of groundwater and evaluation of Huanglashi slope stability. *Hydrogeol Eng Geol* 34(6):90–94 (in Chinese)
- Hu RL, Yue ZQ, Wang LC (2004) Review on current status and challenging issues of land subsidence in China. *Eng Geol* 76:65–77
- Huang Y, Ye WM, Tang YQ et al (2001) Dynamic analysis of effective stress for seismic subsidence of pile foundations. *Eng Mech* 18(4):123–129 (in Chinese)
- Handbook of design and construction of underground engineering (1999) Influence and prevention of groundwater on underground engineering (Xiao MY, Zeng JL eds). China Architecture & Building Press, Beijing
- Handbook of engineering geology (1992) Groundwater, 3rd edn. China Architecture & Building Press, Beijing
- Handbook of excavation engineering (1997) Design and construction of engineering dewatering (Liu JH, Hou XY eds). China Architecture & Building Press, Beijing
- Handbook of hydrogeological investigation of water supply (1977) Calculation on hydrogeology, Beijing: China Geology Press
- Ishihara K (1985) Stability of natural deposits during earthquakes. In: Proceedings of 11th international conference on soil mechanics and foundation engineering, San Francisco, CA, A. A. Balkema, Rotterdam, vol 1, pp 321–376
- Jiang PN (1989) On the engineering properties of unsaturated soils. *Chin J Geot Eng* 11(6):39–59
- Jiang J, Chen LZ (2001) One-dimensional settlement due to long-term cyclic loading. *Chin J Geot Eng* 23(3):366–369 (in Chinese)
- Lancellotta R (1997) A general nonlinear mathematical model for soil consolidation problems. *Int J Eng Sci* 35:1045–1063
- Lenards GA (1962) *Foundation engineering*. McGraw-Hill, New York
- Li JT (1989) *Groundwater flow numerical simulation*. Geology Publishing House, Beijing (in Chinese)
- Li XY (1997) Three-dimensional nonlinear visco-elasticity plasticity analysis of saturated soft soil in Shanghai. *Eng Mech (supp)*:443–352 (in Chinese)
- Li JS, Chen CX (Trans), Bear J (1983) *Dynamics of fluids in porous media*. China Architecture and Building Press, Beijing
- Li WX, Rong RD, Feng SQ (1987) Superficial sediments in the Yangtze River Estuary and the distribution characteristics of organics. *Shanghai Geol* 23(3):40–54 (in Chinese)
- Li QF, Wang HM, Lu Y et al (2002) Study of land subsidence model and exiting issues. *Shanghai Geol* 84(4):11–15 (in Chinese)
- Liao ZS (1998) Groundwater classification and basic concepts of fracture water. *Geol J China Univ* 4(4):473–477 (in Chinese)
- Lin P, Xu ZH, Xu P et al (2003) Research on coefficient of consolidation of soft clay under compression. *Rock Soil Mech* 24(1):106–108 (in Chinese)
- Liu HZ, Sun J (2001) Study on numerical simulation of factors of ground settlement during shield driving in soft ground. *Mod Tunn Technol* 36(6):24–28 (in Chinese)

- Liu ZD, Lu SQ, Bao CG et al (1986) Shear strength of soil. *Chin J Geot Eng* 8(1):26–31 (in Chinese)
- Liu Y, Zhang XL, Wan GF et al (1998) The situation of land subsidence and counter measures in Shanghai for recent years. *Chin J Geol Hazard Control* 9(2):13–17 (in Chinese)
- Liu CH, Chen CX, Feng XT et al (2005) Effect of groundwater on stability of slopes at reservoir bank. *Rock Soil Mech* 26(3):419–422 (in Chinese)
- Liu Y, Wan HP, Jiang YC et al (2005) Ground water action law and evaluation on dynamic stable of Huanglashi slope in three gorges region. *Chin J Rock Mech Eng* 24(19):3571–3576 (in Chinese)
- Lv SW, Tang YQ, Ye WM (1998) Analysis of the engineering properties of soil in shallow stratum storing marsh gas. *Shanghai Geol* 67(3):50–55 (in Chinese)
- Ma SZ, Jia HB, Meng GT (2002) The FEM simulation of dynamic penetration process of CPTU. *Rock Soil Mech* 23(4):478–481 (in Chinese)
- Me YF, Xie DY, Wang SF (1995) Test study of the consolidation deformation law for saturated sand after vibration. *Earthq Resist Eng* 4:32–34 (in Chinese)
- Men FL (1999) Preliminary investigations on rheological properties of clay and ground settlement in Shanghai city (I). *J Nat Disaster* 8(3):117–126 (in Chinese)
- Men FL (1999) Preliminary investigations on rheological properties of clay and ground settlement in Shanghai city (II). *J Nat Disaster* 8(4):123–132 (in Chinese)
- Meng QS, Wang N, Chen Z (2004) Pore water pressure mode of oozy soft clay under impact loading. *Rock Soil Mech* 25(7):1017–1022 (in Chinese)
- Miao JF, Wu LG (1991) Viscoelastic theory of leakage flow with the consideration of three-dimensional compaction of soil skeletons due to pumping. *J Tongji Univ* 23(3):309–314 (in Chinese)
- Ministry of Construction of the People's Republic of China (1999) Technical standard for water supply well (GB50296-99). China Planning Press, Beijing (in Chinese)
- Ministry of Construction of the People's Republic of China (1999) Technical code for building and municipal dewatering engineering (JGJ/T111-98). China Architecture and Building Press, Beijing (in Chinese)
- Ministry of Construction of the People's Republic of China (2001) Code for hydrogeological investigation of water supply (GB50027-2001). China Planning Press, Beijing (in Chinese)
- Ministry of Construction of the People's Republic of China (2002) Code for design of building foundation (GB50007-2002). China Architecture and Building Press, Beijing (in Chinese)
- Ministry of Construction of the People's Republic of China (2012) Technical specification for retaining and protection of building foundation excavation (JGJ120-2012). China Architecture and Building Press, Beijing (in Chinese)
- Ministry of Metallurgy of the People's Republic of China (1999) Technical specification for foundation pits excavation (YB9258-97). China Architecture and Building Press, Beijing (in Chinese)
- Neuman SP (1972) Theory of flow in unconfined aquifers considering delayed response of water table. *Water Resour Res* 8(4):1031–1045
- Neuman SP (1975) Analysis of pumping test data from anisotropic unconfined aquifers considering delayed gravity response. *Water Resour Res* 11(2):329–342
- Prickett TA (1965) Type-curve solution to aquifer test under water-table condition. *Ground Water* 3(3):5–14
- Qian JZ, Yang LH, Li RZ et al (2003) Advances in laboratory study of groundwater flow in fractures system. *J Hefei Univ Technol (Nat Sci)* 26(4):510–513 (in Chinese)
- Ran QQ, GuXY (1998) A coupled model for land subsidence computation with consideration of rheological property. *Chin J Geol Hazard Control* 9(2): 99–103 (in Chinese)
- Research group of major natural disasters of the State Scientific and Technological Commission (1994) Major natural disasters and reduction countermeasures in China. Science Press, Beijing (in Chinese)
- Seed HB (1968) Landslides during earthquakes. *J Soil Mech Found Div ASCE* 94(SM5)

- Seed HB (1968) Seismic response of horizontal soil layers. ASCE 94 (SM.4)
- Seed HB, Idriss IM (1971) Simplified procedure for evaluating soil liquefaction procedure. *J Soil Mech Found Div ASCE* 97(SM9):1249–1273
- Shearer TR (1998) A numerical model to calculate land subsidence applied at Huanggu in China. *Eng Geol* 49:85–93
- Shi WH (1999) Analysis for the effects construction engineering and water resources' development on Shanghai land subsidence. *Shanghai Geol* 72(4):50–54 (in Chinese)
- Shanghai Tongji Geotechnical Construction Industrial Co. (2006) Pumping test report of Baosteel's NO.3 hot rolling whirling pool foundation pit dewatering. Shanghai (in Chinese)
- Shanghai Tongji Geotechnical Construction Industrial Co. (2006) Dewatering design scheme of Baosteel's NO.3 hot rolling whirling pool foundation pit dewatering. Shanghai (in Chinese)
- Shanghai Guanglian Foundation Engineering Company (2006) Dewatering operation scheme of Baosteel's NO.3 hot rolling whirling pool foundation pit dewatering. Shanghai (in Chinese)
- Shanghai Tongji Geotechnical Construction Industrial Co. (2006) Pumping test scheme and preliminary dewatering design scheme of steel rolling area whirling pool foundation pit for Pusteel's moving engineering. Shanghai (in Chinese)
- Shanghai Tongji Geotechnical Construction Industrial Co. (2006) Pumping test report and dewatering design scheme of steel rolling area whirling pool foundation pit for Pusteel's moving engineering. Shanghai (in Chinese)
- Shanghai Tongji Geotechnical Construction Industrial Co. (2007) Group well pumping test report and dewatering operation scheme of steel rolling area whirling pool foundation pit for Pusteel's moving engineering. Shanghai (in Chinese)
- Si LX (1957) Design and construction of wellpoint system. Shanghai Science Press, Shanghai
- Simoni L, Salomoni V, Schrefler BA (1999) Elastoplastic subsidence models with and without capillary effects. *Comput Method Appl M* 171:491–502
- Soil Mechanics Department of Hohai University (East China Institute of Water Conservancy) (1984) Geotechnical principles and calculation: vol one. China Water & Power Press, Beijing (in Chinese)
- Tang YQ, Xu C (1997) Problems of environmental geology of Shanghai urban development in the 21st century. *Undergr Space* 17(2):95–98 (in Chinese)
- Tang YQ, Ye WM, Huang Y (2000) Prediction of ground settlement caused by subway tunnel construction in Shanghai. In: *Proceeding of the international conference on engineering and technological sciences*
- Tang YQ, Ye WM, Zhang QH (1993) Some problems in tunneling by shield-driven method for Shanghai metro (Part I). *Undergr Space* 13(2):93–99 (in Chinese)
- Tang YQ, Ye WM, Zhang QH (1993) Some problems in shield-driven tunneling of Shanghai metro (Part II). *Undergr Space* 13(3):171–177 (in Chinese)
- Tang YQ, Ye WM, Zhang QH (1995) Study of ground settlement caused by subway tunnel construction in Shanghai. *Undergr Space* 15(4):250–258 (in Chinese)
- Tang YQ, Ye WM, Zhang QH (1996) Marsh gas in soft stratum at the estuary of the Yangtse River and safety measures of construction of the tunnel. *J Tongji Univ* 24(4):465–470 (in Chinese)
- Tang YF, Feng ZL, Lin H et al (2000) FEM analysis method of consolidation-nonlinear rheology on soft engineering. *Build Struct* 30(11):47–50 (in Chinese)
- Tang YQ, Huang Y, Ye WM (2002) Discussion on several problems of construction of deep foundation ditch project. *Constr Technol* 31(1):5–6, 11 (in Chinese)
- Tang B, Chen XP, Zhang W (2003) The general development of consolidation theory under considering its rheological characteristics. *Soil Eng found* 17(3):87–90 (in Chinese)
- Tang YQ, Huang Y, Ye WM et al (2003) Critical dynamic stress ratio and dynamic strain analysis of soils around the tunnel under subway train loading. *Chin J Rock Mech Eng* 22(9):1566–1570 (in Chinese)
- Tang YQ, Wang YL, Huang Y et al (2004) Dynamic strength and dynamic stress-strain relation of silt soil under traffic loading. *J Tongji Univ* 32(6):701–704 (in Chinese)

- Tang YQ, Song YH, Zhou NQ et al (2005) Experimental research on troubles of EPB shield construction in sandy soil. *Chin J Rock Mech Eng* 24(1):52–56 (in Chinese)
- Tang YQ, Zhang X, Wang JX et al (2005) Earth pressure balance shield tunneling-induced disturbance in silty soil. *J Tongji Univ* 33(8):1031–1035 (in Chinese)
- Tang YQ, Zhang X, Wang JX et al (2005) Subsidence caused by metro tunnel excavation with shield method in Shanghai. In: *Proceeding of the seventh international symposium on land subsidence*, vol I, pp 257–269
- Tang YQ, Zhang X, Zhou NQ et al (2005c) Microscopic study of saturated soft clay's Behavior under cyclic loading. *J Tongji Univ* 33(5):626–630 (in Chinese)
- Tang YQ, Yan XX, Wang JX et al (2007) Model test study of influence of high-rise building on ground subsidence. *J Tongji Univ* 35(3):13–18 (in Chinese)
- Tang YQ, Zhang X, Zhao SK et al (2007) Model of pore water pressure development in saturated soft clay around a subway tunnel under vibration load. *China Civil Eng J* 40(4):67–70 (in Chinese)
- Tang YQ, Yang P, Shen F et al (2007c) Microscopic study of dark green silty's behavior after melted. *J Tongji Univ* 35(1):6–9 (in Chinese)
- Tsuchida H (1970) Prediction and countermeasure against the liquefaction in sand deposits. Abstract of the Seminar in the Port and Harbor Research Institute
- Walker AJ, Steward HE (1989) Cyclic undrained behavior of nonplastic and low plasticity silts. Technical report NCEER-89-0035, National Center for Earthquake Engineering Research, SUNY at Buffalo, 26 July 1989
- Wang Y, Su BY, Xu ZY (1996) Comment on the models of seepage flow in fractured rock masses. *Adv Water Sci* 7(3):276–282 (in Chinese)
- Wang SL, Shi GH, Wang DC (2000) Study and application of bed rock crevice water three-dimensional numerical model. *Water Resour Hydropower Northeast China* 18(4):36–38 (in Chinese)
- Wang H, Luo GY, Li YH et al (2000) Structural analysis of water collection of faults. *Hydrogeol Eng Geol* 27(3):12–15 (in Chinese)
- Wang HM, Tang YQ, Yan XX (2006) An unequal time-interval GM(1,1) model for predicting ground settlement in Shanghai soft soil engineering. *J Eng Geol* 14(3):398–400 (in Chinese)
- Wang JX, Hu LS, Wu LG et al (2009) Hydraulic barrier function of the underground continuous concrete wall in the pit of subway station and its optimization. *Environ Geol* 57(2):447–453
- Wang JX, Wu LG, Zhu YF et al (2009) Mechanism of dewatering-induced ground subsidence in deep subway station pit and calculation method. *Chin J Rock Mech Eng* 28(5):1010–1019 (in Chinese)
- Wang JX, Guo TP, Wu LG et al (2010) Mechanism and application of interaction between underground wall and well in dewatering for deep excavation. *Chin J Undergr Space Eng* 6(3):564–570 (in Chinese)
- Wang JX, Wu LG, Hu LS et al (2010) Pumping test and its application to deep foundation pit under complex more flow hydrogeological conditions. *Chin J Rock Mech Eng* 29(z1):3082–3087 (in Chinese)
- Wheeler SJ (1988) A conceptual model for soils containing large gas bubbles. *Geotechnique* 38:389–397
- Wheeler SJ (1988) The undrained shear strength of soils containing large gas bubbles. *Geotechnique* 38:399–413
- Wu LG et al (2003) Design and execution of dewatering and theory of seepage in deep excavation. China Communications Press, Beijing (in Chinese)
- Wu LG, Li G, Fang ZC et al (2009) Dewatering case history for excavation. China Communications Press, Beijing
- Wuhan Surveying-Geotechnical Research Institute Co., Ltd. of MCC (2005) Geotechnical engineering investigation report of Baosteel's NO.3 hot rolling whirling pool foundation pit. Shanghai (in Chinese)

- Wuhan Surveying-Geotechnical Research Institute Co., Ltd. of MCC (2005) Hydrogeology investigation report of Baosteel's NO.3 hot rolling whirling pool foundation pit dewatering. Shanghai (in Chinese)
- Wuhan Surveying-Geotechnical Research Institute Co., Ltd. of MCC (2005) Hydrogeology investigation report of steel rolling area sedimentation tank sites for Pusteel's moving engineering. Shanghai (in Chinese)
- Xue YQ (1986) Groundwater dynamics. Geological Publishing House, Beijing (in Chinese)
- Yan XX, Gong SL, Zeng ZQ et al (2002) Relationship between building density and land subsidence in Shanghai urban zone. *Hydrogeol Eng Geol* 6:21–25 (in Chinese)
- Yang HJ, Han WF, Chen WW et al (2003) Seepage features of fissure water in original rock and practical case study. *Chin J Rock Mech Eng* 22(z2):2582–2587 (in Chinese)
- Ye WM, Tang YQ, Zhang XL et al (2000) Study of the subarea of geological disaster to underground engineering in Shanghai. *J Tongji Univ* 28(6):726–730 (in Chinese)
- Ye WM, Tang YQ, Zhang XL et al (2001) Superficial geological environment and disasters in Shanghai area. Tongji University Press, Shanghai (in Chinese)
- Yin YP (2003) Seepage pressure effect on landslide stability at the Three Gorges Reservoir area. *Chin J Geol Hazard Control* 14(3):1–8 (in Chinese)
- Zhang AG, Wei ZX (2002) Past, present and future research on land subsidence in Shanghai City. *Hydrogeol Eng Geol* 29(5):72–75 (in Chinese)
- Zhou NQ, Tang YQ, Wang JX et al (2006) Response characteristics of pore pressure in saturated soft clay to the metro vibration loading. *Chin J Geot Eng* 28(12):2149–2152 (in Chinese)