
References



-
- D.C. Adams, F.J. Rohlf, D.E. Slice, Geometric morphometrics: ten years of progress following the “revolution”. *Italian J. Zool.* **71**(1), 5–16 (2004)
- G. Agarwal, P. Belhumeur, S. Feiner, D. Jacobs, W.J. Kress, R. Ramamoorthi, N.A. Bourg, N. Dixit, H. Ling, D. Mahajan, First steps toward an electronic field guide for plants. *Taxon* **55**(3), 597 (2006)
- E. Anderson, The species problem in *Iris*. *Ann. Mo. Bot. Gard.* **23**, 457–509 (1936a)
- E. Anderson, Hybridization in American *Tradescantias*. *Ann. Mo. Bot. Gard.* **23**, 511–525 (1936b)
- E. Anderson, The technique and use of mass collections in plant taxonomy. *Ann. Mo. Bot. Gard.* **28**, 287–292 (1941)
- E. Anderson, Maize in Mexico: a preliminary survey. *Ann. Mo. Bot. Gard.* **33**, 147–247 (1946)
- E. Anderson, *Introgressive Hybridization* (Wiley, New York, 1949)
- E. Anderson, L.N. Abbe, A quantitative comparison of specific and generic differences in the Betulaceae. *J. Arnold Arbor.* **15**, 43–49 (1934)
- E. Anderson, W.B. Turrill, Biometrical studies on herbarium material. *Nature* **136**, 986–987 (1935)
- E. Anderson, T.W. Whitaker, Speciation in *Uvularia*. *J. Arnold. Arbor.* **15**, 28–42 (1934)
- I.M. Andrade, S.J. Mayo, D. Kirkup, C. Van Den Berg, Comparative morphology of populations of *Monstera Adans.* (Araceae) from natural forest fragments in northeast Brazil using elliptic Fourier analysis of leaf outlines. *Kew Bull.* **63**, 193–211 (2008)
- I.M. Andrade, S.J. Mayo, D. Van den Berg, C. Kirkup, Elliptic Fourier analysis of leaf shape in *Anthurium sinuatum* Benth. ex Schott and *A. pentaphyllum* (Aubl.) G. Don (Araceae) in forest fragment populations from Northeast Brazil. *Kew Bull.* **65**, 3–20 (2010)
- E. Ashby, Studies in the morphogenesis of leaves I. An essay on leaf shape. *N. Phytol.* **47**(2), 153–176 (1948)
- A.F. Atiya, Estimating the posterior probabilities using the k-nearest neighbor rule. *Neural Comput.* **17**(3), 731–740 (2005)
- S. Atran, *Cognitive Foundations of Natural History: Towards an Anthropology of Science* (Cambridge University Press, Cambridge, 1990)
- A.R. Backes, O.M. Bruno, Plant leaf identification using multi-scale fractal dimension, in *International Conference On Image Analysis and Processing* (Springer, Heidelberg, 2009), pp. 143–150

- A.R. Backes, J.J.M. Sá Jr., R.M. Kolb, O.M. Bruno, Plant species identification using multi-scale fractal dimension applied to images of adaxial surface epidermis. *Comput. Anal. Images Patterns* **5702**, 680–688 (2009)
- A.R. Backes, W.N. Gonçalves, A.S. Martinez, O.M. Bruno, Texture analysis and classification using deterministic tourist walk. *Pattern Recognit.* **43**, 685–694 (2010)
- J.F. Barczy, H. Rey, Y. Caraglio, P. de Reffye, D. Barthélemy, Q.X. Dong, T. Fourcaud, Mapsim: a structural whole-plant simulator based on botanical knowledge and designed to host external functional models. *Ann. Botany* **101**(8), 1125–1138 (2007)
- D. Barthélemy, Y. Caraglio, Plant architecture: a dynamic, multilevel and comprehensive approach to plant form, structure and ontogeny. *Ann. Botany* **99**, 375–407 (2007)
- P. Belhumeur, D. Chen, S. Feiner, D. Jacobs, W. Kress, H. Ling, I. Lopez, R. Ramamoorthi, S. Sheorey, S. White, L. Zhang, *Searching the World's Herbaria: A System for Visual Identification of Plant Species, in Computer Vision - ECCV 2008* (Springer, Heidelberg, 2008)
- A.D. Bell, P.B. Tomlinson, Adaptive architecture in rhizomatous plants. *Bot. J. Linn. Soc.* **80**, 125–160 (1980)
- S. Belongie, J. Malik, J. Puzicha, Shape matching and object recognition using shape contexts. *IEEE Trans. Pattern Anal. Mach. Intell.* 509–522 (2002)
- W.G. Berendsohn, *More Tax - Handling Factual Information Linked to Taxonomic Concepts in Biology*, vol. 39, *Schriftenreihe für Vegetationskunde* (Bundesamt für Naturschutz, 2003)
- A. Biem, S. Katagiri, Filter bank design based on discriminative feature extraction, in *IEEE International Conference on Acoustics, Speech, and Signal Processing* (1994), pp. 485–488
- R.E. Blackith, Morphometrics, in *Theoretical and Mathematical Biology*, ed. T.H. Waterman, H.J. Morowitz (Blaisdell Publishing Company, 1965), pp. 225–249
- R.E. Blackith, R.A. Reyment, *Multivariate Morphometrics* (Academic Press, London, 1971)
- P. Blihnaut, Fixation identification: The optimum threshold for a dispersion algorithm. *Atten. Percept. Psychophys.* **71**(4), 881–895 (2009)
- V. Bonhomme, S. Picq, C. Gaucherel, J. Claude, Momocs: outline analysis using R. *J. Stat. Softw.* **56**(13), 1–24 (2014)
- F.L. Bookstein, Foundations of morphometrics. *Ann. Rev. Ecol. Syst.* **13**, 451–470 (1982)
- F.L. Bookstein, Size and shape spaces for landmark data in two dimensions. *Stat. Sci.* **1**(2), 181–222 (1986)
- F.L. Bookstein, Principal warps: thin-plate splines and the decomposition of deformations. *IEEE Trans. Pattern Anal. Mach. Intell.* **11**(6), 567–585 (1989)
- F.L. Bookstein, *Morphometric Tools for Landmark Data: Geometry and Biology* (Cambridge University Press, Cambridge, 1991)
- F.L. Bookstein, A brief history of the morphometric synthesis, in *Contributions to Morphometrics, Monografias del Museo Nacional de Ciencias Naturales (C.S.I.C., 1993)*, pp. 15–40
- F.L. Bookstein, Landmark methods for forms without landmarks: morphometrics of group differences in outline shape. *Med. Image Anal.* **1**, 225–243 (1997)
- W. Borkowski, Fractal dimension based features are useful descriptors of leaf complexity and shape. *Canadian J. For. Res.* **29**(9), 1301–1310 (1999)
- D. Briggs, S.M. Walters, *Plant Variation and Evolution* (Cambridge University Press, Cambridge, 1997)
- M. Budka, B. Gabrys, K. Musial, On accuracy of PDF divergence estimators and their applicability to representative data sampling. *Entropy* **13**, 1229–1266 (2011)
- X.P. Burgos-Artizzu, A. Ribeiro, A. Tellaeché, G. Pajares, C. Fernández-Quintanilla, Analysis of natural images processing for the extraction of agricultural elements. *Image Vis. Comput.* **28**(1), 138–149 (2010)
- K.M. Butterworth, D.C. Adams, H.T. Horner, J.F. Wendel, Initiation and early development of fiber in wild and cultivated cotton. *Int. J. Plant Sci.* **170**(5), 561–574 (2009)

- A.J. Cain, The evolution of taxonomic principles, in *Microbial Classification*, ed. by G.C. Ainsworth, P.H.A. Sneath (Cambridge University Press, Cambridge, 1962), pp. 1–13
- A.J. Cain, G.A. Harrison, Phyletic weighting. *Proc. Zool. Soc. Lond.* **135**, 1–31 (1960)
- J.H. Camin, R.R. Sokal, A method for deducing branching sequences in phylogeny. *Evolution* **19**(3), 311–326 (1965)
- F. Canales, M. Chacón, Modification of the growing neural gas algorithm for cluster analysis. *Progr. Pattern Recogn. Image Anal. Appl.* **4756**, 684–693 (2007)
- C.H. Cannon, P.S. Manos, Combining and comparing morphometric shape descriptors with a molecular phylogeny: the case for fruit type evolution in bornean lithocarpus (fagaceae). *Syst. Biol.* **50**(6), 860–880 (2001)
- A. Cardini, A. Loy, On growth and form in the computer era: from geometric to biological morphometrics. *Hystrix: the Italian. J. Mammal.* **24**(1), 1–5 (2013)
- D. Casanova, J.J.M. Sá Jr., O.M. Bruno, Plant leaf identification using Gabor wavelets. *Int. J. Imag. Syst. Technol.* **19**, 236–243 (2009)
- CBOL Plant Working Group, A DNA barcode for land plants. *Proc. Natl Acad. Sci.* **106**, 12794–12797 (2009)
- K. Chatfield, V. Lempitsky, A. Vedaldi, A. Zisserman, The devil is in the details: an evaluation of recent feature encoding methods, in *British Machine Vision Conference* (2011), pp. 76.1–76.12
- L. Chen, B. Chen, Y. Chen, Image feature selection based on ant colony optimization, in *Advances in Artificial Intelligence* (2011), pp. 580–589,
- X. Chen, X. Hu, X. Shen, Spatial weighting for bag-of-visual-words and its application in content-based image retrieval. *Adv. Knowl. Discov. Data Min.* **5476**, 867–874 (2009)
- S.C. Cheng, J.J. Zhou, B.H. Liou, *PDA Plant Search System Based on the Characteristics of Leaves Using Fuzzy Function*, in *New Trends in Applied Artificial Intelligence, number 4570 in LNAI* (Springer, Heidelberg, 2007)
- Z. Chi, L. Houqiang, W. Chao, Plant species recognition based on bark patterns using novel Gabor filter banks, in *Proceedings of the 2003 International Conference on Neural Networks and Signal Processing, 2003*, vol. 2 (2003), pp. 1035–1038
- D.H. Chitwood, A. Ranjan, C.C. Martinez, L.R. Headland, T. Thiem, R. Kumar, M.F. Covington, T. Hatcher, D.T. Naylor, S. Zimmerman, N. Downs, N. Raymundo, E.S. Buckler, J.N. Maloof, M. Aradhya, B. Prins, L. Li, S. Myles, N.R. Sinha, A modern ampelography: a genetic basis for leaf shape and venation patterning in grape. *Plant Physiol.* **164**, 259–272 (2014)
- B.R. Clark, H.C.D. Godfray, I.J. Kitching, S.J. Mayo, M.J. Scoble, Taxonomy as an escience. *Philos. Trans. R. Soc. A* **367**, 953–966 (2009)
- J.Y. Clark, Neural networks and cluster analysis for unsupervised classification of cultivated species of *Tilia* (Malvaceae). *Bot. J. Linn. Soc.* **159**, 300–314 (2009)
- J. Clarke, S. Barman, P. Remagnino, K. Bailey, D. Kirkup, S. Mayo, P. Wilkin, Venation pattern analysis of leaf images. *Lect. Notes Comput. Sci.* **4292**, 427–436 (2006)
- J. Clausen, Studies on the collective species of *viola tricolor* l. *Botanisk Tidsskrift* **37**, 363–416 (1922)
- J. Clausen, D.D. Keck, W.M. Hiesey, *Experimental Studies on the Nature of Species I. The Effect of Varied Environments on Western North American Plants*, vol. 520 (Carnegie Institution of Washington, Washington D.C., 1940)
- J. Clausen, D.D. Keck, W.M. Hiesey, *Experimental Studies on the Nature of Species, II. Plant Evolution Through Amphiploidy and Autoploidy, with Examples from the Madiinae*, vol. 564 (Carnegie Institution of Washington Publication, Washington D.C., 1945)
- P. Comon, Independent component analysis: a new concept? *Signal Process.* **36**, 287–314 (1994)
- D.P.A. Corney, J.Y. Clark, H.L. Tang, P. Wilkin, Automatic extraction of leaf characters from herbarium specimens. *Taxon* **61**(1), 231–244 (2012)
- G. Csurka, C.R. Dance, L. Fan, J. Willamowski, C. Bray, Visual categorization with bags of key-points, in *Workshop on Statistical Learning in Computer Vision, ECCV* (2004), pp. 1–22

- H. Dale, A. Runions, D. Hobill, P. Prusinkiewicz, Modelling biomechanics of bark patterning in grass trees. *Ann. Botany* **114**, 629–641 (2014)
- C. Darwin, *On the Origin of Species by Means of Natural Selection, or the Preservation of Favoured Races in the Struggle for Life* (J. Murray, London, 1859)
- M. Das, R. Manmatha, E.M. Riseman, Indexing flower patent images using domain knowledge. *IEEE Intell. Syst.* **14**(5), 24–33 (1999)
- S. Dasgupta, The evolution of the D^2 -statistic of Mahalanobis. *Indian J. Pure Appl. Math.* **26**(6), 485–501 (1995)
- J.G. Daugman, Two-dimensional spectral analysis of cortical receptive field profiles. *Vis. Res.* **20**, 847–856 (1980)
- J.G. Daugman, Uncertainty relation for resolution in space, spatial frequency, and orientation optimized by two-dimensional visual cortical filters. *J. Opt. Soc. Am. A* **2**, 1160–1169 (1985)
- J.F. Davidson, The polygonal graph for simultaneous portrayal of several variables in population analyses. *Madroño* **9**, 105–110 (1947)
- A.P. de Candolle, *Théorie élémentaire de la botanique; ou, Exposition des principes de la classification naturelle et de l'art de décrire et d'étudier les végétaux*. Déterville (1813)
- T.A. Dickinson, W.H. Parker, R.E. Strauss, Another approach to leaf shape comparisons, in *Taxon* 1–20 (1987)
- L.L. Dryden, K.V. Mardia, *Statistical Shape Analysis* (Wiley, Chichester, 1998)
- J.-X. Du, D.-S. Huang, X.-F. Wang, X. Gu, Computer-aided plant species identification (CAPSI) based on leaf shape matching technique. *Trans. Inst. Meas. Control* **28**, 275–284 (2006)
- J.-X. Du, X.-F. Wang, G.-J. Zhang, Leaf shape based plant species recognition. *Appl. Math. Comput.* **185**, 883–893 (2007)
- A.T. Duchowski, *Eye Tracking Methodology: Theory and Practice* (Springer, New York Inc, Secaucus, 2007)
- J. Duminil, D. Kenfack, V. Viscosi, L. Grumiau, O.J. Hardy, Testing species delimitation in sympatric species complexes: the case of an african tropical tree. *Carapa* spp. (Meliaceae). *Mol. Phylogenet. Evol.* **62**, 275–285 (2012)
- E.M. East, Studies on size inheritance in *Nicotiana*. *Genetics* **1**, 164–176 (1915)
- J. Edmonds, R.M. Karp, Theoretical improvements in algorithmic efficiency for network flow problems. *J. ACM* **19**, 248–264 (1972)
- B. Ellis, D.C. Richardson, M.J. Spivey, W.G. Daly, L.J. Hickey, K.R. Johnson, J.D. Mitchell, P. Wilf, S.L. Wing, *Manual Of Leaf Architecture* (Cornell University Press, Ithaca, 2009)
- C. Epling, *The Living Mosaic, Research Lecture* (University of California Press, California, 1944)
- R.O. Erickson, Population size and geographical distribution of *Clematis fremontii* var. *riehlii*. *Ann. Mo. Bot. Gard.* **30**, 63–68 (1943)
- R.O. Erickson, The *Clematis fremontii* var. *riehlii* population in the Ozarks. *Ann. Mo. Bot. Gard.* **32**, 413–460 (1945)
- D.S. Falconer, *Introduction to Quantitative Genetics* (Longman Scientific and Technical, 1989)
- J.S. Farris, The meaning of relationship and taxonomic procedure. *Syst. Zool.* **16**(1), 44–51 (1967)
- N.C. Fassett, Mass collections: *Rubus odoratus* and *R. parviflorus*. *Ann. Mo. Bot. Gard.* **28**(3), 299–374 (1941)
- N.C. Fassett, Mass collections: *Diervilla lonicera*. *Bull. Torrey Bot. Club* **69**(4), 317–322 (1942)
- N.C. Fassett, The validity of *Juniperus virginiana* var. *crebra*. *Am. J. Botany* **30**(7), 469–477 (1943)
- L.A. Feldkamp, Neural networks: Current applications, book review. *Proc. IEEE* **84**(1), 87 (1996)
- R.A. Fisher, The correlation between relatives on the supposition of mendelian inheritance. *Trans. R. Soc. Edinb.* **52**, 399–433 (1918)
- R.A. Fisher, The use of multiple measurements in taxonomic problems. *Ann. Eugen.* **7**(2), 179–188 (1936)
- R.A. Fisher, *The Genetical Theory of Natural Selection* (Oxford University Press, Oxford, Variorum Edition, 1999)

- D. Frijters, A. Lindenmayer, A model for the growth and flowering of *Aster novae-angliae* on the basis of table (1,0) L-systems, in *L-systems and Lecture Notes in Computer Science*, ed. by G. Rozenberg, A. Samolaa, vol. 15, (Springer, Berlin, 1974), pp. 24–52
- B. Fritzsche, *A growing neural gas network learns topologies*, in *Advances in Neural Information Processing Systems* (MIT Press, Cambridge, 1995), pp. 625–632
- H. Fu, Z. Chi, Combined thresholding and neural network approach for vein pattern extraction from leaf images, in *IEEE Proceedings Vision Image and Signal Processing*, vol. 153 (Institution of Electrical Engineers, 2006), pp. 881–892
- K. Fukunaga, L. Hostetter, K-nearest-neighbor Bayes-risk estimation. *IEEE Trans. Inf. Theory* **21**(3), 285–293 (1975)
- N. Furuta, S. Ninomiya, N. Takahashi, H. Ohmori, Y. Ukai, Quantitative evaluation of soybean leaflet shape by principal component scores based on elliptic Fourier descriptor. *Breed. Sci.* **45**, 315–320 (1995)
- K.R. Gabriel, R.R. Sokal, A new statistical approach to geographic variation analysis. *Syst. Zool.* **18**(3), 259–278 (1969)
- E. Gage, P. Wilkin, A morphometric study of species delimitation in *Sternbergia lutea* (Alliaceae, Amaryllidoideae) and its allies *S. sicula* and *S. greuteriana*. *Bot. J. Linn. Soc.* **158**, 460–469 (2008)
- F. Galton, *Natural Inheritance* (MacMillan and Co., London, 1889)
- K.J. Gaston, M.A. O'Neill, Automated species identification: why not? *Philos. Trans. R. Soc. Lond. B* **359**(1444), 655–667 (2004)
- T. Gautama, M.M. Van Hulle, Self-organized feature extraction achieved with a parameterized filterbank. *Neural Proc. Lett.* **10**(2), 131–137 (1999)
- S. Gebhardt, J. Schellberg, R. Lock, W. Kühbach, Identification of broad-leaved dock (*Rumex obtusifolius* L.) on grassland by means of digital image processing. *Precis. Agric.* **7**(3), 165–178 (2006)
- J. Geusebroek, A. Smeulders, J. van de Weijer, Fast anisotropic gauss filtering. *IEEE Trans. Image Process.* **12**, 2003 (2002)
- H.C.J. Godfray, Challenges for taxonomy. *Nature* **2002**(417), 17–19 (2002)
- J.M. Gómez, F. Perfectti, J.P.M. Camacho, Natural selection on *Erysimum mediohispanicum* flower shape: insights into the evolution of zygomorphy. *Am. Nat.* **168**(4), 531–545 (2006)
- E.G. Gonçalves, H. Lorenzi, *Morfologia Vegetal: Organografia e dicionário ilustrado de morfologia das plantas vasculares* (Instituto Plantarum, Nova Odessa, 2011)
- M.D. Gordin, *A Well-ordered Thing: Dmitrii Mendeleev and the Shadow of the Periodic Table* (Basic Books, New York, 2004)
- A.D. Gordon, *Classification*, in *Monographs on Statistics and Applied Probability* (Chapman and Hall/CRC, London, 1999)
- J.C. Gower, Some distance properties of latent root and vector methods used in multivariate analysis. *Biometrika* **53**(3/4), 325–338 (1966)
- J.C. Gower, A general coefficient of similarity and some of its properties. *Biometrics* **27**(4), 857–871 (1971)
- J.C. Gower, The biological stimulus to multidimensional analysis. *Journal Electronique d'Histoire des Probabilités et de la Statistique* **4**(2), 1–14 (2008)
- J.W. Gregor, V.M. Davey, J.M.S. Lang, Experimental taxonomy I. Experimental garden technique in relation to the recognition of small taxonomic units. *N. Phytol.* **35**(4), 323–350 (1936)
- S.E. Grigorescu, N. Petkov, P. Kruižinga, Comparison of texture features based on Gabor filters. *IEEE Trans. Image Process.* **11**(10), 1160–1167 (2002)
- S. Gubatz, V.J. Dercksen, C. Brüß, W. Weschke, U. Wobus, Analysis of barley (*Hordeum vulgare*) grain development using three-dimensional digital models. *Plant J.* **52**(4), 779–790 (2007)
- P. Gunz, P. Mitteroecker, Semilandmarks: a method for quantifying curves and surfaces. *Hystrix* **24**(1), 103–109 (2013)

- A. Haigh, P. Wilkin, F. Rakotonasolo, A new species of *Dioscorea* L. (Dioscoreaceae) from Western Madagascar and its distribution and conservation status. *Kew Bull.* **60**, 273–281 (2005)
- F. Hallé, R.A.A. Oldeman, *Essai sur l'architecture e la dynamique de croissance des arbres tropicaux* (Masson, Paris, 1970)
- F. Hallé, R.A.A. Oldeman, P.B. Tomlinson, *Tropical Trees and Forests - An Architectural Analysis* (Springer, Heidelberg, 1978)
- M.B. Hamilton, *Population Genetics* (Wiley-Blackwell, New York, 2009)
- Ø. Hammer, *PAST Paleontological Statistics, in Natural History Museum* (University of Oslo, Norway, 2012)
- Ø. Hammer, D.A.T. Harper, *Paleontological Data Analysis* (Wiley-Blackwell, New York, 2008)
- Ø. Hammer, D.A.T. Harper, P.D. Ryan, Past: Paleontological statistics software package for education and data analysis. *Palaeontologia Electronica* **4**(1), 1–9 (2001)
- R.M. Haralick, I. Dinstein, K. Shanmugam, Textural features for image classification. *IEEE Trans. Syst. Man Cybern. SMC-* **3**, 610–621 (1973)
- J.L. Harper, *Population Biology of Plants* (Academic Press, London, 1977)
- W. Hawthorne, C. Jongkind, *Woody Plants of Western African Forests: A Guide to the Forest Trees, Shrubs and Lianas from Senegal to Ghana* (Kew Publishing, Kew, Royal Botanic Gardens, 2006)
- S. Haykin, *Neural Networks and Learning Machines* (Prentice Hall, Upper Saddle River, 2009)
- D.J. Hearn, Shape analysis for the automated identification of plants from images of leaves. *Taxon* **58**, 934–954 (2009)
- G. Heidemann, A neural 3-D object recognition architecture using optimized Gabor filters, in *Proceedings of the International Conference on Pattern Recognition (ICPR 96)* (IEEE Computer Society, Washington DC USA, 1996), pp. 70–74
- C.B. Heiser, E. Anderson, Botanist and curator of useful plants. *Ann. Mo. Bot. Gard.* **82**(1), 54–60 (1995)
- J. Hemming, T. Rath, PA - Precision agriculture: computer-Vision-based weed identification under field conditions using controlled lighting. *J. Agricul. Eng. Res.* **78**(3), 233–243 (2001)
- A. Henderson, A revision of *Geonoma* (Arecaceae). *Phytotaxa* **17**, 1–271 (2011)
- W. Hennig, *Phylogenetic Systematics* (University of Illinois Press, Urbana, 1966)
- L.J. Hickey, Classification of the architecture of dicotyledonous leaves. *Am. J. Botany* **60**(1), 17–33 (1973)
- H. Honda, Description of the form of trees by parameters of the tree-like body: effects of the branching angle and branch length on the shape of the tree-like body. *J. Theor. Biol.* **31**(2), 331–338 (1971)
- A. Hong, G. Chen, J.L. Li, Z.R. Chi, D. Zhang, A flower image retrieval method based on ROI feature. *J. Zhejiang Univ. Sci.* **5**(7), 764–772 (2004)
- H. Hotelling, The generalization of Student's ratio. *Ann. Math. Stat.* **2**(3), 360–378 (1931)
- H. Hotelling, The most predictable criterion. *J. Educ. Psychol.* **26**(2), 139–142 (1935)
- H. Hotelling, Relations between two sets of variables. *Biometrika* **28**(3/4), 321–377 (1936)
- M.K. Hu, Visual pattern recognition by moment invariants. *IRE Trans. Inf. Theory* **8**(2), 179–187 (1962)
- L.-L. Huang, A. Shimizu, H. Kobatake, Robust face detection using Gabor filter features. *Pattern Recognit. Lett.* **26**, 1641–1649 (2005)
- Q. Huang, A.K. Jain, G.C. Stockman, A.J.M. Smucker, Automatic image analysis of plant root structures, in *Proceedings 11th IAPR International Conference on Pattern Recognition, 1992. Conference B: Pattern Recognition Methodology and Systems*, vol. II (1992), pp. 569–572. doi: [10.1109/ICPR.1992.201842](https://doi.org/10.1109/ICPR.1992.201842)
- Z.-K. Huang, D.-S. Huang, J.-X. Du, Z.-H. Quan, S.-B. Guo, Bark classification based on Gabor filter features using RBPNN neural network, in *International Conference on Neural Information Processing* (Springer, Heidelberg, 2006), pp. 80–87

- P.M. Huff, P. Wilf, E.J. Azumah, Digital future for paleoclimate estimation from fossil leaves? Preliminary results. *Palaios* **18**(3), 266–274 (2003)
- D.L. Hull, The effect of essentialism on taxonomy - two thousand years of stasis (I). *Br. J. Philos. Sci.* **15**(60), 314–326 (1965a)
- D.L. Hull, The effect of essentialism on taxonomy - two thousand years of stasis (II). *Br. J. Philos. Sci.* **16**, 1–18 (1965b)
- J.S. Huxley, *Problems of Relative Growth* (Methuen, London, 1932)
- J.S. Huxley, *The New Systematics* (The Systematics Association, London, 1971)
- C. Im, H. Nishida, T.L. Kunii, *Recognizing plant species by normalized leaf shapes*, in *Vision Interface '99* (Trois Rivières, Canada, 1999), pp. 397–404
- H. Iwata, S. Niikura, S. Matsuura, Y. Takano, Y. Ukai, Genetic control of root shape at different growth stages in radish (*Raphanus sativus* L.). *Breed. Sci.* **54**(2), 117–124 (2004)
- R. Jacob, K. Karn, Eye tracking in human-computer interaction and usability research: Ready to deliver the promises, in *The Mind's Eye: Cognitive and Applied Aspects of Eye Movement Research* (2003), pp. 573–603
- R.J. Jensen, K.M. Ciofani, L.C. Miramontes, Lines, outlines, and landmarks: Morphometric analyses of leaves of *Acer rubrum*, *Acer saccharinum* (Aceraceae) and their hybrid. *Taxon* **51**(3), 475–492 (2002)
- W. Johannsen, *Elemente der exakten Erblichkeitslehre* (G. Fischer, Jena, 1909)
- P. Jolicoeur, J.E. Mosimann, Size and shape variation in the painted turtle. a principal component analysis. *Growth* **24**, 339–354 (1960)
- S. Joly, A. Bruneau, Delimiting species boundaries in *Rosa* Sect. *Cinnamomeae* (Rosaceae) in eastern North America. *Syst. Botany* **32**(4), 819–836 (2007)
- L. Journaux, M.-F. Destain, J. Miteran, A. Piron, F. Cointault, Texture classification with generalized Fourier descriptors in dimensionality reduction context: An overview exploration. *Artif. Neural Netw. Pattern Recognit.* **5064**, 280–291 (2008)
- F. Jurie, B. Triggs, Creating efficient codebooks for visual recognition, in *Proceedings of the Tenth IEEE International Conference on Computer Vision (ICCV'05)*, vol. 1 (IEEE Computer Society, Washington DC, 2005), pp. 604–610
- K. Kavukcuoglu, M. Ranzato, R. Fergus, Y. LeCun, Learning invariant features through topographic filter maps, in *Proceedings of the International Conference on Computer Vision and Pattern Recognition (CVPR'09)* (IEEE, New York, 2009), pp. 1605–1612
- D.G. Kendall, The diffusion of shape. *Adv. Appl. Probab.* **9**(3), 428–430 (1977)
- D.G. Kendall, D. Barden, T.K. Carne, H. Le, *Shape and Shape Theory* (Wiley, New York, 1999)
- N. Kirchgessner, H. Scharr, U. Schurr, Robust vein extraction on plant leaf images, in *2nd IASTED International Conference Visualisation, Imaging and Image Processing* (2002)
- J. Kittler, Feature set search algorithms, in *Pattern Recognition and Signal Processing*, ed. by C.H. Chen (Sijthoff and Noordhoff, Alphen aan den Rijn, Netherlands, 1978), pp. 41–60
- C.P. Klingenberg, S. Duttko, S. Whelan, M. Kim, Developmental plasticity, morphological variation and evolvability: a multilevel analysis of morphometric integration in the shape of compound leaves. *J. Evolut. Biol.* **25**, 115–129 (2012)
- S. Knapp, E.N. Lughadha, A. Paton, Taxonomic inflation, species concepts and global species lists. *Trends Ecol. Evol.* **20**(1) (2005)
- D. Koller, M. Sahami, Toward optimal feature selection, in *Proceedings of the 13th International Conference on Machine Learning (ICML)* (1996), pp. 284–292
- H.W. Kuhn, The Hungarian method for the assignment problem. *Nav. Res. Logist. Q.* **2**, 83–97 (1955)
- N. Kumar, P.N. Belhumeur, A. Biswas, D. Jacobs, W.J. Kress, I. Lopez, J.V.B. Soares, Leafsnap: a computer vision system for automatic plant species identification, in *Proceedings of the European Conference in Computer Vision (ECCV)* (2012), pp. 497–504

- Y. Kurosawa, Incremental learning for feature extraction filter mask used in similar pattern classification, in *International Joint Conference on Neural Networks (IJCNN)* (2008), pp. 497–504
- P.E. Lestrel, *Fourier Descriptors and their Applications in Biology* (Cambridge University Press, Cambridge, 1997)
- T. Leung, J. Malik, Representing and recognising the visual appearance of materials using three-dimensional textures. *Int. J. Comput. Vis.* **43**, 7–27 (2001)
- H. Lewis, Leaf variation in *Delphinium variegatum*. *Bull. Torrey Bot. Club* **74**(1), 57–59 (1947)
- C. Lexer, J. Joseph, M. van Loo, G. Prenner, B. Heinze, M.W. Chase, D. Kirkup, The use of digital image-based morphometrics to study the phenotypic mosaic in taxa with porous genomes. *Taxon* **58**(2), 349–364 (2009)
- W. Li, K. Mao, H. Zhang, T. Chai, Designing compact Gabor filter banks for efficient texture feature extraction, in *2010 11th International Conference on Control Automation Robotics Vision (ICARCV)* (2010), pp. 1193–1197
- Y. Li, Z. Chi, D.D. Feng, Leaf vein extraction using independent component analysis, in *IEEE International Conference on Systems, Man and Cybernetics* (IEEE, New York, 2006), pp. 3890–3984
- M. Lipske, *New Electronic Field Guide Uses Leaf Shapes to Identify Plant Species* (Inside Smithsonian Research, Winter, 2008)
- J. Liu, Y.Y. Tang, Adaptive image segmentation with distributed behavior-based agents. *IEEE Trans. Pattern Anal. Mach. Intell.* **21**(6), 544–551 (1999)
- J. Liu, S. Zhang, S. Deng, A method of plant classification based on wavelet transforms and support vector machines. *Emerg. Intell. Comput. Technol. Appl.* **5754**, 253–260 (2009)
- W. Ma, H. Zha, J. Liu, X. Zhang, B. Xiang, Image-based plant modeling by knowing leaves from their apexes, in *19th International Conference on Pattern Recognition, 2008* (2008), pp. 1–4
- N. MacLeod, Generalizing and extending the eigenshape method of shape space visualization and analysis, in *Paleobiology* (1999), pp. 107–138
- N. MacLeod, *Automated Taxon Identification in Systematics: Theory, Approaches and Applications*. Systematics Association Special vol. 74 (CRC Press, Boca Raton, 2007a)
- N. MacLeod, Introduction, in *Automated Taxon Identification in Systematics: Theory, Approaches and Applications*, ed. by N. MacLeod, Systematics Association Special, vol. 74, (CRC Press, Boca Raton, 2007b), pp. 1–7
- N. MacLeod, Palaeo-math 101: going round the bend: eigenshape analysis I. *Palaeontol. Newsl.* **800**(26), 32–48 (2012a)
- N. MacLeod, Palaeo-math 101: going round the bend II: extended eigenshape analysis. *Palaeontol. Newsl.* **810**(27), 23–39 (2012b)
- N. MacLeod, Palaeo-math 101: landmarks and semilandmarks: differences without meaning and meaning without difference. *Palaeontol. Newsl.* **820**(28), 32–43 (2013)
- S. Magrini, A. Scoppola, Geometric morphometrics as a tool to resolve taxonomic problems: the case of *Ophioglossum* species (ferns), in *Tools for Identifying Biodiversity: Progress and Problems*, P.L. Nimis, R. Vignes Lebbe, (EUT, The Netherlands, 2010), pp. 251–256
- P.C. Mahalanobis, On the generalized distance in statistics. *Proc. Natl. Inst. Sci. India* **20**(1), 49–55 (1936)
- S. Mannan, C. Kennard, M. Husain, The role of visual salience in directing eye movements in visual object agnosia. *Current Biol.* **19**, 247–248 (2009)
- L. Marcus, Traditional morphometrics, in *Proceedings of the Michigan Morphometrics Workshop*, ed. by F.J. Rohlf, F.L. Bookstein (The University of Michigan Museum of Zoology, Ann Arbor, Michigan, 1990), pp. 77–122
- K. Marhold, Multivariate morphometrics and its application to monography at specific and infraspecific levels, in *Monographic Plant Systematics, Fundamental Assessment of Plant Biodiversity*, T.F. Stuessy, W. Lack (A.R.G. Gantner Verlag K.G., 2011), pp. 75–101

- T. Martinetz, K. Shulten, A Neural-gas network learns topologies, in *Artificial, Neural Networks* (1991), pp. 397–402
- K. Mather, J. Jinks, *Biometrical Genetics: The Study of Continuous Variation* (Chapman and Hall, London, 1971)
- E. Mayr, Numerical phenetics and taxonomic theory. *Syst. Zool.* **140**(2), 73–97 (1965)
- E. McClintock, C. Epling, A revision of *Teucrium* in the New World with observations on its variation, geographical distribution, and history. *Brittonia* **50**(5), 491–510 (1946)
- T. McLellan, Geographic variation and plasticity of leaf shape and size in *Begonia dregei* and *B. homonyma* (Begoniaceae). *Bot. J. Linn. Soc.* **1320**(1), 79–95 (2000)
- T. McLellan, Correlated evolution of leaf shape and trichomes in *Begonia dregei* (Begoniaceae). *Am. J. Botany* **920**(10), 1616–1623 (2005)
- T. McLellan, J.A. Endler, The relative success of some methods for measuring and describing the shape of complex objects. *Syst. Biol.* **47**, 264–281 (1998)
- C. Meade, J. Parnell, Multivariate analysis of leaf shape patterns in Asian species of the *Uvaria* group (Annonaceae). *Bot. J. Linn. Soc.* **143**, 231–242 (2003)
- E.D. Megaw, J. Richardson, Eye movements and industrial inspection. *Appl. Ergon.* **10**, 145–154 (1979)
- R. Melville, The accurate definition of leaf shapes by rectangular coordinates. *Ann. Botany, N. Ser.* **10**(4), 673–679 (1937)
- R. Melville, A joint discussion with the systematics association on biometrics and systematics: On the application of biometrical methods in plant taxonomy. *Proc. Linn. Soc. Lon.* **1620**(2), 153–159 (1951)
- G. Mendel, Versuche über Pflanzen-Hybriden. *Verhandlungen des Naturforschenden Vereins in Brunn* **4**, 3–47 (1866)
- P. Mitteroecker, P. Gunz, Advances in geometric morphometrics. *Evolut. Biol.* **360**(2), 235–247 (2009)
- F. Mokhtarian, Silhouette based isolated object recognition through curvature scale space. *IEEE Trans. Pattern Anal. Mach. Intell.* **170**(5), 539–544 (1995)
- F. Mokhtarian, S. Abbasi, Matching shapes with self-intersection: application to leaf classification. *IEEE Trans. Image Process.* **13**, 653–661 (2004)
- R. Mullen, D. Monekosso, S. Barman, P. Remagnino, P. Wilkin, Artificial ants to extract leaf outlines and primary venation patterns. *Lect. Notes Comput. Sci.* **5217**, 251–258 (2008)
- Y. Nam, E. Hwang, D. Kim, *CLOVER: a mobile content-based leaf image retrieval system*, in *Digital Libraries: Implementing Strategies and Sharing Experiences, LNCS*, vol. 3815 (Springer, Heidelberg, 2005), pp. 139–148
- M.E. Nilsback, A. Zisserman, Delving into the whorl of flower segmentation. *Proc. Br. Mach. Vis. Conf.* **1**, 570–579 (2007)
- E. Nilsson-Ehle, Kreuzungsuntersuchungen an Hafer und Weizen. *Acta Universitatis Lundensis, Ser.* **250**(2), 1–122 (1909)
- D. Oakley, H.J. Falcon-Lang, Morphometric analysis of Cretaceous (Cenomanian) angiosperm woods from the Czech Republic. *Rev. Palaeobot. Palynol.* **1530**(3–4), 375–385 (2009)
- M.A. O’Neill, Daisy: a practical computer-based tool for semi-automated species identification, in *Automated Taxon Identification in Systematics: Theory, Approaches and Applications*, ed. by N. MacLeod (CRC Press, Florida, 2007), pp. 101–114
- N. Otsu, A threshold selection method from gray level histograms. *IEEE Trans. Syst. Man Cybern.* **9**, 62–66 (1979)
- J. Pan, Y. He, Recognition of plants by leaves digital image and neural network, in *2008 International Conference on Computer Science and Software Engineering* (Wuhan, China, 2008), pp. 906–910
- R.J. Pankhurst, *Practical Taxonomic Computing* (Cambridge University Press, Cambridge, 1991)
- J. Park, E. Hwang, Y. Nam, Utilizing venation features for efficient leaf image retrieval. *J. Syst. Softw.* **810**(1), 71–82 (2008)

- E. Parzen, On estimation of a probability density function and mode. *Ann. Math. Stat.* **33**, 1065–1076 (1962)
- S.C. Pearce, *Biological Statistics: An Introduction* (McGraw-Hill Book Company, New York, 1965)
- K. Pearson, On lines and planes of closest fit to systems of points in space. *Philos. Mag.* **2**, 559–572 (1901)
- K. Pearson, A. Lee, E. Warren, A. Fry, C.D. Fawcett, Mathematical contributions to the theory of evolution IX - On the principle of homotyposis and its relation to heredity, to the variability of the individual, and to that of the race. Part I. Homotyposis in the vegetable kingdom. *Philos. Trans. R. Soc. Lond. A* **197**, 285–379 (1901)
- R.A. Pimentel, *Morphometrics: The Multivariate Analysis of Biological Data* (Kendall/Hunt Publishing Company, Dubuque, 1979)
- R.O. Plotze, M. Falvo, J.G. Padua, L.C. Bernacci, M.L.C. Vieira, G.C.X. Oliveira, O. Martinez, Leaf shape analysis using the multiscale Minkowski fractal dimension, a new morphometric method: A study with *Passiflora* (Passifloraceae). *Canadian J. Botany* **830**(3), 287–301 (2005)
- T.M. Porter, *The Rise of Statistical Thinking 1820–1900* (Princeton University Press, Princeton, 1986)
- P. Prusinkiewicz, J.S. Hanan, Lindenmayer systems, fractals, and plants. *Lect. Notes Biomath.* **79**, (1989)
- P. Prusinkiewicz, A. Lindenmayer, *The Algorithmic Beauty of Plants* (Springer, Berlin, 1990)
- P. Prusinkiewicz, A. Runions, Computational models of plant development and form. *N. Phytol.* **1930**(3), 549–569 (2012)
- L. Qi, Q. Yang, G. Bao, Y. Xun, L. Zhang, A dynamic threshold segmentation algorithm for cucumber identification in greenhouse, in *2nd International Congress on Image and Signal Processing, 2009* (2009), pp. 1–4
- M.H. Quenouille, *Associated Measurements* (Butterworths Scientific Publications, London, 1952)
- T. Randen, J.H. Husoy, Filtering for texture classification: a comparative study. *IEEE Trans. Pattern Anal. Mach. Intell.* **210**(4), 291–310 (1999)
- E. Rashedi, H. Nezamabadi, S. Saryazdi, A simultaneous feature adaptation and feature selection method for content-based image retrieval systems. *Knowl. Based Syst.* **39**, 85–94 (2013)
- T.S. Ray, Landmark eigenshape analysis: homologous contours leaf shape in *Syngonium* (Araceae). *Am. J. Botany* **79**, 69–76 (1992)
- R.L. Mendona, Ernesto Rego, A.F.R. Araujo, F.B. Lima Neto, Growing self-reconstruction maps. *IEEE Trans. Neural Netw.* **210**(2), 211–223 (2010)
- L.W. Renniger, P. Verhese, J. Coughlan, Where to look next? Eye movements reduce local uncertainty. *J. Vis.* **7**, (2007)
- R.A. Reyment, Multivariate morphometrics and analysis of shape. *Math. Geol.* **170**(6), 591–609 (1985)
- R.A. Reyment, *Multidimensional Palaeobiology* (Pergamon Press, Oxford, 1991)
- R.A. Reyment, An idiosyncratic history of early morphometrics, in *Advances in Morphometrics*, ed. by L.F. Marcus, M. Corti, A. Loy, G.J.P. Naylor, D.E. Slice (Plenum Press, New York, 1996), pp. 15–22
- R.A. Reyment, R.E. Blackith, N.A. Campbell, *Multivariate Morphometrics*, 2nd edn. (Academic Press, London, 1984)
- R.A. Richards, *The Species Problem: A Philosophical Analysis* (Cambridge University Press, Cambridge, 2010)
- D.C. Richardson, M.J. Spivey, W.G. Daly, *Eye-Tracking: Characteristics and Methods Eye-Tracking: Research Areas and Applications* (Informa Healthcare, Switzerland, 2004)
- A. Riedel, K. Sagata, Y.R. Suhardjono, R. Tanzler, M. Balke, Integrative taxonomy on the fast track - towards more sustainability in biodiversity research. *Front. Zool.* **10**, 1–9 (2013)
- O.C. Rieppel, *Fundamentals of Comparative Biology* (Birkhauser Verlag, Basel, 1988)
- F.J. Rohlf, Correlated characters in numerical taxonomy. *Syst. Zool.* **160**(2), 109–126 (1967)

- F.J. Rohlf, Relationships among eigenshape analysis, Fourier analysis and analysis of coordinates. *Math. Geol.* **180**(8), 845–854 (1986)
- F.J. Rohlf, *ntsYSpc: Numerical Taxonomy System ver. 2.20d* (Exeter Publishing, Ltd. Setauket, NY., 2005)
- F.J. Rohlf, *tpsDig, Digitize Landmarks and Outlines, ver. 2.16* (Stony Brook, NY: Department of Ecology and Evolution, State University of New York, 2010a)
- F.J. Rohlf, *tpsRelw, Relative Warps Analysis, ver. 1.49* (Stony Brook, NY: Department of Ecology and Evolution, State University of New York, 2010b)
- F.J. Rohlf, *tpsUtil, File Utility Program, ver. 1.46* (Stony Brook, NY: Department of Ecology and Evolution, State University of New York, 2010c)
- F.J. Rohlf, *Morphometrics at SUNY Stony Brook* (Stony Brook, NY: Department of Ecology and Evolution, State University of New York, 2014). <http://life.bio.sunysb.edu/morph/index.html>
- F.J. Rohlf, L.F. Marcus, A revolution in morphometrics. *Trends Ecol. Evol.* **80**(4), 129–132 (1993)
- P. Room, J. Hanan, P. Prusinkiewicz, Virtual plants: new perspectives for ecologists, pathologists and agricultural scientists. *Trends Plant Sci.* **1**, 33–38 (1996)
- D.L. Royer, P. Wilf, Why do toothed leaves correlate with cold climates? Gas exchange at leaf margins provides new insights into a classic paleotemperature proxy. *Int. J. Plant Sci.* **1670**(1), 11–18 (2006)
- D.L. Royer, P. Wilf, D.A. Janesko, E.A. Kowalski, D.L. Dilcher, Correlations of climate and plant ecology to leaf size and shape: potential proxies for the fossil record. *Am. J. Botany* **920**(7), 1141–1151 (2005)
- Y. Rubner, L.J. Guibas, C. Tomasi, The earth mover's distance, multi-dimensional scaling, and color-based image retrieval, in *ARPA Image Understanding Workshop* (1997), pp. 661–668
- W.J. Ryan, A.T. Duchowski, E.A. Vincent, D. Battisto, Match-moving for area-based analysis of eye movements in natural tasks, in *Proceedings of the 2010 Symposium on Eye-Tracking Research and Applications, ETRA 10* (ACM, New York, 2010), pp. 235–242
- H. Sakoe, S. Chiba, Dynamic programming algorithm optimization for spoken word recognition. *IEEE Trans. Acoust. Speech Sig. Process.* **260**(1), 43–49 (1978)
- S. Salvador, P. Chan, Toward accurate dynamic time warping in linear time and space. *Intell. Data Anal.* **110**(5), 561–580 (2007)
- R. Sandler M. Lindenbaum, Gabor filter analysis for texture segmentation, in *Computer Vision and Pattern Recognition Workshop* (IEEE, New York, 2006), p. 178
- Y. Savriama, J. Neustupa, C.P. Klingenberg, Geometric morphometrics of symmetry and allometry in *Micrasterias rotata*, *Zygnemophyceae*, *Viridiplantae*). *Nova Hedwigia, Beiheft* **136**, 43–54 (2010)
- D. Šeatović, A segmentation approach in novel real time 3D plant recognition system, in *Proceedings of the 6th International Conference on Computer Vision Systems* (2008), pp. 363–372
- S. Sempena, N.U. Maulidevi, P.R. Aryan, Human action recognition using dynamic time warping, in *International Conference on Electrical Engineering and Informatics* (IEEE, New York, 2011), pp. 1–5
- A.B. Shipunov, R.M. Bateman, Geometric morphometrics as a tool for understanding *Dactylorhiza* (Orchidaceae) diversity in European Russia. *Biol. J. Linn. Society*, **850** (1):0 1–12, 2005
- R. Sievanen, C. Godin, T.M. DeJong, E. Nikinmaa, Functional-structural plant models: a growing paradigm for plant studies. *Ann. Botany* **1140**(4), 599–603 (2014)
- K. Sikka, T. Wu, J. Susskind, M. Bartlett, Exploring bag of words architectures in the facial expression domain, in *European Conference on Computer Vision* (2012)
- M.F.S. Silva, I.M. Andrade, S.J. Mayo, Geometric morphometrics of leaf blade shape in *Montrichardia linifera* (Araceae) populations from the Rio Parnaíba Delta, north-east Brazil. *Bot. J. Linn. Soc.* **170**, 554–572 (2012)
- J. Sivic, A. Zisserman, Google video: a text retrieval approach to object matching in videos. *Int. Conf. Comput. Vis.* **2**, 1470–1477 (2003)

- D.E. Slice, *Modern Morphometrics in Physical Anthropology* (Springer, New York, 2005)
- D.E. Slice, Morpheus et al., Multiplatform software for morphometric research (2008). <http://www.morphometrics.org/id6.html>
- D.E. Slice, F.L. Bookstein, L.F. Marcus, F.J. Rohlf, *A Glossary for Geometric Morphometrics* (Stony Brook, NY: Department of Ecology and Evolution, State University of New York, 2015). <http://life.bio.sunysb.edu/morph/>. Accessed 9 Jul 2015
- P.H.A. Sneath, Recent developments in theoretical and quantitative taxonomy. *Syst. Zool.* **100**(3), 118–139 (1961)
- P.H.A. Sneath, The construction of taxonomic groups, in *Microbial Classification*, ed. by G.C. Ainsworth, P.H.A. Sneath (Cambridge University Press, Cambridge, 1962), pp. 289–332
- P.H.A. Sneath, Thirty years of numerical taxonomy. *Syst. Biol.* **440**(3), 281–298 (1995)
- P.H.A. Sneath, R.R. Sokal, *Numerical Taxonomy* (W. H. Freeman and Co., San Francisco, 1973)
- P. Soille, Morphological image analysis applied to crop field mapping. *Image Vis. Comput.* **180**(13), 1025–1032 (2000)
- R.R. Sokal, Distance as a measure of taxonomic similarity. *Syst. Zool.* **100**(2), 70–79 (1961)
- R.R. Sokal, Typology and empiricism in taxonomy. *J. Theor. Biol.* **30**(2), 230–267 (1962)
- R.R. Sokal, P.H.A. Sneath, *Principles of Numerical Taxonomy* (W. H. Freeman and Company, San Francisco, 1963)
- Yu. Song, R. Wilson, R. Edmondson, N. Parsons, Surface modelling of plants from stereo images, in *Sixth International Conference on 3-D Digital Imaging and Modeling, 2007. 3DIM '07* (2007), pp. 312–319
- K. Sparck-Jones, R.M. Needham, Automatic term classifications and retrieval. *Inf. Storage Retr.* **4**, 91–100 (1968)
- P. Sprent, The mathematics of size and shape. *Biometrics* **280**(1), 23–37 (1972)
- W.T. Stearn, *Botanical Latin* (David and Charles, Newton Abbot, 1992)
- G.L. Stebbins, *Variation and Evolution in Plants* (Columbia University Press, New York, 1950)
- G.L. Stebbins, *Edgar Anderson 1897–1969* (Washington D. C., Biographical Memoir, National Academy of Sciences, 1978)
- M.R. Teague, Image analysis via the general theory of moments. *J. Opt. Soc. Am.* **700**(8), 920–930 (1980)
- G. Teissier. Un essai d'analyse factorielle. Les variants sexuels de *Maia squinada*. *Biotypologie* **7**, 73–96 (1938)
- C.H. Teng, Y.T. Kuo, Y.S. Chen, Leaf segmentation, its 3D position estimation and leaf classification from a few images with very close viewpoints, in *International Conference on Image Analysis and Recognition* (2009), pp. 937–946
- D.W. Thompson, *On Growth and Form* (Cambridge University Press, Cambridge, 1917)
- D.W. Thompson, *On Growth and Form: A*, new edn. (Cambridge University Press, Cambridge, 1942)
- P. Tirilly, V. Claveau, P. Gros, Language modeling for bag-of-visual words image categorization, in *International Conference on Content-based Image and Video Retrieval (CIVR)* (ACM, New York, 2008), pp. 249–258
- M. Turkan, B. Dulek, I. Onaran, A.E. Cetin, Human face detection in video using edge projections, in *Proceedings of the Society of Photographic Instrumentation Engineers, Visual Information Processing XV*, vol. 6246 (2006), p. 624607
- W.B. Turrill, The ecotype concept: a consideration with appreciation and criticism especially of recent trends. *N. Phytol.* **450**(1), 34–43 (1946)
- T. Van der Niet, C.P.E. Zollikofer, M.S.P. Leon, S.D. Johnson, H.P. Linder, Three-dimensional geometric morphometrics for studying floral shape variation. *Trends Plant Sci.* **150**(8), 423–426 (2010)
- M. Varma, A. Zisserman, A statistical approach to material classification using image patch exemplars. *IEEE Trans. Pattern Anal. Mach. Intell.* **31**, 2032–2047 (2009)

- V. Viscosi, A. Cardini, Leaf morphology, taxonomy and geometric morphometrics: a simplified protocol for beginners. *PLoS ONE* **60**(10), 1–20 (2011)
- P.A. Volkova, A.B. Shipunov, Morphological variation of Nymphaea (Nymphaeaceae) in European Russia. *Nordic J. Botany* **250**(5/6), 329–338 (2007)
- X.-F. Wang, D.-S. Huang, J.-X. Du, H. Xu, L. Heutte, Classification of plant leaf images with complicated background. *Appl. Math. Comput.* **2050**(2), 916–926 (2008)
- Z. Wang, Z. Chi, F. Dagan, Q. Wang, Leaf image retrieval with shape features. *Adv. Vis. Inf. Syst.* **1929**, 41–52 (2000)
- Z. Wang, Z. Chi, F. Dagan, Shape based leaf image retrieval. *Vis. Image Sig. Process.* **150**, 34–43 (2003)
- G.W. Weber, F.L. Bookstein, *Virtual Anthropology: A Guide to a New Interdisciplinary Field* (Springer, New York, 2010)
- M. Wedel, R. Pieters, A review of eye-tracking research in marketing. *Rev. Mark. Res.* **4**, 123–147 (2008)
- W.F.R. Weldon, The variations occurring in certain Decapod Crustacea. *Proc. R. Soc. Lond.* **47**, 445–453 (1889)
- J.G. West, I.R. Noble, Analyses of digitised leaf images of the *Dodonaea viscosa* complex in Australia. *Taxon* **330**(4), 595–613 (1984)
- J. White, The plant as a metapopulation. *Ann. Rev. Ecol. Syst.* **10**, 109–145 (1979)
- R. White, H.C. Prentice, T. Verwist, Automated image acquisition and morphometric description. *Canadian J. Botany* **66**, 450–459 (1988)
- S. White, S. Feiner, J. Kopylec, Virtual vouchers: prototyping a mobile augmented reality user interface for botanical species identification, in *IEEE Symposium on 3D User Interfaces* (2006), pp. 119–126
- P. Wilkin, A morphometric study of *Dioscorea quartiniana* (Dioscoreaceae). *Kew Bull.* **54**, 1–18 (1999)
- J.S. Wilkins, *Species: A History of the Idea* (University of California Press, Berkeley, 2009)
- J.S. Wilkins, What is a species? Essences and generation. *Theory Biosci.* **1290**(2/3), 141–148 (2010)
- J. Wilson, *Biological Individuality: The Identity and Persistence of Living Entities* (Cambridge University Press, Cambridge, 1999)
- J.E. Winston, *Describing Species* (Columbia University Press, New York, 1999)
- R.E. Woodson Jr., Some dynamics of leaf variation in *Asclepias tuberosa*. *Ann. Mo. Bot. Gard.* **34**, 353–432 (1947)
- S.G. Wu, F.S. Bao, E.Y. Xu, Y.-X. Wang, Y.-F. Chang, Q.-L. Xiang, *A leaf recognition algorithm for plant classification using probabilistic neural network*, in *IEEE International Symposium on Signal Processing and Information Technology* (IEEE, New York, 2007)
- L. Ye, E. Keogh, Time series shapelets: A new primitive for data mining, in *IEEE International Conference on Knowledge Discovery and Data Mining (ACM, New York, 2009)*, pp. 947–956
- Y. Yoshioka, H. Iwata, R. Ohsawa, S. Ninomiya, Analysis of petal shape variation of *Primula sieboldii* by elliptic fourier descriptors and principal component analysis. *Ann. Botany* **94**, 1657–1664 (2004)
- Y. Yoshioka, K. Ohashi, A. Konuma, H. Iwata, R. Ohsawa, S. Ninomiya, Ability of bumblebees to discriminate differences in the shape of artificial flowers of *Primula sieboldii* (Primulaceae). *Ann. Botany* **990**(6), 1175–1182 (2007)
- L. Yu, H. Liu, Efficient feature selection via analysis of relevance and redundancy. *J. Mach. Learn. Res.* **5**, 1205–1224 (2004)
- M.L. Zelditch, D. Swiderski, H.D. Sheets, *Geometric Morphometrics for Biologists: A Primer*, 2nd edn. (Elsevier, Amsterdam, 2012)
- G. Zeng, S.T. Birchfield, C.E. Wells, Rapid automated detection of roots in minirhizotron images. *Mach. Vis. Appl.* **210**(3), 309–317 (2008)

Index

A

Agriculture, 29
 automated, 29
 electronic, 29
Agronomy, 14, 29
Algorithm, 64, 91
Allometry, 16
Anatomy, plant, 2
Ant colonies, 53
Apex, 47
Aspect ratio, 35
Atiya's method, 71
Average negative value, 39, 47
Average positive value, 39, 47

B

Bag-of-words model, 58, 60, 61, 67, 68
Bar-coding, molecular, 3
Bayesian classifier, 62
Bayes theorem, 60
Biodiversity, 4, 27
Biometry, 12, 13
Biosystematics, 14
Bookstein, 17, 18
Botanists, 81
 eye movements, 82
 vision, 81
Botany, 8
 computational, 8

C

Centroid angle signature (CAS), 35
Centroid-contour distance (CCD), 35
Centroid-contour signatures (CCS), 21, 35, 36
Cladistic analysis, 31
Classification, 1, 43, 62, 64, 70, 75

 probabilistic, 70
Classifiers, 52
 evolved, 52, 54
 redundancy, 52
Climate, 30
Clustering, 1
Codewords, 60, 61
Contour signatures, 21, 35
Convex hull (CH), 34
Co-occurrence matrix, 44
Cross-correlation, 68
Cross-validation, 68
Curvature, 47

D

Data-point-mapped bag-of-words, 61
Descriptors, 20
 conventional botanical, 20
 leaf, 19
 qualitative, 3
Determination, 1
Development, 2
 plant growth and, 2
Diagnosis, species, 4
Dictionary, codewords, 61
Discriminant function, 16
Distance, 16
 Euclidean, 60
 Mahalanobis, 16
Dynamic time warping (DTW), 47, 68

E

Earth mover's distance (EMD), 58, 59, 66, 67
Edge detection, 24
Eigenshape analysis, 21
Ellipticality, 35

- Elliptic Fourier descriptors (EFD), 19, 36
 Energy, 39
 Entropy, 40, 74
 E-taxonomy, 4
 Euclidean distance, 59, 60
 Evolution, 2, 12, 14
 theory, 12
 natural selection, 13
 Evolved vein classifiers, 50
 Experiments, 65, 71, 75
 Expert visual observations, 86
 Extraction, 45
 ant colonies, 53
 evolved vein classifiers, 50
 leaf margin, 45
 Eye movements, 82
 Eye-tracker, 81
 data, 82, 87
- F**
- Feature, 2
 automatic selection, 73
 combining, 69
 estimation of utility, 74
 extraction, 33, 50
 morphological, 2
 selection, 75
 sets, 75–78
 utility estimation, 74
 Field guides, 28
 electronic, 28
 Filter, 87, 93, 94
 banks, Leung-Malik, 93
 banks, Root Filter Set, 93
 parameter learning, 87
 Fitness function, 52
 Fixation, 83
 average lengths, 83
 point, 89
 Flowers, morphometrics, 25
 Form factor, 35
 Fourier, 19, 43
 analysis, elliptic, EFA, 21, 22, 26
 coefficients, 43
 elliptic, descriptors, 19, 26, 36
 transform, 43
 Fractal dimensions, 24
 Fukunaga's method, 70, 78
- G**
- Gabor co-occurrences, 41, 42, 44
 Gabor filters, 39, 41, 44, 89
 Genetics, 14
 Genetic algorithm, 52
 Geographical distribution, 30
 Growing-neural-gas-algorithm (GNG), 88
 Gradient, 46
 Gravity, 35
 Group-recognition, 2
- H**
- Heatmaps, 83, 92
 Herbaria, 5
 Histogram, 71
 blade, 71
 margin, 71
 Hungarian algorithm, 58, 59, 62
- I**
- Identification, 1, 2, 27, 86
 automatic, 4, 8
 automatic systems, 3
 field, 5
 Independent component analysis (ICA), 24
 Insertion point, 47, 93
 Intra-class variation models, 63
 Intra-species variation, 30, 57
- J**
- Jeffrey-divergence metric, 58
- K**
- Kernel density estimation, 65, 67, 91
 Key, diagnostic, 3
 Kinds, 1
 K-nearest neighbour, 43, 70
- L**
- Landmarks, 18, 23
 Leaf, 33
 apex, 47
 blade, 58
 features, 7, 69
 fossil, 30
 insertion point, 47
 macro-texture, 39
 margin, 23, 44, 49, 68
 micro-texture, 40, 42
 outline shape, 21, 33
 shape, 33
 analysis, 34
 texture, 25, 38

- variation in shape, 20
 - venation, 24
 - Locating apex and insertion, 47
- M**
- Machine learning, 57
 - Macro-texture, 39
 - Magnitude, 46
 - Margin, 23, 44, 46
 - characteristics, 44
 - extraction, 45
 - signature, 46
 - symmetry, 49
 - Metrics, 74
 - Micro-texture, 40, 42
 - Minimum bounding rectangle (MBR), 34
 - Morphological closing, 55
 - Morphology, 2
 - plant, 2
 - quantitative, 15
 - Morphometrics, 11, 16, 17
 - definition, 11
 - historical background, 12
 - geometric, 3, 11, 17
 - multivariate, 11, 16, 17
 - outline, 19
 - traditional, 12
- N**
- Naive-bayesian bag-of-words, 66
 - Neural gas algorithm, 88, 90
 - modified growing, 91
 - Neural-network, 74, 88
 - Non-botanists, 82
- P**
- Paleoclimates, 30
 - Perimeter convexity, 35
 - Personal digital assistants (PDAs), 28
 - Pheromones, 53, 55
 - Phylogeny, 30
 - Polygon fitting, 24
 - Posterior probability estimation, 70
 - Principal component analysis, 16
 - Probabilistic classification, 70
 - Procrustes analysis, 18
- R**
- Rectangularity, 35
 - Relative warps, 26
 - Reverse engineering, 86
- ROC curve, 53, 94
- S**
- Saccades, 81
 - amplitudes, 86
 - Segmentation, 1, 3
 - Semi-landmarks, 23
 - SF, 34
 - Shape, 18
 - definition, 18
 - features, 34
 - single parameter features, 22
 - Solidity, 35
 - Space, 23
 - Kendall shape, 23, 34
 - tangent, 23
 - Species, 1
 - characters, diagnostic, 6
 - delimitation, 4, 5, 13
 - description, 5
 - diagnosis, 6
 - identification, 1
 - Latin meaning, 1
 - properties, 2
 - recognition, 1
 - Specimen images, 5
 - Sphericity, 35
 - Statistics, 14, 15
 - multivariate, 15
 - Systematics, plant, 86, 87
- T**
- Taxon, 2
 - concept, 3
 - plant, 2
 - Taxonomy, 1
 - classical, 12
 - computational, 8
 - numerical, 8, 16, 17
 - plant, 1, 2
 - Texture analysis, 41
 - Texture, *see* leaf
 - Thin-plate spline, 18
 - Typology, 1
- V**
- Variation, 11
 - phenotypic, 13
 - raw material for evolution, 13
 - Vein fabric, 40
 - Venation, 50

classifiers, [50](#)
extraction by ant colonies, [53](#)
patterns, [50](#)
structure and terminology, [24, 25](#)

Virtual plant modelling, [8, 9](#)

W

Within-species variation, [57](#)