

References

- [1] J.F. ADAMS: *Spin(8), Triality, F_4 and all that*. In: S. Hawking and M. Roček (eds.), *Superspace and supergravity*, Cambridge University Press, Cambridge, 1981, 435–445.
- [2] H.F. BAKER: *Principles of Geometry, vol. III, Solid Geometry*. Cambridge University Press, Cambridge 1923.
- [3] G.T. BENNETT: *Deformable Octahedra*. Proc. London math. Soc., Sec. Series **10** (1912), 309–343.
- [4] G.T. BENNETT: *The skew isogram mechanism*. Proc. Lond. Math. Soc., Sec. Series **13** (1914), 151–173.
- [5] M. BERGER: *Geometry I, II*. Translated from the French by M. Cole and S. Levy. Springer, Berlin, Heidelberg, 1987.
- [6] M. BERGER: *Geometry Revealed: A Jacob's Ladder to Modern Higher Geometry*. Springer, Berlin, Heidelberg, 2010.
- [7] L. BIANCHI: *Vorlesungen über Differentialgeometrie*. B.G. Teubner, Leipzig, 1899.
- [8] R. BIX: *Conics and Cubics*. Springer, New York, NY 2006.
- [9] W. BLASCHKE: *Über affine Geometrie XXVI: Wackelige Achteckfläche*. Math. Z. **6** (1920), 85–93.
- [10] W. BLASCHKE: *Differentialgeometrie der Kreise und Kugeln*. Vorlesungen über Differentialgeometrie, Grundlehren der mathematischen Wissenschaften 3, Springer, Berlin, Heidelberg, 1929.
- [11] W. BLASCHKE: *Kinematik und Quaternionen*. VEB Dt. Verlag der Wissenschaften, Berlin, 1961.
- [12] A.I. BOBENKO, Y.B. SURIS: *Discrete Differential Geometry: Integrable Structure*. Graduate Studies in Mathematics 98, American Mathematical Society, Providence, RI, 2009.
- [13] W. BÖHM: *Die Fadenkonstruktionen der Flächen zweiter Ordnung*. Math. Nachr. **13** (1955), 151–156.
- [14] O. BOTTEMA: *Die Bahnkurven eines merkwürdigen Zwölfstabengetriebes*. Österr. Ingen. Arch. **14** (1960), 218–222.
- [15] H. BRAUNER: *Quadriken als Bewegflächen*. Monatsh. Math. **59** (1955), 45–63.
- [16] H. BRAUNER: *Über die Projektion mittels der Sehnen einer Raumkurve 3. Ordnung*. Mh. Math. **59** (1955), 258–273.
- [17] H. BRAUNER: *Konstruktive Durchführung der durch die Sehnen einer Raumkurve 3. Ordnung vermittelten Abbildung des Raumes auf eine Ebene*. Mh. Math. **60** (1956), 231–248.
- [18] H. BRAUNER: *Geometrie Projektiver Räume I, II*. Bibliographisches Institut, Wien, Zürich, 1976.
- [19] E. BRIESKORN, H. KNÖRRER. *Plane Algebraic Curves*. Birkhäuser, Basel, 1986.
- [20] K. BRUNNTHALER, H.-P. SCHRÖCKER, M. HUSTY: *A New Method for the Synthesis of Bennett Mechanisms*. Proceedings of CK 2005, International Workshop on Computational Kinematics, Cassino, 2005.
- [21] W. BURAU: *Mehrdimensionale projektive und höhere Geometrie*. VEB Dt. Verlag der Wissenschaften, Berlin, 1961.

- [22] W. BURAU: *Algebraische Kurven und Flächen I, II*. Sammlung Götschen, Walter de Gruyter & Co, Berlin, 1962.
- [23] É. CARTAN: *Le principe de dualité et la théorie des groupes simples et semisimples*. Bull. des sc. math. **49** (1925), 361–374.
- [24] T. E. CECIL: *Lie Sphere Geometry*. Universitext, Springer, New York, NY, 1992.
- [25] V. CHANDRU, D. DUTTA, C. M. HOFFMANN: *On the geometry of Dupin cyclides*. The Visual Computer **5** (1989), 277–290.
- [26] M. CHASLES: *Propriétés générales des arcs d'une section conique, dont la différence est rectifiable*. Comptes Rendus hebdomadaires de séances de l'Académie des sciences **17** (1843), 838–844.
- [27] M. CHASLES: *Les lignes géodésiques et les lignes de courbure des surfaces du second degré*. Journ. de Math. **11** (1846), 5–20.
- [28] W.K. CLIFFORD: *Preliminary sketch of biquaternions*. Proc. Lond. Math. Soc. **4** (1871–1873), 381–395.
- [29] A. COFFMAN, A. SCHWARTZ, C. STANTON: *The Algebra and Geometry of Steiner and other Quadratically Parametrizable Surfaces*. Comp. Aided Geom. Design **3**/13 (1996), 257–286.
- [30] J.L. COOLIDGE: *A Treatise on the Circle and the Sphere*. Oxford University Press, Oxford, 1916.
- [31] H.S.M. COXETER: *Non-Euclidean Geometry*. 5th ed., University of Toronto Press, Toronto, 1965.
- [32] W. L. F. DEGEN: *On the origin of supercyclides*. In: R. Cripps (ed.), *The Mathematics of Surfaces VIII*. Information Geometers, Winchester, 1998, 297–312.
- [33] W.L.F. DEGEN: *Cyclides*. In: G. Farin, J. Hoschek, K.-S. Kim (eds.), *Handbook of Computer Aided Geometric Design*. North Holland, Elsevier, Amsterdam, 2002, 575–601.
- [34] I.I. DINCĂ: *Thread configurations for ellipsoids*. arXiv:0902.1421v2 [math.DG], 10/2/2010.
- [35] F. DINGELDEY: *Kegelschnitte und Kegelschnittssysteme*. Encyklopädie der math. Wiss., B.G. Teubner, Leipzig, 1903, III.2.1, no. C1, 1–160.
- [36] A.C. DIXON: *On certain deformable frameworks*. Mess. Math. **29** (1899/1900), 1–21.
- [37] W. v. DYCK: *Katalog mathematischer und mathematisch-physikalischer Modelle, Apparate und Instrumente*. C. Wolf & Sohn, München, 1892.
- [38] G.E. FARIN: *Curves and Surfaces for CAGD: A Practical Guide* (5th ed.). Morgan Kaufmann, Burlington, MA, 2002.
- [39] R.T. FAROUKI: *Pythagorean-Hodograph Curves: Algebra and Geometry Inseparable*. Springer Science & Business Media (2008), 141–178.
- [40] Y.N. FEDOROV: *Algebraic closed geodesics on a triaxial ellipsoid*. Reg. Chaot. Dyn. **10**/4 (2005), 1–23.
- [41] K. FLADT: *Analytische Geometrie spezieller ebener Kurven*. Akademische Verlagsgesellschaft, Frankfurt, 1962.
- [42] K. FLADT, A. BAUR: *Analytische Geometrie spezieller Flächen und Raumkurven*. Vieweg, Braunschweig, 1975.
- [43] D. GENIN, B. KHESIN, S. TABACHNIKOV: *Geodesics on an ellipsoid in Minkowski space*. L'Enseignement Mathématique (2) **53**/3-4 (2007), 307–331.
- [44] O. GIERING: *Vorlesungen über höhere Geometrie*. Vieweg, Wiesbaden, 1982.

- [45] G. GLAESER: *Reflections on Spheres and Cylinders of Revolution*. J. Geometry Graphics **3/2** (1999), 121–139.
- [46] G. GLAESER, H. STACHEL, B. ODEHNAL: *The Universe of Conics*. From the ancient Greeks to 21st century developments. Springer Spectrum, Berlin, Heidelberg, 2016.
- [47] G.H. GOLUB, C.F. VAN LOAN: *Matrix Computations*. (4th ed.). J. Hopkins University Press, Baltimore, MD, 2013.
- [48] P.M. Gruber, J.M. Wills (eds.): *Handbook of Convex Geometry, Vol. A, B*. North Holland, Amsterdam, 1993.
- [49] J. HADAMARD: *Sur la forme des lignes géodésiques à l'infini et sur les géodésiques des surfaces réglées du second ordre*. Bull. Soc. Math. France **28** (1898), 195–216.
- [50] M. HAMANN: *Line-symmetric motions with respect to reguli*. Mech. Machine Theory **46/7** (2011), 960–974.
- [51] H. HAVLICEK: *Zur Theorie linearer Abbildungen I*. J. Geom. **16** (1981), 152–167.
- [52] H. HAVLICEK: *Zur Theorie linearer Abbildungen II*. J. Geom. **16** (1981), 168–180.
- [53] H. HAVLICEK: *Lineare Algebra für Technische Mathematiker*. Heldermann, Lemgo, 2006.
- [54] H. HAVLICEK, S. PASOTTI, S. PIANTA: *Clifford-like parallelisms*. J. Geom. **110** (2018), article no. 2, 18 pages.
- [55] H. HAVLICEK, G. WEISS: *Altitudes of a tetrahedron and traceless quadratic forms*. Amer. Math. Monthly **110** (2003), 679–693.
- [56] D. HILBERT, ST. COHN-VOSSEN: *Anschauliche Geometrie*. 2nd ed., Springer, Berlin, 1996. English translation: *Geometry and the Imagination*. Chelsea Publishing, reprinted by American Mathematical Society, Providence, RI, 1999.
- [57] J.W.P. HIRSCHFELD: *Projective Geometries Over Finite Fields*. Oxford Mathematical Monographs, Oxford, 1998.
- [58] M. HOFER, B. ODEHNAL, H. POTTMANN, T. STEINER, J. WALLNER: *3D shape recognition and reconstruction based on line element geometry*. In: 10th IEEE International Conference on Computer Vision, Beijing, PRC (2005). IEEE Computer Society, vol. 2, 1532–1538.
- [59] F. HOHENBERG: *Drei Paare von Torusflächen, die einen Kugelschnitt gemein haben*. Sitzungsber. Abt. II, Österr. Akad. Wiss. math.-naturw. Kl., **182** (1974), 203–221.
- [60] Á. HORVÁTH: *Central quadrics in the Euclidean n -space – metric and focal properties*. Beitr. Algebra Geom., <https://doi.org/10.1007/s13366-018-0413-7>.
- [61] Á. HORVÁTH, I. PROK: *On the constructibility of the axes of an ellipsoid (The construction of Chasles in practice)*. J. Geom. **109/29** (2018), <https://doi.org/10.1007/s00022-018-0437-z>.
- [62] J. HOSCHEK: *Liniengeometrie*. Bibliographisches Institut, Zürich, 1971.
- [63] J. HOSCHE, D. LASSER: *Fundamentals of Computer Aided Geometric Design*. A.K. Peters, Ltd., Natick, MA, 1993.
- [64] M. HUSTY, H. SACHS: *Abstandsprobleme zu windschiefen Geraden I*. Sitzungsber., Abt. II, österr. Akad. Wiss., Math.-Naturw. Kl. **203** (1994), 31–55.
- [65] M. HUSTY, A. KARGER, H. SACHS, W. STEINHILPER: *Kinematik und Robotik*. Springer, Berlin, Heidelberg, 1997.
- [66] J. IVORY: *On the Attractions of homogeneous Ellipsoids*. Phil. Trans. of the Royal Society of London, 1809, 345–372.

- [67] I. IZMESTIEV, S. TABACHNIKOV: *Ivory's Theorem revisited*. Journal of Integrable Systems **2**/1 (2017), xyx006 (2017).
- [68] D.G.J. JACOBI: *Note von der geodätischen Linie auf dem Ellipsoid und den verschiedenen Anwendungen einer merkwürdigen analytischen Substitution*. Crelle's Journal **19** (1839), 309–313.
- [69] C.G.J. JACOBI: *Über die Curve, welche alle von einem Punkte ausgehenden geodätischen Linien eines Rotationsellipsoides berührt*. In: K.T.W. Weierstrass (ed.), *Jacobi's Gesammelte Werke*, Reimer, Berlin, 1891, 72–87.
- [70] C.M. JESSOP: *A Treatise on the Line Complex*. Cambridge University Press, Cambr., 1903.
- [71] F. KADERÁVANEK, J. KLÍMA, J. KOUNOVSKÝ: *Deskriptivní Geometrie II*, Knižovna spisu matematických a fyzikálních, vol. 17, JČMF, Prague, 1932.
- [72] B. KHESIN, S. TABACHNIKOV: *Pseudo-Riemannian geodesics and billiards*. Adv. Math. **221** (2009), 1364–1396.
- [73] F. KLEIN: *Vorlesungen über höhere Geometrie*. 3. Auflage (edited by W. Blaschke), Springer, Berlin, 1926, reprint 1968.
- [74] F. KLEIN: *Vorlesungen über nichteuklidische Geometrie*. 3. Aufl., Berlin, 1928.
- [75] M. KNÖBL: *The Transparent Cup Theorem*. Retrieved from [<http://karuga.eu/transparent-cup.html>], 2016.
- [76] H. KNÖRRER: *Geodesics on the Ellipsoids*. Inventiones math. **59**/2 (1980), 119–143.
- [77] V.A. KOROTKIY: *Construction of a Nine-Point Quadric Surface*. J. Geometry Graphics **22** (2018), 183–193.
- [78] J. KRAMES: *Zur Geometrie des Bennett'schen Mechanismus, Über symmetrische Schrotungen V*. Sitzungsber., Abt. II, österr. Akad. Wiss., Math.-Naturw. Kl. **146** (1937), 159–173.
- [79] J.L. KRAMES: *Eine bemerkenswerte Eigenschaft der Viviani-Kurve*. Elem. Math. **25** (1970), 1–7.
- [80] K. KARČIAUSKAS, R. KRASAUSKAS: *Rational rolling ball blending of natural quadrics*. Mathematical Modelling and Analysis **5**/1 (2000), 97–107.
- [81] E. KRUPPA: *Analytische und konstruktive Differentialgeometrie*. Springer, Wien, 1957.
- [82] W. KÜHNEL: *Differential Geometry, Curves Surfaces Manifolds*. 3rd ed., American Mathematical Society, 2015.
- [83] E.E. KUMMER: *Allgemeine Theorie der gradlinigen Strahlensysteme*. J. reine u. angew. Math. **57** (1860), 189–230.
- [84] G. LORIA: *Spezielle algebraische und transzendente ebene Kurven I & II*. B.G. Teubner, Leipzig, Berlin, 1911.
- [85] H. MAEHARA: *Geometry of frameworks*. Yokohama Math. J. **47** (1999), spec. Issue, 41–65.
- [86] H. MAEHARA, N. TOKUSHIGE: *When does a planar bipartite framework admit a continuous deformation?* Theor. Comput. Sci. **263** (2001), no. 1-2, 345–354.
- [87] F. MEYER: *Invariantentheorie*. Encyklopädie der math. Wiss., B.G. Teubner, Leipzig 1898, IB2, I 3, 327–334.
- [88] E. MÜLLER: *Die achsiale Inversion*. Dt. Math.-Verh. **25** (1916), 209–251.
- [89] E. MÜLLER, J.L. KRAMES: *Vorlesungen über Darstellende Geometrie*. Band II. Die Zyklographie. B.G. Teubner, Leipzig, Wien, 1929.

- [90] E. MÜLLER, J.L. KRAMES: *Vorlesungen über Darstellende Geometrie*. Band III: Konstruktive Behandlung der Regelflächen. B.G. Teubner, Leipzig, Wien, 1931.
- [91] H.R. MÜLLER: *Sphärische Kinematik*. VEB Dt. Verlag der Wissenschaften, Berlin, 1962.
- [92] B. ODEHNAL: *Zur geometrischen Erzeugung linearer Geradenabbildungen*. Sitzungsber., Abt. II, Österr. Akad. Wiss. math.-naturw. Kl. **213** (2004), 43–69.
- [93] B. ODEHNAL, H. POTTMANN, J. WALLNER: *Equiform kinematics and the geometry of line elements*. Beitr. Algebra Geom. **47/2** (2006), 567–582.
- [94] B. ODEHNAL: *Note on flecnodes*. J. Geom. Graphics **13/1** (2009), 29–40.
- [95] B. ODEHNAL: *Curvature functions on a one-sheeted hyperboloid*. Proc. 16th Internat. Conf. Geometry and Graphics, Aug. 4–8, 2014, Innsbruck/Austria, article No. 076.
- [96] B. ODEHNAL: *Rational minimal surfaces tangent to E. Müller’s cubic surface*. G – slovenský Časopis pre Geometriu a Grafiku **14/28** (2017), 35–46.
- [97] B. ODEHNAL: *On algebraic minimal surfaces*. KoG **20** (2016), 61–78.
- [98] B. ODEHNAL: *Hermite interpolation with ruled and channel surfaces*. G - slovenský Časopis pre Geometriu a Grafiku **14/28** (2017), 35–58.
- [99] A.M. PERELOMOV: *Some examples of algebraic geodesics on quadrics*. J. Nonlinear Mathem. Physics **16/1** (2009), 1–5.
- [100] A.M. PERELOMOV: *Some examples of algebraic geodesics on quadrics II*. J. Nonlinear Mathem. Physics **17/4** (2010), 423–428.
- [101] M. PETERNELL: *Rational Parametrizations for Envelopes of Quadric Families*. PhD thesis, University of Technology, Vienna, Austria, 1997.
- [102] M. PETERNELL, B. ODEHNAL: *Convolution surfaces of quadratic triangular Bézier surfaces*. Comp. Aided Geom. Design **25** (2008), 116–129.
- [103] M. PETERNELL, B. ODEHNAL, L.M. SAMPOLI: *On quadratic two-parameter families of spheres and their envelopes*. Comp. Aided Geom. Design **25** (2008), 342–355.
- [104] J. PETERS, U. REIF: *The 42 equivalence classes of quadratic surfaces in affine n-space*. Comp. Aided Geom. Design **15/5** (1998), 459–473.
- [105] J. PHILLIPS: *General Spatial Involute Gearing*. Springer, Berlin, Heidelberg, 2003.
- [106] H. POTTMANN, J. WALLNER: *Computational Line Geometry*. Springer, Berlin, 2001.
- [107] G. RÖSLER: *Zur Differentialgeometrie des Flächenelementes dritter Ordnung*. PhD thesis, Universität Stuttgart, 1969.
- [108] S. ROWAN: *Advanced Linear Algebra*. 3rd ed., Springer, New York, NY, 2008.
- [109] G. SALMON, W. FIEDLER: *Die Elemente der analytischen Geometrie des Raumes*. B.G. Teubner, Leipzig, 1863.
- [110] R. SAUER: *Differenzengeometrie*. Springer, Berlin, Heidelberg, New York, 1970.
- [111] H. SCHAAL: *Die affin invarianten rechten Winkel*. Sitzungsber., Abt. II, Österr. Akad. Wiss., math.-naturwiss. Kl. **197/8-10** (1988), 399–416.
- [112] M. SCHILLING: *Catalog mathematischer Modelle*. 7. Auflage, Martin Schilling, Leipzig, 1911.
- [113] H.P. SCHRÖCKER, B. JÜTTLER: *Motion interpolation with Bennett-biarcs*. In: A. Kecskeméthy, A. Müller (eds.): *Proceedings of Computational Kinematics (CK 2009)*, Springer, 2009, 101–108.

- [114] G. HEGEDŰS, J. SCHICHO, H.-P. SCHRÖCKER: *Factorization of rational curves in the Study quadric and involute linkages*. Mech. Mach. Theory **69**/1 (2013), 142–152.
- [115] J.G. SEMPLE, G.T. KNEEBONE: *Algebraic Projective Geometry*. Oxford University Press, Oxford, 1998 (reprint of the 1st ed., 1952).
- [116] H. STACHEL: *Bemerkungen über zwei räumliche Trilaterationsprobleme*. Z. Angew. Math. Mech. **62** (1982), 329–341.
- [117] H. STACHEL: *Unendlich viele Kugeln durch vier Tangenten*. Math. Pann., **6** (1995), 55–66.
- [118] H. STACHEL: *Flexing models of quadrics*. Proc. of Seminars on Computational Geometry, vol. 5 (1996), 103–113.
- [119] H. STACHEL: *Remarks on A. Hirsch's Paper concerning Villarceau Sections*. J. Geometry Graphics **6** (2002), 133–139.
- [120] H. STACHEL: *Ivory's Theorem in the Minkowski Plane*. Math. Pannonica **13** (2002), 11–22.
- [121] H. STACHEL: *Configuration Theorems on Bipartite Frameworks*. Rend. Circ. Mat. Palermo, II. Ser., **70** (2002), 335–351.
- [122] H. STACHEL, J. WALLNER: *Ivory's Theorem in Hyperbolic Spaces*. Sib. Math. J. **45**, no. 4 (2004), 785–794. (russian: Sib. Mat. Zh. **45** (2004), no. 4, 946–959.)
- [123] H. STACHEL: *A kinematic approach to Kokotsakis meshes*. Comput. Aided Geom. Des. **27** (2010), 428–437.
- [124] H. STACHEL: *Strophoids are auto-isogonal cubics*. G – Slovak Journal for Geometry and Graphics **12**/24 (2015), 45–59.
- [125] O. STAUDE. *Über Fadenconstructionen des Ellipsoides*. Mathematische Annalen **20** (1882), 147–185.
- [126] O. STAUDE: *Die Focaleigenschaften der Flächen zweiter Ordnung*. B.G. Teubner, Leipzig, 1896.
- [127] O.J. STAUDE: *Flächen 2. Ordnung und ihre Systeme und Durchdringungskurven*. Enzyklopädie der math. Wiss., B.G. Teubner, Leipzig, 1915, III.2.1, no. C2, 161–256.
- [128] K. STRUBECKER: *Über die Schraubungen des elliptischen Raumes*. Sitzungsber., Abt. II, österr. Akad. Wiss., Math.-Naturw. Kl. bf 139 (1930), 421–450.
- [129] K. STRUBECKER: *Differentialgeometrie, III. Theorie der Flächenkrümmung*. Sammlung Göschen Bd. 1180/1180a, Walter de Gruyter & Co, Berlin, 1959.
- [130] E. STUDY: *Von den Bewegungen und Umlegungen*. Math. Annal. **39**/4 (1891), 441–565.
- [131] E. STUDY: *Geometrie der Dynamen. Die Zusammensetzung von Kräften und verwandte Gegenstände der Geometrie*. B.G. Teubner, Leipzig, 1903.
- [132] E. STUDY: *Grundlagen und Ziele der analytischen Kinematik*. Sitzungsber. d. Berl. Math. Ges. **12** (1913), 36–60.
- [133] S. TABACHNIKOV: *Geometry and Billiards*. American Mathematical Society, Providence, RI, 2005.
- [134] E.A. WEISS: *Einführung in die Liniengeometrie und Kinematik*. B.G. Teubner, Berlin, Leipzig, 1935.
- [135] E.A.WEISS: *Oktaven, Engelscher Komplex, Trialitätsprinzip*. Math. Z. **44**/4 (1938), 580–611.
- [136] W. WHITELEY: *Rigidity and scene analysis*. In: J.E. GOODMAN, J. O'ROURKE (eds.): *Handbook of Discrete and Computational Geometry*, 2nd ed., Chapman & Hall/CRC, Boca Raton 2004, 1327–1354.

- [137] H. WIELEITNER: *Spezielle ebene Kurven*. Sammlung Schubert, Bd. LVI, Göschen'sche Verlagshandlung, Leipzig, 1908.
- [138] *H. Wieners Sammlung mathematischer Modelle*. B.G. Teubner, Leipzig, 1905.
- [139] *H. Wieners und P. Teutleins Sammlungen mathematischer Modelle*. 2. Ausg., B.G. Teubner, Leipzig, Berlin, 1912.
- [140] W. WUNDERLICH: *Spiegelung am elliptischen Paraboloid*. Monatsh. Math. **52** (1948), 13–37.
- [141] W. WUNDERLICH: *Überblick über die Krümmungsverhältnisse des Ellipsoid*. Österr. Z. Vermessungsw. (Festschrift E. Doležal) 1952, 673–681.
- [142] W. WUNDERLICH: *Über die Torusloxodromen*. Monatsh. Math. **56** (1952), 313–334.
- [143] W. WUNDERLICH: *Starre, kippende, wackelige und bewegliche Achtfläche*. Elemente Math. **20** (1965), 25–32.
- [144] W. WUNDERLICH: *Darstellende Geometrie I, II*. Bibliographisches Institut, Mannheim, 1966, 1967.
- [145] W. WUNDERLICH: *Ebene Kinematik*. Bibliographisches Institut, Mannheim, 1970.
- [146] W. WUNDERLICH: *Starre, kippende, wackelige und bewegliche Gelenkvierecke im Raum*. Elem. Math. **26** (1971), 73–83.
- [147] W. WUNDERLICH: *On deformable nine-bar linkages with six triple joints*. Proc. Nederl. Akad. Wetensch. **79** (1976), 257–262.
- [148] W. WUNDERLICH: *Gefährliche Annahmen der Trilateration und bewegliche Fachwerke I, II*. Z. Angew. Math. Mech. **57** (1977), 297–304 and 363–367.
- [149] W. WUNDERLICH: *Orthogonale Erzeugendenpolygone auf einschaligen Hyperboloiden*. Monatsh. Math. **89** (1980), 163–170.
- [150] W. WUNDERLICH: *Über Ausnahmefachwerke, deren Knoten auf einem Kegelschnitt liegen*. Acta Mechanica **47** (1983), 291–300.
- [151] K. ZINDLER: *Liniengeometrie mit Anwendungen I & II*. G.J. Göschen'sche Verlagshandlung, Leipzig, 1906.
- [152] K. ZINDLER: *Algebraische Liniengeometrie*. Encyklopädie der math. Wiss., B.G. Teubner, Leipzig 1915, III.2.2, no. C8, 973–1228.

Index

A

absolute
circle, 197, 198, 201
circle points, 76, 151
conic, 151, 184
 Euclidean geometry, 499
line, 165, 169
plane, 165, 169
point, 151, 165, 169, 216, 242, 373
polar, 364
polarity, 151, 165, 169
quadric, 165, 169

adjoint
affine transformation, 301
correlation, 137
linear map, 301

affine
combination, 69
mapping, 12
range, 54
ratio, 54
reflection, 152
space, 152
subspace, 93
symmetry, 152
transformation, 152

algebraically closed, 143

anamorphosis, 329

angle, 76, 151
aperture, 458
dual, 543
measure, 151
oriented, 543
right, 204
rotation, 534
slope, 452, 458

angles, Euler, 540

angular
momentum, 478
velocity, 461

anti-Fano plane, 127

anti-polar, 504, 505

anti-polarity, 154, 504

antipose, 15

aperture
angle, 463
cone, 28, 440, 451, 454
ruled surface, 407

apex
cone, 460
conical quadric, 108

approximation, 384

arc length parametrization, 457

asymptote, 30, 209, 216, 564
 hyperbola, 113, 564

asymptotic
cone, 117, 153, 462, 464
 hyperboloid, 26
 superquadric, 568
plane, 31, 401, 495
tangent, 413

automorphic collineation, 458
 L_2^4 , 523
 M_2^4 , 488

automorphism, 488, 523
cubic, 245
 L_2^4 , 523
 M_2^4 , 488
quadric, 147

averaging theorem, 316

axial
inversion, 563
plane, 133
scaling, 17, 295

axiom
Desargues, 127
Pappus, 127
projective 3-space, 121

axis
coordinates, 482
cylinder, 419, 443
helical motion, 486, 550
helix, 408
hyp. paraboloid, 361, 364
hyperboloid, 262
lin. complex, 493, 577
 regular, 485
 singular, 483
lin. line congr.
 elliptic, 491, 493
 hyperbolic, 492
 parabolic, 495
major, 112
minor, 112
parabola, 377
paraboloid, 154
pencil of planes, 120
pencil of spheres, 198, 200
persp. collineation, 133
perspectivity, 130
principal, 113, 184, 508
quadric, 154, 361, 461, 507
regulus, 144
rotation, 422, 440, 461, 534, 541, 547, 548

B

bar framework, 294

base
point, 131, 198
 n-space, 158
 coordinatization, 124
 pencil of quadrics, 179

basis
canonical, 93
monomial, 378
orthonormal, 92
 \mathbb{R}^n , 92
vector, 93, 94

Battaglini, Giuseppe, 511

Bennett
isogram, 555
mechanism, 551, 555

Berger, Marcel, 280

Bernoulli's lemniscate, 268, 271, 275

Bernstein
basis, 378
polynomial, 378

Bézier
curve, 211
surface, 364, 368, 378, 380, 381, 432, 433, 572
 triangular, 432

Bézout's theorem, 264

biaxial collineation, 136, 173

bidegree, 381

bilinear form, 95
 symmetric, 95, 102

bipartite framework, 299

bisecant, 236

bisecting plane, 64

bisector, 64

Blaschke cylinder, 377

Blaschke, Wilhelm, 377

blending surface, 441

Bottema's 16-bar framework, 314

Brianchon's Theorem, 51

Brill, Alexander Wilhelm von, 80

bundle model of elliptic 3-space, 170, 175

C

canonical
equation, quadric, 98
expansion, 216
frame, 93

cardinality, 245

carrier
pencil of lines, 120

- pencil of planes, 120
 - plane, 120
- Cartesian coordinate frame, 39
- Cayley octave, 553
- Cayley, Arthur, v, 89
- Cayley-Klein model
 - elliptic 3-space, 169
 - hyperbolic 3-space, 165
- center, 153, 373
- circle, 198, 373
 - curvature, 345
 - persp. collineation, 133
 - perspectivity, 130
 - projection, 125, 552
 - quadric, 103
 - similarity, 523
 - space, 103, 108
 - superellipsoid, 570
 - superquadric, 568
- central
 - curve, 401
 - plane, 401
 - point, 401, 413
 - projection, 18, 505
 - quadric, 10, 103, 106, 108, 112, 117, 153, 287, 343, 430
 - similarity, 523, 526
 - surface, 418, 419, 422–425
 - quadric of rev., 428
 - tangent, 402
- channel surface, 439
 - natural, 444, 446
 - pseudo-Euclidean, 453
- characteristic
 - circle, 446
 - cross ratio, 173
 - biaxial collineation, 136
 - homology, 134
 - curve, 436, 437
 - pencil, 500
 - polynomial, 500
 - qu. complex, 499
- Chasles, Michel, v, 290
- chirality, 30
- chord
 - cubic, 186, 187, 206, 236, 241, 243, 246, 259
 - quartic, 256
- circle, 197, 204, 216, 256, 371, 373, 428, 437, 454, 462, 464, 539, 540
 - absolute, 197, 198, 201, 256
 - characteristic, 446
 - concentric, 198, 201
 - cubic, 208, 216, 241, 243
 - empty, 504
 - Euclidean, 373, 503
 - geometry, 503
 - gorge, 26, 403
 - hyperbolic, 167
 - isotropic, 377
 - null, 62, 155
 - oriented, 454
 - osculating, 446, 447, 574
 - parallel, 440, 458, 463
 - unit, 369
 - zero, 14
- circular section, 44
- ellipsoid, 13
 - hyperboloid, 50
- Clairaut's relation, 467
- class of a surface, 433
- classification
 - lin. line complexes, 489
 - lin. line congruences, 490
 - pencils, 183, 500
 - quadr. line complexes, 500
 - quadrics, 106, 153, 502
- Clifford
 - parallelism, 172
 - surface
 - elliptic, 171
 - hyperbolic, 167
 - translation, 173
- Clifford, William Kingdon, 167
- closed curve, 464
- coaxial, 120
 - cylinder, 189
- collinear, 120
- collineation, 128, 158, 234, 240, 488, 525
 - biaxial, 136, 173
 - complex, 507
 - induced, 524
 - involutive, 525
 - perspective, 133
 - projective, 131, 158, 523
 - uniaxial, 136
- common
 - normal, 64, 545
 - tangent, 292
- complementary regulus, 143, 496
- complex
 - axes, 507, 508
 - Battaglini's, 511
 - cone, 456, 501, 502, 509, 513
 - conjugate, 150
 - conjugation, 132
 - constant slope, 456, 503
 - constant width, 503
 - curve, 501, 502
 - harmonic, 511
 - instantaneous, 486
 - isotropic lines, 504
 - Painvin's, 518
 - path tangents, 504
 - quadratic, 456, 499, 501, 506, 507, 509
 - spheres, 529
 - elliptic, 529
 - hyperbolic, 529
 - parabolic, 529
 - tangents
 - quadric, 502
 - tetrahedral, 507
- concentric
 - cones, 189
 - spheres, 190, 202, 527
- concurrent, 120
- cone, 33, 189, 399, 458
 - asymptotic, 117, 153, 462, 464, 568, 570
 - class 4, 420
 - concentric, 189
 - constant slope, 452
 - cubic, 219
 - empty, 502
 - equilateral, 23, 509, 510
 - imaginary, 150
 - isotropic, 78, 498, 499, 520, 524
 - quadratic, 104, 115, 150, 191, 195, 212, 219, 221, 229, 248, 258, 263, 274, 368, 373, 395, 420, 423, 433, 435, 490, 497, 498, 501, 552, 554
 - regular, 502
 - revolution, 264, 359, 434, 438, 447, 451, 456, 458, 460, 462, 464, 499, 531, 532
 - tangent, 373
- configuration theorem, 299
- confocal
 - conic, 193, 280
 - hyperbolic geometry, 311
 - hyperboloid, 87
 - flexible, 90
 - quadratic cone, 285
 - quadric, 202, 280, 286
 - E^n , 303
 - central, 295
 - conical, 296
 - parabolic, 296
- conformal, 373
 - model ell. 3-space, 175
- congruence
 - lin. line
 - ell., 493
 - hyp., 492
 - par., 495
 - sing., 495
 - lines, 206, 448
 - normals, 339, 418
- conic, 180, 185–190, 192, 229, 231, 232, 258, 259, 262, 276, 306, 368, 369, 390, 496–499, 528, 530, 562
 - absolute, 151, 184, 429–431, 576
 - confocal, 280
 - dual, 232, 498
 - empty, 373
 - focal, 359
 - homothetic, 13
 - in L_2^4 , 528
 - in M_2^4 , 495
 - regular, 187

- singular, 360
 - spherical, 219, 289
 - conical quadric, 104, 108, 112, 115
 - conjugacy, 138, 150, 388, 482
 - conjugate
 - w.r.t. L_2^4 , 522
 - w.r.t. M_2^4 , 483
 - w.r.t. a quadric, 553
 - complex element, 132
 - diameters
 - ellipsoid, 17
 - hyperboloid, 40
 - hyperboloid, 353
 - pairs of points, 553
 - plane, 137
 - point, 18, 40, 137, 158, 483, 522
 - connecting
 - plane, 125
 - space, 157
 - construction, 17, 50, 57, 163, 223, 224, 258, 306, 307, 309, 319, 361, 362, 434, 443, 504
 - contact
 - curve, 443
 - oriented, 522, 529
 - projectivity, 143, 399
 - transformation, 523
 - contour, 272
 - hyperboloid, 30
 - point, 272
 - visual, 18, 272, 274, 293
 - control point, 378
 - coordinate vector, 93
 - coordinates
 - affine, 374
 - Cartesian, 287, 343, 370
 - extended, 486
 - complex, 371
 - elliptic, 287, 343, 354, 472, 474
 - homogeneous, 179, 507
 - line, 478, 542
 - line element, 527
 - motion, 550
 - parabolic, 287
 - plane, 520
 - projective, 131
 - sphere, 519, 520
 - coplanar, 120
 - lines, 482
 - correlation, 137, 145, 158, 231, 488
 - projective, 158
 - corresponding points
 - confocal quadrics, 297
 - Cremona transf., 180, 206, 211
 - cross
 - product, 537, 543
 - ratio, 76, 131, 151, 166, 245, 246, 507, 511, 525
 - characteristic, 136, 173, 525
 - cubic
 - Bézier curve, 211
 - circle, 208, 216
 - straight, 216
 - coincidence, 238, 240
 - curve, 206, 207, 211
 - degenerate, 187
 - developable, 229, 230
 - dual, 229
 - ellipse, 208, 219
 - elliptic, 207
 - hyperbola, 208, 221
 - parabolic, 208, 474
 - inversion, 563
 - non-rational, 207
 - on six points, 222
 - parabola, 208, 221
 - planar, 207, 210
 - rational, 210
 - ruled surface, 257, 493, 577
 - Cayley's, 433
 - space curve, 184–186, 211, 221, 240, 259, 276, 277
 - spherical, 219
 - surface, 38, 266, 471, 472, 530, 563, 577
 - cyclic, 530
 - tangent, 226
 - curvature, 216
 - curve, 444
 - Gaussian, 346, 385, 386, 389, 390, 410, 422
 - line, 287, 306, 307, 392, 440
 - mean, 346, 385, 386, 390, 395, 422
 - normal, 574
 - principal, 348, 385, 391, 393–395
 - curve
 - algebraic, 428
 - central, 401
 - closed, 464
 - constant
 - curvature, 447
 - slope, 216, 447, 457, 462, 464
 - torsion, 447
 - degree 8, 428
 - Mannheim, 463
 - multifocal, 583
 - normal, 225, 228
 - profile, 381
 - quartic, 247
 - rational, 211, 464
 - regression, 230, 435
 - spherical, 446
 - striction, 401
 - Viviani's, 255–257, 263
 - cuspidal
 - 1. kind, 266
 - 2. kind, 266
 - 3. kind, 266
 - rhamploid, 266
 - cyclide, 530
 - horn, 531, 532
 - parabolic, 531, 532
 - needle, 531, 532
 - parabolic, 531, 532
 - ring, 531, 532
 - parabolic, 531, 532
 - spindle, 531, 532
 - thorn, 531, 532
 - cyclographic
 - image, 503
 - mapping, 503
 - model, 454
 - cylinder, 33, 249, 399, 458, 469
 - algebraic, 473
 - coaxial, 189
 - coordinates, 461
 - elliptic, 171
 - hyperbolic, 168
 - elliptic, 117, 251, 254, 289, 419, 436, 460
 - hyperbolic, 117, 248, 251, 253, 289, 436
 - parabolic, 87, 117, 254, 256, 384, 433, 436, 464
 - projecting, 252
 - quadratic, 153, 212, 221, 248, 435
 - revolution, 167, 189, 248, 254, 256, 259, 264, 419, 428, 435, 438, 443, 447, 450, 458, 460, 462, 531, 532, 563
 - cylindrical quadric, 106
 - cylindro-conical spiral, 458
 - cylindroid, 38, 67, 292, 433, 577
- ## D
- Dandelin sphere, 79
 - degree of a surface, 433, 584
 - deltoid, 39, 275
 - Desargues involution, 192, 193, 198, 200
 - Desargues's
 - involution thm., 290
 - theorem, 127
 - developable, 33, 387, 399, 416, 434, 435, 438
 - helical, 408
 - diagonal, 306
 - quadrilateral, 127
 - diameter, 17
 - circle, 201
 - conjugate, 153
 - hyperbolic paraboloid, 363
 - line, 17
 - paraboloid, 61, 152
 - plane, 40
 - dilatation, 505
 - dimension theorem, 157
 - direction
 - vector, 93, 478, 542, 546
 - field, 398
 - director
 - cone, 398

- plane, 78, 361
- quadric, 552
- sphere
 - ellipsoid, 22
 - hyperboloid, 45
- directrix, 398, 402, 493, 552
- discrete group, 458
- displacement
 - Euclidean, 546, 547
- distance
 - circle, 504
 - elliptic, 170
 - Euclidean, 499
 - hyperbolic, 166
 - oriented, 543
 - pseudo-Euclidean, 455
 - tangential, 455
- distribution param., 34, 410, 411
- Dixon's bipartite framework, 314
- Dixon, Sir Alfred Cardew, 313
- double
 - conic, 189
 - curve, 272, 429
 - hyperplane, 191
 - line, 186–188, 359, 497, 498
 - plane, 416, 502, 579
 - point, 187, 188, 210, 211, 254, 258, 263–266, 392, 393
 - isolated, 210, 264
 - ordinary, 264
- dual, 126
 - conic, 499
 - curve, 501
 - equation
 - ellipsoid, 16
 - hyperboloid, 41
 - paraboloid, 60
 - quadric, 141
 - matrix, 546
 - number, 543
 - quadric, 516
 - quaternion, 550
 - representation, 423
 - space, 126
 - surface, 433
 - vector, 545
- duality, 126, 476, 553
- Dupin
 - cyclide, 175, 203, 204, 339, 419, 422, 441, 476, 530
 - parabolic, 339
 - indicatrix, 263, 288, 341, 413, 442, 574
 - ring cyclide, 175
- Dupin, Charles, v
- dyad, 332
- E**
- e-regulus, 35, 144
 - hyperboloid, 29
- edge
 - tetrahedron, 125
 - view, 76, 443
- eigenvalue, 101, 533
- eigenvector, 101, 104, 533, 534
- eight-loop, 256, 271
- elation, 133
- elementary divisor, 182, 499
- ellipse, 18, 112, 251, 253, 375, 389, 402, 428, 436, 566, 574
 - cubic, 208, 219
 - geodesic, 307
- ellipsoid, 8, 117, 153, 381, 385, 390, 418, 428, 430, 502, 511
 - revolution, 11, 154, 426, 462, 463, 579
 - oblate, 11
 - prolate, 11
 - triaxial, 11, 190, 280, 381, 388–390, 393, 394, 419, 468, 469
- elliptic
 - 3-space, 169
 - Cayley-Klein model, 169
 - conformal model, 175
 - projective model, 169
 - coordinates, 287, 298, 343, 354, 472
 - cylinder, 117, 289, 436
 - distance, 170
 - geometry, 542
 - conformal model, 175
 - helix, 171
 - motion, 84, 170
 - orthogonal, 170
 - paraboloid, 117, 152, 283
 - polarity, 139, 150, 159
 - reflection, 171
 - rotation, 171
 - translation, 171
- empty
 - cone, 502
 - quadric, 112, 114, 115, 117, 155, 502
 - set, 112
 - unit sphere, 175
- Enneper's theorem, 460, 462
- Enneper, Alfred, 462
- entangled pencils, 497
- envelope, 64, 435, 446, 448, 453, 530
 - 1-pm. fam.
 - cones, 439, 451
 - planes, 451
 - quadrics, 436
 - spheres, 437, 438, 530
 - 1-pm. fam. cylinders, 438
 - 2-pm. fam. spheres, 448
 - geodesics, 467
- epicycloid, 462
- equation
 - dual, 193
 - natural, 463
 - pseudo natural, 461
 - quadric, 98
 - tangential, 193
- equiform transformation, 204, 458, 504, 505, 526
- equilateral
 - hyperbola, 293, 564
 - paraboloid, 53
- Euclidean
 - 3-space, 121
 - proj. closed, 121
 - geometry, 198, 576
 - kinematics, 486, 533
 - motion, 486, 504, 506, 533, 546, 550
 - unit sphere, 254, 369, 371, 530, 546, 573
- Euler angles, 535, 540
- evolute, 419, 426, 432
- exceptional space, 552
- exponential map, 487
- extended
 - $(\mathfrak{o}; B)$ -matrix, 98
 - matrix
 - quadratic function, 98
 - representation, 94
 - transformation matrix, 94
- exterior
 - algebra, 487
 - product, 537
- eye point, 504, 505
- F**
- f-regulus, 35, 144
 - hyperboloid, 29
- fall line, 566
- Fano
 - plane, 126
 - space, 126
- finite, 121, 152
- first-order flexible, 315
- fixed
 - point, 193, 200, 533
 - space, 524
- flat point, 568, 574
- flexible
 - first-order, 315
 - infinitesimally, 315
 - model, 90
- focal
 - axis
 - quadratic cone, 285
 - quadric, 289
 - conic, 282, 321, 359, 419
 - ellipse, 280, 282
 - hyperbola, 25, 280, 282
 - involution, 293
 - line, quadratic cone, 285
 - parabola, 283, 425
 - point, 289, 293, 422, 583, 585
 - polynomial, 236, 422
 - surface, 236, 419, 420, 422
- focus, 579, 584
- force, 478

- form
 bilinear, 95, 528
 binary, 277
 cubic, 249
 double binary, 277
 fundamental
 first, 168, 386, 423, 450, 472
 second, 275, 386, 389
 normal, 99
 polar, 20, 96, 439, 483, 522
 quadratic, 95, 496, 523
- frame
 Cartesian, 505, 539
 Frenet, 444, 461
- framework, 294
 flipping, 315
 infinitesimally flexible, 315
 snapping, 315
- Frenet
 equations, 444, 457
 frame, 216, 444, 457, 461
- Fresnel wave surface, 514, 515
- Fresnel, Augustin Jean, 514
- front view, 28, 30, 173, 238, 252, 265, 443, 531
- full square, 497
- function, quadratic, 96, 374
- fundamental
 figure, 121, 137
 n -space, 157
 form
 first, 168, 386, 389, 423, 450, 472
 second, 275, 386, 389
 projectivity, 143, 495
 theorem, 130
- G**
- Gauss's theorem, 307
- Gauss, Carl Friedrich, v
- Gaussian curvature, 346, 385, 386, 390, 410, 411, 422
- generator, 27, 161, 258, 453, 484, 490, 553
 cone of rev., 458
 imaginary, 155
 isotropic, 198
 quadric, 142, 552
 regulus, 145
 ruled surface, 27, 231
 skew, 32
 torsal, 32
- geodesic, 306, 468, 469, 472, 474
 algebraic, 468, 473, 474
 cubic, 474
 ellipse, 307
 ellipsoid, 15, 469
 hyperbola, 307
 hyperboloid
 one-sheeted, 470
 paraboloid
 elliptic, 474
 hyperbolic, 474
 quadric, 290, 291, 467
 geoid, 15
 geometry
 elliptic, 533, 542
 Euclidean, 198
 hyperbolic, 311
 isotropic, 377
 Laguerre, 377, 454
 Minkowski, 292, 456, 499, 503
 pseudo-Euclidean, 499
 Gerono's lemniscate, 256
 glome, 539
 gorge
 circle, 26, 403
 ellipse, 27
 graph, 374
 Grassmann manifold, 482, 519
 Grassmann, Hermann, 482
 Graves's construction, 306, 307
 great circle, 438
 group
 elliptic motions, 170, 542
 Euclidean motions, 533, 550
 hyperbolic motions, 166
 Möbius, 166
 orthogonal, 170
 rotations, 535
 spherical motions, 533
- H**
- handle point, 266, 445
- harmonic
 complex, 511
 homology, 134, 159, 166, 489
 planes, 406
 points, 134, 150, 159, 511
- helical
 motion, 458, 486, 490, 550
 hyperbolic, 168
 surface, 416
- helix, 408, 447, 458, 460
 circular, 408
 elliptic, 171
 hyperbolic, 168
- Henrici, Olaus, 80, 90
- homofocal quadric, 280
- homogeneous
 Cartesian coordinates, 124
 coordinates
 plane, 123
 point, 122
- homology, 133
 harmonic, 134, 159, 166, 489, 525
- homothetic conics, 13, 341
- horn cyclide, 531, 532
- horocircle, hyperbolic, 167
- horolation, 167
- hyperbola, 18, 112, 251, 253, 389, 436
 conjugate, 574
 cubic, 208, 221
 cubic parabolic, 208
 equilateral, 50, 293, 564
 geodesic, 307
- hyperbolic
 3-space, 165
 circle, 167
 cylinder, 117, 289, 436
 distance, 166
 geometry, 311
 horocircle, 167
 hypercircle, 167
 motion, 166
 orthogonal, 166
 paraboloid, 55, 117, 152, 283, 364, 409
 flexible, 90
 orthogonal, 64, 87
 polarity, 139
 reflection, 166
 rotation, 167
 translation, 167
- hyperboloid, 153, 370, 385
 confocal, 420
 equilateral, 50
 one-sheeted, 8, 64, 87, 107, 117, 153, 171, 268, 270, 280, 354, 381, 385, 387, 389, 390, 394, 398, 404, 416, 430, 453, 470–472, 494, 502
 revolution, 262, 408, 426, 462, 493
 revolution, 154, 464
 two-sheeted, 8, 107, 117, 153, 280, 385, 387, 389, 390, 394, 430, 453, 502
 revolution, 426, 462, 579
- hypercircle hyperbolic, 167
- hypercycloid, 462, 464
- hyperosculate, 217
- hyperosculating sphere, 445, 446
- hyperplane, 191, 192, 368, 539
 polar, 483
- hypersphere, 378
 isotropic, 378
- hypocycloid, 462
- I**
- ideal
 curve, 435
 element, 520
 line, 121, 373, 419
 plane, 121, 197, 360, 420, 433, 435
 point, 121, 209, 361
- identity mapping, 133
- image
 linear, 265
 perspective, 504
 plane, 125, 504
- imaginary, 132
 cone, 150

- element, 132
- generator, 155
- line
 - 1. kind, 132
 - 2. kind, 132, 169
- quadric, 154, 155
- sphere, 155
- immersion, 573
- incidence, 120, 485
- incident, 120, 553
- inclination, 457
- independent, proj., 157
- index of a quadric, 161, 484, 490, 520, 522, 552
- induced
 - involution, 139, 159
 - polarity, 139, 159
- inflection
 - node, 271
 - point, 470
- instantaneous
 - complex, 486
 - kinematics, 358
 - rotation, 359
 - screw axis, 358
- intersection, 157
 - projective n -space, 157
- inversion, 204, 243, 524–526, 531, 532, 577
 - axial, 563
 - in a cylinder, 563
 - in a sphere, 524, 577
 - projective, 329
- involute of a circle, 462
- involution, 192, 198
 - conjugate points, 139
- involutive, 132
 - correlation, 137
- isogonal trajectory, 169, 175
- isolated
 - double point, 210
 - node, 210
- isometry, 168, 171, 301, 542
 - elliptic, 542
- isomorphic projective spaces, 121
- isotropic, 76, 155, 455
 - cone, 78, 498, 520, 524
 - line, 151, 216, 290, 498
 - plane, 151
- Ivory
 - box, 298
 - quadrangle, 298, 306, 311
- Ivory's theorem, 294, 306
- Ivory, James, 294
- J**
 - Jacobi's focal property, 8, 72
 - Jacobi, Carl Gustav Jacob, 72, 290
 - Joachimsthal, Ferdinand, 292
- K**
 - Karlskirche, 114
 - kinematics, Euclidean, 486, 533
- Klein
 - mapping, 482
 - model, 477
- Klein, Felix, v, 477, 482
- Kronecker product, 488
- Kummer
 - configuration, 513
 - surface, 513
- Kummer, Ernst Eduard, 513
- L**
 - Laguerre
 - formula, 76, 151
 - geometry, 377, 454
 - point, 173
 - transformation, 529
 - Laguerre, Edmond Nicolas, 76, 377, 454
 - Lamé curve, 567, 568
 - Lamarle's formula, 410
 - Lamarle, Ernest, 410, 411
 - latitude, 23, 372
 - Law of Cosines, 522
 - lead, 452, 457, 462
 - left parallel, 172, 173
 - lemniscate, 256, 268
 - Bernoulli's, 268, 271, 275
 - Gerono's, 256
 - length of a quaternion, 536, 537
 - Lie
 - coordinates, 519
 - group, 487
 - sphere, 520
 - Lie's
 - line-sphere-mapping, 476, 522, 530
 - osculating quadric, 415, 416
 - quadric, 378, 476, 519, 520
 - Lie, Sophus, 519
 - light cone, 499
 - lightlike, 455, 529
 - line, 120, 185, 187, 188, 192, 245, 368, 462, 471, 478, 485, 490, 491, 526, 527, 551, 553
 - absolute, 165, 169
 - affine space, 93
 - asymptotic, 275, 276
 - at infinity, 121, 419, 482
 - congruence, 291
 - elliptic, 173
 - linear, 491
 - contact, 190, 387, 442
 - coordinates, 478
 - curvature, 438, 440
 - quadric, 287
 - double, 187
 - element, 198, 224, 506
 - hyperbolic 3-space, 165
 - ideal, 373, 419
 - in L_2^4 , 527
 - in M_2^4 , 495, 497
 - isotropic, 151, 193, 216, 373, 499, 504
 - lightlike, 499
 - of intersection, 125
 - ordering, 238
 - oriented, 377, 542, 550
 - orthogonal, 170
 - polar, 138, 393, 510
 - projective, 371
 - projective 3-space, 121
 - self-polar, 228
 - skew, 126, 268, 276
 - spacelike, 499
 - timelike, 499
 - vanishing, 504, 505
- Line Geometry, 477, 480
 - Euclidean, 542
 - projective, 480
- line-symmetric motion, 559
- linear
 - branch, 266
 - complex
 - lines, 358, 359, 483, 484, 489, 501, 504, 528
 - regular, 483
 - singular, 483
 - spheres, 528
 - factor, 267, 277, 497
 - line congr., 490
 - ell., 493, 494
 - hyp., 400, 492
 - par., 399, 495
 - sing., 495
 - manifold compl., 491, 495
 - space, 157
- lines
 - coplanar, 482, 497
 - hyperboloid, 49
 - skew, 262, 419
- Liouville net, 306
- Liouville's Theorem, 526
- LN surface, 432, 433
- logarithmic spiral, 462
- longitude, 23
- loxodrome, 169, 173
 - elliptic, 173
 - spherical, 169
 - toroidal, 175
- M**
 - major
 - axis, 112
 - semiaxis, 112
 - Mannheim curve, 463
 - mapping
 - affine, 12
 - conformal, 371
 - cyclographic, 454
 - exponential, 487
 - involutive, 371
 - isometric, 399

- projective, 232, 371
 - matrix
 - characteristic, 182
 - dual, 546
 - orthogonal, 533, 546
 - skew symmetric, 228, 485
 - maximum dimension, 107, 161
 - mean curvature, 346, 385, 386, 390, 395, 422
 - meridian, 29, 440
 - hyperboloid of rev., 29
 - plane, 30, 204
 - quadric, 76
 - metric, 472, 529
 - Meusnier
 - point, 346, 420, 423
 - sphere, 346
 - milling, 436
 - Minkowski space, 499, 503
 - Minkowski, Hermann, 456
 - minor
 - axis, 112
 - semiaxis, 112
 - module, 543
 - Möbius
 - group, 166
 - strip, 256, 257
 - tetrahedron, 318
 - transformation, 204
 - momentum
 - angular, 478
 - vector, 478, 542, 546
 - Monge, Gaspard, v, 20
 - monomial basis, 378
 - motion, 152
 - coupler, 551
 - elliptic, 84
 - Euclidean, 486, 487, 504, 506, 533, 540, 546–550
 - helical, 416, 458, 486, 490, 550
 - hyperbolic, 168
 - hyperbolic, 166
 - k -parameter, 551
 - line-symmetric, 559
 - one-parameter, 486, 551
 - planar, 461
 - spherical, 201, 538, 540
 - spiral, 506
 - Study's representation, 549
 - trochoid, 464
 - Müller, Emil, 564
 - Müller's surface, 563, 566
 - multifocal
 - curve, 583
 - surface, 579
 - multiplication, quatern., 173, 537
- N**
- natural
 - channel surface, 446
 - equation, 463
 - pipe, 447
 - needle
 - cyclide, 204, 531, 532
 - torus, 204
 - net of translation, 58
 - Newton, Isaac, v
 - Nicéron, Jean François, 329
 - node
 - conical, 514
 - isolated, 210
 - ordinary, 210
 - surface, 513
 - norm
 - multiplicative, 537
 - quaternion, 536, 537
 - normal, 200, 468
 - congruence, 339, 508
 - curvature, 392, 574
 - curve, 207, 228, 276
 - cylinder, 443
 - form
 - ellipse, 99
 - lin. congr., 492, 493, 495
 - linear complex, 489
 - planar cubics, 210
 - quartics, 1. kind, 252
 - path, 486, 506
 - plane, 215, 507, 526
 - pseudo-Euclidean, 453
 - principal, 457, 470
 - vector, 432
 - normalization, 542, 545
 - n -simplex, 157
 - n -space, projective, 157
 - nucleus, 488
 - null
 - circle, 62, 79, 155
 - line, 228
 - plane, 485
 - point, 485
 - polarity, 139, 158, 227, 228, 484, 485, 488, 489
 - sphere, 199, 520, 527, 529, 530
 - pseudo-Euclidean, 453
 - number
 - dual, 543
 - hypercomplex, 535
- O**
- octave, 553
 - offset, 443, 451
 - curve, 431
 - cylinder, 428, 435, 443
 - ellipse, 428, 431, 436
 - elliptic cylinder, 436
 - hyperbola, 436
 - hyperbolic cylinder, 436
 - parabola, 436
 - parabolic cylinder, 436
 - paraboloid, 432
 - quadratic cone, 433, 435
 - quadric, 428
 - sphere, 428
 - surface, 448
 - one-parameter
 - family
 - cones, 439, 440
 - conics, 562
 - cylinders, 438
 - linear, 179
 - planes, 434
 - quadrics, 436
 - spheres, 437–440
 - motion, 486
 - subgroup, 486
 - ordinary node, 210
 - oriented
 - contact, 522
 - line, 542
 - plane, 520, 527
 - sphere, 520
 - origin of coordinates, 523, 534
 - orthocenter, 505
 - orthocircle, 202
 - orthogonal, 92, 529
 - elliptic, 170
 - grid, 204
 - hyp. paraboloid, 53
 - hyperbolic, 166
 - line, 170
 - matrix, 546
 - net, 76
 - plane, 170
 - polar, 510
 - projection, 76, 293
 - section, 289
 - tangent planes, 518
 - trajectory, 388, 407, 409, 564
 - view, 18, 293
 - orthogonality, 151
 - Euclidean, 504
 - osculating
 - circle, 446
 - plane, 215, 216, 226
 - cubic, 234, 235
 - quadric, 413
 - Lie's, 413, 415
 - tetrahedron, 226
 - Oskulatorie, 575
 - oval quadric, 142, 150, 493, 502
- P**
- Painvin's complex, 516, 518
 - Painvin, Louis Felix, 518
 - pair
 - lines, 185–187, 262
 - parallel lines, 574
 - planes, 117, 360
 - complex conjugate, 502
 - real, 502
 - Pappian space, 127
 - parabola, 18, 113, 221, 256, 376, 377, 436

- cubic, 208, 217
- hyperosculating, 217
- semi-cubic, 426
- parabolic
 - cylinder, 117, 289, 436
 - horn cyclide, 531, 532
 - hyperbolic, 374
 - needle cyclide, 531, 532
 - pencil
 - spheres, 526
 - quadric, 113, 117
 - ring cyclide, 531, 532
- paraboloid, 117, 152, 374, 381, 389, 394, 432, 433, 472
 - doubly touching, 262
 - elliptic, 8, 117, 152, 283, 374, 381, 384, 390, 417, 424, 432, 472, 474, 509
 - equilateral, 53
 - hyperbolic, 8, 55, 117, 152, 259, 262, 283, 360, 361, 381, 384, 390, 398, 403, 409, 411, 416, 424, 425, 432, 472–474, 494, 502, 509, 579
 - orthogonal, 409, 566
 - revolution, 87, 154, 426, 428, 462, 463
 - ruled, 53
- paracycloid, 462
- parallel
 - circle, 440, 458, 463
 - ellipsoid of rev., 14
 - hyperboloid of rev., 29
 - quadric, 76
 - lines, 112, 121
 - postulate, 165
 - projection, 272
 - surface, 451
- parallelepiped, 24
- Parallellflächen, 451
- parameter
 - affine, 245
 - homogeneous, 245
 - parabola, 86, 114, 340
- parametrizable, quadr., 432, 433
- parametrization, 374, 378, 381, 394, 539
 - polynomial, 211, 368, 378
 - rational, 211, 368, 378, 396, 403, 572
 - trigonometric, 572
- Pascal's
 - limaçon, 331, 332
 - Theorem, 51
- Pascal, Blaise, v
- path
 - normal, 486, 506
 - tangent, 504
 - complex, 504
- pedal point, 478, 493, 546
- pencil
 - circles, 197, 202
 - concentric, 198
 - elliptic, 198
 - hyperbolic, 198
 - parabolic, 198, 566
- complexes, 490, 493, 577
- conics, 178, 180, 181, 183, 191, 192, 195, 198
 - 1. kind, 181
 - 2. kind, 181
 - 3. kind, 181, 442
 - 4. kind, 181
 - 5. kind, 181
- double, 497
- entangled, 497
- lines, 120, 373, 438, 479, 491, 492, 495, 497, 498, 554
- planes, 191
- quadratic cones, 195
- quadratics, 179, 183, 189, 191, 192, 195, 206, 277, 360, 499, 500
- singular quadratics, 195
- spheres, 197, 202, 519
 - concentric, 200, 201
 - elliptic, 199, 202, 527
 - hyperbolic, 199, 202, 527
 - parabolic, 200, 202, 526
- perspective
 - collineation, 136
 - image, 329
- perspectivity, 130, 232
- perspector, 127, 130
- perspectrix, 127, 130
- piercing point, 121
- pinch point, 274
- pipe surface, 437, 441
- piping, 436
- pitch, 168
 - helical motion, 458, 486
 - helix, 408
 - reg. line compl., 485
- planar curve, 501
- plane, 120, 191, 203, 399, 434, 471, 482, 495, 519, 529, 552–554
 - 1. kind, 480, 495, 497, 498, 552
 - 2. kind, 480, 495, 498, 499, 552
 - absolute, 165, 169
 - affine space, 93
 - anti-Fano, 127
 - asymptotic, 401, 491, 495
 - at infinity, 121, 151, 152, 197, 360, 420, 435, 456, 482, 498, 499, 504, 520
 - axial, 133
 - central, 401
 - coincidence, 239
 - diameter, 40
 - double, 502
 - Euclidean, 371, 454
 - exceptional, 375
 - Gaussian, 370
 - hyperbolic 3-space, 165
 - ideal, 420, 429, 498, 499, 504
 - isotropic, 151
 - normal, 215
 - oriented, 519, 520, 527, 529
 - orthogonal, 170
 - osculating, 215, 216, 226, 229, 234, 399, 435,
 - 447
 - polar, 138, 191, 508
 - projective, 120, 573
 - projective 3-space, 121
 - radical, 527
 - rectifying, 215, 447
 - ruled, 236, 490, 552, 554
 - self-conjugate, 138
 - skew, 480
 - symmetry, 64, 248
 - tangent, 420, 423, 435, 574
 - vanishing, 375
- Plücker
 - condition, 478, 499, 542
 - coordinates, 414, 415, 478, 542
- Plücker's
 - conoid, 38, 67, 268, 272, 275, 276, 292, 433, 493, 577
 - quadric, 415, 476, 477
- Plücker, Julius, 477
- point, 120, 245, 485, 519
 - absolute, 151, 165, 169, 216, 373
 - affine space, 93
 - antipodal, 371
 - at infinity, 121, 209, 221, 375, 482
 - base, 124
 - central, 401
 - conyclic, 245
 - contour, 272
 - control, 378, 380
 - elliptic, 574
 - fixed, 200
 - focal, 293
 - four fold, 396
 - hyperbolic, 574
 - hyperbolic 3-space, 165
 - ideal, 216, 375
 - improper, 520
 - inflection, 445, 470
 - inverse pair, 371
 - Laguerre, 173
 - Meusnier, 346, 420, 423
 - of contact, 141, 448
 - of intersection, 121, 125
 - parabolic, 574
 - parasitic, 253, 256
 - pedal, 546
 - principal, 191, 505
 - projective n -space, 157
 - regular, 208
 - self-conjugate, 138

- singular, 191, 432, 446, 530, 554
 - timelike, 499
 - umbilic, 282, 307
 - unit, 158
 - vanishing, 504, 505
 - polar, 449
 - form, 20, 96, 439, 483, 522
 - ellipsoid, 20
 - hyperplane, 159, 483
 - line, 138, 364, 393, 510
 - orthogonal, 510, 511
 - plane, 138, 191, 496, 497, 507, 508, 528
 - ellipsoid, 18
 - paraboloid, 61
 - space, 159, 526, 554
 - system, 521
 - of L_2^4 , 521
 - of M_2^4 , 482
 - tetrahedron, 145, 184, 191
 - polarity, 138, 158, 488, 521
 - w.r.t. L_2^4 , 521
 - w.r.t. M_2^4 , 482
 - absolute, 151, 165, 169
 - elliptic, 139
 - hyperbolic, 139
 - null, 139, 158, 489
 - pole, 138, 159, 420
 - ellipsoid, 18
 - north, 468
 - paraboloid, 61
 - south, 468
 - polhodes, 464
 - polynomial
 - Bernstein, 378
 - characteristic, 500, 524
 - porism, 47
 - position vector, 93
 - principal
 - axis, 184, 508
 - hyperbola, 113
 - quadric, 108
 - curvature, 394, 423
 - direction, 13, 341
 - tangent, 13, 288, 293, 345, 346
 - normal, 457, 470
 - plane of a pencil, 191
 - point, 191, 505
 - of a pencil, 191
 - section, 10, 293, 468, 472
 - paraboloid, 53
 - self-polar tetrahedron, 154
 - views, 215, 252, 256, 265, 390, 433
 - principle of
 - duality, 126, 554
 - triality, 554
 - product
 - distances, 584
 - quaternion, 536
 - scalar, 537
 - projection, 125, 210, 211, 240, 241, 243
 - central, 18, 221, 504, 505
 - gnomonic, 219
 - isotropic, 504
 - orthogonal, 21, 76, 238, 265, 293, 443
 - parallel, 221, 272
 - stereographic, 24, 75, 175, 224, 245, 368, 374, 539, 552
 - theorem, 315
 - projective
 - n -space, 157
 - collineation, 158
 - coordinate frame
 - n -space, 158
 - coordinates
 - in a plane, 131
 - on a line, 131
 - correlation, 137, 158
 - frame, 226
 - generation
 - regulus, 143
 - model
 - elliptic 3-space, 169
 - hyperbolic 3-space, 165
 - plane, 120, 573
 - space, 120
 - subspace, 157
 - projectively closed Euc. 3-sp., 121
 - projectivity, 130, 143
 - fundamental, 495
 - proper, 121
 - pseudo natural equation, 461
 - pseudo-Euclidean geometry, 499
- ## Q
- quadrangle, 125, 127
 - skew, 555
 - quadratic
 - complex, 184, 499, 501
 - collineation, 507
 - tetrahedral, 507
 - cone, 104, 115, 150, 212, 259, 368, 385, 433, 490, 497
 - cylinder, 212, 385
 - form, 95, 496, 520, 523, 567
 - function, 96
 - quadratically parametrizable, 573
 - quadrialteral
 - skew, 360
 - quadric, 8, 92, 98, 158, 206, 212, 217, 368, 567
 - absolute, 165, 169
 - central, 10, 106, 153, 287, 343, 369, 385, 387, 428, 430
 - confocal, 202, 280, 286, 392, 509
 - conical, 104, 106, 108, 112, 115
 - cylindrical, 106
 - degenerate, 8, 497
 - empty, 8, 112, 114, 115, 117, 155, 502
 - four-dimensional, 477
 - homofocal, 280
 - imaginary, 8, 154, 155
 - Lie's, 476, 519
 - model, 519
 - on three lines, 414, 415
 - osculating, 413
 - oval, 218, 493, 494, 496, 497, 502
 - parabolic, 106, 113, 117, 374
 - Plücker's, 476, 477
 - reducible, 112
 - regular, 8, 217, 502
 - revolution, 76, 154, 385, 460, 510
 - ruled, 27, 107, 171, 212, 219, 273, 398, 470, 490, 492, 495, 502, 552, 554
 - singular, 8, 150, 181, 191, 195, 247, 249, 253, 360, 415, 433, 500, 502
 - six-dimensional, 551
 - Study's, 476, 547
 - triscant, 268
 - quadrilateral, 127
 - skew, 36, 55, 189, 190, 259, 262, 361
 - quadruple, Pythagorean, 539
 - quartic, 185, 187–190, 206, 247, 248, 253, 258
 1. kind, 189, 206, 247, 248, 254, 258, 277, 390, 392, 469
 - degenerate, 188, 258, 259, 262
 2. kind, 172, 174, 206, 247, 266, 270, 276, 387, 471, 472
 - degenerate, 276
 - closed, 268
 - curves, 273
 - planar, 265
 - rational, 264, 265, 268
 - ruled surface, 358
 - Sturm type I, 359
 - Sturm type III, 358
 - Sturm type V, 359
 - surface, 513, 516, 530, 573, 575
 - cyclic, 530, 576
 - with cusp, 185, 186
 - with double point, 187
 - quaternion, 173, 535, 538, 550
 - conjugate, 536
 - dual, 547–550
 - unit, 548, 550
 - Hamiltonian, 550
 - length, 536, 537
 - multiplication, 173, 537
 - norm, 537
 - product, 536
 - scalar, 536

- unit, 536, 537, 540, 548
 - vector, 536, 538
- R**
- radical plane, 197, 198, 200, 527
 - radius
 - cylinder, 443
 - helix, 408
 - sphere, 529
 - range
 - points, 120, 554
 - quadrics, 193
 - rank of a quadric, 516
 - rational
 - curve, 211, 464
 - parametrization, 211, 572
 - ellipsoid, 24
 - PH curve, 216
 - quartic, 264
 - real, 132
 - element, 132
 - projective space, 121
 - representative, 155
 - reducible quadric, 112
 - reflected image, 329
 - reflection, 154, 329
 - affine, 152
 - elliptic, 171
 - hyperbolic, 166
 - in a plane, 526
 - in vertical cylinder, 329
 - physical, 329
 - plane, 526
 - regular
 - cone, 502
 - quadric, 8, 106
 - regulus, 27, 143, 268, 270, 398, 402, 403, 409, 415, 491, 492, 494–496, 530, 554
 - complementary, 30, 63, 143, 144, 268, 277, 415, 496, 497, 530
 - hyperboloid, 35
 - mono-secants, 268
 - paraboloid, 53
 - trisecants, 268
 - uniseccants, 268
 - relativity, special, 456
 - renormalization, 208, 226
 - reparametrization, 208, 226, 370, 380
 - representation of a group, 539
 - resolution of singularities, 211
 - right
 - angle, 204
 - parallel, 172, 173
 - rigidity, 294
 - ring
 - cyclide, 119, 175, 204, 531, 532
 - of dual numbers, 543
 - torus, 175, 204, 257
 - rolling ball blend, 441, 443
 - constant radius, 441
 - variable radius, 441
 - Roman surface, 573
 - rotation, 359, 486, 487, 490, 494, 525, 526, 533–535, 547, 548, 551
 - elliptic, 171
 - hyperbolic, 167
 - instant, 359
 - matrix, 540
 - rational, 539
 - uniform, 416
 - ruled
 - paraboloid, 53
 - plane, 236, 477, 479, 490, 495, 501, 552
 - quadric, 27, 107, 142, 150, 171, 212, 268, 273, 470, 490, 492, 495, 496, 502
 - surface, 27, 32, 53, 398, 416, 438, 493, 495, 577
 - conoidal, 268, 578
 - cubic, 433, 493
 - developable, 387, 416
 - helical, 416
 - quartic, 358
 - skew, 33, 399, 400
 - Sturm type I, 359
 - Sturm type III, 358
 - Sturm type V, 359
 - torsal, 387, 399, 416
 - ruling, 27, 231, 275, 395, 398, 453
 - one-sheeted hyp., 464
 - paraboloid, 472
 - quadric, 142, 266, 470
 - regular, 495
 - torsal, 410
- S**
- satellite geodesy, 316
 - scalar product, 92, 452, 537
 - canonical, 543
 - pseudo-Euclidean, 452, 454
 - scaling
 - axial, 17, 295
 - factor, 523
 - screw motion
 - elliptic, 171
 - hyperbolic, 168
 - secant, 165
 - secondary axis, 113
 - section, principal, 10, 468, 472
 - self-adjoint correlation, 137
 - self-conjugate, 158
 - plane, 138
 - point, 138
 - points, 18
 - self-intersection, 432
 - self-polar, 138, 497
 - space, 159
 - tetrahedron, 145, 191
 - semi-cubic parabola, 211
 - semiaxis, 10
 - ellipse, 99
 - major, 112
 - minor, 112
 - quadric, 108
 - secondary, 64
 - shape operator, 568
 - side view, 32, 252, 265
 - signature, 161, 551, 567
 - bilinear form, 102
 - metric, 455
 - quadratic form, 522, 567
 - similarity, 152, 523
 - central, 460
 - simplex, 157
 - singular
 - linear complex, 359
 - plane, 191
 - point, 191, 446, 554
 - quadric, 150
 - quadric, 8, 106, 150, 500
 - surface, 513
 - singular values, linear map, 302
 - singularity, 265, 420, 530
 - composed, 266
 - quartic space curve, 264
 - skew, 157, 528, 553
 - field, 535
 - generator, 32
 - involution, 136
 - isogram, 555
 - lines, 126, 268, 276, 419
 - planes, 480
 - quadrangle, 555
 - quadrilateral, 189, 259, 360, 361
 - ruled surface, 33
 - solids, 553
 - slope, 451, 457
 - angle, 452, 458
 - constant, 451
 - small circle, 438
 - solid, 552–554
 - space
 - affine, 152
 - curve
 - cubic, 206, 207
 - degree 3, 206, 207
 - degree 4, 206, 247
 - quartic, 206, 247
 - exceptional, 552
 - fixed, 524
 - linear, 157
 - Lorentz, 292
 - Minkowski, 292, 456, 499
 - polar, 526, 554
 - projective, 120
 - pseudo-Euclidean, 454
 - self-polar, 159
 - spacelike, 455, 529
 - point, 499
 - span, 157
 - projective n -space, 157

- spanned plane, 125
 spatial gearing, 40
 spear, 377, 455, 542, 543, 550
 coordinates, 548
 special relativity, 456
 speed of light, 456
 sphere, 154, 189, 202, 203, 256, 380, 392, 419, 420, 422, 428, 434, 438, 519, 523, 524, 531, 532, 539, 540, 562, 579
 central, 199
 concentric, 189, 190, 202, 527
 coordinates, 519
 empty, 175
 Euclidean, 373, 503, 524
 unit, 577
 hyperosculating, 445
 imaginary, 155
 Meusnier, 346
 null, 520, 529, 530
 oriented, 378, 519, 520, 529
 proper, 529
 three-dimensional, 539, 540
 two-dimensional, 540
 unit, 369, 524
 Sphere Geometry, 519
 spherical
 conic, 219, 289
 cubic, 219
 image, 398
 isogram, 558
 kinematic image, 542
 kinematic mapping, 542
 loxodrome, 169
 spindle
 cyclide, 204, 531, 532
 torus, 204
 spine curve, 437, 443
 pipe surface, 437
 spiral
 cylindro-conical, 458, 460
 motion, 506
 spiric curves, 584
 Spitzpunkt, 266
 spread, 491
 Stäckel net, 306
 standard cubic, 207
 star, 572
 lines, 120, 419, 477, 479, 490, 495, 501, 552, 554
 planes, 120
 Staude, Otto, 319
 Steiner's
 definition, 234
 hypocycloid, 39
 surface, 573
 Steiner, Jakob, 573
 stereographic projection, 224, 552
 straight
 cycloid, 466
 line, 211, 259, 276, 542
 oriented, 542
 striction, 407
 curve, 398, 401, 403
 quadric, 402
 function, 407
 point, 33
 strophoid, 331
 Study parameter, 550, 551
 Study's
 kinematik mapping, 551
 principle, 550
 quadric, 476, 547, 551
 subgroup, one-parameter, 486
 subspace
 affine, 93
 projective, 157
 sum of distances, 579
 Super-Egg, 569, 571
 supercyclides, 562
 Superellipse, 569
 superellipsoid, 568, 571
 superhyperboloid, 568, 570
 one-sheeted, 570, 571
 two-sheeted, 570, 571
 superparaboloid, 568
 superquadric, 562, 567, 568
 degree d , 568
 supersphere, 568
 support function, 385, 386
 surface
 Bézier, 368, 378, 380, 381
 central, 419
 channel, 439
 natural, 446
 constant slope, 451
 cubic, 38, 257, 433, 530, 563, 577
 cyclic, 530, 576
 degree d , 568
 degree 8, 581
 degree 4, 513, 515, 518, 530, 573, 575
 degree 3, 38, 257, 433, 530, 563, 577
 degree $2n$, 584
 degree 2, 92
 developable, 33
 dual, 433
 focal, 418
 Fresnel's, 515
 helical, 416
 Kummer's, 513
 LN, 432
 Müller's, 566
 multifocal, 579, 584
 normal, 418, 438, 470, 508
 of normals, 79
 of translation, 58
 offset, 448
 parallel, 451
 quartic, 513, 516, 530, 573, 575, 576
 revolution, 422, 440
 ruled, 27, 32, 53, 398, 416, 493
 Steiner's, 573
 tangent, 495
 conjugate, 449
 Sylvester's law of inertia, 161
 symmetric bilinearform, 40
 symmetry, affine, 152
- ## T
- tangent, 184, 207, 236, 368, 443
 asymptotic, 413
 complex, 502
 ell. paraboloid, 502
 ellipsoid, 502
 hyperb. paraboloid, 502
 instantaneous, 506
 one-sh. hyperboloid, 502
 quadric, 502
 two-sh. hyperboloid, 502
 cone
 ellipsoid, 20
 quadric, 142
 conic, 498, 501
 cubic, 184, 185, 207, 226, 234, 235, 246, 259
 cylinder, ellipsoid, 20
 developable, 230
 focal conic, 282
 hyperplane, 159, 552
 M_2^4 , 495
 plane, 143, 392, 420, 423, 435, 508, 574
 cone, 258
 curve, 229
 quadric, 141
 principal curvature, 420
 proper, 282
 quadric, 142, 502
 surface, 33, 230, 399
 tangential
 equation
 ellipsoid, 16
 hyperboloid, 41
 paraboloid, 60
 quadric, 141
 hyperplane, 483, 490
 Taylor series, 216, 384, 543
 tensor product, 364
 alternating, 487
 tetrahedral compl., 507, 509, 511
 tetrahedron, 50, 125, 145
 Möbius, 318
 orthocentric, 50
 osculating, 226
 polar, 145, 184, 191
 regular, 581
 self-polar, 145, 154, 191
 Theorem of
 Bézout, 213
 Brianchon, 51

- Ceva, 148
 - Desargues, 127
 - Enneper, 460, 462
 - Gauss, 307
 - Ivory, 306
 - Malus and Dupin, 339
 - Menelaos, 148
 - Pappus, 127
 - Pascal, 51
 - Thales, 51
 - spatial, 50
 - thorn
 - cyclide, 204, 531, 532
 - torus, 204
 - three-param. fam. of circles, 562
 - three-web, 169
 - timelike, 455, 529
 - top view, 28, 30, 66, 173, 238, 252, 265, 273, 331, 396, 454
 - torsal
 - generator, 32
 - ruled surface, 387
 - torsion, 216, 444
 - torus, 175, 203, 256, 531
 - ring-shaped, 203, 257
 - spindle-shaped, 203
 - thorn-shaped, 203
 - totally orthogonal, 93
 - trace, 25
 - trajectory, 331
 - orthog., 373, 388, 407, 409
 - transformation
 - affine, 152
 - conformal, 526
 - Cremona, 206
 - equiform, 504, 526
 - Laguerre, 529
 - Lie, 529
 - linear rational, 245
 - matrix, 94, 123, 525, 550
 - Möbius, 529
 - or.-preserving, 533, 534
 - or.-reversing, 533
 - orthogonal, 534
 - translation, 204, 295, 486, 487, 525, 526, 548, 551
 - curve, 86
 - elliptic, 171
 - hyperbolic, 167
 - uniform, 416
 - trilateration, 476, 554
 - triangle, 125
 - triaxial, 418
 - hyperboloid, 408
 - quadric, 385
 - trilateration, 316
 - triple point, 266, 273, 274
 - triplet conj. diameters, 153
 - triple orthogonal system, 202, 286
 - trisecant, 270
 - trochoid motion, 464
 - two-parameter family
 - conics, 562
 - spheres, 448
- ## U
- umbilic, 44, 62, 84, 468, 574
 - ellipsoid, 14, 514
 - hyperboloid, 44
 - point, 282, 307
 - undulation point, 266, 271
 - uniaxial collineation, 136, 152
 - unit
 - circle, 99, 243
 - cylinder, 99
 - point, 124, 131
 - n -space, 158
 - coordinatization, 124
 - quaternion, 536, 537, 540
 - dual, 550
 - sphere
 - dual, 543, 546
 - empty, 175
 - Euclidean, 546, 573
 - vector, 92, 526
 - dual, 543, 545
- ## V
- Vandermonde matrix, 211
 - vanishing
 - line, 504, 505
 - plane, 375
 - point, 504, 505
 - vector
 - direction, 478
 - dual, 549
 - momentum, 478
 - quaternion, 538
 - space, 124
 - model, 122, 124
 - unit, 92, 526
 - velocity vector field, 486, 505
 - Veronese
 - mapping, 180
 - variety, 180
 - Veronese, Guiseppe, 180
 - vertex, 570
 - central quadric, 10
 - cone, 452, 554
 - generator, 55, 87
 - hyp. paraboloid, 55
 - hyp. paraboloid, 361, 363, 364
 - non-real, 113
 - parabola, 113
 - paraboloid, 10
 - orthogonal, 18, 120
 - pencil of planes, 120
 - quadric, 108, 361
 - view
 - edge, 76, 443
 - front, 28, 30, 173, 443, 531
 - oblique, 18
 - orthogonal, 18, 23, 293
 - principal, 215, 252, 256, 265, 390, 433
 - top, 28, 30, 173, 329
 - Villarceau circle, 174
 - visual contour, 274, 293
 - Viviani's curve, 254, 256, 257, 263
 - Viviani, Vincenzo, 254
 - volume, 24
 - v. Staudt's definition, 141
- ## W
- Weierstrass representation, 572
 - Whiteley, Walter, 316
 - Whitney umbrella, 433
 - Wiener, Herm. Ludw. Gustav, 80
 - Woodbury matrix identity, 193
 - World Geodetic System, 15
 - Wren, Christopher, 27
- ## Z
- zero function, 97