

Index

- actuator failure 134
- bibo stability 21, 150, 153, 157
- bilinear transformation 161
- Bode's sensitivity function 56
- canonical forms 7, 13, 44
- Cayley-Hamilton theorem 71
- characteristic polynomial 20, 21, 124
- command behavior 32, 42, 50
- comparison sensitivity function 1, 29, 34, 56
- constant damping curve 146
- controllability coefficients 124, 132
- controllability form 13
- controllability indices 8, 9
- control law 24, 26, 28, 32, 130, 131, 140
- controller elements 46
- controller transfer functions 17, 58, 66
- controllability matrix 6, 9, 10
- controllable, completely 6, 43
- discrete-time model 5, 32
- distance function 119
- disturbance behaviour 17, 34, 51
- dynamic state regulator 26, 32
- effect of control 1, 17, 34, 53
- eigenvalues 15, 50, 82
- eigenvectors 15
- Euclidian norm 15, 60, 86
- exponentially stable 21
- failure combination 135
- failure group 136
- forward transfer function 19
- free parameters 49, 81
- frequency domain 50, 58

gain matrix 32
gamma stability 160

helicopter 125

input method 139

Luenberger's second form 44

maximum controllability index 8
minimal realization 14
minimization 27, 58, 85
multi-model family 1, 114, 155

Nyquist contour 22, 149

observability indices 8, 47, 81
observable, completely 6, 43
observability matrix 6
observable canonical form 44
open loop error 1
open loop transfer matrix 17

parameter variations 18, 33, 56
parameter vector 141
partial controllers 40, 42, 47, 81
perturbation additiv 17, 32, 153
perturbation, multiplicative 149
permutation 115, 117
pole-distance 114
pole distance, continuity 117
pole-distance, minimizing 124
pole placement 23
preassigned pole 140
preassigned zero 140
principal gains 22, 149
proper, strictly 4

quadratic performance criterion 27

reachable, completely 6
reconstructible, completely 6
recursive controller design 122
reference behavior 19, 21, 32, 42, 50
return difference matrix 1, 17, 20
robust stability 148
robustness 1, 114, 149, 153
Rosenbrock method 124, 125
Rosenbrock matrix 4

sampling frequency 146
sensitivity 1, 18, 29, 34, 56, 58
sensor failure 134
singular values 15, 18, 19, 29, 152
stabilizable 23
state space transformation 43

time discrete state space model 5, 9, 32
transition stability 155
transfer function 4, 14, 51

varying sampling time 144, 146

zeros 5
z-transfer function 14