

---

# Subject index

- Abducens nerve** 7, 14, 15, 18, 21, 22, 24, 25, 29–34, 37, 38, 39, 96, 97, 98, 99, 122
- Anterior cerebral artery** 75, 76, 79, 81
- Anterior communicating artery** 75
- Anterior choroidal artery** 76, 79, 83
- Anterior inferior cerebellar artery** 67
- Anteromedial triangle** 5, 9, 10, 11, 12, 19, 23, 37, 40, 79, 81, 101
- Anterolateral triangle** 5, 19, 21, 22, 23, 24, 37, 49, 121
- Anterior clinoid process** 5, 13–17, 19, 20, 35, 36, 48, 49, 59, 61, 62, 64, 65, 70, 75, 79, 81, 83, 94, 95, 96, 97, 101, 110, 118, 119
- Anterior petroclinoid fold** 5, 6, 16
- Arcuate eminence** 26
- Basilar artery aneurysm** 75, 106, 116, 119
- 6-T approach 116
  - transpetrous approach 121
  - 7-T approach 125
- Carotid-ophthalmic aneurysms** 76–91
- supraoptochiasmatic 77, 79
  - suboptochiasmatic 77, 79
  - global 77, 79
- Carotid-parasellar fistulae** 75, 106–114
- Cavernous angioma** 281–284
- Central skull base** 9, 35, 71, 75, 95, 118, 121, 140
- Central skull base meningiomas** 140
- anterior clinoid process 145–155
  - clival 216
  - diaphragm sellae and optic canal(s) 203–211
  - Dorello's space 180–184
  - large central skull base 223–228
  - middle cranial fossa 156–161
  - multiple: parasellar and distant 229–231
  - parasellar space 162–167
  - parasellar space and adjacent region(s) 168–177
  - petroclival 185–192
  - posterior clinoid process, dorsum sellae, and upper clival 212–222
  - sphenoid wing 142–144
  - superior orbital fissure 178–180
  - tuberculum sellae 193–202
- Cholesteatoma** 285
- Chondroid chordoma** 272, 276
- Chondroma** 272, 279
- Chondrosarcoma** 138, 272, 277–279
- Chordoma** 138, 272, 274, 275, 279
- Clivus (lateral border)** 30
- Craniopharyngioma** 289–297
- Dawson's arteries** 76
- Distal (dural) ring** 6, 7, 9, 10, 36, 39–41, 44, 46, 63, 75, 77, 79, 81, 94, 97, 101, 107
- Dorello's space** 7, 29, 30, 32, 69, 122
- Epidural approach to the parasellar space** 51–71
- Eustachian tube** 26, 28, 67, 68
- Exophthalmos** 106, 137
- Facial nerve** 27, 32, 34, 67, 69, 70, 122
- Foramen lacerum** 6, 7, 22, 25, 28, 38, 94, 95
- Foramen ovale** 5, 7, 23, 24, 35, 49, 70, 95, 101, 110, 121
- Foramen rotundum** 5, 7, 22, 23, 24, 49, 61, 65, 70, 101, 110, 121
- Foramen spinosum** 5, 26, 35, 66, 67, 68, 70, 95, 101, 110, 121
- Geniculate ganglion** 27, 66, 121
- Greater superficial petrosal nerve** 7, 26, 27, 28, 38, 42, 66, 68, 7, 121
- Hemangiopericytoma** 299, 300
- Inferior ophthalmic vein** 8
- Inferior petrosal sinus** 5
- Inferolateral triangle** 5, 32–34
- osseous portion 32, 34
  - tentorial portion 32, 34
- Inferomedial triangle** 5, 15, 19, 29, 33, 34
- Inner auditory canal** 34, 67, 68, 121
- Interclinoid fold** 5, 19
- Internal carotid artery** 7, 10
- anterior loop 6, 7, 9–11, 37–40, 45, 46, 62, 65, 75, 76, 79, 81, 83, 94, 96, 97, 101, 110, 118, 119
  - horizontal segment 7, 10, 11, 15, 45, 46, 68, 95, 97, 99, 119
  - lateral loop 6, 14, 17, 23, 25, 26, 28, 35, 36, 38, 68, 94–96
  - medial loop 7, 13, 14, 16–19, 21, 24, 25, 30, 31, 33, 35–37, 39, 45, 46, 75, 76, 94–96, 98, 118
  - posterior loop 7, 25, 26, 28, 35, 37, 38, 67, 68, 94–96
- Inferolateral trunk** 7, 8, 11, 14, 15, 37, 39, 94, 97, 98, 107
- Lateral triangle** 5, 23, 24, 48
- Lateral ring** 7, 22, 36–39, 96, 98, 107
- Lateral wall** 14, 15, 19, 20, 61, 64, 70, 71, 79, 81, 101, 119
- inner reticular layer 14, 20, 66
  - superficial dense layer 14, 19, 20, 66, 83
- Lesser superficial petrosal nerve** 26, 27
- Lymphomas** 299
- Meningohypophyseal trunk** 7, 8, 15–18, 32, 34, 39, 94, 97, 98, 107
- dorso-meningeal artery 8, 29
  - inferior-hypophyseal artery 8
  - tentorial artery (Bernasconi-Cassinari) 8, 32, 34

- Malignant CSB tumors 299  
 carcinoma 299, 301  
 breast carcinoma 299
- Middle cerebral artery 76, 79, 83
- Middle cranial fossa subregion 5, 19, 38
- Middle meningeal artery 26, 59, 66–68, 70, 101, 110, 121  
 labyrinthine branch 26
- Non-Hodgkin lymphoma 300
- Oculomotor trigone 5, 13, 19, 29
- Oculomotor nerve 6, 10–25, 28, 31, 37, 39, 40, 44–46, 48, 49, 66, 79, 81, 83, 96, 101, 110, 119
- Ophthalmic artery 11, 12, 21, 35, 36, 39–42, 44–46, 76, 77, 79, 80, 95, 118
- Ophthalmoplegia 98, 137
- Optic canal 9, 59, 62, 64, 70, 75, 76, 79, 81, 83, 101, 110, 118
- Optic chiasm 76
- Optic nerve 6, 9, 11–15, 19, 21, 22, 39–46, 59, 63, 64, 65, 101
- Optic strut 62, 63, 65, 70, 79, 83, 101, 110
- Optic tract 76
- Paraclival subregion 5, 29
- Paramedial triangle 5, 13–15, 17, 19, 23, 48
- Parasellar space 5, 11–14, 16, 19, 24, 26, 37, 39, 66, 70, 75, 76, 79,
- Parasellar–ICA aneurysm 93–104
- Parasellar subregion 5, 9, 185–192
- Parkinson's triangle 5, 16–19, 23, 28, 69, 121
- Petroclinoid ligament 7, 8, 29–31, 46
- Petroclival subregion 5
- Petrosal vein 6, 32, 33
- Petrous apex 5, 6, 19, 26–28, 30–32, 34, 36, 67, 68, 71, 122
- Petrous bone 26–28, 31, 34, 37
- Petrous carotid canal 35, 37, 38, 67, 68, 95, 101
- Pituitary body 6, 10, 29, 30, 43, 44, 119
- Pituitary stalk 10, 29, 30, 43, 44, 46, 76, 79
- Pituitary tumor 236–251
- Posterior cerebral artery 6, 119
- Posterior clinoid process 5, 7, 9, 19, 25, 29, 30, 36, 39, 43, 45, 46, 75, 94, 95, 96, 118, 119
- Posterior communicating artery 5, 76, 77, 79, 83, 119
- Posterior petroclinoid fold 5, 19, 29
- Posterolateral (Glasscock's) triangle 5, 26, 37
- Posteromedial (Shiobara-Kawase's) triangle 5, 26–28, 32
- Proximal ring 6, 7, 9, 10, 11, 37, 39, 40, 41, 45, 46, 65, 81, 97, 98, 119
- Sarcomas 299
- Sphenoid sinus 36, 41, 42, 79
- Sphenoid wing 59, 70, 75, 79, 81
- Statoacoustic nerve 67, 69, 122
- Superficial petrosal sinus 5, 6, 16, 23, 26, 28, 32–24, 69, 107
- Superior cerebellar artery 6, 116, 119, 121
- Superior ophthalmic vein 8
- Superior orbital fissure 5, 7–9, 15, 21, 25, 59, 60, 61, 66, 70, 83, 101, 110, 137
- Sympathetic fibers 16, 19, 22, 23, 31, 37–39, 98, 99
- Tensor tympani muscle 26–28, 67, 68
- Tentorium 5, 23, 29, 32
- Thrombosis of the PS 285
- Trigeminal nerve 6, 26, 27, 31, 34, 67, 69, 122  
 Gasserian ganglion 6, 7, 10, 15–17, 21, 23–28, 37, 38, 45, 48, 49, 66, 67–69, 101, 121  
 Meckel's cave 6, 28, 32, 34, 37, 38, 67–69, 121  
 motor root 26, 29  
 sensory root 29, 30, 33, 34  
 V<sub>1</sub> 7, 10–12, 14–25, 28, 37, 39–41, 44–46, 48, 49  
 V<sub>2</sub> 7, 10, 11, 15–17, 19–25, 28, 37, 41, 44–46, 49  
 V<sub>3</sub> 7, 16, 17, 23, 24, 26, 28, 37, 38, 49
- Trigeminal neurinoma 253  
 benign 253–270  
 malignant 299
- Trochlear nerve 6, 11–21, 22–25, 28–34, 38, 40, 41, 45, 46, 48, 49, 66
- Tolosa-Hunt syndrome 137, 286
- Vein of Labbé 71
- Venous system of the PS 16,
- Venous trabecular channels 19, 31

# SpringerMedicine

## ADVANCES AND TECHNICAL STANDARDS IN NEUROSURGERY

### Volume 28

2003. XIV, 360 pages. 80 figures, partly in colour.

Hardcover **EUR 125,-**

(Recommended retail price) Net-price subject to local VAT.

ISBN 3-211-83803-1

**Advances:** Recent Advances in Stem Cell Neurobiology (T. Ostefeld, C. N. Svendsen) • Mapping of the Neuronal Networks of Human Cortical Brain Functions (S. Momjian, M. Seghier, M. Seeck, C. M. Michel)

**Technical Standards:** Cerebral Revascularization (H.J.N. Streefkerk, A. Van der Zwan, R. M. Verdaasdonk, H. J. Mansveld Beck, C. A. F. Tulleken) • Relative Indications for Radiosurgery and Microsurgery for Acoustic Schwannoma (W. Pellet, J. Regis, P.-H. Roche, C. Delsanti) • The Management of Brain Abscesses (S. Livraghi, J. P. Melancia, J. Lobo Antunes) • Surgical Anatomy of the Temporal Lobe for Epilepsy Surgery (M. Sindou, M. Guenot)

### Volume 27

2002. XIV, 244 pages. 97 figures, partly in colour.

Hardcover **EUR 98,-**

(Recommended retail price) Net-price subject to local VAT.

ISBN 3-211-83605-5

**Advances:** Neurobiology of Epileptogenesis in the Temporal Lobe (L. Jutila, A. Immonen, K. Partanen, J. Partanen, E. Mervaala, A. Ylinen, I. Alafuzoff, L. Paljärvi, K. Karkola, M. Vapalahti, A. Pitkänen) • Diffuse Axonal Injury after Head Trauma. A Review (J. Sahuquillo, M. A. Poca) • Multi-Modal Monitoring of Acute Brain Injury (R. Kett-White, P. J. Hutchinson, M. Czosnyka, S. Boniface, J. D. Pickard, P. J. Kirkpatrick)

**Technical Standards:** Endoscopic Endonasal Transsphenoidal Surgery (E. de Divitiis, P. Cappabianca) • Extracranial Vertebral Artery Anatomy and Surgery (B. George) • Neurosurgical Management of Pineal Tumours (Y. Sawamura, N. de Tribolet)



SpringerWienNewYork

A-1201 Wien, Sachsenplatz 4-6, P.O. Box 89, Fax +43.1.330 24 26, e-mail: books@springer.at, Internet: [www.springer.at](http://www.springer.at)  
D-69126 Heidelberg, Haberstraße 7, Fax +49.6221.345-229, e-mail: orders@springer.de  
USA, Secaucus, NJ 07096-2485, P.O. Box 2485, Fax +1.201.348-4505, e-mail: orders@springer-ny.com  
Eastern Book Service, Japan, Tokyo 113, 3-13, Hongo 3-chome, Bunkyo-ku, Fax +81.3.38 18 08 64, e-mail: orders@svt-eps.co.jp

## ADVANCES AND TECHNICAL STANDARDS IN NEUROSURGERY

### Volume 26

2000. XVI, 346 pages. 83 figures, partly in colour.

Hardcover **EUR 143,-**

(Recommended retail price) Net-price subject to local VAT.

ISBN 3-211-83424-9

**Advances:** Multiple Subpial Transection (C. E. Polkey) • Hemispheric Disconnection: Callosotomy and Hemispherotomy (J.-G. Villemure, O. Vernet, O. Delalande) • Central Nervous System Lymphomas (H. Loiseau, E. Cuny, A. Vital, F. Cohadon) • Invited Commentary: Treatment of Diseases of the Central Nervous System Using Encapsulated Cells, by A. F. Hottinger and P. Aebischer (Advances and Technical Standards in Neurosurgery Vol. 25) (A. E. Rosser, T. Ostefeld, C. N. Svendsen)

**Technical Standards:** The Intracranial Venous System as a Neurosurgeon's Perspective (M. Sindou, J. Auque) • Reconstructive Surgery of the Extracranial Arteries (R. Schmid-Elsässer, R. J. Medele, H.-J. Steiger) • Surgical Treatment of Lumbar Spondylolisthesis (P. W. Detwiler, R. W. Porter, P. P. Han, D. G. Karahalios, R. Masferrer, V. K. H. Sonntag).

### Volume 25

1999. XIV, 241 pages. 54 figures, partly in colour.

Hardcover **EUR 106,-**

(Recommended retail price) Net-price subject to local VAT.

ISBN 3-211-83217-3

**Advances:** Treatment of Diseases of the Central Nervous System using Encapsulated Cells (A. F. Hottinger, P. Aebischer) • Intracranial Endoscopy (G. Fries, A. Perneczky) • Chronic Deep Brain Stimulation for Movement Disorders (D. Caparros-Lefebvre, S. Blond, J. P. N'Guyen, P. Pollak, A. L. Benabid)

**Technical Standards:** Recent Advances in the Treatment of Central Nervous System Germ Cell Tumors (Y. Sawamura, H. Shirato, N. de Tribolet) • Hypothalamic Gliomas (V. V. Dolenc) • Surgical Approaches of the Anterior Fossa and Preservation of Olfaction (J. G. Passagia, J. P. Chirossel, J. J. Favre)



SpringerWienNewYork

A-1201 Wien, Sachsenplatz 4-6, P.O. Box 89, Fax +43.1.330 24 26, e-mail: books@springer.at, Internet: [www.springer.at](http://www.springer.at)  
D-69126 Heidelberg, Haberstraße 7, Fax +49.6221.345-4229, e-mail: orders@springer.de  
USA, Secaucus, NJ 07096-2485, P.O. Box 2485, Fax +1.201.348-4505, e-mail: orders@springer-ny.com  
Eastern Book Service, Japan, Tokyo 113, 3-13, Hongo 3-chome, Bunkyo-ku, Fax +81.3.38 18 08 64, e-mail: orders@svt-ebs.co.jp

**SpringerMedicine**

**Hans-Jakob Steiger et al.**

## **Neurosurgery of Arteriovenous Malformations and Fistulas**

A Multimodal Approach

2002. VIII, 473 pages. 617 figures, partly in colour.

Hardcover **EUR 228,-**

(Recommended retail price) Net-prices subject to local VAT.

ISBN 3-211-83703-5

Arteriovenous malformations (AVM) and fistulas (AVF) differ from all other pathology affecting the central nervous system by their high-flow arteriovenous shunts. Permanent occlusion of these shunts is the essence and the challenge of therapy.

Much progress has been made since the first neurosurgical efforts to deal with these problems. Endovascular therapy and radiosurgery became accepted alternatives or adjuncts to surgery. In many instances the choice of the primary therapeutic modality is not clear and arguments can be found for several options. However, microsurgery, endovascular therapy and radiosurgery differ very much with regard to invasiveness, length of stay at the hospital but also residual risk after therapy. These secondary factors are often decisive for the choice of treatment modality.

The book presents in a clearly structured way the modern treatment concepts. It has been written for all colleagues involved in surgery, radiosurgery and endovascular therapy of neurovascular malformations.



**SpringerWienNewYork**

A-1201 Wien, Sachsenplatz 4-6, P.O. Box 89, Fax +43.1.330 24 26, e-mail: [books@springer.at](mailto:books@springer.at), Internet: [www.springer.at](http://www.springer.at)  
D-69126 Heidelberg, Haberstraße 7, Fax +49.6221.345-229, e-mail: [orders@springer.de](mailto:orders@springer.de)  
USA, Secaucus, NJ 07096-2485, P.O. Box 2485, Fax +1.201.348-4505, e-mail: [orders@springer-ny.com](mailto:orders@springer-ny.com)  
Eastern Book Service, Japan, Tokyo 113, 3-13, Hongo 3-chome, Bunkyo-ku, Fax +81.3.38 18 08 64, e-mail: [orders@svt-eps.co.jp](mailto:orders@svt-eps.co.jp)

**SpringerMedicine**

**Hans-Jakob Steiger, Eberhard Uhl (eds.)**

**Risk Control and  
Quality Management in Neurosurgery**

2001. IX, 227 pages. 45 figures.

Hardcover **EUR 108,-**

Reduced price for subscribers to "Acta Neurochirurgica": **EUR 97,-**

(Recommended retail prices). Net-prices subject to local VAT.

ISBN 3-211-83678-0

Acta Neurochirurgica, Supplementum 78

Quality in an invasive discipline such as neurosurgery comprises evidence based medicine, cost effectiveness and also risk control. Risk control and quality management have become a science on their own, combining the expertise of many specialists such as psychologists, mathematicians and also economists. Intensive communication with basic safety scientists as well as safety experts from the industry and traffic promises ideas and concepts than can be adopted for neurosurgery.

An international conference was held in Munich in October 2000 bringing together neurosurgeons and safety experts from outside medicine in order to discuss basic aspects of risk control and quality management and to develop structures applicable to neurosurgery. Basic aspects such as principles of risk and safety management, the human factor as well as standards of neurosurgical patient care, proficiency of staff and residents, and industrial quality standards were discussed. The presentations and discussions resulted in a wealth of new ideas and concepts. This book contains this material and thus provides a unique and comprehensive source of information on the current possibilities of quality management in neurosurgery.



**SpringerWienNewYork**

A-1201 Wien, Sachsenplatz 4-6, P.O. Box 89, Fax +43.1.330 24 26, e-mail: [books@springer.at](mailto:books@springer.at), Internet: [www.springer.at](http://www.springer.at)  
D-69126 Heidelberg, Haberstraße 7, Fax +49.6221.345-229, e-mail: [orders@springer.de](mailto:orders@springer.de)  
USA, Secaucus, NJ 07096-2485, P.O. Box 2485, Fax +1.201.348-4505, e-mail: [orders@springer-ny.com](mailto:orders@springer-ny.com)  
Eastern Book Service, Japan, Tokyo 113, 3-13, Hongo 3-chome, Bunkyo-ku, Fax +81.3.38 18 08 64, e-mail: [orders@svt-eps.co.jp](mailto:orders@svt-eps.co.jp)

**SpringerMedicine**

**Hans-Jürgen Reulen,  
Hans-Jakob Steiger (eds.)**

## **Training in Neurosurgery**

Proceedings of the Conference on Neurosurgical Training and Research,  
Munich, October 6-9, 1996

1997. VIII, 159 pages. 29 figures.

Hardcover **EUR 64,-**

Reduced price for subscribers to "Acta Neurochirurgica": EUR 57,60

(Recommended retail prices). Net-prices subject to local VAT.

ISBN 3-211-83002-2

Acta Neurochirurgica, Supplementum 69

An International Conference on "Neurosurgical Training and Reserach" was held in Munich from October 6 – 9, 1996, under the auspices of the EANS, and organized by H.-J. Reulen and H.-J. Steiger. Experts from different countries and neurosurgical organizations have collected information on the present status of resident training in neurosurgery and the mechanisms involved with the training. Various aspects, the recruitment process, the criteria used for selection, the contents and structure of a program, the continuous quality control, exposition to the art of research, fellowships and subspeciality training, etc. have been covered. The present book contains this material and thus provides a unique and comprehensive source of information on the complex of modern neurosurgical training.

" ...The beauty of this work is that it puts in one place the many varied aspects of a neurosurgical training program that one needs to be aware of ... should be required reading for the faculty of any academic training program as well as for others who may have a misconception of what residency training is ... an excellent book for any program director or active faculty member. It should be required reading for all faculty members before the next round of resident interviews ..."

Neurosurgery

"... well edited, published to a high standard and will naturally be of interest to those specifically involved in the areas of selection and training ... a useful text for aspirants to surgical training posts ..."

British Journal of Neurosurgery



**SpringerWienNewYork**

A-1201 Wien, Sachsenplatz 4-6, P.O. Box 89, Fax +43.1.330 24 26, e-mail: books@springer.at, Internet: [www.springer.at](http://www.springer.at)  
D-69126 Heidelberg, Haberstraße 7, Fax +49.6221.345-229, e-mail: orders@springer.de  
USA, Secaucus, NJ 07096-2485, P.O. Box 2485, Fax +1.201.348-4505, e-mail: orders@springer-ny.com  
Eastern Book Service, Japan, Tokyo 113, 3-13, Hongo 3-chome, Bunkyo-ku, Fax +81.3.38 18 08 64, e-mail: orders@svt-eps.co.jp

*Springer-Verlag  
and the Environment*

WE AT SPRINGER-VERLAG FIRMLY BELIEVE THAT AN international science publisher has a special obligation to the environment, and our corporate policies consistently reflect this conviction.

WE ALSO EXPECT OUR BUSINESS PARTNERS – PRINTERS, papermills, packaging manufacturers, etc. – to commit themselves to using environmentally friendly materials and production processes.

THE PAPER IN THIS BOOK IS MADE FROM NO-CHLORINE pulp and is acid free, in conformance with international standards for paper permanency.