

Bibliography

- [AW] H. Alexander, J. Wermer, *Several Complex Variables and Banach Algebras*, 3d edition, Graduate Texts in Mathematics 35, Springer Verlag, 1998.
- [A] R. Arens, *A Banach algebra generalization of conformal mappings of the disc*, Trans. Amer. Math. Soc. 81 (1956), 501–513.
- [AH] R. Arens, K. Hoffman, *Algebraic extensions of normed algebras*, Proc. Amer. Math. Soc., 7 (1956), 203–210.
- [AS] R. Arens, I. Singer, *Function values as boundary integrals*, Proc. Amer. Math. Soc., 5 (1954), 735–745.
- [AS1] R. Arens, I. Singer, *Generalized analytic functions*, Trans. Amer. Math. Soc., 81 (1956), 379–393.
- [AT] H. Arizmendi, T. Tonev, *Bourgain algebras of topological algebras*, Scientific Review, 19-20 (1996), 115–118.
- [ABG] Asmar, N., Berkson, E., Gillespie, T., *Invariant subspaces and harmonic conjugation on compact abelian groups*, Pacific J. Math., 155 (1992), 201–213.
- [B] A. Besicovitch, *Almost Periodic Functions*, Cambridge University Press, 1932.
- [B1] E. Bishop, *A general Rudin-Carleson theorem*, Proc. Amer. Math. Soc., 13 (1962), 140–143.
- [B2] E. Bishop, *Holomorphic completions, analytic continuation and the interpolation of seminorm*, Ann. of Math., 78 (1963), 468–500.
- [B3] S. Bochner, *Boundary values of analytic functions in several variables and of almost periodic functions*, Ann. of Math., 45 (1944), 708–722.
- [B4] A. Boettcher, *On the corona theorem for almost periodic functions*, Integral Equations and Operator Theory, 33 (1999), 253–272.

- [BKS] A. Boettcher, Y. Karlovich, I. Spitkovsky, *Convolution operators and factorization of almost periodic matrix functions*. Operator Theory: Advances and Applications, 131. Birkhäuser Verlag, Basel, 2002.
- [B5] H. Bohr, *Zur Theorie der fastperiodischen Funktionen, III. Dirichletentwicklung analytischer Funktionen*, Acta Math., 47 (1926), 237–281.
- [B6] J. Bourgain, *The Dunford-Pettis property for the ball algebra, polydisc algebra and the Sobolev spaces*, Studia Math., 77 (1984), 245–253.
- [B7] A. Browder, *Introduction to Function Algebras*, Benjamin, New York, 1969.
- [B8] R. Burckel, *Weakly almost periodic functions on semigroups*, Gordon and Breach, 1970.
- [C] L. Carleson, *Interpolation by bounded analytic functions and the corona problem*, Ann. of Math., 76 (1962), 542–559.
- [CJY] J. Cima, S. Janson, K. Yale, *Completely continuous Hankel operators on H^∞ and Bourgain algebras*, Proc. Amer. Math. Soc., 105 (1989), 121–125.
- [CSY] J. Cima, K. Stroethoff, K. Yale, *Bourgain algebras on the unit disc*, Pacific J. Math., 160 (1993), 27–41.
- [CT] J. Cima, R. Timoney, *The Dunford-Pettis property for certain planar uniform algebras*, Michigan Math. J., 34 (1987), 66–104.
- [CP] A. Clifford, G. Preston, *The Algebraic Theory of Semigroups*, Vol. I. Mathematical Surveys, No. 7, Amer. Math. Soc., Providence, R.I., 1961.
- [C1] P. Cohen, *A note on constructive methods in Banach algebras*, Proc. Amer. Math. Soc., 12 (1961), 159–163.
- [CG] B. Cole, T. W. Gamelin, *Tight uniform algebras*, J. Funct. Anal., 46 (1982), 158–220.
- [C2] C. Corduneanu, *Almost Periodic Functions*, Interscience, New York, 1968.
- [CMX] R. Curto, P. Muhly, J. Xia, *Wiener-Hopf operators and generalized analytic functions*, Integral Equations and Operator Theory, 8 (1985), 650–673.
- [D] H. Dales, *Banach algebras and automatic continuity*, London Mathematical Society Monographs. New Series, 24. Oxford Science Publications. The Clarendon Press, Oxford University Press, New York, 2000.
- [LG] K. de Leeuw, I. Glicksberg, *Quasiinvariance and measures on compact groups*, Acta Math., 109 (1963), 179–205.

- [E] W. F. Eberline, *Abstract ergodic theorems and weak almost periodic functions*, Trans. Amer. Math. Soc., 67 (1949), 217–240.
- [ES] S. Eilenberg, N. Steenrod, *Foundations of algebraic topology*, Princeton University Press, Princeton, New Jersey, 1952.
- [G] T. W. Gamelin, *Uniform Algebras and Jensen Measures*, Cambridge Univ. Press, 1978.
- [G1] T. W. Gamelin, *Uniform Algebras*, 2nd ed., Chelsea, New York, 1984.
- [G2] J. Garnett, *Bounded Analytic Functions*, Academic Press, 1981.
- [G3] I. Gelfand, *Normierte Ringe*, Mat. sbornik, 9 (1941), 3–24.
- [GRS] I. Gelfand, D. Raikov, G. Shilov, *Commutative Normed Rings*, Moscow, 1960.
- [G4] I. Glicksberg, *Measures orthogonal to algebras and sets of antisymmetry*, Trans. Amer. Math. Soc., 105 (1962), 415–435.
- [G5] I. Glicksberg, *Maximal algebras and a theorem of Radó*, Pacific J. Math., 14 (1964), 919–941.
- [G6] I. Glicksberg, *A remark on Rouché's theorem*, Amer. Math. Monthly, 83 (1976), 186–187.
- [G7] I. Glicksberg, *The strong conclusion of the F. and M. Riesz theorem on groups*, Trans. Amer. Math. Soc., 285 (1984), 235–240.
- [G8] E. A. Gorin, *Subalgebras of finite codimension*, Math. Notes, 6 (1969), 321–328 (Russian).
- [G9] S. Grigorian, *Maximal algebras of generalized analytic functions*, Izv. Akad. Nauk Armyan. SSR, Mat., 16 (1981), 358–365 (Russian).
- [G10] S. Grigorian, *Polynomial extensions of commutative Banach algebras*, Uspekhi Mat. Nauk, 39 (1984), 129–130 (Russian).
- [G11] S. Grigoryan, *Measures that are orthogonal to the algebra of functions that are generalized analytic in the sense of Arens and Singer*, J. Contemp. Math. Anal., 26 (1991), 70–73.
- [G12] S. Grigoryan, *Generalized meromorphic functions*, Russian Acad. Sci. Izv., Math., 42 (1994), 133–147.
- [G13] S. Grigoryan, *Generalized analytic functions*, Russian Math. Surveys, 49 (1994), 1–40.
- [G14] S. Grigoryan, *Fatou's theorem for generalized analytic functions*, J. Contemp. Math. Anal., 31 (1996), 26–46.
- [G15] S. Grigoryan, *Primary ideals of algebras of generalized analytic functions*, J. Contemp. Math. Anal., 34 (1999), 26–43.

- [GPT] S. Grigoryan, T. Ponkrateva, T. Tonev, *Inner automorphisms of shift-invariant algebras on compact groups*, J. Contemp. Math. Anal., 5 (1999), 57–62.
- [GPT1] S. Grigoryan, T. Ponkrateva, T. Tonev, *The validity range of two complex analysis theorems*, Compl. Var. Theory Appl., 47 (2002), 1085–1095.
- [GT] S. Grigoryan, T. Tonev, *Inductive limits of algebras of generalized analytic functions*, Michigan Math. J., 42 (1995), 613–619.
- [GT1] S. Grigoryan, T. Tonev, *A characterization of the algebra of generalized-analytic functions*, Compt. rend. de l’Acad. bulgare des Sci., 33(1980), 25–26 (*in Russian*).
- [GT2] S. Grigoryan, T. Tonev, *Linear multiplicative functionals of algebras of S -analytic functions on groups*, Lobachevsky Math. J., 9 (2001), 29–35.
- [GT3] S. Grigoryan, T. Tonev, *Blaschke inductive limits of uniform algebras*, International J. Math. and Math. Sci., 27, No. 10 (2001), 599–620.
- [GT4] S. Grigoryan, T. Tonev, *Shift-invariant algebras*, Banach Algebras and Their Applications, Contemporary Math., 363 (Eds. T. Lau and V. Runde) Amer. Math. Soc., 2004, 111–127.
- [HMT] O. Hatori, T. Miura, H. Takagi, *Characterization of isometric isomorphisms between uniform algebras via non-linear range-preserving properties*, Proc. Amer. Math. Soc., in print.
- [H] H. Helson, *Analyticity on compact abelian groups*, Algebras in Analysis, (Proc. NATO Advanced Study Inst., Birmingham, 1973), Academic Press, London, 1975, 1–62.
- [HL] H. Helson, D. Lowdenslager, *Prediction theory and Fourier series in several variables I*, Acta Math., 99 (1958), 165–202.
- [HL1] H. Helson, D. Lowdenslager, *Prediction theory and Fourier series in several variables II*, Acta Math., 106 (1960), 175–213.
- [HZ] E. Hewitt, H. Zuckerman, *The l_1 -algebra of a commutative semigroup*, Trans. Amer. Math. Soc. 83 (1956), 70–97.
- [H1] K. Hoffman, *Fatou’s theorem for generalized analytic functions*, Seminars on Analytic Functions, Inst. Adv. Study, Princeton, New Jersey, II (1957), 227–239.
- [H2] K. Hoffman, *Boundary behavior of generalized analytic functions*, Trans. Amer. Math. Soc., 87 (1958), 447–466.
- [H3] K. Hoffman, *Banach Spaces of Analytic Functions*, Prentice-Hall, Inc., Englewood Cliffs, New Jersey, 1965.

- [I] K. Izuchi, *Bourgain algebras of the disk, polydisk and ball algebras*, Duke Math. J., 66 (1992), 503–519.
- [J] K. Jarosz, *When is a linear functional multiplicative?*, Function Spaces, Contemporary Math. 232 (Ed. K. Jarosz), Amer. Math. Soc., 1999, 201–210.
- [J1] B. Jessen, *Über die Nullstellen einer analytischen fastperiodischen Funktion. Eine Verallgemeinerung der Jensenschen Formel*, Math. Ann., 108 (1933), 485–516.
- [KT] A. Kanatnikov, T. Tonev, *On the radial boundary values of analytic and generalized-analytic functions*, Ann. de l'Univ. de Sofia, FMM., 74 (1985), 127–136 (Russian).
- [K] R. Kaufman, *Extension of functionals and inequalities on an abelian semi-group*, Proc. Amer. Math. Soc., 17 (1966), 83–85.
- [K1] P. Koosis, *Introduction to H^p Spaces*, Cambridge Univ. Press, 1980.
- [KS] H. König, G. Seever, *The abstract F and M . Riesz theorem*, Duke Math. J., 36 (1969), 791–797.
- [KS1] S. Kowalski, Z. Slodkowski, *A characterization of maximal ideals in commutative Banach algebras*, Studia Math., v. 67 (1980), 215–223.
- [L] S. Lang, *Algebraic structures*, Addison-Wesley Publ. Co., Reading, Mass.-London-Don Mills, Ont. 1967.
- [L1] G. M. Leibowitz, *Lectures on Complex Function Algebras*, Scott, Foresman and Co., Glenview, IL, 1970.
- [L2] B. Levitan, *Almost Periodic Functions*, Moscow, 1953 (Russian).
- [L3] J. Lindberg, *Integral extensions of commutative Banach algebras*, Can. J. Math., XXV (1973), 679–686.
- [L4] L. Loomis, *Introduction in Abstract Harmonic Analysis*, Van Nostrand, Princeton, New Jersey, 1953.
- [LT] A. Luttman, T. Tonev, *Uniform algebra isomorphisms and peripheral ranges*, preprint.
- [MU] S. Mazur, S. Ulam, *Sur les transformations isometriques d'espaces vectoriels normes*, C. R. Acad. Sci. Paris 194 (1932), 946–948.
- [M] J. Milaszewicz, *Hardy spaces of almost periodic functions*, Ann. Scuola Norm. Sup., Pisa, 24 (1970), 401–428.
- [M1] J. Milaszewicz, *Gleason parts and certain counterexamples in the big disc context*, Proc. Amer. Math. Soc., 45 (1974), 217–224.

- [M2] L. Molnár, *Some characterizations of the automorphisms of $B(H)$ and $C(X)$* , Proc. Amer. Math. Soc. 130 (2005), 1–11.
- [N] M. Naymark, *Normed Rings*, Moscow, 1966 (Russian).
- [O] P. Owens, *A density problem for Hardy spaces of almost periodic functions*, Bull Austral. Math. Soc., 29 (1984), 315–327.
- [P] T. W. Palmer, *Banach algebras and the general theory of $*$ -algebras*, Vol. 1. *Algebras and Banach algebras*, Encyclopedia of Mathematics and its Applications, 49. Cambridge University Press, Cambridge, 1994.
- [P1] T. W. Palmer, *Banach algebras and the general theory of $*$ -algebras*, Vol. 2. *$*$ -algebras*, Encyclopedia of Mathematics and its Applications, 79. Cambridge University Press, Cambridge, 2001.
- [P2] A. Pankov, *Bounded and almost periodic solutions of nonlinear differential-operator equations*, Kluwer, Dodrecht, 1990.
- [P3] T. Ponkrateva, *Analiticity in the maximal ideal spaces of invariant function algebras*, PhD thesis, Kazan State University, 2004 (Russian).
- [P4] L. Pontryagin, *Continuous groups*, Moscow, 1954 (Russian).
- [R] J. Rainwater, *A remark on regular Banach algebras*, Proc. Amer. Math. Soc., 18 (1967), 255–256.
- [R1] T. Ransford, *A Cartan theorem for Banach algebras*, Proc. Amer. Math. Soc. 124 (1996), 243–247.
- [R2] C. Rickart, *General Theory of Banach Algebras*, van Nostrand, Princeton, New Jersey, 1960.
- [R3] K. Ross, *A note on extending semicharacters on semigroups*, Proc. Amer. Math. Soc., 10 (1959), 579–583.
- [R4] H. Royden, *Function algebras*, Bulletin of the Amer. Math. Soc., 69 (1963), 281–298.
- [R5] W. Rudin, *Fourier Analysis on Groups*, Interscience, New York, 1962.
- [R6] W. Rudin, *Function theory in polydiscs*, W.A. Benjamin, Inc., New York, Amsterdam, 1969.
- [R7] W. Rudin, *Functional Analysis*, McGraw-Hill, 1973.
- [RR] N. V. Rao, A. K. Roy, *Multiplicatively spectrum-preserving maps of function algebras*, Proc. Amer. Math. Soc. 133 (2005), 1135–1142.
- [RTT] N. V. Rao, T. Tonev, E. Toneva, *Uniform algebra isomorphisms and peripheral spectra*, Contemporary Mathematics, 2006, in print.
- [S] S. Saccone, *Banach space properties of strongly tight uniform algebras*, Studia Math., 114 (1995), 159–180.

- [S3] A. Sherstnev, *An analog of the Hahn-Banach theorem for commutative semigroups*, Russ. J. Math. Phys., 9 (2002), 198–201.
- [S2] D. Stankov, *Bounded hyper-analytic functions and Shilov boundary*, Comt. rend. de l'Acad. bulg. des Sci., 42 (1989), 13–16.
- [S3] D. Stankov, *On an algebra of functions on the boundary of generalized unit disc*, Serdica, 15 (1989), 155–159.
- [S4] E. Stout, *The Theory of Uniform Algebras*, Bogden and Quigly, Tarrytown on Hudson, 1971.
- [T] T. Tonev, *The Banach algebra of bounded hyper-analytic functions on the big disc has no corona*, Analytic Functions, Lect. Notes in Math. 798, Springer Verlag, 1980, 435–438.
- [T1] T. Tonev, *Some results of classical type about generalized-analytic functions*, Pliska, 4 (1981), 1061–1064.
- [T2] T. Tonev, *Big-Planes, Boundaries and Function Algebras*, Elsevier – North-Holland Publishing Co., 1992.
- [T3] T. Tonev, *Bourgain algebras and inductive limit algebras*, Function Spaces, Contemporary Math. 232 (Ed. K. Jarosz), Amer. Math. Soc., 1999, 339–344.
- [TG] T. Tonev, S. Grigoryan, *Analytic functions on compact groups and their applications to almost periodic functions*, Function Spaces, Contemporary Math. 328 (Ed. K. Jarosz) Amer. Math. Soc., 2003, 299–322.
- [TS] T. Tonev, D. Stankov, *Singularities of generalized-analytic functions*, Comt. rend. de l'Acad. bulg. des Sci., 33 (1980), 23–24.
- [TY] T. Tonev, K. Yale, *Hankel type operators, Bourgain algebras and isometries*, Oper. Theory Adv. and Appl. 87 (Eds. I. Gohberg, P. Lancaster, P. N. Shivakumar), 1996, Birkhäuser, Boston - Basel - Berlin, 413–418.
- [TY1] T. Tonev, K. Yale, *Bourgain algebras of G -disc algebras*, Banach Center Publications, Warsaw, 67(2005), 363–368.
- [vK] E. R. van Kampen, *On almost periodic functions of constant absolute values*, J. Lond. Math. Soc., XII (1937), 3–6.
- [V] J. Väsalä, *A proof of the Mazur-Ulam theorem*, Amer. Math. Monthly, 110 (2003), 633–635.
- [Y] K. Yale, *Bourgain algebras*, Function Spaces Lect. Notes in Pure and Applied Math. 136, (Ed. K. Jarosz), Marcel Dekker, 1992, New York, 413–422.
- [Ż] W. Żelazko, *Banach Algebras*, Elsevier Publ. Co., 1973.

Index

G -disc, \mathbb{D}_G , 224

additive

- function, 154, 162, 172
- weight, 155–159, 162–165, 167, 168, 172, 175
- maximal, 168

Ahern's theorem, 255

algebra, 241

$A(\mathbb{D}_G(r))$, 207, 208

C^* -, 246

G -disc, A_{Γ_+} , $A(\mathbb{D}_G)$, 123, 131, 148, 177–180, 182, 184, 191–193, 197, 199, 201, 203, 207, 218, 227, 229, 236, 238, 240, 247, 248, 251–255, 262

\mathbb{R} -invariant, 147, 148

ball, $A(\mathbb{B}^n)$, 7

Bourgain, 25, 27–29, 54, 181, 182, 184, 201, 258, 260

commutative Banach, 2, 4, 25, 26, 32, 33, 54, 57, 59, 85, 89, 110, 222, 230, 231, 254, 257, 259

nested family of, 33, 34, 141, 143

Fréchet, 31

integrally closed, 149

polynomially closed, 55

quotient, 24, 32, 261

self-conjugate, 84

separating, 7, 84

shift-invariant, A_S , 118–120, 122, 128, 130–132, 134, 141, 144, 148, 151, 153, 154, 174,

177, 181, 218, 236

tight, 262

topological, 29, 30, 54

uniform, *see* uniform algebra

almost periodic function, 57, 58, 74, 147, 262

S -function, 58, 59, 119, 148, 153, 154

analytic, 262

bounded, 175

on \mathbb{R}^n , 119

analytic, 59, 193, 210

asymptotically, 60, 146

asymptotically, 59, 74, 144, 145

analytic, 146, 148

on \mathbb{R}^n , 59

analytic, 125

on a group Γ , 84

weakly, 74, 148

analytic, 75

analytic Γ_+ -function, *see* analytic function on a group

analytic function

S -function

periodic, 175

bounded, 235

in \mathbb{C} , 6, 63, 74, 240, 250

bounded, 113, 132

in \mathbb{D} , 31, 66, 67, 73, 75, 123, 125, 130, 132, 140, 142, 193, 210, 237

bounded, 59, 75

in \mathbb{D}^n , 118

in a G -disc \mathbb{D}_G , 207, 238, 254

on a closed G -disc $\overline{\mathbb{D}}_G$, 177, 178

- on a group G , 123–125, 148, 177, 179, 201, 236
- annulus, 240
- G -annulus, 241
- approximation, 258
 - local, 207, 241
 - uniform, 59, 120, 123, 179, 216, 259
 - weak, 223
- Arens-Royden theorem, 252
- Argument Principle, 250
- automorphism
 - algebraic, 252
 - inner, of A_S , 131
 - of $\ell^1(S)$, 115
 - of \mathbb{D} , 27
 - of an algebra, 130, 131, 148, 251, 252
- Baire Category Theorem, 34
- Banach space, 1, 26, 34, 110, 212, 213, 218, 220
- Banach-Alaoglu theorem, 4
- Banach-Steinhaus theorem, 214, 217
- basis, 32, 34, 38, 257
 - element, 34
 - neighborhood, 91, 93, 216
 - orthonormal, 86
- Besicovitch's theorem, 132, 196
- big disc, *see* G -disc
- big disc algebra, *see* G -disc algebra
- bijection, 23, 122, 123, 129, 155, 173, 174, 219, 222, 223, 243
- bipolar theorem, 215
- Bishop's Lemma, 13, 15, 51, 53
 - additive analogue, 15, 17, 44, 45
- Blaschke
 - inductive limit algebra, 229, 238, 240, 247, 251, 252, 254
 - of annulus type, 241, 242
 - product
 - finite, 11, 193, 229–232, 234, 237, 238, 240, 242, 244–246, 248, 251–254
 - in \mathbb{C}_+ , 193, 194
 - interpolating, 54
- Bochner's theorem, 57
- Bohr compactification
 - $b(G)$ (of a group G), 81, 84, 259
 - $b(\mathbb{R})$ (of \mathbb{R}), 81, 84, 120, 123, 144, 146, 159, 236
- Borel
 - function, 85, 199, 211
 - set, 81, 86, 88
- boundary
 - of a Banach algebra, 6, 10, 114, 122
 - minimal, 12
 - topological, bK (of a set K), 6, 9, 23, 106, 240
- boundary value
 - function, 220, 229, 262
 - radial, 28, 29
 - mapping, 27
- cancellation law, 96, 98, 102, 104, 109, 111, 120, 121, 126, 151, 156, 157, 159, 170
- Carleson's \mathbb{D} -corona theorem, 230, 234, 235
- Cartesian product, 20, 84, 97, 129, 245, 246
- Cauchy integral formula, 62
- Cayley–Hamilton Theorem, 34
- Cesàro mean, 183
- chain, 158, 164
 - of elements, in a system, 18, 235, 248, 253
- character, 57, 59, 78–80, 82, 84, 85, 91, 94, 103, 114, 119, 120, 133, 138, 152, 163, 179, 181, 227, 252, 253
- Choquet
 - boundary, δB (of a Banach algebra B), 12, 15, 40, 42–44, 46, 50–52
- codimension, 199

- commutative diagram, 23, 33, 231, 233, 242, 243, 245, 251
- convergence, 216, 255, 261
 - coefficient-wise, 225
 - pointwise, 4, 111, 122, 182, 183
 - uniform, 68, 74, 182, 183, 208, 212, 252, 253, 256, 260
 - weak, 260, 261
 - weak^{*}-, 220, 227
- convolution
 - $\varphi \star \mu$ (of function and measure), 88, 181, 204, 208, 214–216, 219, 224
 - $\mu \star \nu$ (of measures), 88, 180, 211, 218, 219, 224–227
 - $f \star g$ (of functions), 87, 89, 110, 213, 223
 - operator, 227
- coordinate space, of a system, 19–21, 229, 235, 237
- corona
 - \mathbb{C}_+ -corona
 - of A_S , 128, 154
 - of $AP_S(\mathbb{R})$, 129
 - of H_S^∞ , 174
 - \mathbb{C}_+^n -corona
 - of A_S , 129
 - of $AP_S(\mathbb{R})$, 129
 - \mathcal{D}_Φ -corona, of $H^\infty(\mathcal{D}_\Phi)$, 229
 - \mathbb{D} -corona
 - of H^∞ , 235
 - of H_S^∞ , 129, 154, 174
 - \mathbb{D}_G -corona, 260
 - of H_G^∞ , 262
 - theorem
 - for $H^\infty(\mathcal{D}_\Phi)$, 234
 - for H_G^∞ , 262
- coset, 78, 134
- dilation, f_r (of a function f), 61, 71, 207
- directed set, 18, 19, 22, 254, 258
- Dirichlet
 - coefficient, 58, 84
 - exponents, 58
 - series, 58, 74
 - absolutely convergent, 113
- disc algebra, $A(\mathbb{D})$, 4, 7, 8, 11, 25, 33, 123, 125, 130, 131, 140, 141, 178, 184, 191, 229, 237, 238, 240, 249, 253, 262
- disc, \mathbb{D} , 4, 21, 23, 27, 31, 54, 61, 63, 64, 66, 73, 75, 100, 101, 111, 119, 123, 142, 146, 154, 174, 191, 203, 205, 229, 230, 232–235, 237, 240, 242, 244–246, 248, 250, 251
- G -disc, \mathbb{D}_G , 105, 106, 109, 123, 125, 129, 146, 153, 154, 173, 174, 177, 178, 180, 192, 197, 204, 207–209, 215, 217, 219, 220, 230, 237, 247, 248, 254, 260
 - punctured, \mathbb{D}_G^* , 105, 197
 - with radius r , $\mathbb{D}_G(r)$, 203, 205, 208
- disjoint union, 145, 160
- Dunford-Pettis property, 54, 181
- element
 - c -element, for A , 260, 261
 - wc -element, for A , 260, 261
 - Bourgain element, for A , 25, 258, 259
 - maximal, 100, 158, 164
 - minimal, 100
- embedding, 10, 11, 96, 144, 171, 172, 175, 197, 241
 - $(\tilde{j}_i^{(1)}, \tilde{j}_i^{(2)}, \dots, \tilde{j}_i^{(n)})$ (of \mathbb{C}_+^n into $\overline{\mathbb{D}}_{\hat{I}_1} \times \overline{\mathbb{D}}_{\hat{I}_2} \times \dots \times \overline{\mathbb{D}}_{\hat{I}_n}$), 129
 - \tilde{j}_i (of \mathbb{C}_+ into \mathbb{D}_G), 128, 132, 214
 - j_i (of \mathbb{R} into G), 83, 121, 131, 145, 154, 183, 186, 197, 198, 214, 221
- algebraic, 235, 238, 251
- group, 173
- equivalence
 - biholomorphic, 28, 29

- class, 10, 18, 97
- relation, 10, 18, 97
- extension
 - analytic, 193, 226, 262
 - continuous, 225
 - harmonic, 71, 208, 215, 217, 220, 224
 - homomorphic, 152, 153, 172
 - of a semicharacter, 152, 155, 156, 163, 176
 - of an additive weight, 156, 158, 159, 161, 163–165, 167, 168, 172, 173, 176
 - of an algebra, 32
 - algebraic, 54
 - Arens-Hoffman, 32–34, 54
 - integral, 54
 - polynomial, 33, 35, 54
 - polynomial, strong, 35, 38, 55
 - of an order, 171
- factorization, of a function, 193
- Fatou's theorem
 - for $\mathcal{M}_{\mathcal{H}}^p(G)$, 225
 - in \mathbb{D} , 223
- finite intersection property, 41
- Fourier
 - coefficient, 25, 64, 68, 71, 75, 84, 86, 118, 177, 210, 215
 - series
 - on \mathbb{T} , 67
 - on a group, 86, 205, 209, 224
 - transform, 86, 87
- Fourier-Stieltjes
 - coefficient, 87, 219
 - series, 87, 220
 - transform, $\widehat{\mu}$ (of a measure μ), 87
- fractional linear transformation, 60, 118, 129, 144, 154, 189, 197, 226
- free module, 32, 34, 35
- Fubini theorem, 69, 70, 89, 94, 209, 211, 216
- function
 - A -holomorphic, 140, 143
 - bounded, 142, 149
 - CR -function, 125
 - H^1 -function, 193, 195
 - $H^\infty(G)$ -function, 254, 259
 - $L^1(G, \mu)$ -function, 224
 - $L^\infty(G, \sigma)$ -function, 260
 - L^p -function, 68
 - S -function, 118, 120, 123, 145, 153, 154
 - \mathbb{C}^* -peaking, 51
 - Φ -hyper-analytic, on \mathcal{D}_Φ , 234
 - Γ_+ -function, *see* analytic function on a group G
 - $\mathcal{H}^p(G)$ -function, 217
 - $\mathcal{L}^{p,q}(G)$ -function, 216
 - analytic, *see* analytic function
 - anti-analytic, 29
 - Bourgain element, 259
 - characteristic, \varkappa_K (of a set K), 5, 96, 100–102, 110, 152, 159
 - composition, 233
 - continuous, 3, 21, 57, 59, 68, 84, 87, 134, 141, 145, 179, 180, 193, 208, 212, 219, 221, 224, 230, 237, 240, 256
 - bounded, 59, 144, 193
 - vanishing at ∞ , 59
 - harmonic, *see* harmonic function
 - hyper-analytic, on G , 260, 262
 - inner, 230, 234
 - singular, 118, 174, 193, 194, 200
 - integrable, 220
 - Lebesgue measurable, 68
 - locally holomorphic, 243
 - meromorphic, 194
 - orthogonal, 85
 - outer, 193, 195
 - peaking, 12, 40, 41, 43, 45, 49–53
 - periodic, 193, 256
 - unbounded, 207
 - uniformly continuous, 27

- unimodular, 194, 195, 197, 199
- functional, 180
 - linear, 10, 24, 37, 86
 - bounded, 214
 - multiplicative, of an algebra, 3–5, 9, 32, 37, 111, 112, 121, 127, 144, 151, 178, 180
 - positive, 179
- fundamental domain, of a homomorphism, 84, 226
- Fundamental Theorem of Algebra, 33
- Gelfand, 54
 - topology, 4, 122
 - transform, \hat{A} (of an algebra A), 177
 - transform, \hat{f} (of an algebra element f), 5, 6, 9, 122, 124, 125, 134, 140, 145, 197, 208, 244, 253
 - transformation, Λ , 5, 9
- generalized analytic function, *see* analytic function on a group
- Gleason
 - metric, 248
 - part, 10, 247, 249
 - singleton, 246–250, 252
- group, 20, 59, 77, 80, 95, 96, 134, 137, 151, 182, 248
 - abelian, 77, 78, 132, 231, 232, 237, 238, 240, 254–256
 - compact, 21, 23, 81, 82, 91, 117, 119, 122, 123, 128, 130, 132, 140, 142, 177, 181, 192, 203, 218, 221–223, 225, 226, 230, 232, 236, 240, 241, 252, 254, 255, 258
 - compact, 80, 120
 - dense in \mathbb{R} , 84, 131, 196, 205
 - discrete, 80, 84
 - divisible, 182
 - dual, \widehat{G} (of a group G), 22, 78, 82, 84, 103, 104, 117, 122, 128, 130, 132, 133, 135, 177, 182, 203, 222, 225, 232, 239–241, 254, 256, 260
 - envelope, Γ_S (of a semigroup), 80, 84, 97, 103, 104, 109, 118, 120, 131, 151–153, 161, 162, 171–175
 - metric, 255
 - orthogonal, 83
 - proper, 135
 - quotient, 78, 82, 133, 134, 256
 - separable, 255
 - solenoidal, 83, 84, 119, 122, 129, 131, 154, 182, 191, 192, 247, 254
 - spanned, 169
 - topological, 77, 80, 84, 115
- Hölder's inequality, 70, 92, 211, 216
- Hadamard's product, 221–223
- Hahn-Banach theorem, 8, 179
- Hardy space
 - H^1 (on \mathbb{T}), 193, 225, 226
 - $H^1(\mathbb{R})$, 193
 - $H^1 \circ w$ (on \mathbb{R}), 226
 - H^∞ (on \mathbb{T}), 75, 174, 229, 234, 235, 240, 259
 - $H^\infty(G)$ (boundary values of $H^\infty(\mathbb{D}_G)$ -functions on G), 254, 256, 257, 259, 262
 - $H^\infty(\mathcal{D}_\Phi)$ (Φ -hyper-analytic functions on \mathcal{D}_Φ), 230, 232, 233, 235, 254
 - $H^\infty(\mathbb{D})$ (bounded analytic functions in \mathbb{D}), 229, 230, 232, 234
 - $H^\infty(\mathbb{R})$, 262
 - $H^\infty(\mathbb{D}_G)$ (bounded analytic functions in \mathbb{D}_G), 229
 - H_G^∞ (hyper-analytic functions on G), 259, 261, 262
 - $H_I^\infty(G)$ (I -inductive limit of H^∞ -spaces), 254
 - H_S^∞ (S -functions in H^∞), 60, 118, 129, 154, 174

- H^p (on \mathbb{T}), 73, 75, 210
- $H^p(\mathbb{D}_G)$ (analytic $\mathcal{H}^p(\mathbb{D}_G)$ -functions), 213
- $H_S^p(G)$ (S -functions in $H^p(G)$), 218
- $H_0^1(\mathbb{R})$, 200
- Hardy-Bohr space, $H^p(G)$ (boundary values of $H^p(\mathbb{D}_G)$ -functions on G), 213
- Hardy-Helson-Lowdenslager space, *see* Hardy space $H_S^p(G)$
- harmonic family
 - of analytic measures on G , 227
 - of functions on G , 204
 - of measures on G , $\tilde{\mu}$, 223, 224, 227
 - L^p -harmonic, 225
- harmonic function
 - S -function, on G , 218
 - $\mathcal{H}^1(\mathbb{D}_G)$ -function, 219
 - $\mathcal{H}^\infty(\mathbb{D}_G)$ -function, 210, 212
 - $\mathcal{H}^p(\mathbb{D}_G)$ -function, 210
 - complex
 - in \mathbb{D} , 60
 - in \mathbb{D} , 60, 63, 64, 66–69, 71, 75, 203, 223, 225
 - conjugate, 61
 - in a G -disc \mathbb{D}_G , 204, 206–208, 224
 - real-valued, 204
- homeomorphism, 11, 24, 44, 52, 60, 119, 121, 128–130, 145, 146, 153, 154, 174, 177, 232, 239, 245–247
- homomorphism
 - algebraic, 10, 11, 18, 35, 38, 229, 237
 - connecting, of a system, 18, 230, 237, 238
 - algebraic, 232, 237
 - group, 20, 22, 77, 78, 84, 139, 163, 226
 - adjoint, 83
 - semigroup, 21, 96, 102, 104, 132, 153
- hull
 - of a semigroup
 - bounded, $[S]_b$, 142, 144
 - strong, $[S]_s$, 171, 173, 175
 - strong, $[S]_s^P$ (in P), 99, 104, 160, 161
 - weak, $[S]_w$, 99, 126, 127, 137, 142, 149
 - weak, $[S]_w^P$ (in P), 99
 - of an ideal, hull (I), 192, 222, 223
- hyperspace, 223
- ideal
 - of a semigroup, 97, 98, 100, 102, 126, 127, 160, 165, 167, 169
 - maximal, 98, 102, 167
 - minimal, 98, 102
 - of an algebra, 5, 38, 144, 148, 191, 192, 227, 260
 - \mathcal{J}_ω , of A_{Γ_+} , 192, 193, 195, 197
 - closed, 223
 - left continuous, 192
 - maximal, 5, 36–38, 191, 192, 197, 199, 223
 - minimal, 223
 - one-dimensional, 222
 - primary, 191–193, 195, 197, 199, 201
 - proper, 5, 191
 - right continuous, 192
 - weakly closed, 222
- idempotent
 - of a semigroup, 95, 100
 - of an algebra, 5
- inductive
 - limit
 - algebra, 230, 232, 237, 238, 246, 259
 - of groups, 22, 236, 254, 258
 - of uniform algebras, 18, 54, 141, 143, 229, 232, 234, 236, 237, 239, 244, 262

- sequence, 19, 23, 241
 - adjoint, 23, 230, 232, 234, 237, 238, 241, 245
 - of uniform algebras, 21, 229, 230, 237, 238, 245, 251
- system, 18, 19
 - adjoint, 22
 - of algebras, 259
 - of groups, 254, 257
- injection, 172
- inner product, 85
- integral
 - element, 32, 34, 35, 54
 - representation, 65
- inverse
 - element
 - in a group, 77, 97
 - in a semigroup, 95, 98
 - in an algebra, 2
 - of a character, 78, 102, 178
- limit
 - of groups, 22, 232, 259
 - of sets, 20, 21, 231, 232, 237, 238, 247
- sequence, 20, 22, 23, 141, 143, 230
 - adjoint, 242
 - of groups, 231
 - of sets, 237, 238, 241, 244, 247
- system, 19–23
 - adjoint, 21
- invertible element
 - in a Banach algebra, 2, 4, 5, 126, 236
 - in a semigroup, 95, 98, 164, 168
- isomorphic sequences
 - inductive, 23, 24, 233, 242, 243, 245, 246, 251
 - inverse, 23, 24, 231, 247
- isomorphism, 33, 34, 83, 199
 - algebraic, 39, 46, 48, 49, 53, 54, 246, 248, 250
 - group, 77, 78, 134, 161, 177, 205, 232, 236, 239, 240, 257
- isometric, 9, 11, 26–28, 33, 60, 73, 82, 89, 118, 119, 123, 125, 130, 134, 145, 146, 153, 207, 216, 220, 229, 232, 235, 237, 239, 240, 242, 243, 245–247, 251, 252, 254, 262
 - adjoint, 233
- semigroup, 96, 101, 155, 172, 173, 247
- kernel
 - Cauchy, 63, 64
 - group, G_S (of a semigroup S), 96, 98, 100, 104–106, 108, 122, 167, 169, 170, 172
 - $\text{Ker}(\pi)$ (of a homomorphism π), 84, 226
 - $\text{Ker}(\chi)$ (of a character χ), 78, 133, 183, 194, 206, 221, 225
 - Poisson, 63, 66, 203, 211
 - conjugate, 65
- Laplace equation, 60, 203
- Lebesgue decomposition
 - of a measure, 255
 - theorem, 227
- lifting
 - $\tilde{\mu}$ (of a measure μ), 198
 - of a function, 231
 - of a set, 231
- limit, 216
 - $L^1(G, \sigma)$ -limit, 224
 - $L^p(G, \mu)$ -limit, 214
 - \mathcal{H}^p -limit, 216
 - $\ell^1(S)$ -limit, 112
 - one-sided, 75
 - radial, 28, 213, 223, 225
 - uniform, 118, 124, 208, 240, 244
 - weak*-, 220
- linear
 - combination, 36, 84, 85, 87, 91, 94, 112, 118, 179, 208, 216, 222, 223, 227, 236
 - independence, 168, 169, 181

- mapping, 24
- operator, 31, 34, 38, 48, 49, 205, 217, 252
 - bounded, 217, 258, 259
 - surjective, 205
 - upper-triangular form of, 38
- space, 1, 24, 32, 109, 215, 223

- Möbius transformation, 130, 131, 233, 240, 249, 254
- manifold, 125
- mapping, 122, 221, 222
 - adjoint, 10, 11, 21, 22, 141, 143, 230, 235, 237, 241, 243, 251–254
 - biholomorphic, 28, 233, 243–246
 - connecting, of a system, 19
 - continuous, 24, 34, 118, 129, 147, 158, 164
 - covering, 197, 231, 250
 - n -sheeted, 244
 - countably-sheeted, 84
 - holomorphic, 233, 243
 - identity, 18–20, 175, 233, 243, 251, 252, 258
 - inclusion, 19, 20, 128, 141, 143, 199, 236, 240, 241, 252, 254, 258, 259
 - inverse, 122, 207
 - measure-valued, 223
 - continuous, 224, 225
 - projection, 20, 133, 161, 163, 194
- maximal ideal space
 - \mathcal{M}_B (of a Banach algebra B), 4, 9, 21, 27, 38, 60, 81, 111, 121, 123, 125, 126, 128–130, 140–147, 149, 153, 154, 158, 174, 175, 177, 230, 237, 239, 241, 244–247, 249, 260
- maximum modulus principle
 - for analytic functions in \mathbb{C} , 6, 61
 - for analytic functions in \mathbb{D}_G , local, 178

- measure
 - absolutely continuous, 74, 200, 225, 227
 - mutually, 211, 215, 226
 - analytic, 184, 225, 227
 - atomic, 221
 - Borel, 8, 74, 81, 86, 87, 94, 95, 179, 195, 213, 218, 220, 224–226, 255
 - Dirac, 200, 255
 - Haar, σ , 81, 82, 95, 134, 179, 206, 220, 222, 225, 227, 259
 - Lebesgue, 74, 193, 200
 - orthogonal, 197, 201, 227, 255
 - probability, 208, 222, 226
 - representing, 8, 178, 180, 203, 210, 215, 217, 218, 255
 - singular, 193, 194, 200, 220, 225, 227, 255
 - mutually, 194
- modulus (of a point in \mathbb{D}_G), 106
- monotone function
 - decreasing, 151–156
 - increasing, 156–158, 165, 176
- Montel's theorem, 31

- neighborhood, 30, 91, 93, 140, 145, 183, 255, 256
 - nested family of, 255
- norm, 1, 24, 32, 34, 35, 37, 73, 218, 220, 258
 - $L^1(G, \sigma)$ -norm, 224
 - L^∞ -norm, 85
 - $L^\infty(G, \sigma)$ -norm, 260
 - L^p -norm, 68, 70, 75, 85, 210, 213
 - $\mathcal{H}^p(\mathbb{D}_G)$ -norm, 212
 - $\ell^1(S)$ -norm, 110, 111
 - component-wise, 32
 - sup-norm, 174, 183, 208
 - total variation, 213
 - uniform, 4, 7, 57, 59, 85, 124
- null-set
 - Null(ψ) (of a semicharacter ψ), 100, 144

- Null (f) (of a function f), 140, 142, 149, 193, 194
- Null (φ) (of a linear multiplicative functional φ), 5
- number
 - complex, 200, 251, 252
 - dyadic, 22
 - integer, 182, 236, 252, 255
 - irrational, 119, 138, 153, 160, 171, 173, 174
 - natural, 191, 199, 235, 241, 246, 248, 250, 251, 254, 255, 259
 - non-negative, 192, 193, 200
 - positive, 153, 217, 255
 - prime, 127
 - relatively, 99
 - rational, 173, 231, 238, 240, 241, 257
 - real, 162, 173, 194, 195, 211, 224, 241, 246, 249
- Open Mapping Theorem, 34
- operator
 - \mathbb{R} -linear, 39
 - \mathbb{T} -homogeneous, 46, 48
 - σ_π -additive, 39, 42, 44, 46, 47, 55
 - σ_π -multiplicative, 39, 49, 52, 53, 55
 - Bochner-Fejér, 92, 115
 - completely continuous, 25–30, 181
 - composition, 232–234
 - Hankel type, 24–28, 30, 54, 181
 - monotone increasing in modulus, 40–42, 49
 - norm-multiplicative, 49, 51
 - Wiener-Hopf, 262
- origin
 - $(0, 0, \dots, 0)$ (of \mathbb{R}^n), 101, 119
 - ω (of a G -disc), 106, 192, 197, 207, 247–250, 252, 253
 - ω (of an inverse Blaschke limit of discs, \mathcal{D}_B), 249
- 0 (of \mathbb{R}), 100
- Parseval's identity, 255
- partial order, 158, 164, 170, 171, 237, 254, 259
 - S -order, 122, 151, 152, 155, 156, 165, 170, 181, 258
 - Archimedean, 122, 170–172, 178
 - in \mathbb{R} , 152
 - in the set of idempotents I_S , 96
 - in the set of semicharacters $H(S)$, 100
 - total, 170, 171
- partially ordered set, 18, 254
- peak
 - function, 138
 - group, relative to A_S , 138
 - point, 11, 134, 136, 255
 - set, 12, 42–45, 50–53, 132, 134
 - subset of X , relative to an algebra, 136–138
- p -
 - group, for A_S , 136
 - point, 12, 38, 41, 43–46, 50–53
 - set, 12, 132, 134
 - subset of X , relative to an algebra, 136
- period, of a function, 193
- Phragmen-Lindelöf theorem, 114
- Poincaré Theorem, 29
- point
 - accumulation, 145
 - derivation, 37, 38
 - evaluation, 4, 9, 129, 144, 192, 255
 - fixed, 251
 - isolated, 79
 - single, 106
 - singular, 232, 240, 242–246, 250
- Poisson
 - integral, 74, 215
 - representation, 65, 66
 - measure, 214

- polar decomposition (of a point in \mathbb{D}_G), 103, 104, 112, 152
- polydisc, \mathbb{D}^n (in \mathbb{C}^n), 7, 28, 118, 124
 algebra, $A(\mathbb{D}^n)$, 7, 118, 119, 132, 141
- G -polydisc, \mathbb{D}_G^n , 124, 125, 129, 170
- polynomial, 26, 31, 32, 34, 35, 37, 75, 123, 141, 183, 205, 237
 degree of, 32, 33, 35–37
 exponential, 57, 58
 in \mathbb{R}^n , 59
 in n variables, 33, 34
 leading coefficient of, 32
 monic, 32, 35, 37
- S -polynomial, on a group, 84, 118, 120, 121, 124, 192, 196, 208
- Pontryagin's duality theorem, 80–82, 84, 120, 135
- power series, 62, 67
 absolutely convergent, 62, 68
 expansion, 61, 208
 Taylor, 184
- predecessor, 181
- Radó's
 property, 140, 142
 theorem, 140, 142, 148
- Radon-Nikodym
 derivative, 215, 217, 220, 225
- range, 25
- restriction
 algebra, 7, 9, 10, 140, 196, 207, 226, 237, 240, 246
 map, 27, 104, 126, 129, 158
 of a function, 61, 118, 140, 154, 163, 165, 166, 197, 207, 210, 213, 233, 244, 248, 258
 of an order, 171
- Riemann, 148
 property, 142
 weak, 149
 sum, 121
 surface, 118, 231, 236, 242
 theorem, 142
- Riesz representation theorem, 86, 179, 225
- Rossi's Local Maximum Modulus Principle, 9, 54
- Schwarz's lemma, 143, 249
- semicharacter, 99, 101, 103, 104, 108, 111, 112, 126, 151, 152, 154, 155, 159, 163, 175, 176
 idempotent, 100, 104–109, 130
 non-vanishing, 152
 trivial, 100
 unit, 100
- semigroup, 20, 83, 95, 96, 101, 109, 111, 117, 119–122, 126–129, 132, 134, 141–143, 148, 151–153, 155, 156, 158–160, 162–164, 166, 168–171, 173, 175, 176, 181, 207, 218, 223
 boundedly enhanced, 142, 144
 compact abelian, 21
 complete, 160, 161, 163, 164, 166, 168, 172
 conic, 173
 operation, 95, 96
 proper, 158, 167
 strongly enhanced, 99
 in P , 160, 161, 163, 164, 166, 168, 169
 weakly enhanced, 99, 137–141
- sequence, 183
 bounded, 26, 252
 Cauchy, 1, 30, 90, 208, 212, 214, 217
 weakly, 30
 class of, 54
 weakly bounded, 31
 weakly null, 24–26, 28, 30, 31, 183, 258
- shift
 of a function
 in \mathbb{R} , 57, 74, 121, 147, 148
 in \mathbb{R}^n , 59

- in a group, 82, 84, 120
 - of a measure
 - in a group, 226
- Shilov, 54
 - boundary, ∂B (of a Banach algebra B), 7, 8, 10–13, 15, 17, 21, 54, 114, 122, 124, 134, 149, 178, 180, 199, 239, 240, 244, 246–248, 252
 - idempotent theorem, 5
- singleton, 248
- singularity
 - of a covering map, 84
 - of a function
 - removable, 142
- space
 - $AP(\mathbb{R})$ (almost periodic functions), 144, 145
 - $AP^{as}(\mathbb{R})$ (asymptotically almost periodic functions), 60, 144, 145, 147
 - $AP_a^{as}(\mathbb{R})$ (asymptotically analytic almost periodic functions), 60, 146
 - $AP_S(\mathbb{R})$ (almost periodic S -functions), 58, 119, 121, 125, 129, 153, 154, 174, 175, 179, 193, 194
 - $AP_S(\mathbb{R}^n)$ (almost periodic S -functions on \mathbb{R}^n), 119, 125, 129
 - $AP_a(\mathbb{R})$ (analytic almost periodic functions), 59, 145
 - $AP_a(\mathbb{R}^n)$ (analytic almost periodic functions on \mathbb{R}^n), 129
 - $AP_w(\mathbb{R})$ (weakly almost periodic functions), 148
 - $A_b(\mathbb{C}_+)$ (bounded analytic functions), 195, 197
 - A_c^B (c -elements for A in B), 261
 - A_{wc}^B (wc -elements for A in B), 261
 - $C(X)$ (continuous functions), 4, 179, 180, 207, 209, 211, 218, 219, 223, 239, 244, 253, 258, 261
 - $C_0(\mathbb{R})$ (vanishing at ∞ continuous functions), 59, 144
 - $C_{\mathbb{R}}(X)$ (real-valued continuous functions), 179, 180
 - $C_b(X)$ (bounded continuous functions), 28, 29, 57, 59, 144, 146, 230, 234
 - $C_u(X)$ (uniformly continuous functions), 27
 - G -plane, \mathbb{C}_G , 178, 238
 - $H(S)$, $H(S, \overline{\mathbb{D}})$ (semicharacters), 101, 102, 104, 105, 111, 121, 123, 151, 153, 155, 173, 177
 - $H(S, (0, 1])$ (positive semicharacters), 104, 152
 - $H(S, [0, 1])$ (non-negative semicharacters), 104, 155, 173
 - $H(S, \mathbb{T})$ (characters), 102, 103, 114, 115
 - $H(S_1, S_2)$ (homomorphisms), 96
 - $H(S, \overline{\mathbb{D}}^*)$ (non-vanishing semicharacters), 152
 - $H_G^{\infty} + C(G)$, 260
 - I_S (idempotents), 96
 - K^{\perp} (of a set K), 133
 - K_S^{\perp} (of a set K), 134
 - $L^1(G, \mu)$, 220
 - $L^2(G, \mu)$, 85, 86
 - $L^{\infty}(G, \mu)$, 194
 - $L_F^{\infty}(G, \mu)$, 260
 - L^p (on \mathbb{T}), 210
 - $L^p(G, \mu)$, 213, 215–217, 223, 225
 - $M(G)$ (Borel measures), 213, 218, 220, 223, 224, 226
 - $M^1(G)$, 219
 - $M_{(1/e)}^1(G)$ ($M_{(1/e)}^1(f)$ -measures), 220
 - $M_{(1/e)}(f)$, 220
 - $M_{\Gamma^+}(G)$ (analytic measures on G), 225–227

- $P(G)$ (linear combinations of characters on a group G), 84, 91
 $P_S(G)$ (S -polynomials on a group G), 84, 121
 $V(\overline{\mathbb{D}}_G, G)$, 260
 \mathbb{C} (complex numbers), 1, 4, 142, 214, 222, 238, 240, 252
 \mathbb{C}_+ (upper half-plane), 58, 113, 129, 146, 154, 174, 178, 193, 197, 226, 262
 \mathbb{C}_+^n , 129, 158, 164, 170
 \mathcal{B}_r , 248–251
 \mathcal{B}_r^0 (vanishing at 0 Blaschke products in \mathcal{B}_r), 248
 $\mathcal{H}(\mathbb{D})$ (harmonic functions in \mathbb{D}), 60, 205
 $\mathcal{H}(\mathbb{D}_G)$ (harmonic functions in \mathbb{D}_G), 204, 207, 211, 215
 $\mathcal{H}^1(\mathbb{D}_G)$, 219, 220
 $\mathcal{H}^\infty(\mathbb{D}_G)$ (bounded harmonic functions), 210
 $\mathcal{H}^p(G)$ (boundary values of $\mathcal{H}^p(\mathbb{D}_G)$ -functions), 213, 217, 218
 $\mathcal{H}^p(\mathbb{D}_G)$, 210, 212, 215, 216, 221–223
 $\mathcal{H}_S^p(\mathbb{D}_G)$ (S -functions in $\mathcal{H}^p(\mathbb{D}_G)$), 223
 $\mathcal{H}_c^p(G)$ (boundary values of $\mathcal{H}_c^p(\overline{\mathbb{D}}_G)$ -functions on G), 213
 $\mathcal{H}_c^p(\overline{\mathbb{D}}_G)$, 212, 223
 $\mathcal{H}_{\mathbb{R}}(\mathbb{D}_G)$ (real-valued harmonic functions in \mathbb{D}_G), 204
 $\mathcal{H}_c(\overline{\mathbb{D}}_G)$ (harmonic functions on $\overline{\mathbb{D}}_G$), 208, 209, 223
 \mathcal{I}_S , $I_{H(S)}$ (idempotent semi-characters), 100
 $\mathcal{M}_{\mathcal{H}}(G)$ (harmonic families of measures on G), 223, 224
 $\mathcal{M}_{\mathcal{H}}^p(G)$ (L^p -harmonic families of measures), 225
 $\mathcal{M}_{\mathcal{H}, \Gamma_+}^p(G)$ (L^p -harmonic families of analytic measures on G), 227
 \mathbb{N} (natural numbers), 168, 191, 206, 234
 \mathbb{Q} (rational numbers), 22, 182, 229, 231, 232, 236, 239–241, 257, 259
 \mathbb{R} (real numbers), 79, 119, 123, 145, 160, 161, 179, 182, 192, 193, 201, 203, 205, 209, 214, 226, 236, 240, 257, 260
 \mathbb{R}^n , 59, 109, 119, 124, 125, 129
 \mathbb{R}_+^n , 96, 109, 124, 125, 129, 158, 164, 170
 \mathbb{R}_+ (non-negative reals), 97, 123, 145, 155, 160, 171, 173–175, 236
 $\Theta(S)$ (additive weights), 155, 156, 158, 159, 162–165, 168, 172, 175
 $\Theta(S, \mathbb{R})$ (\mathbb{R} -valued additive weights), 172, 173, 175
 \mathbb{Z} (integers), 78, 171, 175, 205, 225, 226, 234, 236, 239, 240, 259
 \mathbb{Z}^k , 257
 \mathbb{Z}_+ (non-negative integers), 155, 160, 168, 171, 172
 \mathbb{Z}_+^n , 96, 101, 124
 $\mathcal{L}^{p,q}(G)$, 213–216, 218, 223
 $\mathcal{L}_S^{p,q}(G)$ (S -functions in $\mathcal{L}^{p,q}(G)$), 223
 $\mathcal{O}(\mathbb{D})$ (analytic functions in \mathbb{D}), 205, 206
 $\mathcal{O}(\mathbb{D}_G)$ (analytic functions in \mathbb{D}_G), 205, 207
 $\mathcal{O}_A(U)$ (A -holomorphic functions), 140
 $\ell^1(S)$, 109, 110, 115
 $\mathcal{F}(A)$ (peaking functions of A), 12–15, 40, 42, 49–51
 $\mathcal{F}_x(A)$, 12, 41, 43–45, 50–53
 $\mathbb{C}^* \cdot F_x(A)$, 51
 $\wp(S)$ (p -groups for A_S), 136–139

- $\widetilde{M}(K \times \mathbb{R})$ (locally finite measures), 226
- $\widetilde{M}^1(K \times \mathbb{R})$, 226
- countable, 255
- dual, X^* (of a Banach space X), 26, 85, 215
- Hilbert, 85
- pre-Hilbert, 85
- spectral radius, 3, 6
- spectrum
 - $\sigma(f)$ (of an algebra element f), 3, 6, 54, 55
 - direct, *see* inductive system
 - inductive, *see* inductive system
 - inverse, *see* inverse system
 - projective, *see* inverse system
 - peripheral, $\sigma_\pi(f)$ (of an algebra element f), 3, 6, 39, 40, 42, 44, 46–50, 54
 - $\text{sp}(B)$ (of a Banach algebra B), *see* maximal ideal space
 - $\text{sp}(\mu)$ (of a measure μ), 87, 200, 218, 220, 225
 - $\text{sp}(f)$ (of a function f), 58, 87, 141, 144, 174, 193, 194, 196, 206, 208, 218, 223, 254, 255, 259
- Stepanov's
 - space, *see* space $\mathcal{H}(\mathbb{D}_G)$
 - L^p -space, *see* space $\mathcal{H}^p(\mathbb{D}_G)$
- Stone-Weierstrass theorem, 31, 82, 84, 86, 91, 178, 180, 208
- subgroup
 - dense, 214
 - maximal, 96
- subspace
 - dense, 218
 - of an algebra
 - closed, 258
 - invariant, 38
 - proper, 207, 257
 - spanned, 38
 - weak*-closed, 262
 - proper, 218
 - successor, 18
 - support set
 - $\text{supp}(\varphi)$ (of a semicharacter φ), 100, 105
 - $\text{supp}(\mu)$ (of a measure), 180, 193, 194
 - $\text{supp}(f)$ (of a function f), 110
- topological space, 24
 - compact, 4, 7, 9, 20, 23, 27, 125, 132, 145, 178, 183, 230, 238, 241, 244–248, 252, 255
 - complete, 1, 85, 214, 217
 - connected, 252
 - dense, 91, 122, 143, 154, 174, 175, 178–180, 215, 216, 230
 - uniformly, 122
 - weak*-, 227
 - Hausdorff, 4, 9, 27, 232, 238, 252
 - of the second category, 34
 - separable, 141, 143
 - simply connected, 250
 - weakly compact
 - relatively, 74
- topology, 25, 123, 145, 147, 216
 - compact-open, 31, 80
 - discrete, 104, 259, 260
 - uniform, 80
 - weak*-, 5, 94, 95, 213
- torus, \mathbb{T}^n , 7, 78, 118, 119, 132, 137
 - solid, 124
- trace, f_r (of a function f), 61–68, 74, 204, 207, 216, 254
- uniform algebra, 7, 8, 11, 18, 19, 27, 38, 54, 59, 118, 120–122, 124, 132, 140, 142, 144, 147, 149, 153, 191, 229, 237–241, 243, 244, 247, 248, 250, 261
- analytic, 128, 143
- antisymmetric, 7, 8, 122, 130, 148, 178, 253

- Dirichlet, 8, 21, 179, 180, 239, 247
- integrally closed, 141
- maximal, 7, 122, 178, 179, 182, 184, 239, 240, 244, 253
 - on X , 7
- polynomially closed, 38
- tight, 261
 - strongly, 261
- Uniform Boundedness Principle, 31
- unit
 - ball (in a Banach space), 217, 261
 - ball, \mathbb{B}^n (in \mathbb{C}^n), 7, 28
 - circle, \mathbb{T} , 21, 22, 25, 27, 60, 61, 68, 73, 78, 102, 123, 132, 145, 147, 205, 210, 225, 226, 229, 231, 234, 237, 240, 252, 259, 260
 - element
 - i (of a group or semigroup), 77, 91, 95, 101, 181, 183, 255, 256
 - χ^0 (of the dual group), 117, 123, 181
 - e (of a Banach algebra), 2, 5, 32, 34, 54, 60, 110
 - sphere (in \mathbb{C}^n), 7
 - sphere, S_B (of a Banach space B), 4
- Urysohn's Lemma, 91
- van Kampen's theorem, 252, 253
- Wermer's maximality theorem, 8
- zero element (of a group or semigroup), 77, 95, 97
- Zorn's Lemma, 5, 158, 164