

Index

- α -level
 - function, 90
 - mappings, 63
- arithmetic of fuzzy numbers, 41
- 2-ary additive property of probability, 142
- asymptotically chased sequence of sets, 146
- Aumann-expectation of an rfv, 23
- average level of a fuzzy set, 116

- basic distribution, 144
- belief measure, 157
- Bertoluzza *et al.*'s distance
 - between compact intervals, 251
 - between fuzzy numbers, 254
- best linear unbiased estimator (BLUE), 284
 - weak, 285
 - componentwise, 287
- Bobylev differentiable fuzzy-valued mapping, 108
- Bobylev differential of a fuzzy-valued mapping, 108

- cadlag
 - functions, 63
 - representation of a fuzzy set, 63
- capacity functionals, 4
- characterizing functions, 193
- conditional expectation
 - of a fuzzy random variable, 80
 - of a set-valued random variable, 73
- conical differential of a fuzzy-valued mapping, 105
- conically differentiable fuzzy-valued mapping, 105
- convergence
 - in graph of a sequence of fuzzy sets, 76
 - in the Kuratowski-Mosco sense, 71
 - in the Wijsman topology, 71
- copula, 11
- covering function of a random set, 4

- De Blasi-differentiable fuzzy-valued mapping, 103
- De Blasi-differential of a fuzzy-valued mapping, 103
- degenerate fuzzy random variable, 44
- determination coefficient, 290
- d_q -metrics, 89
- dual
 - copula, 11
 - of a fuzzy measure, 156

- equality measure, 176
- estimated interval in the interval regression problem, 234
- expected value
 - of a fuzzy random variable, 44, 63, 80
 - of a random set, 62

- falling measures, 152
- f -inequality index, 45
- first order fuzzy logic, 3
- Fréchet-expectation of an rfv, 24
- $\mathcal{F}_c(\mathbb{R}^p)$ -linear mapping, 90
- $\mathcal{F}_c(\mathbb{R}^p)$ -positive mapping, 91
- fundamental set of the minimal event, 172
- fuzzified regression model, 283
- fuzzy p -value, 227
- fuzzy a posteriori density, 201
- fuzzy combined sample, 196
- fuzzy equivalent
 - of a confidence interval, 223
 - of a one-sided confidence interval, 223
- fuzzy HPD-region, 203
- fuzzy measure, 156
- fuzzy number, 193, 250
- fuzzy observed test size, 227
- fuzzy predictive density, 204
- fuzzy random variable, 22, 44, 63, 80, 90, 131, 209, 222
- fuzzy test, 223
- fuzzy value of the predictive density, 204

- fuzzy-valued
 - martingale, 80
 - random variable, 80
 - submartingale, 80
 - supermartingale, 80
- general variance of an rfv, 29
- generalized
 - fuzzy statistical class, 186
 - Hausdorff metric, 43
 - Hukuhara difference, 290
- graph of a fuzzy set in $\mathcal{F}_*(\tilde{X})$, 76
- Hausdorff metric, 24, 62, 88, 102, 115
- Hukuhara
 - difference, 293
 - derivative of a fuzzy-valued mapping, 106
 - differentiable fuzzy-valued mapping, 106
- hyperbolic inequality index, 49
- inequality
 - indices of a fuzzy random variable, 45
 - index of the Shannon type, 46
- input variable in the interval regression problem, 234
- input vector in the interval regression problem, 234
- integrable
 - fuzzy random variable, 80
 - set-valued random variable, 73
- integrably bounded
 - fuzzy random variable, 44, 63, 80
 - set-valued random variable, 73
- integral inclusion measure, 176
- integral of a set-valued function, 116
- intersection of regular statistical classes, 175
- interval coefficient vector in the interval regression problem, 234
- interval regression model, 234
- interval-valued fuzzy logic, 3
- irregular statistical class, 179
- Kolmogorov inequality, 33
- law of large numbers, 32
- law of the iterated logarithm in $\mathcal{F}(\mathbb{R}^p)$, 65
- least squares
 - method, 289
 - estimator, 290
- linear dependence between two fuzzy random variables, 255
- linear prevision, 135
- Lipschitz condition for fuzzy sets in $\mathcal{F}_c(\mathbb{R}^p)$, 103
- lower probability, 126, 160
- lower regression model, 236
- LP-based interval regression, 235
- magnitude
 - of a random set, 89
 - of a set in $\mathcal{K}(\mathbb{R}^p)$, 88
- measurable selection of a set-valued random variable, 72
- measurable set-valued function, 116
- meet-system, 142
- minimum combination rule, 195
- Mosco topology on $\mathcal{K}_*(\tilde{X})$, 71
- n -copula, 11
- necessity measure, 157
- necessity
 - of dominance, 226
 - of strict dominance, 226
- nested random set, 7
- norm on $\mathcal{K}_*(\tilde{X})$, 70
- omega square-distributed, 34
- ω^2 -distribution, 35
- one-sided fuzzy interval, 223
- original of a fuzzy random variable, 209
- Pettis expectation, 28
- π -differentiable fuzzy-valued mapping, 105
- π -differential of a fuzzy-valued mapping, 105
- p -local inclusion measure of a statistical class into another one, 175
- plausibility measure, 157
- positive fuzzy random variable, 44
- possibilistic
 - prevision, 134
- possibilistic
 -

- possibility
 - measure, 157
 - of dominance, 225
 - of strict dominance, 225
- primitive measure, 158
- proba on a meet-system, 143
- proba \tilde{b} i on a meet-system, 143
- product of fuzzy numbers, 251
- QP-based interval regression, 239
- Radon-Nikodym property of a Banach space, 74
- Ramík and Římanek's strong dominance criterion, 42
- random
 - LR -fuzzy number, 35
 - fuzzy set, 16
 - fuzzy variable, 22
 - set, 4, 62, 88, 125
- recurrent additive property of probability, 143
- regular sequence of sets, 146
- regular statistical class, 174
- representable possibilistic prevision, 135
- representation of the possibilistic prevision, 135
- represented probability associated with a falling measure, 152
- ρ_2 -distance, 29
- s -differentiable fuzzy-valued mapping, 109
- s -differential of a fuzzy-valued mapping, 109
- second order
 - fuzzy logic, 3
 - possibility distribution, 135
- selectors of a set-valued function, 116
- set-valued
 - martingale, 74
 - random variable, 72
 - submartingale, 74
 - supermartingale, 74
- strong law in $\mathcal{F}(B)$, 64
- sum of fuzzy numbers, 251
- support function
 - in $\mathcal{K}_c(\mathbb{R}^p)$, 88, 102
 - of a fuzzy set in $\mathcal{F}_c(\mathbb{R}^p)$, 103
- supremum metric
 - on $\mathcal{F}_c(\mathbb{R})$, 43
 - on $\mathcal{F}(B)$, 62
- t -norms, 11
- test based on a fuzzy sample, 210
- Test with LR -fuzzy numbers, 37
- type- i hyper-measurable space, 151
- union of regular statistical classes, 175
- upper inverse of a measurable set, 125
- upper probability of a measurable set, 126, 160
- upper regression model, 235
- vector characterizing function, 195
- weakly additive fuzzy measure, 162
- Wijsman topology on $\mathcal{K}_*(\tilde{X})$, 71
- (X) division generated by a finite meet-system, 143
- Yager's ranking criterion, 43