

Bibliography

- [1] Aki, K., Richards, P.G., 1980, Quantitative seismology: Theory and methods, W.H. Freeman, New York [6](#)
- [2] Al Khoury, Ph., 2005, Algorithmes géométriques de résolution des moindres carrés non linéaires et problèmes inverses en spectroscopie des flammes, PhD Thesis, University of Paris 10, March 4 [88](#), [135](#), [148](#)
- [3] Al Khoury, Ph., Chavent, G., 2006, Global line search strategies for nonlinear least squares problems based on curvature and projected curvature, *Inverse Probl. Sci. Eng.* 14(5), 495–509 [135](#)
- [4] Alessandrini, G., 1986, An identification problem for an elliptic equation in two variables, *Ann. Math. Pura Appl.* 145, 265–296 [191](#)
- [5] Alessandrini, G., Magnanini, R., 1994, Elliptic equations in divergence form, geometric critical points of solutions, and stekloff eigenfunctions, *SIAM J. Math. Anal.* 25(5), 1259–1268 [205](#)
- [6] Anterion, F., Eymard, R., Karcher, B., 1989, Use of parameter gradients for reservoir history matching, In *SPE Symposium on Reservoir Simulation*, Society of Petroleum Engineers, Houston, Texas, SPE 18433 [78](#)
- [7] Banks, H.T., Kunisch, K., 1989, Estimation techniques for distributed parameter systems, Birkhäuser, Boston [29](#)
- [8] Baumeister, J., 1987, Stable solutions of inverse problems, Vieweg, Braunschweig [17](#), [210](#)
- [9] Ben-Ameur, H., Kaltenbacher, B., 2002, Regularization of parameter estimation by adaptive discretization using refinement and coarsening indicators. *J. Inverse Ill Posed Probl.* 10(6), 561–583 [116](#)

- [10] Ben-Ameur, H., Chavent, G., Jaffré, J., 2002, Refinement and coarsening indicators for adaptive parametrization: Application to the estimation of the hydraulic transmissivities. *Inverse Probl.* 18, 775–794 [113](#), [116](#), [120](#), [123](#)
- [11] Ben-Ameur, H., Clément, F., Chavent G., Weis P., 2008, The multi-dimensional refinements indicators algorithm for optimal parameterization, *J. Inverse Ill-Posed Probl.* 16(2), 107–126 [116](#), [122](#)
- [12] Bjork, A., 1990, Least squares methods, In Ciarlet, P.G., and Lions, J.L., eds, *Handbook of Numerical Analysis*, North-Holland, Amsterdam [17](#)
- [13] Bonnans, J.F., Gilbert, J.C., Lemaréchal, C., Sagastizbal, C.A., 2003, *Numerical optimization: Theoretical and practical aspects*, Springer, Universitext Series XIV, p 423 [32](#), [127](#), [148](#)
- [14] Borzi, A., 2003, *Multigrid methods for optimality systems*, Habilitation Thesis, Institut für Mathematik, Karl-Franzens-Universität Graz, Austria [31](#)
- [15] Chardaire, C., Chavent G., Jaffré J., Liu J., 1990, Multiscale representation for simultaneous estimation of relative permeabilities and capillary pressure, Paper SPE 20501, In *Proceedings of the 65th SPE Annual Technical Conference and Exhibition*, New Orleans, Louisiana, pp 303–312 [96](#)
- [16] Chavent, G., 1979, Identification of distributed parameter systems: About the output least squares method, its implementation and identifiability, In *Proceedings of the IFAC Symposium on Identification*, Pergamon, pp 85–97 [12](#)
- [17] Chavent, G., 1986, Identifiability of parameters in the output least square formulation, In Walter, E., ed, *Structural Identifiability of Parametric Model*, chapter 6, Pergamon Press, pp 67–74 [12](#)
- [18] Chavent, G., 1990, A new sufficient condition for the wellposedness of nonlinear least-squares problems arising in identification and control, In Bensoussan, A., and Lions, J.L., eds, *Lecture Notes in Control and Information Sciences* 144, Springer, Berlin, pp 452–463 [211](#), [232](#)

- [19] Chavent, G., 1991, New size \times curvature conditions for strict quasi-convexity of sets, *SIAM J. Contr. Optim.* 29(6), 1348–1372 [12](#), [273](#)
- [20] Chavent, G., 1991, Quasi-convex sets and size \times curvature condition, application to nonlinear inversion, *J. Appl. Math. Optim.* 24(1), 129–169 [12](#), [273](#)
- [21] Chavent, G., 2002, Adapted regularization for the estimation of the diffusion coefficient in an elliptic equation, In *Proceedings of Picof 02*, Carthage, Tunisie [259](#)
- [22] Chavent, G., 2004, Curvature steps and geodesic moves for nonlinear least squares descent algorithms, *Inverse Probl. Sci. Eng.* 12(2), 173–191 [135](#)
- [23] Chavent, G., Bissel, R., 1998, Indicator for the refinement of parametrization. In Tanaka, M., and Dulikravich, G.S., eds, *Inverse Problems in Engineering Mechanics*, Elsevier, Amsterdam, pp 309–314 [113](#), [116](#), [120](#)
- [24] Chavent, G., Clement, F., 2001, Migration-based travelttime waveform inversion of 2-D simple structures: A synthetic example, *Geophysics* 66(3), 845–860 [97](#)
- [25] Chavent, G., Kunisch, K., 1993, A geometric theory for the inverse problem in a one-dimensional elliptic equation from an H^1 -observation, *Appl. Math. Optim.* 27, 231–260 [192](#), [201](#)
- [26] Chavent, G., Kunisch, K., 1993, Regularization in state space, *M2AN* 27, 535–564 [18](#), [247](#), [258](#), [259](#)
- [27] Chavent, G., Kunisch, K., 1994, Convergence of Tikhonov regularization for constrained ill-posed inverse problems, *Inverse Probl.* 10, 63–76 [210](#), [211](#), [234](#)
- [28] Chavent, G., Kunisch, K., 1996, On weakly nonlinear inverse problems, *SIAM J. Appl. Math.* 56(2), 542–572 [16](#), [166](#), [211](#), [237](#), [273](#)
- [29] Chavent, G., Kunisch, K., 1998, State space regularization: Geometric theory, *Appl. Math. Opt.* 37, 243–267 [18](#), [247](#)

- [30] Chavent, G., Kunisch, K., 2002, The output least square identifiability of the diffusion coefficient from an H^1 observation in a 2-D elliptic equation, ESAIM: Contr. Optim. Calculus Variations 8, 423 [97](#), [200](#), [202](#), [259](#), [261](#), [263](#)
- [31] Chavent, G., Lemonnier, P., 1974, Identification de la non linéarité d'une équation parabolique quasilinéaire, J. Appl. Math. Optim. 1(2), 121–162 [237](#)
- [32] Chavent, G., Jaffré, J., Jégou, S., Liu, J., 1997, A symbolic code generator for parameter estimation. In Berz, M., Bischof, C., Corliss, G., and Griewank, A., eds, Computational Differentiation, SIAM, 129–136 [38](#)
- [33] Chavent, G., Jaffré, J., Jan-Jégou, S., 1999, Estimation of relative permeabilities in three-phase flow in porous media, Inverse Probl. 15, 33–39 [116](#)
- [34] Chicone, C., Gerlach, J., 1987, A note on the identifiability of distributed parameters in elliptic systems, SIAM J. Math. Anal. 18(5), 1378–1384 [185](#)
- [35] Cominelli, A., Ferdinandi, F., De Montleau, P., Rossi, R., 2005, Using gradients to refine parameterization in field-case history match projects, In Proceedings of 2005 SPE Reservoir Simulation Symposium, paper SPE 93599, Houston, Texas, January 31st–February 2nd [116](#)
- [36] Delprat-Jannaud, F., Laiily, P., 1992, What information on the earth model do reflection travel times provide?, J. Geophys. Res. 97(B13), 19827–19844 [92](#)
- [37] Engl, H.W., Kunisch, K., Neubauer, A., 1989, Convergence rates for Tikhonov regularization of nonlinear ill-posed problems, Inverse Probl. 5, 523–540 [18](#), [211](#)
- [38] Engl, H.W., Hanke, M., Neubauer, A., 1996, Regularization of inverse problems, Kluwer, Dordrecht, p 321, (Mathematics and its applications, 375) ISBN 0-7923-4157-0 [17](#), [117](#)
- [39] Girault, V., Raviart, P.A., 1979, Finite element methods for Navier-Stokes equations, Springer, Berlin [263](#)

- [40] Griewank, A., 1992, Achieving logarithmic growth of temporal and spatial complexity in reverse automatic differentiation, *Optim. Meth. Software* 1, 35–54 [37](#), [38](#), [77](#)
- [41] Griewank, A., 2000, Evaluating derivatives: Principles and techniques of algorithmic differentiation (*Frontiers in Applied Mathematics* 19), Society for Industrial and Applied Mathematics, p 369, ISBN: 0898714516 [38](#)
- [42] Grimstad, A.A., Mannseth T., Nævdal G., Urkedal H., 2003, Adaptive multiscale permeability estimation, *Comput. Geosci.* 7, 1–25 [111](#)
- [43] Groetsch, C.W., 1984, The theory of Tykhonov regularization for Fredholm equations of the first kind, *Research Notes in Mathematics* 105, Pitman, Boston [17](#), [210](#)
- [44] Hayek, M., Lehmann, F., Ackerer, Ph., 2007, Adaptive multiscale parameterization for one-dimensional flow in unsaturated porous media, *Adv. Water Resour.* (to appear) [116](#), [270](#), [343](#)
- [45] Hein, T., 2009, Regularization in Banach space – convergence rates by approximative source conditions, *J. Inverse Ill-Posed Probl.* 17, 27–41 [211](#)
- [46] Isakov, V., 1998, Inverse problems for partial differential equations, Springer, Berlin, p 284 (*Applied mathematical sciences*, 127) ISBN 0-387-98256-6 [11](#), [185](#), [191](#)
- [47] Ito, K., Kunisch, K., 1994, On the injectivity and linearization of the coefficient to solution mapping for elliptic boundary value problems, *J. Math. Anal. Appl.* 188(3), 1040–1066 [11](#), [185](#), [191](#)
- [48] Jaffard, S., Meyer, Y., Ryan, R.D., 2001, Wavelets (Tools for science and technology), Society for Industrial and Applied Mathematics, p 256, ISBN 0-89871-448-6 [104](#)
- [49] Kunisch, K., 1988, Inherent identifiability of parameters in elliptic differential equations, *J. Math. Anal. Appl.* 132, 453–472 [191](#)
- [50] Lavaud, B., Kabir, N., Chavent, G., 1999, Pushing AVO inversion beyond linearized approximation, *J. Seismic Explor.* 8, 279–302 [6](#), [88](#), [92](#)

- [51] Le Dimet, F.-X., Charpentier I., 1998, Méthodes de second ordre en assimilation de données, *Equations aux Dérivées Partielles et Applications (Articles dédiés Jacques-Louis Lions)*, Gauthiers-Villars, pp 623–640
- [52] Le Dimet, F.-X., Shutyaev, V., 2001, On Newton method in data assimilation, *Russ. J. Numer. Anal. Math. Model.* 15(5), 419–434 [31](#)
- [53] Le Dimet, F.-X., Navon I.M., Daescu, D.N., 2002, Second order information in data assimilation, *Mon. Weather Rev.* 130(3), 629–648 [31](#)
- [54] Levenberg, K., 1944, A method for the solution of certain nonlinear problems in least squares, *Appl. Math.* 11, 164–168 [17](#), [209](#)
- [55] Lines, L.R., Treitel, S., Tutorial: A review of least-squares inversion and its application to geophysical problems, *Geophys. Prospect.* 39, 159–181 [17](#), [270](#), [343](#)
- [56] Lions, J.L., 1969, *Quelques Méthodes de Résolution des Problèmes aux limites Non Linéaires*, Dunod, Paris [25](#), [238](#)
- [57] Liu, J., 1993, A multiresolution method for distributed parameter estimation, *SIAM J. Sci. Comput.* 14, 389 [96](#), [97](#), [104](#), [207](#)
- [58] Liu, J., 1994, A sensitivity analysis for least-squares ill-posed problems using the haar basis, *SIAM J. Numer. Anal.* 31, 1486 [96](#), [97](#), [104](#)
- [59] Louis, A.K., 1989, *Inverse und Schlecht Gestellte Probleme*, Teubner, Stuttgart [17](#), [210](#)
- [60] Mannseth, T., 2003, Adaptive multiscale identification of the fluid conductivity function within prous-media flow. Conference on Applied Inverse Problems: Theoretical and computational aspects, Lake Arrowhead, May 18–23 [111](#)
- [61] Marchand, E., Clément, F., Roberts, J.E., Pépin, G., 2008, Deterministic sensitivity analysis for a model for flow in porous media, *Adv. Water Resour.* 31, 1025–1037, <http://dx.doi.org/10.1016/j.advwatres.2008.04.004> [38](#)
- [62] Marquardt, D.W., 1963, An algorithm for least squares estimation of nonlinear parameters, *J. Soc. Ind. Appl. Math.* 11, 431–441 [17](#), [210](#)

- [63] Morozov, V.A., 1984, *Methods for solving incorrectly posed problems*, Springer, New York [17](#), [210](#)
- [64] Næval, T., Mannseth, T., Brusdal, K., Nordtvedt, J.E., 2000, Multiscale estimation with spline wavelets, with application to two-phase porous media flow, *Inverse Probl.* [16](#), 315–332 [96](#)
- [65] Neubauer, A., 1987, Finite dimensional approximation of constrained Tikhonov-regularized solutions of ill-posed linear operator equations, *Math. Comput.* [48](#), 565–583 [210](#), [215](#)
- [66] Neubauer, A., 1988, Tikhonov regularization of ill-posed linear operator equations on closed convex sets, *J. Approx. Theor.* [53](#), 304–320 [210](#)
- [67] Neubauer, A., 1989, Tikhonov regularization for nonlinear ill-posed problems: Optimal convergence rate and finite dimensional approximation, *Inverse Probl.* [5](#), 541–558 [18](#), [211](#), [215](#)
- [68] Nocedal, J., Wright, S.J., 1999, *Numerical optimization*, Springer Series in Operation Research, New York [32](#), [127](#)
- [69] Økland Lien, M., 2005, *Adaptive methods for permeability estimation and smart well management*, Dr. Scient. Thesis in Applied Mathematics, Department of Mathematics, University of Bergen, Norway [96](#), [116](#)
- [70] Richter, G.R., 1981, An inverse problem for the steady state diffusion equation, *SIAM J. Math.* [4](#), 210–221 [11](#)
- [71] Sanchez Palencia, E., 1983, Homogenization method for the study of composite media, *Lecture Notes in Mathematics* [985](#), 192–214, Springer, Berlin [200](#)
- [72] Schaaf, T., Mezghani, M., Chavent, G., 2002, Direct conditioning of fine-scale facies models to dynamic data by combining gradual deformation and numerical upscaling techniques, In *Proceedings of the 8th European Conference on Mathematics of Oil Recovery (ECMOR VIII)*, Sept 3–6, Freiberg, Germany
- [73] Schaaf, T., Mezghani, M., Chavent, G., 2003, In Search of an optimal parameterization: An innovative approach to reservoir data integration, paper SPE 84273, In *Proceedings of the SPE Annual Technical Conference and Exhibition*, Denver

- [74] Sen, A., Srivastava, M., 1990, Regression analysis: Theory, methods and applications, Springer, Berlin [85](#)
- [75] Tikhonov, A.N., Arsenin, V., 1977, Solutions of ill-posed problems, Wiley, New York [17](#), [210](#)
- [76] Troianiello, G.M., 1987, Elliptic differential equations and obstacle problems, Plenum Press, New York [202](#)
- [77] van Laarhoven, P., Aarts, E., 1987, Simulated annealing, theory and practice, Kluwer, Dordrecht [31](#)
- [78] Vogel, C., 2002, Computational methods for inverse problems, Frontiers in Applied Mathematics series 23, SIAM [135](#), [270](#), [343](#)
- [79] Zhang, J., Dupuy, A., Bissel, R., 1996, Use of optimal control technique for history matching, 2nd International Conference on Inverse Problems in Engineering: Theory and Practice, June 9–14, Le Croisic, France, Engineering Foundation ed. [78](#), [135](#)
- [80] Zhang, J., Jaffré, J., Chavent, G., 2009, Estimating nonlinearities in multiphase flow in porous media, INRIA Report 6892 [88](#), [185](#)

Index

- α -convex, 283
- $k(z, \eta)$, 283
- $k(z, p)$, 282
- 1-D elliptic problem, 21
 - H^1 observation, 191–200
 - curvature estimate, 199
 - deflection estimate, 198
 - linear stability, 193
 - OLS-identifiability, 200
 - L^2 observation, 248
 - partial observation, 232
- 2-D elliptic problem, 26
 - H^1 observation, 200–207
 - adapted regularization, 259–270
 - deflection condition, 205
 - linear identifiability, 203
 - regularization by discretization, 205
 - partial observation, 232
 - continuous adjoint, 65
 - gradient calculation, 46–59
- 2-D nonlinear source problem
 - H^1 observation, 246
 - L^2 observation
 - FC/LD properties, 237–242
 - LMT regularization, 242–246
 - partial observation, 232
 - continuous adjoint, 65
 - gradient calculation, 46–59
- 2D elliptic problem
 - L^2 observation, 248
 - continuous adjoint, 59
- 2D nonlinear source problem, 24, 237
 - continuous adjoint, 59
- Finite Curvature, *see* FC
- Finite Dimension, *see* FD
- Gauss-Newton, *see* GN
- Levenberg-Marquardt-Tychonov, *see* LMT
- Limited Deflection, *see* LD
- Maximum Projected Curvature, *see* MPC
- Nonlinear Least Squares, *see* NLS
- Output Least Squares, *see* OLS
- Quadratically-, *see* Q-quasi-convex, *see* q.c.
- strictly quasi-convex, *see* s.q.c.
- acceleration, 137, 325
 - w.r.t. arc length, 338
- adapted multiscale basis, 102–103
- adaptive parameterization, 88, 108–126
- adaptive time steps, 72
- adjoint approach, 33
 - implementation, 38
- adjoint state equation, 36, 40
 - continuous, 62, 66
 - discretized, 68

- examples, 41, 44, 45, 71, 76, 133
- for variational problems, 54–59
- arc length, 137, 277
- distance, 171, 280, 286
- reparameterization by, 325, 341
- size
 - of a curve, 170
 - of a path, 322
 - of a set, 322
 - of an attainable set, 343
 - of an inverse problem, 170
 - upper bounds to, 327
- Armijo condition, 136, 142
- attainable set, 9
 - (arc length) size of, 343
 - modeling & measurement errors, 163
 - arc length distance on, 164, 171
 - closedness of, 187
 - curvature of, 343
 - deflection of, 343
 - family of paths on, 326
 - for a diffusion problem, 207
 - geodesics of, 138
 - geometric attributes of, 337–343
 - of a FC problem, 167
 - of a FC/LD problem, 168, 220
 - projection on, 172
 - property of preimage, 173
 - of a nicely nonlinear problem, 98
- auxiliary problem, 249, 254
- back-tracking, 135, 145
- background space, 102
- basis functions for parameters
 - adaptive, 108–126
 - Lagrange, 49
 - local, 93, 100–101
- multiscale
 - adapted, 102–103
 - example, 105–108
 - Haar basis, 107
 - orthogonal versus oblique, 103
- calibration, 80, 84
 - data, 83
 - parameters, 80
- changing parameters, 35, 89, 126, 129
 - from coarse to fine mesh, 130
 - polar coordinates, 132
- classical solution, 62
- coarse mesh, 94, 95, 101
- coarsening indicators, 109, 122–126
- code
 - constraints, 127–129
 - gradient with respect to
 - optimization parameters, 129–134
 - inversion, 126, 128
 - optimization, 89, 128
 - regularizing functional, 129
 - simulation, 88, 128
- conditioning, 89, 90
- cone
 - affine normal, 304, 306
 - negative polar, 212
 - tangent
 - for convex sets, 212
 - for non-convex sets, 235
- continuity lemma, 291
- convergence of solutions
 - for LMT regularization
 - FC/LD problems, 223
 - general nonlinear problems, 234
 - linear problems, 216

- for state space regularization
 - geometric theory, 253
 - soft analysis, 257
- curvature, *see* radius of curvature
- curve, 166, 337
- cuts, 119, 125
- data
 - calibrated, 83
 - space, 9, 23, 25, 38, 84
- deflection, 322
 - condition, 168, 324
 - extended, 173, 190, 324, 335
 - sufficient condition for, 170
 - of a curve, 168, 341
 - of a path, 323
 - of a set, 323
 - of an attainable set, 343
 - of an inverse problem, 168, 170
 - numerical determination, 188
 - upper bounds to, 170, 327, 328
- derivatives, 29
 - by adjoint method, 33–41
 - by finite difference, 32
 - by sensitivity functions, 33
 - continuous, 64
 - discrete, 30, 47, 65, 67, 68
 - discretized, 30, 65, 67, 68
 - sensitivity versus adjoint, 77
 - w.r.t. nonlinearity, 58
- descent algorithm, 135
 - Gauss–Newton, 144
 - Levenberg–Marquardt, 144
 - quasi-Newton, 144
 - steepest descent, 144
- descent direction, 135
- descent step
 - acceptable, 135, 136
 - Curry, 137
 - MPC, 135
- detail space, 102
- differential equations, 65
- discrete integration by part, 69, 76
- discrete marching problems, 73
 - adjoint gradient calculation, 75
 - sensitivity functions, 74
 - sensitivity versus adjoint, 77
- discretized versus discrete, 65, 72
- distance
 - arc length, 164, 171, 280, 286
 - gradient weighted, 260
- Edelstein set, 275, 287
- enlargement neighborhood, 163, 171
- family
 - of curves, 342
 - of paths, 276–279, 342
 - choice of, 279
 - definition, 278
- geometric attributes
 - of a FC problem, 170
 - of a set, 323
 - of an attainable set, 342
- Godstein condition, 136
- grad-rot decomposition, 262
- gradient equations, 36, 40
 - continuous, 64, 66
 - discretized, 68
 - examples, 45, 58, 72, 76, 134
- Green formula, 62
- guaranteed decrease property, 140, 142

- Haar basis, 107
- handling constraints, 126
- heterogeneity, 93
- identifiability, 11
 - linearized, 174
 - for bilinear problems, 174
 - for FC/LD problems, 175
 - local OLS-, 183
 - OLS-, 13, 162
 - for FC/LD problems, 176
 - for FD problems, 180
- image segmentation, 121
- implementation issues, 80
- interpolation
 - data, 247, 257
 - parameters, 95, 108, 131
- inverse problems, 9, 31, 161
 - bilinear, 174, 186, 188
 - FC (Finite Curvature), 13, 166
 - geometric attributes, 170
 - FC/LD, 13, 165–174
 - Q-wellposed, 176
 - FD (Finite Dimension), 179
 - Q-wellposed, 180
 - LD (Limited Deflection), 168
 - sufficient conditions for, 170
 - linear, 163, 211
 - nicely nonlinear, 3, 96–103, 109, 118, 207
 - weakly nonlinear, *see* FC
- Jacobian, 33, 34, 85
 - computational cost, 33, 37, 46
 - transposed, 34
- Jacobian transposed, 130
- Knott–Zoeppritz, 6, 92, 231
 - gradient calculation, 41
- Lagrange finite element, 48
- Lagrangian, 35, 39
 - continuous, 61, 66
 - examples, 42, 55, 69, 75, 133
 - for variational problems, 54
- linear case stationary
 - arc length, 141
 - residual, 141
- linesearch, 136
- Lipschitz stability, 13, 163, 177
- local minima, *see* stationary points
- localization constraint, 171, 250
- map
 - direct, *see* forward
 - forward, 9, 38, 88
 - curvature, 96
 - sensitivity, 96
 - input-output, *see* forward
- maximum likelihood, 83
- median lemma, 286
- minimum-norm solution
 - x_0 -, 17, 211, 220, 235
 - state-space y_0 -, 257
- MPC descent step, 135–149
 - convergence properties, 143
 - definition, 138, 140
 - implementation, 144

- performance, 148
- properties, 142
- multiscale decomposition, 102
 - orthogonal versus oblique, 103
- nicely nonlinear problems, 3, 96–103, 109, 118, 207
- NLS problems, 9, 161, 209
- noise level, 80, 84, 87, 89, 92, 109, 163, 304
- nominal value, 84, 91
- nonlinearity, 24, 47, 93
 - gradient w.r.t., 58
 - in the higher order, 237
- number of retrievable parameters, 87
- observation operator, 18, 21, 31
 - continuous, 47, 60, 66
 - examples, 8, 23, 41, 53, 67, 75
- obtuse angle lemma, 290
 - use of, 226, 228, 255, 293
- optimizable, 12, 162
- optimization
 - adaptive, 124
 - algorithm, 31, 128
 - MPC descent step, 135–149
 - multiscale, 104
 - scale by scale, 94–104
- optimization parameters, 89, 126
 - adaptive, 109–126
 - at scale k , 95, 100–104
 - closed form formula, 91
 - on a singular basis, 92
- overparameterization, 3, 80, 88, 89, 108, 109, 117, 118
- parameter space, 9
- parameterization
 - matrix, 95, 108
 - routine, 89, 128
 - adjoint, 89, 128
- parameterization strategy
 - adaptive, 88, 108–126
 - by closed form formula, 90
 - multiscale, 93–108
 - on a singular basis, 91
- parameters
 - calibrated, 80
 - discretized, 49, 88, 93
 - optimization, 79, 89, 126
 - on a singular basis, 92
 - adaptive, 109–126
 - at scale k , 95, 100–104
 - closed form formula, 91
 - retrievable, 79, 84–88
 - simulation, 79, 84, 88
 - distributed, 93
 - vector valued, 116
- paths, 276, 277
 - (arc) length of, 322
 - arc length along, 277
 - curvature of
 - global radius of, 305
 - deflection of, 168, 323
 - family of, 276–279, 342
 - choice of, 279
 - definition, 278
 - generating family of, 280
- penalization, 128
- piecewise constant parameters, 50, 81, 93, 100
- piecewise linear parameters, 50, 82, 93, 101
- polar coordinates, 132

- projected curvature, 140
- projection
 - η -, 275
 - on non-convex sets, 275
 - on q.c. sets
 - stability, 294
 - uniqueness & existence, 289
 - on s.q.c. sets, 172, 315
 - stability, 315
 - unimodality, 315
 - uniqueness & existence, 315
- Q-wellposed, 13, 162, 182
 - available tools, 185–191
 - for finite dimensional parameters, 183
 - for infinite dimensional parameters, 184
- q.c. sets, 275–297
 - definition, 283
- quadrature formula, 49
- qualified element
 - FC/LD problems, 221
 - linear problems, 212
- radius of curvature
 - global, 173, 299
 - characterization, 305
 - definition, 305
 - formula for, 316–319
 - lower bound to, 333
 - numerical determination, 190, 319
 - of a path, 305
 - of a set, 305
- local (usual), 138, 167, 338
 - lower bound to, 326
 - numerical determination, 191, 319
 - of a curve, 167, 341
 - of a path, 313
 - of a set, 313
 - of an attainable set, 167, 343
 - of an inverse problem, 167, 170
 - local versus global, 311–313
 - projected, 140
- reference value, 81, 82
- refinement indicators, 109–126
 - algorithm, 124
 - first order, 111
 - as Lagrange multipliers, 112
 - for image segmentation, 121
 - multiscale, 116–120
 - first order versus GN, 113
 - GN, 110
 - nonlinear, 110
- refinement mesh, 124
- regular neighborhood
 - q.c.sets, 283
 - for an arc of circle, 285
 - largest, 284
 - s.q.c. sets, 301
 - for an arc of circle, 303
 - for an arc of circle, largest, 310
 - largest, 301
 - largest enlargement, 303, 308
- regularity condition
 - for FC/LD problems, 222
 - for linear problems, 214
 - interpretation, 245
- regularization, 14
 - adapted, 14, 259–270
 - deflection condition, 267
 - FD OLS-identifiability, 268
 - linear stability, 265
 - missing information, 260

- by parameterization, 15, 79, 89–126
- by size reduction, 15, 171, 201
- LMT, 17, 209–236
 - FC/LD problems, 210, 219–231
 - general nonlinear problems, 211, 231–236
 - linear problems, 210–219
- state-space, 18, 246–259
 - geometric approach, 247–256
 - soft analysis, 247, 256–259
- residual, 137
- reverse mode, 38
- s.q.c. functions, 300
- s.q.c. sets, 165, 168, 299–320
 - are q.c. sets, 313
 - characterization, 307
 - definition, 301
 - projection on, 315
- scalar product
 - in the Lagrangian, 39, 55, 69
 - on parameter space, 81–83, 94, 109, 117
- scale (coarse, fine), 94
- scale by scale optimization, 94–104
- search curve
 - geodesic, 136, 138
 - straight, 136
 - straight versus geodesic, 142
- sensitivity analysis, 84–88
- sensitivity functions, 33
 - examples, 74
- sensitivity matrix, 33
- sets
 - (arc length) size of, 322
 - curvature of, 167, 313, 343
 - deflection of, 323
 - global radius of curvature of, 305
 - simulation mesh, 48, 81, 93
 - simulation parameters, 79, 84, 88
 - for a diffusion coefficient, 88
 - for a distributed parameter, 93
 - singular value
 - analysis, 84–88
 - decomposition, 85
 - size, *see* arc length size
 - size×curvature conditions, 171, 322
 - stability, 11, 177
 - linearized, 176, 177
 - state equation, 18, 21, 31, 36, 39
 - continuous, 47, 60, 65
 - examples, 7, 23, 42, 53, 67, 73
 - state-space
 - continuous, 60
 - examples, 41, 53, 54, 67, 75
 - state-space decomposition, 20, 31
 - 2D elliptic eq., continuous, 60
 - 2D elliptic eq., discrete, 53
 - bilinear equations, 174, 186, 188
 - Knott-Zoeppritz, 41
 - boundary conditions, 53, 55, 58
 - for state-space regularization, 246
 - in the adjoint approach, 39
 - polar coordinates, 133
 - stationary points in . . .
 - inverse problems, 32
 - definition, 162
 - optimizability, 162
 - adaptive parameterization, 109
 - scale by scale optimization, 98
 - projection on q.c. sets, 297
 - projection on s.q.c. sets, 301, 302
 - sub-mesh, 94, 117

tentative degrees of freedom, 110

total variation, 327

triangulation, 48

uncertainty

on data, 83, 85

on parameter

absolute, 85

relative, 86

uncertainty analysis, 85

unimodal, 12, 13, 162,

164

variational formulation, 48,

237

finite dimensional, 51

velocity, 137, 325

w.r.t. arc length, 338

weak solution, 62

weakly nonlinear problem, 166

wellposed, 10, 162

Q-, 13, 162

FC/LD problems, 176–178

FD, 179

Wolfe condition, 136

worst case stationary

arc length, 141

residual, 141

zonation, 117

“optimal”, 117

aggregating zones, 123

made of single connected components, 126

splitting zones, 118