

Index

A

- Absolute temperature scales, 336
- Adiabatic calorimeter, 97
- Amorphates, 137–138
- Amorphous chalcogenides
 - dynamic viscosity, 171–173
 - kinematic viscosity, 174–175
- Anhydrates and hydrates, 133–134
- Apparent activation energy, 217–221
- Applications
 - emanation thermal analysis
 - brannerite, thermal behaviour, 266–269
 - thermal stability, 263
 - zircon, thermal behaviour, 264–265
 - scanning transitionometry
 - food science, 286
 - petroleum industry, 276–278
 - polymer science, 279–285
- Arrhenius behaviour, 9
- Artificial state, biological glasses
 - cooling and warming rate, 298–300
 - dehydration, 300–301
 - desiccation
 - glass transition temperature, 301
 - temperature and dehydration conditions, 301–302
- Atkinson-normal-growth (ANG)-type crystallization, 69

B

- BB method. *See* Beam-bending method
- Beam-bending method (BB), 170
- Biodiversity long-term storage, 306
- Biological glasses
 - glass transition, 303, 304
 - methods, 302

stability

- fragile, 305
 - Hruby coefficient, 303
 - kinetic property, 304
- Block copolymers, 124–125
 - Borate glasses, 189
 - Brittle point. *See* Glass transitions
 - Brownian motion, 239–242

C

- Capillary method (C), 166–167
- Carnot's theorem and Kelvin's proposition
 - caloric gauge, 339
 - cyclic and reversible process, 338
 - energy balance equation., 337
 - Joule–Mayer's Principle, 340–341
 - thermodynamic gauge, 340
- Chalcogenide glass-forming systems, viscosity measurements
 - amorphous
 - dynamic viscosity, 171–173
 - kinematic viscosity, 174–175
 - definition, 165
 - measuring methods
 - beam-bending method (BB), 170
 - capillary method (C), 166–167
 - Eisenberg method (EM), 170
 - falling sphere method (FS), 167
 - low-temperature torsion viscometer (LV), 170
 - magnetic bearing torsional creep method (TC), 170
 - parallel-plate method (PP), 169
 - penetration method (P), 169
 - rod elongation (RE), 168
 - rotating cylinder method (RC), 167–168

- torsion oscillating cup method (TOC), 168
 - Chalcogenide glasses
 - differential scanning calorimetry (DSC), 142–143
 - glass transition
 - conventional DSC, 143
 - description of, 153–159
 - dynamic DSC (DDSC), 144
 - enthalpic relaxation, 146–153
 - heat rate dependencies, 145, 146
 - modelling, 159–162
 - StepScan DSC, 145, 146
 - temperature modulated DSC (MDSC), 144, 145
 - optical properties, 141
 - Cocrystals, 135–137
 - Constrained states, plants
 - artificial state, biological glasses
 - cooling and warming rate, 298–300
 - dehydration, 300–301
 - desiccation, 301–302
 - biodiversity long-term storage, 306
 - biological glasses
 - measurements, 302–303
 - stability, 303–306
 - glass forming components
 - carbohydrates, 295–298
 - proteins, 298
 - supercooled water, 294–295
 - water properties
 - excessive dehydration, protoplast, 292–293
 - extra-organ freezing, 293
 - fractal dimension, 291
 - freezing process, 292
 - vittrification, 293
 - Continuous belt-running method, 72
 - Conventional DSC, 143
 - CRS. *See* Crystalline reference state
 - Cryo-preservation, 17
 - Crystalline reference state (CRS), 180
 - Curie-Weiss behaviour, 212, 213
 - Cyclohexanol, 11, 12
- D**
- Darcy's law, 229–230
 - Deborah number, 15
 - Differential scanning calorimetry (DSC), 142–143
 - conventional DSC, 143
 - dynamic DSC (DDSC), 144
 - of Jeffamine ED2003, 121–122
 - of nanophase separated polyurethane networks, 125, 126
 - of poly(vinylmethylether), 120–121
 - of polyethylenes, 280
 - polystyrene and PMMA blends, 123–124
 - StepScan DSC, 145, 146
 - temperature modulated DSC (MDSC), 144, 145
 - Diffusion and stochastic quantum mechanics, 234–236
 - DIL. *See* Dilatometry
 - Dilatometry (DIL), 84
 - Disordered states, 61
 - DMTA. *See* Dynamic mechanical thermal analysis
 - Double non-stationary resembling calorimeter, 357
 - Drug formulation, 133–134
 - DSC. *See* Differential scanning calorimetry
 - Dynamic DSC (DDSC), 144
 - Dynamic mechanical thermal analysis (DMTA), 84
- E**
- Ehrenfest first order transitions, 107
 - Eisenberg method (EM), 170
 - Emanation rate, 262
 - Emanation thermal analysis, diffusion structural diagnostics
 - application
 - brannerite, thermal behaviour, 266–270
 - thermal stability, 263
 - zircon, thermal behaviour, 264–265
 - quasi-permanent source, 261
 - radon atoms implantation, α -decay recoil energy, 261–262
 - radon release mechanisms, 262–263
 - Enthalpy relaxation
 - DSC curves, 149
 - equilibrium enthalpy, 151, 152
 - glass transition, 146–148
 - model, 148–149
 - multiphase structure, 123
 - non-exponentiality parameter β , 150, 151, 153
 - Perkin–Elmer Pyris 1 DSC calorimeter, 149
 - polymers, 117
 - qualitative concept, 150, 151, 153
 - relaxation temperature, 149, 150, 153

- structure-breaking/structure-forming process, 9
 - Equilibrium enthalpy, 151, 152
 - Equilibrium viscosity, 217, 218
 - Ethanol, 11, 13
- F**
- Falling sphere method (FS), 167
 - Fick's law, 232–234
 - Fourier's law, heat transfer, 227–229
 - Fragile liquids, 22, 30, 36
 - Frozen-in disordered states, 2, 3, 10, 15, 17
 - FTMT-EC treatment, 246, 247, 256
- G**
- Gibbs free energy, 118–120
 - Glass forming components
 - carbohydrates
 - cryopreservation, 296
 - glass transition temperature, 296
 - MFCP, 297
 - schematic state diagram, sucrose solution, 296–297
 - proteins, 298
 - supercooled water
 - heat capacity, 294
 - homogeneous freezing point, 295
 - Glass transition temperature, 43
 - elastomers, high pressure
 - amplitude, 281
 - scanning transitiometry technique, 281–282
 - thermomechanical coefficients, 280
 - polystyrene, high pressure methane, 282
 - shift, high pressure gases
 - blowing effect, 283
 - mass fraction, 284
 - plasticization, 283
 - variation with pressure, 284, 285
 - Glass transitions
 - conventional DSC, 143
 - critical temperature
 - crossover temperature, 43
 - Debye-Waller factor, 45
 - glassy state formation, 46
 - MCT, 41
 - medium range structure, 41–42
 - non-linear oscillators, 46
 - voids, definition, 41
 - description of
 - conventional DSC cooling scan, 157, 158
 - fictive-thermodynamic temperature relation, 156, 157
 - heating rate dependence, 155
 - kinetic heat flow, 158, 159
 - StepScan DSC, 154
 - dynamic DSC (DDSC), 144
 - enthalpic relaxation
 - DSC curves, 149
 - equilibrium enthalpy, 151, 152
 - glass transition, 146–148
 - model, 148–149
 - non-exponentiality parameter β , 150, 151, 153
 - Perkin–Elmer Pyris 1 DSC calorimeter, 149
 - qualitative concept, 150, 151, 153
 - relaxation temperature, 149, 150, 153
 - entropy contributions
 - molecular polarizability, 48
 - Vogel's temperature, 47
 - glassy crystals
 - anisotropic liquids, 11–12
 - CO and H₂O crystals, 14–15
 - cyclohexanol crystal, 11, 12
 - Deborah number, 15
 - dielectric and enthalpy relaxations, 10–11
 - ethanol, 11, 13
 - temperature, 13
 - heat capacity, 108
 - heat capacity and entropy functions, 33–35
 - heat rate dependencies, 145, 146
 - Kauzman paradox, 109
 - linear cooperative phenomena
 - alpha and beta slow processes, 52–54
 - block time characteristic, 48–49
 - molecular polarizability, critical volume, 52
 - N-element estimation, built-in blocks, 49–51
 - local heterogeneity, 47
 - modelling
 - normalized reversible parts, 160, 161
 - steepness parameter, 161, 162
 - rigid-amorphous fraction (RAF), 110
 - StepScan DSC, 145, 146
 - temperature (*see* Glass transition temperature)

- Glass transitions (*cont.*)
 temperature modulated DSC (MDSC), 144, 145
- Glass viscosity
 Angell's steepness and fragility parameter relation, 221, 223
 apparent activation energy, 217–221
 equilibrium viscosity, 217, 218
 mean jump frequency, 219–223
 non-equilibrium viscosity, 221–223
 preexponential constant, 223–224
- Glassforming liquids, heat capacity of, 21–22
 excess entropy and heat capacity, 29–30
 SiO₂, 28–29
 thermodynamic fragility plot, 30–31
 water in normal, supercooled liquid and glassy states, 31–32
- Glassy solids
 amorphous ice, 16–17
 character of
 ergodicity, 2
 exotic formation of, 2
 glass products, 1
 glass transition measurement, 1–2
 molecular assembly, 2–3
 characterization of
 enthalpy relaxation, 9
 fragility, 9
 glass transition temperature, 5–6
 heat capacity and entropy, isopropylbenzene, 6–7
 Kohlrausch–Williams–Watts equation, 7
 non-exponential relaxation, 7
 thermal analysis, 5
 vibrational heat capacity, 9–10
 viscosity, 8
 Vogel–Tammann–Fulcher (VTF) equation, 8–9
 cryo-preservation of biological substances, 17
 glass transitions
 anisotropic liquids, 11–12
 CO and H₂O crystals, 14–15
 cyclohexanol crystal, 11, 12
 Deborah number, 15
 dielectric and enthalpy relaxations, 10–11
 ethanol, 11, 13
 temperature, 13
 preparation
 chemical methods, 5
 methods of, 3–5
 states of aggregation of molecules, 17–18
 Glykosylated derivatives, 137
- H**
- Heat capacity
 cyclohexanol, 11, 12
 ethanol, 11, 13
 of isopropylbenzene, 6, 7
- Heat capacity and entropy functions
 changeover of, above glass transition, 35–37
 CoFe alloy vs. silicate glass, 33
 glassforming liquids, 21–22
 excess entropy and heat capacity, 29–30
 SiO₂, 28–29
 thermodynamic fragility plot, 30–31
 water in normal, supercooled liquid and glassy states, 31–32
 ionic conductivity in potassium iodide, 23, 24
 of 1-pentene, 21, 22
 of C₆₀, order-disorder transition, 26
 of Jagla model, 34
 plastic crystal properties, 27, 28
 relaxation times, ionic crystal rotator phases, 23, 25
 two-state excitations model, 23
- Heat treatment
 electrical resistivity, 251–253
 experiment and method, 247–248
 in-situ X-ray diffraction results
 integrated intensity, 253, 254
 peak position evolution, 254, 255
- Heavily cold drawn nanocrystalline Ni-Ti wires
 B2-R transformation, 258
 electrical resistivity, 251–253
 electron diffraction patterns, 245, 246
 experiment and method
 heat treatment, 247–248
 synchrotron X-ray diffraction, 248–251
 FTMT-EC treatment, 246, 247, 256
 in-situ X-ray diffraction results, 253–255
 lattice recovery processes, 256, 257
 microstructures, 245, 246, 255–256
 shape memory alloys (SMA), 245–246
 tensile stress, 258
 tensile stress-strain response, 245, 246
- High-density amorphous (HDA) ice, 16
- Hotness manifold and temperature, 333–335.
See also Thermal physics concepts

I

- Ideal gas temperature scale, 336
- Ionic conductivity, 23, 24
- Islands-of-mobility, 53
- Isoperibolic twin-calorimeters, 357

J

- Jeffamine ED2003, 121–122
- Johnson–Mehl–Avrami–Yerofeev–Kolmogorov (JMAYK)-type of nucleation growth, 69

K

- Kohlrausch–Williams–Watts equation, 7

L

- LCST. *See* Lower critical solution temperature
- Lechatelierite, 60
- Liesegang's rings, 236, 237
- Linear cooperative phenomena
 - alpha and beta slow processes
 - diffusion displacements, 52
 - relaxation time, 53
 - standard Arrhenius relation, 54
- N-element estimation, built-in blocks
 - crossover temperature, 51
 - shear elasticity, 50
 - shear viscosity, 49
- Liquid-cooling method, 3
- Liquids
 - definition, 93
 - glass transitions, 94
- Low-density amorphous (LDA) ice, 16
- Low-temperature torsion viscometer (LV), 170
- Lower critical solution temperature (LCST), 120, 121
- LV. *See* Low-temperature torsion viscometer

M

- Magnetic bearing torsional creep method (TC), 170
- Maximum freeze concentrated phase (MFCP), 297
- Maximum in the loss tangent. *See* Glass transitions
- MCT. *See* Mode coupling theory
- Mean jump frequency, 219–223
- Mechanical alloying, 4
- Mechanical milling, 4

- Medium range order (MRO), 199
- MFCP. *See* Maximum freeze concentrated phase
- Mode coupling theory (MCT), 41
- Modulated structure, 62

N

- Nano-crystalline splat-quenched (Fe, Mn)₂O₃–B₂O₃ borate glasses, 206–207
 - DTA curves, 209, 210
 - DTA data, 211
 - extrapolated temperature, 209
 - glass-forming abilities, 209–210
 - magnetic interactions strength, 211–212
 - moment-related properties, 208
 - unconventional glasses properties, 207
- Nanocrystallinity
 - artificial and natural disordered materials
 - melt-cooling processes, 60
 - methods, 61
 - quenching, 59
 - freeze-in process
 - continuous belt-running method, 72
 - fast-quenching device, 71
 - heat transfer coefficient, 70
 - surface laser glazing, 71
 - twin roll technique, 72
 - noncrystalline chalcogenide materials, 63–64
 - pressure and temperature-induced amorphization
 - compressive amorphization, 64
 - superstrong liquid, 65
 - thermobaric amorphization, 64
 - Vogel–Fulcher–Tammann–Hesse (VFTH) parameter viscosity relation, 65
 - structural features
 - diffusional-driven ordering process, 63
 - glass-formation, 61
 - medium-range order, 62
 - short-range order, 63
 - vitrification vs. crystallization
 - ANG-type, 69
 - enthalpy vs. temperature, 67–68
 - JMAYK-type, 69
- Nanophase separation, polymers, 125–126
- Nernst–Brunner kinetics, 236
- Non-bridging oxygen (NBO)
 - continuous random network model (CRN), 200

- Non-bridging oxygen (NBO) (*cont.*)
 medium range order (MRO), 199
 short range order (SRO), 199
 ternary system, 202
 zero interconnected web state, 201
- Non-crystalline solids, amorphous
 aggregation of molecules, 17–18
 character of, 1–3
 cryogenic storage, 17
 glass transitions, glassy crystals, 10–15
 ice, 16–17
 preparation and characterization of, 3–10
- Non-crystalline splat-quenching. *See* Nano-crystalline splat-quenched (Fe, Mn)₂O₃–B₂O₃
- Non-equilibrium viscosity, 221–223
- O**
- Ohm's law, 230–232
- Oxide glasses
 Curie-Weiss behaviour, 212, 213
 glass formation, thermodynamics
 crystalline reference state (CRS), 180
 definition, 179–180
 linear dependence slopes, 180, 181
 thermal expansion coefficient, 182–183
 thermilatometric cooling curve, 181, 182
 thumb rules, 184–185
 magnetic properties, (Fe,Mn)₂O₃–B₂O₃
 borate glasses, 206–207
 DTA curves, 209, 210
 DTA data, 211
 extrapolated temperature, 209
 glass-forming abilities, 209–210
 magnetic interactions strength, 211–212
 moment-related properties, 208
 unconventional glasses properties, 207
- non-bridging oxygen (NBO)
 continuous random network model (CRN), 200
 medium range order (MRO), 199
 short range order (SRO), 199
 ternary system, 202
 zero interconnected web state, 201
- quantitative Raman spectroscopy, 192–195
- silicate glasses, ionic sites volume
 alkali borate glasses compositions, 206
 field strength, 204
 magnetic cations, 206
- NBO concept, 205
 properties, 203
 structural unit concentration, 203–204
 speromagnetic behaviour, (Fe,Mn)₂O₃–(B, Bi)₂O₃, 212–214
- stoichiometry
 borate glasses, 189
 silicate glasses, 187–189
 structure of, 185–187
 thermodynamic glass models, 189–192
 thermodynamic modelling, 192–195
- P**
- PALS. *See* Positron annihilation lifetime spectroscopy
- Parallel-plate method (PP), 169
- PASCA, 47
- Peltier cooling effect, 356
- Penetration method (P), 169
- Periodic reactions, 236–237
- Periodic thermal analysis, 359
- Perkin–Elmer Pyris 1 DSC calorimeter, 149
- Pharmaceutical molecules, solid forms
 amorphates, 137–138
 anhydrates and hydrates, 133–134
 chemical and physical types, 129, 130
 cocrystals, 135–137
 drug formulation, 133–134
 future of, 139
 glykosylated derivatives, 137
 parameters, 129, 130
 polymorphous transitions, 131, 132
 polymorphs, 130–132
 ROY molecule, 131
 salts, 134–135
- Phases of amorphous, crystalline and intermediate order
 amorphous defects, 95
 glass transitions
 heat capacity, 108
 Kauzman paradox, 109
 rigid-amorphous fraction (RAF), 110
- heat capacity, solids
 bovine α -chymotrypsinogen type II protein, 103–104
 skeletal vibrations, 102
 vibrational spectrum, 101
- large amplitude motion
 hole model, 105
 intramolecular conformational rotation, 105
 translational degrees of freedom, 104

- mesophases, 97
 - microphase formation, 95
 - nanophase vs. microphase, 96
 - ordering phase transitions
 - Ehrenfest first order transitions, 107
 - free enthalpy, 106, 108
 - integral calorimetric functions, 105–106
 - nonequilibrium thermodynamics, 107
 - solid equilibrium crystal, 108
 - solids and liquids
 - definition, 93
 - glass transitions, 94
 - thermal properties
 - differential calorimeter, 98
 - DSC vs. TMDSC, 100
 - heat capacity, 97
 - reversing temperature, 99
 - Phenomenological conjugate variables and thermal equilibrium
 - adiabatic partition, 330
 - correlation test, 329
 - diathermic partition, 329–330
 - empirical constitutive relations, 328
 - energy balance equations, 329
 - equilibrium state, 330
 - local empirical temperature scale, 331
 - principle of indifference, 331
 - PMMA. *See* Poly(methylmetacrylate)
 - Poly(butadiene) diol (PBD), 125, 126
 - Poly(methylmetacrylate) (PMMA), 123–124
 - Poly(oxypropylene) triol (POPT), 125, 126
 - Polymer networks, 125–126
 - Polymer physics, thermal analysis
 - calorimetry
 - definition, 78
 - DSC traces, 79–80
 - heat capacity, 81
 - morphology, 80
 - types of, 78
 - DIL and PALS
 - local relaxations, 84
 - volume relationship, 82–83
 - DMTA, 84
 - structural relaxations and glass transition temperatures, 88–89
 - supermolecular structure
 - crystallites formation, 85–86
 - phase situation, 85–86
 - SAXS, 84
 - three-phase model, 87
 - WAXS, 84
 - thermogravimetry
 - membranes, 81–82
 - supermolecular structures, 81
 - Polymers
 - block copolymers, 124–125
 - nanophase separation in, 125–126
 - polymer chain and random walk, analogy of, 116
 - solutions and blends
 - binodal and spinodal lines, 118
 - DSC scans, poly(vinylmethylether), 120–121
 - Gibbs free energy, 118–120
 - Jeffamine ED2003, phase diagram of, 121, 122
 - thermal behaviour, PS and PMMA, 123–124
 - thermograms, Jeffamine ED2003, 121, 122
 - upper critical solution temperature (UCST), 117–118
 - thermal analysis, 115
 - thermal properties of amorphous, 116–117
 - Polymorphous transitions, 131, 132
 - Polymorphs, 130–132
 - Polystyrene (PS), 123–124
 - Positron annihilation lifetime spectroscopy (PALS), 84
 - PP method. *See* Parallel-plate method
 - Precious opal
 - Cooper Pedy white play-of-colour, 317–318
 - origin, 317
 - sol-gel mechanism, 319
 - thermophysical properties
 - α – β cristobalite transition, 321
 - thermal expansion, 314, 320
 - water characterisation, 320–321
 - volcanic opal, 319
 - weathering model, 319
 - Preexponential constant, 223–224
 - Principle of indifference, 331
 - Proteins, 17
 - Pumice, 60
- Q**
- Quantitative phase analysis, 250, 251
 - Quantitative Raman spectroscopy, 192–195
 - Quantum diffusion, 236–237
 - Quantum resemblance, 239–242
- R**

- Radon atoms implantation, α -decay recoil energy, 261–262
- Radon release mechanisms, 262–263
- Rate controlled scope of thermal analysis (RCTA), 360
- RC method. *See* Rotating cylinder method
- RCTA. *See* Rate controlled scope of thermal analysis
- RE. *See* Rod elongation
- Relaxation temperature, 149, 150, 153
- Rod elongation (RE), 168
- Rotating cylinder method (RC), 167–168
- ROY molecule, 131
- S**
- Salts, 134–135
- SAXS. *See* Small angle X-ray scattering
- Scanning transitionmetry
- applications
 - food science, 286
 - petroleum industry, 276–278
 - polymer science, 278–285
 - bulk properties, 272
 - calorimetry, 273
 - cooking extrusion, 272
 - starch, 272
 - thermodynamic scheme, 273
 - thermophysical properties, 275
 - transitiometer, 273–275
- Shape memory alloys (SMA), 245–246
- Short range order (SRO), 199
- Silicate glasses, 187–189
- Silicate glasses, ionic sites volume
- alkali borate glasses compositions, 206
 - field strength, 204
 - magnetic cations, 206
 - NBO concept, 205
 - properties, 203
 - structural units concentration, 203–204
- Small angle X-ray scattering (SAXS), 84
- Softening point. *See* Glass transitions
- Solids
- definition, 93
 - glass transitions, 94
 - heat capacity
 - bovine α -chymotrypsinogen type II protein, 103–104
 - skeletal vibrations, 102
 - vibrational spectrum, 101
- Speed of diffusion, 237–239
- StepScan DSC, 145, 146
- Stoichiometry, oxide glasses
- borate glasses, 189
 - silicate glasses, 187–189
- Strong liquids, 29, 36
- Synchrotron X-ray diffraction
- electric power pulse and X-ray measurements, 249, 250
 - quantitative phase analysis, 250, 251
 - treatment setup, 248, 249
- T**
- TC method. *See* Magnetic bearing torsional creep method
- Tektites
- characteristic surface corrosion, 315
 - origin, 314–315
 - thermophysical properties
 - cooling rates, 316–317
 - fictive temperature, 316
 - micrograph, moldavite, 317, 318
 - thermal expansion coefficient, 316
- Temperature-modulated DSC (MDSC), 144, 145
- Temperature-modulated differential scanning calorimeter (TMDSC), 97
- Ternary system, NBO, 202
- Theory of capillarity, 95
- Thermal analysis
- aim and principles, 347
 - caloric theory
 - Fourier law, 351
 - motive power, 349–350
 - thermal energy, 350
 - thermal resistance, 351
 - constrained and nano-crystalline states
 - alternating current (AC) calorimetry, 358
 - RCTA, 360
 - early scientific and societal parentage
 - freezing-in, 353
 - Newton's law, 354
 - thermocouple, 352
 - thermoelectric pyrometer, 352–353
 - latent heat, 348
 - polymer physics (*see* Polymer physics, thermal analysis)
 - quantitative thermometric and calorimetric measurement.
 - diathermal arrangement, 356
 - inertia term, 357
 - Joule heat effect, 358
 - microheater, 356

- quasi-isothermal calorimeters, 356
 - rational analysis, 360
 - thermogravimetry, 364
 - thermoscope, 348
 - Thermal physics concepts
 - Carnot's theorem and Kelvin's proposition
 - caloric gauge, 339
 - cyclic and reversible process, 338
 - energy balance equation., 337
 - Joule–Mayer's principle, 340–341
 - thermodynamic gauge, 340
 - distant measurement problem, temperature
 - Lorentz invariant, 343–344
 - operational rules, 342
 - elementary set theory, 327
 - fixed thermometric points, Mach's
 - postulates, 331–333
 - hotness manifold and temperature, 333–335
 - Kelvin's temperature scale
 - anthropomorphic principle, 335
 - Nernst law, 336
 - phenomenological conjugate variables and thermal equilibrium
 - adiabatic partition, 330
 - correlation test, 329
 - diathermic partition, 329–330
 - empirical constitutive relations, 328
 - energy balance equations, 329
 - equilibrium state, 330
 - local empirical temperature scale, 331
 - principle of indifference, 331
 - thermoscope, 328
 - Thermodynamics
 - glass formation, oxide glasses
 - crystalline reference state (CRS), 180
 - definition, 179–180
 - linear dependence slopes, 180, 181
 - thermal expansion coefficient, 182–183
 - thermodilatometric cooling curve, 181, 182
 - thumb rules, 184–185
 - glass models, 189–192
 - modelling, 192–195
 - Thermophysical properties
 - chemical compositions, natural and industrial glasses, 312–313
 - dissolution-precipitation mechanism, 311
 - precious opal
 - α – β cristobalite transition, 321
 - Cooper Pedy white play-of-colour, 317–318
 - origin, 317
 - sol-gel mechanism, 319
 - thermal expansion, 314, 320
 - volcanic opal, 319
 - water characterisation, 320–321
 - weathering model, 319
 - T-t plot, glass-forming processes, 312
 - tektites
 - characteristic surface corrosion, 315
 - cooling rates, 316–317
 - fictive temperature, 316
 - micrograph, moldavite, 317, 318
 - origin, 314–315
 - thermal expansion coefficient, 316
 - thermal expansion curves, 313–314
 - Thread-pull temperature. *See* Glass transitions
 - Tian-Calvet calorimetry, 356
 - Time-resolved small-angle X-ray scattering (SAXS), 125, 126
 - TOC method. *See* Torsion oscillating cup method
 - Torsion oscillating cup method (TOC), 168
 - Transitiometric traces, starch-water suspension, 286–287
 - Transport constitutive relations
 - Darcy's law, 229–230
 - Fick's law, 232–234
 - Fourier's law, heat transfer, 227–229
 - Ohm's law, 230–232
 - Twin roll technique, 72
- U**
- UCST. *See* Upper critical solution temperature
 - Upper critical solution temperature (UCST), 117–118
- V**
- Vapour deposition, 3–4
 - Very high-density amorphous (VHDA) ice, 17
 - Vibration forms. *See* Glass transitions
 - Viscosity, chalcogenide glass-forming systems
 - amorphous
 - dynamic viscosity, 171–173
 - kinematic viscosity, 174–175
 - measuring methods
 - beam-bending method (BB), 170
 - capillary method (C), 166–167
 - Eisenberg method (EM), 170
 - falling sphere method (FS), 167
 - low-temperature torsion viscometer (LV), 170

- magnetic bearing torsional creep
 - method (TC), 170
 - parallel-plate method (PP), 169
 - penetration method (P), 169
 - Viscosity
 - rod elongation (RE), 168
 - rotating cylinder method (RC), 167–168
 - torsion oscillating cup method (TOC), 168
 - Vitrification, 32
 - Vogel–Tammann–Fulcher (VTF) equation, 8–9
 - Void creation. *See* Glass transitions
- W**
- Wanderers, 41
 - WAXS. *See* Wide angle X-ray scattering
 - Wide angle X-ray scattering (WAXS), 84