

Bibliography

- [1] Abadi, M., and Z. Manna. 1990. Nonclausal deduction in first-order temporal logic. *Journal of the Association for Computing Machinery* 37: 279–317.
- [2] D’Agostino, M. 1999. Tableau methods for classical propositional logic. In *Handbook of tableau methods*, eds. M. D’Agostino et al., 45–123. Dordrecht: Kluwer Academic Publishers.
- [3] Aho, A.V., and J.D. Ullman. 1995. *Foundations of computer science*. New York: W.H. Freeman and CO.
- [4] Allen, J. 1984. Towards a general theory of knowledge and action. *Artificial Intelligence* 23: 123–154.
- [5] Anderson, A., and N.D. Belnap, Jr. 1975. *Entailment: The logic of relevance and necessity*, vol I. Princeton: Princeton University Press.
- [6] Anderson, A., and H. Johnstone. 1962. *Natural deduction, the logical basis of axiom systems*. Belmont: Wadsworth.
- [7] Andou, Y. A note on modal logic S4 in natural deduction. Available on www.hosei.ac.jp/museum/html/kiyo/58/articles/Andou.pdf
- [8] Areces, C., P. Blackburn, and M. Marx. 2000. The computational complexity of hybrid temporal logics. *Logic Journal of the IGPL* 8(5): 653–679.
- [9] Areces, C., P. Blackburn, and M. Marx. 2001. Hybrid logics: Characterization, interpolation and complexity. *Journal of Symbolic Logic* 66: 977–1010.
- [10] Areces, C., H. DeNivelle, and M. DeRijke. 2001. Resolution in modal, description and hybrid logic. *Journal of Logic and Computation* 11: 717–736.

- [11] Areces, C., and J. Heguiabehere. HyLoRes: Direct resolution for hybrid logics. Available on Hybrid Logic Homepage.
- [12] Areces, C., D. Gorin. 2005. Ordered resolution with selection for h(@). In *Proceedings of LPAR 2004*, eds. F. Baader and A. Voronkov, 125–141, LNCS 3452.
- [13] Areces, C., B. ten Cate. 2006. Hybrid logics. In *Handbook of modal logic*, eds. P. Blackburn, J. van Benthem, and F. Wolter, 821–868. Amsterdam: Elsevier.
- [14] Arlo-Costa, H., and E. Pacuit. 2006. First-order classical modal logic. *Studia Logica* 84: 171–210.
- [15] Avron, A. 1993. Gentzen-type systems, resolution and tableaux. *Journal of Automated Reasoning* 10(2): 265–281.
- [16] Avron, A. 1996. The method of hypersequents in the proof theory of propositional non-classical logics. In *Logic: From foundations to applications*, eds. W. Hodges et al., 1–32. Oxford: Oxford Science Publication.
- [17] Avron, A., F. Honsell, M. Miculan, and C. Paravano. 1998. Encoding modal logics in logical frameworks. *Studia Logica* 60: 161–202.
- [18] Baldoni, M. 1998. *Normal multimodal logics: Automatic deduction and logic programming extension* PhD thesis, Torino.
- [19] Baldoni, M. 2000. Normal multimodal logics with interaction axioms. In *Labelled deduction* vol 17 of Applied Logic Series, eds. D. Basin et al., 33–53. Dordrecht: Kluwer.
- [20] Barth, E.M., E.C. Krabbe. 1982. *From Axiom to Dialogue*. Berlin: Walter de Gruyter.
- [21] Basin, D., S. Matthews, and L. Vigano. 1997. Labelled propositional modal logics: Theory and practice. *Journal of Logic and Computation* 7(6): 685–717.
- [22] Basin, D., S. Matthews, and L. Vigano. 1998. Natural deduction for non-classical logics. *Studia Logica* 60: 119–160.

- [23] Basin, D., S. Matthews 2002. Logical frameworks. In *Handbook of philosophical logic*, eds. D. Gabbay, and F. Guentner, 2nd ed., vol IX, 89–163. New York: Springer.
- [24] Belnap, N.D. 1982. Display logic. *Journal of Philosophical Logic* 11: 375–417.
- [25] Bencivenga, E. 1986. Free logics. In *Handbook of Philosophical Logic*, eds. D. Gabbay, and F. Guentner, vol III, 373–426. Dordrecht: Reidel Publishing Company.
- [26] Ben-Sasson, E., and A. Widgerson. 2001. Short proofs are narrow – resolution made simple. *Journal of the ACM* 48(2): 149–169.
- [27] Beth, E. 1955. Semantic entailment and formal derivability. *Mededelingen der Kon. Ned. Akad. v. Wet.* 18(13).
- [28] Beth, E.W. 1959. The foundations of mathematics. Amsterdam: North Holland.
- [29] Blackburn, P. 1990. *Nominal tense logic and other sorted intensional frameworks*, Ph.D thesis, Centre for Cognitive Science, University of Edinburgh.
- [30] Blackburn, P. 1992. Nominal tense logic. *Notre Dame Journal of Formal Logic*, 34: 56–83.
- [31] Blackburn, P. 1994. Tense, temporal reference and tense logic. *Journal of Semantics* 11: 83–101.
- [32] Blackburn, P. 2000. Internalizing labelled deduction. *Journal of Logic and Computation* 10(1): 137–168.
- [33] Blackburn, P. 2000. Representation, reasoning, and relational structures: A hybrid logic manifesto. *Logic Journal of the IGPL* 8(3): 339–365.
- [34] Blackburn, P. 2001. Fine grained theories of time. In *Non-classical logic*, ed. H. Wansing. Cambridge: King’s College University Press.
- [35] Blackburn, P., M. DeRijke, and Y. Venema. 2001. *Modal logic*. Cambridge: Cambridge University Press.

- [36] Blackburn, P., and M. Marx. 2002. Tableaux for quantified hybrid logic. In *Tableaux 2002, LNAI 2381*, eds. U. Egly, and C. Fermüller, 38–52.
- [37] Blackburn, P., and J. Seligman. 1995. Hybrid languages. *Journal of Logic, Language and Information* 4: 251–272.
- [38] Blackburn, P., and M. Tzakova. 1998. Hybrid completeness. *Logic Journal of the IGPL* 6(4): 625–650.
- [39] Blackburn, P., and M. Tzakova. 1999. Hybrid languages and temporal logic. *Logic Journal of the IGPL* 7(1): 27–54.
- [40] Blackburn, P., and B. ten Cate. 2002. Beyond pure axioms: Node creating rules in hybrid tableaux. In *Hybrid logics*, eds. C. Areces et al., 21–35.
- [41] Blackburn, P., and B. ten Cate. 2006. Pure extensions, proof rules and hybrid axiomatics. *Studia Logica* 75(3): 345–376.
- [42] Blamey, S., and L. Humberstone. 1991. A perspective on modal sequent logic. *Publications of the Research Institute for Mathematical Sciences, Kyoto University* 27: 763–782.
- [43] Bocheński, I.M. 1956. *Formale Logik*. Freiburg/München: Alber.
- [44] Bolander, T. and T. Braüner. 2007. Tableau-based decision procedures for hybrid logic. *Journal of Logic and Computation* 16: 737–763.
- [45] Bolander, T. and P. Blackburn. 2007. Termination for hybrid tableaux. *Journal of Logic and Computation* 17(3): 517–554.
- [46] Bolotov, A., V. Bocharov, A. Gorchakov, and V. Shangin. 2005. Automated first order natural deduction. In *Proceedings of IICAI*, 1292–1311.
- [47] Bolotov, A., A. Basukoski, O. Grigoriev, and V. Shangin. 2006. Natural deduction calculus for linear-time temporal logic. *Proceedings of jelia 2006*. LNAI, Springer 4160.
- [48] Bolotov, A., O. Grigoriev, and V. Shangin. 2006. Natural deduction calculus for CTL. *IEEE John Vincent Atanasoff Symposium on Modern Computing*, 175–183.

- [49] Bonette, N., and R. Goré. 1998. A labelled sequent system for tense logic Kt. In *AI98: Proceedings of the Australian joint conference on artificial intelligence*, LNAI Springer, 1502: 71–82.
- [50] Boolos, G. 1979. *The unprovability of consistency*. Cambridge: Cambridge University Press.
- [51] Boolos, G. 1984. Don't eliminate cut. *Journal of Philosophical Logic* 7: 373–378.
- [52] Bonevac, D. 1987. *Deduction*, Mountain View: Mayfield Press.
- [53] Boričić, B.R. 1985. On sequence-conclusion natural deduction systems. *Journal of Philosophical Logic* 14: 359–377.
- [54] Borkowski, L., and J. Ślupecki. 1958. A logical system based on rules and its applications in teaching mathematical logic. *Studia Logica* 7: 71–113.
- [55] Braüner, T. 2004. Natural deduction for hybrid logic. *Journal of Logic and Computation* 14(3): 329–353.
- [56] Braüner, T. 2009. Hybrid logic and its proof theory. *Computer science research report* 124, Roskilde: Roskilde University.
- [57] Braüner, T. 2009. Hybrid logic. In *Handbook of philosophical logic*, 2nd ed., vol XVI. New York: Springer, to appear.
- [58] Bull, R. 1970. An approach to tense logic. *Theoria* 36: 282–300.
- [59] Bull, R., and K. Segerberg. 1984. Basic modal logic. In *Handbook of Philosophical Logic*, eds. D. Gabbay, and F. Guentner, vol II, 1–88. Dordrecht: Reidel Publishing Company.
- [60] Burgess, J.P. 1984. Basic tense logic. In *Handbook of philosophical logic*, eds. D. Gabbay, and F. Guentner, vol II, 89–133. Dordrecht: Reidel Publishing Company.
- [61] Carnielli, W.A. 1991. On sequents and tableaux for many-valued logics. *Journal of Non-Classical Logic* 8(1): 59–76.
- [62] Castellini, C. 2005. *Automated reasoning in quantified modal and temporal logic*, PhD thesis, University of Edinburgh.

- [63] Castellini, C. and A. Smail. 2000. A systematic presentation of quantified modal logics. *Logic Journal of the IGPL* 10: 571–599.
- [64] Catach, L. 1991. TABLEAUX: A general theorem prover for modal logics. *Journal of Automated Reasoning* 7(4): 489–510, 1991.
- [65] Cellucci, C. 1992. Existential instantiation and normalization in sequent natural deduction. *Annals of Pure and Applied Logic* 58: 111–148.
- [66] Cerrato, C. 1994. Natural deduction based upon strict implication for normal modal logics. *Notre Dame Journal of Formal Logic* 35(4): 471–495.
- [67] Chagrov, A., and M. Zakharyashev. 1997. *Modal logic*. Oxford: Oxford University Press.
- [68] Chang, C.L., and R.C.T. Lee. 1973. *Symbolic logic and mechanical theorem proving*. Orlando: Academic Press.
- [69] Chellas, B. 1980. *Modal logic*. Cambridge: Cambridge University Press.
- [70] Church, A. 1956. *Introduction to Mathematical Logic*, vol I. Princeton: Princeton University Press.
- [71] Copeland, J.B. 2002. The genesis of possible world semantics. *Journal of Philosophical Logic* 31: 99–137.
- [72] Copi, I.M. 1954. *Symbolic logic*, New York: The Macmillan Company.
- [73] Corcoran, J. 1972. Aristotle's natural deduction system. In *Ancient logic and its modern interpretations*, ed. J. Corcoran. Dordrecht: Reidel.
- [74] Corcoran, J., and G. Weaver. 1969. Logical consequence in modal logic: Natural deduction in S5. *Notre Dame Journal of Formal Logic* 10: 370–384.
- [75] Curry, H.B. 1950. *A theory of formal deducibility*. Notre Dame: University of Notre Dame Press.
- [76] Curry, H.B. 1952. The elimination theorem when modality is present. *Journal of Symbolic Logic* 17: 249–265.

- [77] Davis, M., and H. Putnam. 1960. A computing procedure for quantification theory. *Journal of the Association for Computing Machinery* 7: 201–215.
- [78] Demri, S. 1999. Sequent calculi for nominal tense logics: A step towards mechanization. In *Tableaux 99, LNAI 1617*, ed. N. Murray, 140–154. Berlin: Springer.
- [79] Demri, S., and R. Goré. 1999. Cut-free display calculi for nominal tense logics. In *Tableaux 99, LNAI 1617*, ed. N. Murray, 155–170. Berlin: Springer.
- [80] Došen K. 1985. Sequent-systems for modal logic. *Journal of Symbolic Logic* 50: 149–159.
- [81] Dyckhoff, R. 1987. Implementing a simple proof assistant. In *Proceedings of workshop on programming for logic teaching*, eds. J. Derrick, and H.A. Lewis, 49–59.
- [82] Ebbinghaus, H.D., J. Flum, and W. Thomas. 1984. *Mathematical logic*. Berlin: Springer.
- [83] van Eijck, J. 2002. *Constraint tableaux for hybrid logics*. Amsterdam: Manuscript CWI.
- [84] Farinas del Cerro, L., and A. Herzig. 1995. Modal deduction with applications in epistemic and temporal logics. In *Handbook of logic in artificial intelligence and logic programming*, eds. D. Gabbay et al., vol IV, 499–594. Oxford: Clarendon Press.
- [85] Feys, R. 1950. Les systemes formalises des modalites. *Revue philosophique de Louvain* 48: 478–509.
- [86] Feys, R., and J. Ladriere. 1955. Supplementary notes. In *Recherches sur la deduction logique*, french translation of Gentzen, Paris: Press Univ. de France.
- [87] Fine, K. 1985. *Reasoning with arbitrary objects*. Oxford: Blackwell.
- [88] Fisher, M., C. Dixon, and M. Peim. 2001. Clausal temporal resolution. *ACM Transactions on Computational Logic* 1(4).
- [89] Fitch, F. 1952. *Symbolic logic*. New York: Ronald Press Co.

- [90] Fitch, F. 1966. Tree proofs in modal logic (abstract). *The Journal of Symbolic Logic* 31:152.
- [91] Fitch, F. 1966. Natural deduction rules for obligation. *American Philosophical Quarterly* 3:27–38.
- [92] Fitting, M. 1972. Tableau methods of proof for modal logics. *Notre Dame Journal of Formal Logic* 13(2): 237–247.
- [93] Fitting, M. 1983. *Proof methods for modal and intuitionistic logics*. Dordrecht; Reidel.
- [94] Fitting, M. 1990. Destructive modal resolution. *Journal of Logic and Computation* 1(1): 83–97.
- [95] Fitting, M. 1996. *First-order logic and automated theorem proving*. Berlin; Springer.
- [96] Fitting, M., and R.L. Mendelsohn. 1998. *First-order modal logic*. Dordrecht: Kluwer.
- [97] Fitting, M. 2007. Modal proof theory. In *Handbook of modal logic*, eds. P. Blackburn, J.F.A.K van Benthem, and F. Wolter, 85–138. Amsterdam: Elsevier.
- [98] Gabbay, D. 1981. An irreflexivity lemma with applications to axiomatizations of conditions on linear frames. In *Aspects of philosophical logic*, ed. U. Munnich, 67–89. Dordrecht: Reidel.
- [99] Gabbay, D. 1996. *LDS-labelled deductive systems*. Oxford: Clarendon Press.
- [100] Gabbay, D., A. Kurucz, F. Wolter, and M. Zakharyashev, *Many-dimensional modal logics: Theory and applications*. Amsterdam: Elsevier.
- [101] Gallier, J.H. 1986. *Logic for computer science*. New York: Harper and Row.
- [102] Gargov, G., and V. Goranko. 1993. Modal logic with names. *Journal of Philosophical Logic* 22: 607–636.
- [103] Garson, J.W. 1984. Quantification in modal logic. In *Handbook of philosophical logic*, eds. D. Gabbay, and F. Guenther, vol II, 249–307. Dordrecht: Reidel Publishing Company.

- [104] Garson, J.W. 2005. Unifying quantified modal logic. *Journal of Philosophical Logic* 34: 621–649.
- [105] Garson, J.W. 2006. *Modal logic for philosophers*. Cambridge: Cambridge University Press.
- [106] Gasquet, O. 1996. Completeness results in neighbourhood semantics for monotonic and regular logics. *Journal of the IGPL* 4(3): 417–426.
- [107] Gasquet, O., and A. Herzig. 1996. From classical to normal modal logics. In *Proof Theory for Modal Logic*, ed. H. Wansing. Dordrecht: Kluwer.
- [108] Gentzen, G. 1932. Über die Existenz Unabhängiger Axiomensysteme zu Unendlichen Satzsystemen. *Mathematische Annalen* 107: 329–350.
- [109] Gentzen, G. 1934. Untersuchungen über das Logische Schliessen. *Mathematische Zeitschrift* 39: 176–210, 405–431.
- [110] Gentzen, G. 1936. Die Widerspruchsfreiheit der Reinen Zahlentheorie. *Mathematische Annalen* 112: 493–565.
- [111] Girle, R. 2000. *Elementary modal logic*. London: Acumen.
- [112] Goldblatt, R.I. 1987. *Logics of time and computation*. Stanford: CSLI Lecture Notes.
- [113] Goranko, V. 1994. Refutation systems in modal logic. *Studia Logica* 53(2): 229–234.
- [114] Goranko, V. 1994. Temporal logic with reference pointers. In *Temporal logic*, LNiAI 827, 133–148. New York: Springer.
- [115] Goranko, V., D. Vakarelov. 2001. Sahlqvist formulas in hybrid polyadic modal logics. *Journal of Logic and Computation* 11(5): 737–754.
- [116] Goré, R. 1992. *Cut-free sequent and tableau systems for propositional normal modal logics*, PhD thesis, University of Cambridge.
- [117] Goré, R. 1999. Tableau methods for modal and temporal logics. In *Handbook of tableau methods*, eds. M. D’Agostino et al., 297–396. Dordrecht: Kluwer Academic Publishers.

- [118] Goubault-Larrecq J., and P.H. Schmitt. 1997. A tableau system for linear temporal logic. *Proceedings of TACAS'97*, 130–144, Springer.
- [119] Hähnle, R. 1994. *Automated deduction in multiple-valued logics*. Oxford: Oxford University Press.
- [120] Hähnle, R. 2001. Tableaux and related methods. In *Handbook of automated reasoning*, eds. A. Robinson, and A. Voronkov, pp. 101–177. Amsterdam: Elsevier.
- [121] D'Agostino, M. et al. (eds.). 1999. *Handbook of tableau methods*. Dordrecht: Kluwer Academic Publishers.
- [122] Hawthorn, J. 1990. Natural deduction in normal modal logic. *Notre Dame Journal of Formal Logic* 31: 263–273.
- [123] Hazen, A. 1990. Actuality and quantification. *Notre Dame Journal of Formal Logic* 31: 498–508.
- [124] Hansen, H.H. 2003. *Monotonic modal logics*. MA thesis, University of Amsterdam.
- [125] Hemaspaandra, E. 1996. The price of universality. *Notre Dame Journal of Formal Logic* 37: 174–203.
- [126] Herbrand, J. 1928. Abstract In *Comptes Rendus des Seances de l'Academie des Sciences*, vol. 186, 1275 Paris.
- [127] Herbrand, J. 1930. Recherches sur la theorie de la demonstration. In *Travaux de la Societe des Sciences et des Lettres de Varsovie, Classe III, Sciences Mathematiques et Physiques, Warsaw*, 1930.
- [128] Hermes, H. 1963. *Einführung in die Mathematische Logik*. Stuttgart: Teubner.
- [129] Hertz, P. 1929. Über Axiomensysteme für Beliebige Satzsysteme. *Mathematische Annalen* 101: 457–514.
- [130] Heuerding, A., M. Seyfried, and H. Zimmermann. 1996. Efficient loop-check for backward proof search in some non-classical propositional logics. In *Tableaux 96, LNCS 1071*, eds. P. Miglioli et al., 210–225. Berlin: Springer.

- [131] Hintikka, J. 1955. Form and content in quantification theory. *Acta Philosophica Fennica* 8: 8–55.
- [132] Hintikka, J. 1957. Quantifiers in deontic logic. *Societas Scientiarum Fennica, Commentationes Humanarum Literarum XXIII*.
- [133] Horrocks, I. 1997. *Optimising tableaux decision procedures for description logics*, PhD Thesis, University of Manchester.
- [134] Horrocks, I., U. Satler, and S. Tobies. 2000. Practical reasoning for very expressive description logics. *Logic Journal of the IGPL* 8(3): 239–263.
- [135] Hughes, G.E., and M.J. Cresswell. 1968. *Introduction to modal logic*. London: Methuen.
- [136] Hughes, G.E., and M.J. Cresswell. 1996. *A new introduction to modal logic*. London: Routledge.
- [137] Hustadt, U., and R.A. Schmidt. 2000. Issues of decidability for description logics in the framework of resolution. In *Automated deduction in classical and non-classical logics*, eds. R. Caferra, and G. Salzer, 192–206. New York: Springer.
- [138] Hustadt, U., and R.A. Schmidt. 2002. Using resolution for testing modal satisfiability and building models. *Journal of Automated Reasoning* 28(2): 205–232.
- [139] Indrzejczak, A. 1994. Natural deduction in quantifier modal logic. *Bulletin of the Section of Logic* 23(1): 30–40.
- [140] Indrzejczak, A. 1994. Natural deduction system for tense logics. *Bulletin of the Section of Logic* 23(4): 173–179.
- [141] Indrzejczak, A. 1995. Dedukcja naturalna w logikach modalnych pierwszego rzędu. In *Filozofia/Logika: Filozofia logiczna 1994*, eds. J. Perzanowski, A. Pietruszczak, and C. Gorzka, 289–302, Wyd. Toruń: Uniwersytetu Mikołaja Kopernika.
- [142] Indrzejczak, A. 1996. Cut-free sequent calculus for S5. *Bulletin of the Section of Logic* 25(2): 95–102.
- [143] Indrzejczak, A. 1997. Generalised sequent calculus for propositional modal logics. *Logica Trianguli* 1: 15–31.

- [144] Indrzejczak, A. 1998. Jaśkowski and Gentzen approaches to natural deduction and related systems. In *The Lvov-Warsaw school and contemporary philosophy*, eds. K. Kijania-Placek and J. Woleński, 253–264, Dordrecht: Kluwer.
- [145] Indrzejczak, A. 1999. A survey of natural deduction systems for modal logics. *Logica Trianguli* 3: 55–84.
- [146] Indrzejczak, A. 2000. Multiple sequent calculus for tense logics. *Abstracts of AiML and ICTL 2000*: 93–104, Leipzig.
- [147] Indrzejczak, A. 2001. Decision procedure for modal logics in natural deduction setting. Unpublished version, Łódź.
- [148] Indrzejczak, A. 2002. Hybrid system for (not only) hybrid logic. *Abstracts of AiML 2002*: 137–156, Toulouse.
- [149] Indrzejczak, A. 2002. Labelled analytic tableaux for S4.3. *Bulletin of the Section of Logic* 31(1): 15–26.
- [150] Indrzejczak, A. 2002. Resolution based natural deduction. *Bulletin of the Section of Logic* 31(3): 159–170.
- [151] Indrzejczak, A. 2003. A labelled natural deduction system for linear temporal logic. *Studia Logica* 75(3): 345–376.
- [152] Indrzejczak, A. 2005. Sequent calculi for monotonic modal logics. *Bulletin of the Section of logic* 34(3): 151–164.
- [153] Indrzejczak, A. 2006. *Introduction to the methodology of sequent calculi*. Unpublished manuscript in polish.
- [154] Indrzejczak, A. 2007. Labelled tableau calculi for weak modal logics. *Bulletin of the Section of logic* 36(3–4): 159–173.
- [155] Indrzejczak, A. 2007. Modal hybrid logic. *Logic and Logical Philosophy* 16: 147–257.
- [156] Jaśkowski, S. 1929. Teoria dedukcji oparta na dyrektywach założeniowych. In *Księga Pamiątkowa I Polskiego Zjazdu Matematycznego*. Kraków: Uniwersytet Jagielloński.
- [157] Jaśkowski, S. 1934. On the rules of suppositions in formal logic. *Studia Logica* 1: 5–32.

- [158] Kalish, D., and R. Montague. 1957. Remarks on descriptions and natural deduction. *Archiv. für Mathematische Logik und Grundlagenforschung* 3: 50–64, 65–73.
- [159] Kalish, D., and R. Montague. 1964. *Logic, techniques of formal reasoning*. New York: Harcourt, Brace and World.
- [160] Kanger, S. 1957. *Provability in Logic*, Stockholm: Almqvist & Wiksell.
- [161] Kashima, R. 1994. Cut-free sequent calculi for some tense logics. *Studia Logica* 53: 119–135.
- [162] Kleene, S.C. 1952. *Introduction to metamathematics*. Amsterdam: North Holland.
- [163] Kneale, W., and M. Kneale. 1962. *The development of logic*. Oxford: Clarendon Press.
- [164] Konikowska, B. 1997. A logic for reasoning about relative similarity. *Studia Logica* 58(1): 185–226.
- [165] Kracht, M. 1996. Power and weakness of the modal display calculus. In *Proof theory of modal logic*, ed. H. Wansing, 93–121. Dordrecht: Kluwer.
- [166] Kracht, M. 1999. *Tools and techniques in modal logic*. Amsterdam: Elsevier.
- [167] Kracht, M., and F. Wolter. 1999. Normal monomodal logics can simulate all others. *Journal of Symbolic Logic* 64(1): 99–138.
- [168] Krajicek, J. 1994. Lower bounds to the size of constant-depth propositional proofs. *Journal of Symbolic Logic* 59(1): 73–85.
- [169] Kripke, S. 1959. A completeness theorem in modal logic. *Journal of Symbolic Logic* 24: 1–14.
- [170] Kripke, S. 1963. Semantical analysis of modal logic I. *Zeitschrift für Mathematische Logik und Grundlagen der Mathematik* 9: 67–96.
- [171] Kripke, S. 1980. *Naming and necessity*. Cambridge: Harvard University Press.

- [172] Lavendhomme, R., and T. Lucas. 2000. Sequent calculi and decision procedures for weak modal systems. *Studia Logica* 65: 121–145.
- [173] Lemmon, E.J. 1957. New foundations for Lewis modal systems. *Journal of Symbolic Logic* 22: 176–186.
- [174] Lemmon, E.J. 1965. *Beginning logic*. London: Nelson.
- [175] Leszczyńska, D. 2008. The method of Socratic proofs for modal propositional logics: K5, S4.2, S4.3, S4M, S4F, S4R and G. *Studia Logica* 89(3): 365–399.
- [176] Lewis, D. 1968. Counterpart theory and quantified modal logic. *Journal of Philosophy* 65: 113–126.
- [177] Lichtenstein, O., and A. Pnueli. 2000. Propositional temporal logics: Decidability and completeness. *Logic Journal of the IGPL* 8(1): 55–85.
- [178] Lis, Z. 1960. Wynikanie semantyczne a wynikanie formalne. *Studia Logica* 10: 39–60.
- [179] Loveland, D.W. 1978. *Automated theorem proving: A logical basis*. Amsterdam: North Holland.
- [180] Łukasiewicz, J. 1951. *Aristotle's syllogistic from the standpoint of modern logic*. Oxford: Clarendon Press.
- [181] Marciszewski, W., and R. Murawski. 1995. *Mechanization of reasoning in a historical perspective*. Amsterdam, Atlanta: Rodopi.
- [182] Marx, M., S. Mikulas, and S. Schlobach. 1999. Tableau calculus for local cubic modal logic and its implementation. *Logic Journal of the IGPL* 7(6): 755–778.
- [183] Marx, M., S. Mikulas, and M. Reynolds. 2000. The mosaic method for temporal logics. In *Automated reasoning with analytic tableaux and related methods*, ed. R. Dyckhoff, Proc. of International Conference TABLEAUX 2000, Saint Andrews, Scotland, LNAI 1847, 324–340. New York: Springer.
- [184] Martins, A.T., and L.R. Martins. 2008. Full classical S5 in natural deduction with weak normalization. *Annals of Pure and Applied Logic* 152: 132–147.

- [185] Massacci, F. 1994. Strongly analytic tableaux for normal modal logics. In *Proc. CADE-12*, ed. A. Bundy, LNAI 814: 723–737. New York: Springer.
- [186] Massacci, F. 1998. Single step tableaux for modal logics: Methodology, computations, algorithms. *Technical Report TR-04*, Dipartimento di Informatica e Sistemistica, Universita di Roma “La Sapienza”.
- [187] Mates, B. 1953. *Stoic logic*. Berkeley: University of California Press.
- [188] McCarthy, J., and P. Hayes. 1969. Some philosophical problems from the standpoint of artificial intelligence. In *Machine Intelligence 4*, eds. B. Meltzer, and D. Michie. Edinburgh: Edinburgh University Press.
- [189] Medeiros, M., and Da Paz N. 2006. A new S4 classical modal logic in natural deduction. *Journal of Symbolic Logic* 71(3): 799–809.
- [190] Mints, G. 1970. Cut-free calculi of the S5 type. *Studies in Constructive Mathematics and Mathematical Logic II*: 79–82.
- [191] Mints, G. 1997. Indexed systems of sequents and cut-elimination. *Journal of Philosophical Logic* 26: 671–696.
- [192] Mouri, M. 2001. Theorem provers with countermodels and xpe. *Bulletin of the Section of Logic* 30(2): 79–86.
- [193] Negri, S., and J. von Plato. 2001. *Structural proof theory*, Cambridge: Cambridge University Press.
- [194] Negri, S. 2005. Proof analysis in modal logic. *Journal of Philosophical Logic* 34: 507–544.
- [195] Nishimura, H. 1980. A study of some tense logics by Gentzen’s sequential method. *Publications of the Research Institute for Mathematical Sciences, Kyoto University* 16: 343–353.
- [196] De Nivelle, H., R.A. Schmidt, and U. Hustadt. 2000. Resolution-based methods for modal logics. *Logic Journal of the IGPL* 8(3): 265–292.
- [197] Ohnishi, M., and K. Matsumoto. 1957. Gentzen method in modal calculi I. *Osaka Mathematical Journal* 9: 113–130.
- [198] Ohnishi, M., and K. Matsumoto. 1959. Gentzen method in modal calculi II. *Osaka Mathematical Journal* 11: 115–120.

- [199] Øhrstrøm, P., and P. Hasle. 1993. A.N. Prior rediscovery of tense logic. *Erkenntnis* 39: 23–50.
- [200] Ono, H., and A. Nakamura. 1980. On the size of refutation Kripke models for some linear modal and tense logics. *Studia Logica* 39: 325–333.
- [201] Orłowska, E. 1987. Relational interpretation of modal logics. *Technical Report ICSPas*.
- [202] Passy, S., and T. Tinchev. 1985. PDL with data constants. *Information Processing Letters* 20: 35–41.
- [203] Passy, S., and T. Tinchev. 1991. An essay in CDL. *Information and Computation* 93: 263–332.
- [204] Pelletier, F.J. 1998. Automated natural deduction in THINKER. *Studia Logica* 60: 3–43.
- [205] Pelletier, F.J. 1999. A brief history of natural deduction. *History and Philosophy of Logic* 20: 1–31.
- [206] Perzanowski, J. 1973. The deduction theorems for the modal propositional calculi formalised after the manner of Lemmon I. *Reports on Mathematical Logic* 1: 1–12.
- [207] Perzanowski, J. 1976. The deduction theorems for the modal propositional calculi formalised after the manner of Lemmon II. *Reports on Mathematical Logic* 1: 1–12.
- [208] Perzanowski, J. 1989. Logiki modalne a filozofia. In *Jak filozofować*, ed. J. Perzanowski, 262–346. Warszawa: PWN.
- [209] Perzanowski, J. 1999. Combination semantics for intensional logics I. *Logique et Analyse* 165–166: 181–203.
- [210] Perzanowski, J. 2004. Towards combination metaphysics. *Reports on Mathematical Logic* 38: 93–116.
- [211] Plaisted, D.A., and Y. Zhu. 1997. *The efficiency of theorem proving strategies: A comparative and asymptotic analysis*. Braunschweig: Vieweg Verlag.

- [212] Plato von, J. 2005. Normal derivability in modal logic. *Mathematical Logic Quarterly* 54(6): 632–638.
- [213] Plato von, J. 2008. Gentzen's proof of normalization for ND. *The bulletin of symbolic logic* 14(2): 240–257.
- [214] Poggiolesi, F. 2008. *Sequent calculi for modal logics*, Ph.D Thesis, Florence.
- [215] Pogorzelski, W.A. 1973. *Klasyczny rachunek zdań*. Warszawa: PWN.
- [216] Pollock, J.L. 1992. Interest driven suppositional reasoning. *Journal of Automated Reasoning* 6: 419–462.
- [217] Pollock, J.L. Natural deduction. Available on <http://oscarhomme.socsci.arizona.edu/ftp/publications.html>
- [218] Pollock, J.L. *Logic: An introduction to the formal study of reasoning*. Available on <http://oscarhomme.socsci.arizona.edu/ftp/publications.html>
- [219] Portoraro, D.F. 1998. Strategic construction of Fitch-style proofs. *Studia Logica* 60: 45–67.
- [220] Prawitz, D. 1965. *Natural deduction*. Stockholm: Almqvist and Wiksell.
- [221] Prawitz, H., D. Prawitz, and N. Voghera. 1960. A mechanical proof procedure and its realization in an electronic computer. *Journal of the Association for Computing Machinery* 7: 102–128.
- [222] Priest, G. 2001. *An introduction to non-classical logic*. Cambridge: Cambridge University Press.
- [223] Prior, A. 1957. *Time and modality*. Oxford: Oxford University Press.
- [224] Prior, A. 1967. *Past, present and future*. Oxford: Clarendon/Oxford University Press.
- [225] Prior, A. 1968. *Papers on time and tense*. Oxford: Clarendon/Oxford University Press.
- [226] Quine W. Van O. 1950. *Methods of logic*. New York: Colt.

- [227] Raggio, A. 1965. Gentzen's Hauptsatz for the systems NI and NK. *Logique et Analyse* 8: 91–100.
- [228] Rasiowa, H., and R. Sikorski. 1963. *The mathematics of metamathematics*. Warszawa: PWN.
- [229] Rautenberg, W. 1983. Modal tableau calculi and interpolation. *Journal of Philosophical Logic* 12: 403–423.
- [230] Renteria, C., and E. Hausler. 2002. Natural deduction for CTL. *Bulletin of the section of logic* 31(4): 231–240.
- [231] Rescher, N., and A. Urquhart. 1971. *Temporal logic*. New York: Springer-Verlag.
- [232] Restall, G. *Proof theory and philosophy*. Available on <http://consequently.org/writing/ptp>
- [233] Ridder, J. 1955. Die Gentzenschen Schlussverfahren in Modalen Aussagenlogiken. *Indagationes Mathematicae* 17: 163–276.
- [234] Rieger, L. 1967. *Algebraic methods of mathematical logic*. Prague: Academia.
- [235] Robinson, J.A. 1965. A machine oriented logic based on the resolution principle. *Journal of the Association for Computing Machinery* 12: 23–41.
- [236] Rousseau, G. 1967. Sequents in many valued logic. *Fundamenta Mathematicae*, LX 1: 22–23.
- [237] Russo, A. 1995. Modal labelled deductive systems. Dept. of Computing, Imperial College, London, Technical Report 95(7).
- [238] Sambin, G., and S. Valentini. 1980. A modal sequent calculus for a fragment of arithmetic. *Studia Logica* 39: 245–256.
- [239] Sambin, G., and S. Valentini. 1982. The modal logic of provability. The sequential approach. *Journal of Philosophical Logic* 11: 311–342.
- [240] Sato, M. 1977. A study of Kripke-type models for some modal logics by Gentzen's sequential method. *Publications of the Research Institute for Mathematical Sciences, Kyoto University* 13: 381–468.

- [241] Satre T.W. 1972. Natural deduction rules for modal logics. *Notre Dame Journal of Formal Logic* 13: 461–475.
- [242] Schmidt, R.A. 2006. Developing modal tableaux and resolution methods via first-order resolution. In *Advances in modal logic 6*, ed. M. deRijke, 107–135. Dordrecht: Kluwer.
- [243] Schmidt, R.A., and U. Hustadt. First-order methods for modal logics. *Volume in memoriam of Harold Ganzinger, Lecture Notes in AI*, Appear in eds. A. Podelski, A. Voronkov, and R. Wilhelm. Springer.
- [244] Schütte, K. 1977. *Proof theory*. Berlin: Springer.
- [245] Scott, D. 1970. Advices on modal logic. In *Philosophical problems in logic*, ed. K. Lambert, 143–173. Dordrecht: Reidel.
- [246] Segerberg, K. 1971. *An essay in classical modal logic I–III*. Uppsala: Filosofiska Studier nr 13, Uppsala Universitet.
- [247] Seldin, J. 1989. Normalization and excluded middle I. *Studia Logica*, 48: 193–217.
- [248] Seligman, J. 1991. A cut-free sequent calculus for elementary situated reasoning. *Technical Report HCRC/RP-22 HCRC*, Edinburgh.
- [249] Seligman, J. 1992. Situated consequence in elementary situation theory. *Logic Group Preprint IULG-92-16*, Indiana University.
- [250] Seligman, J. 1997. The logic of correct description. In *Advances in Intensional Logic*, ed. M. de Rijke, 107–135. Dordrecht: Kluwer.
- [251] Seligman, J. 2001. Internalization: The case of hybrid logics. *Journal of Logic and Computation* 11: 671–689.
- [252] Shimura, T. 1991. Cut-free systems for the modal logic S4.3 and S4.3GRZ. *Reports on Mathematical Logic* 25: 57–73.
- [253] Shvarts, G.F. 1989. Gentzen style systems for K45 and K45D. *Logic at Botiv '89*, 245–256. Berlin: Springer.
- [254] Sieg, W., and J. Byrnes. 1998. Normal natural deduction proofs (in classical logic). *Studia Logica* 60: 67–106.

- [255] Sieg W., and S. Cittadini. 2005. Normal natural deduction proofs (in nonclassical logics). In *Mechanizing mathematical reasoning, LNAI 2605*, eds. D. Hutter, and W. Stephan, 169–191. Springer-Verlag.
- [256] Siemens, D.F. 1977. Fitch-style rules for many modal logics. *Notre Dame Journal of Formal Logic* 18: 631–636.
- [257] Simpson, A. 1994. *The Proof Theory and Semantics of Intuitionistic Modal Logic*, PhD thesis, University of Edinburgh.
- [258] Skura, T. 1992. Refutation rules for three modal logics. *Bulletin of the Section of Logic* 21(1): 31–32.
- [259] Smullyan, R. 1965. Analytic natural deduction. *The Journal of Symbolic Logic* 30(2): 123–139.
- [260] Smullyan, R. 1966. Trees and nest structures. *The Journal of Symbolic Logic* 31(3): 303–321.
- [261] Smullyan, R. 1968. *First-order logic*. Berlin: Springer.
- [262] Stachniak, Z., and P. O’Hearn. 1990. Resolution in the domain of strongly finite logics. *Fundamenta Informaticae* 13: 333–351.
- [263] Stalmarck, G. 1991. Normalizations theorems for full first order classical natural deduction. *The Journal of Symbolic Logic* 56: 129–149.
- [264] Stouppa, P. 2004. *The design of modal proof theories: The case of S5*, Master Thesis, Dresden.
- [265] Stouppa, P. A deep inference system for the modal logic S5. Appear in *Studia Logica*.
- [266] Suppes, P. 1957. *Introduction to logic*. Princeton: Van Nostrand.
- [267] Suszko, R. 1948. W sprawie logiki bez aksjomatów. *Kwartalnik Filozoficzny* 17(3/4): 199–205.
- [268] Szabo, M.E. 1969. *The collected papers of Gerhard Gentzen*. Amsterdam: North-Holland.
- [269] Takano, M. 1992. Subformula property as a substitute for cut-elimination in modal propositional logics. *Mathematica Japonica* 37(6): 1129–1145.

- [270] Takano, M. 2001. A modified subformula property for the modal logics $K5$ and $K5D$. *Bulletin of the Section of Logic* 30(2): 115–123.
- [271] Tapscott, B.L. 1987. A simplified natural deduction approach to certain modal systems. *Notre Dame Journal of Formal Logic* 23(3): 371–384.
- [272] Tarski, A. 1930. Fundamentale Begriffe der Methodologie der deduktiven Wissenschaften. *Monatshefte für Mathematik und Physik*, 37: 361–404.
- [273] Ten Cate, B. 2004. *Model theory for extended modal languages*. PhD thesis, University of Amsterdam.
- [274] Thomason, R. 1970. *Symbolic logic*. New York: Macmillan.
- [275] Thomason, R.H. 1970. A Fitch-style formulation of conditional logic. *Logique et Analyse* 13: 397–412.
- [276] Troelstra, A.S., and H. Schwichtenberg. 1996. *Basic proof theory*. Oxford: Oxford University Press.
- [277] Tzakova, M. 1999. Tableau calculi for hybrid logics. In *Conference on Tableaux Calculi and Related Methods (TABLEAUX)*, Saratoga Springs, ed. N. Murray, 278–292. USA: LNAI 1617.
- [278] Wallen, L.A. 1990. *Automated proof search in non-classical logics*. Cambridge: MIT Press.
- [279] Wang, H. 1960. Toward mechanical mathematics. *IBM Journal of Research and Development* 4: 2–22.
- [280] Wansing, H. 1998. *Displaying modal logics*. Dordrecht: Kluwer Academic Publishers.
- [281] Wansing, H. 2002. Sequent systems for modal logics. In *Handbook of philosophical logic*, eds. D. Gabbay, and F. Guenther, vol IV, 89–133. Dordrecht: Reidel Publishing Company.
- [282] Wisdome, W.A. 1964. Possibility elimination in natural deduction. *Notre Dame Journal of Formal Logic* 5: 295–298.
- [283] Woleński, J. 1985. *Filozoficzna szkoła Lwowsko-Warszawska*. Warszawa: PWN.

- [284] Wolper, P. 1985. The tableau method for temporal logic: An overview. *Logique et Analyse* 28(110/111): 119–136.
- [285] Wójcicki, R. *Theory of logical calculi*. Dordrecht: Kluwer.
- [286] Vickers, S. 1988. *Topology via logic*. Cambridge: Cambridge University Press.
- [287] Vigano, L. 2000. *Labelled non-classical logics*. Dordrecht: Kluwer.
- [288] Zeman, J.J. 1973. *Modal logic*. Oxford: Oxford University Press.

Index

A

Abadi, 87
a, b, c, d-incestuality axiom, 148, 158, 420
Abstraction class, 15
Accessibility relation, 151, 323
Accessibility sentences, 413
Actualism, 168
Actualist intensional nonrigid model, 177
Actualist nonrigid model, 176
Actualist quantifiers, 394
Actualist rigid model, 175
Acyclic relation, 15
Adequacy, 66, 114, 216, 250, 279, 287, 290, 314, 319, 424, 428
Admissible rules, 22
Aho, 102
AIN-model, 177
Algorithm, 13, 21, 110, 115, 342, 347, 349, 353–354, 359
Allen, 367
Almost-functionality, 155, 376
Almost-reflexivity, 155, 376
Almost-seriality, 155
Almost-symmetry, 155
Almost-transitivity, 155
Analyticity, 75, 81, 84
Analytic cut, 232, 265, 309, 317, 345
Anaphora, 381
Ancestor, 15
AND1, 95, 100, 134, 243, 285, 321
AND2, 95, 100, 115, 122, 134, 333
Anderson, 45, 196, 260
Andou, 191
AN-model, 176
Antecedent, 4
Antisymmetry, 15, 158, 376, 427
Antymonotonicity, 394
Arbitrary names, 6, 58

Areces, 261, 367, 397, 400, 434
Aristotle, 29, 382
AR-model, 175
ARND0, 134
ARND1, 134
ARND2, 134
A-series, 366
Assignment, 9, 173, 385
Asymmetry, 15, 158, 370, 376, 426
A-system, 209
Atomic clause, 4
Augmented modal frame, 159
Automated theorem proving, 13, 21, 85, 163
Automath, xix
Avron, xii, 90, 92, 233, 254, 257, 267, 404
Axiom, 11
Axiom systems, 26, 371

B

Backtracking, 316
Backward-looking modalities, 381, 409
Balder ten Cate, 367, 378
Baldoni, 148, 268, 299, 304–306, 330–331, 412, 420, 443
Barcan Formula, 179, 394
Barwise, xviii
Basic geometric formula, 17, 430
Basic geometric theory, 17
Basic hybrid modal language, 367
Basic modal logics, 146
Basin, xix, 262, 268, 274, 277, 309, 431
Basukoski, 268, 298
Belnap, 45, 196, 254, 260
Bencivenga, 9
BERTIE, 97
Beth, xviii, 76, 83–84, 186, 234, 255, 396
Beth definability, 396
Bimodal language, 138
Binary relation, 14

- Binary tree, 16, 78
- Bisimulation, 378
- Bivalence property, 25
- Blackburn, 261, 367–368, 380, 384, 391, 393, 398, 400, 406–409, 412, 416–420, 423, 428, 440, 442–443
- Blamey, 265
- B-logics, 232, 285
- Bocharov, 97
- Bocheński, xviii
- Bolander, 398, 400, 412, 415–416
- Bolotov, 97, 268, 298
- Bonette, 265, 272, 284
- Bonevac, 66–67
- Boolos, 91, 256
- Boričić, 127, 135
- Borkowski, 42, 61, 188
- Bounded generalization, 372
- Bound occurrence of variable, 5
- Braüner, 367, 398, 400, 409, 412, 415–416, 421, 424, 428–433, 438
- Branch, 16
- Branching factor, 16
- Branching tense logic, 367
- Breadth-first strategy, 107, 339
- B-series, 366
- Bull, 192, 200, 215, 367
- Burgess, 164
- C**
- Calculus, 18
- Calendar terms, 381
- Canonical model, 163, 374
- Carnielli, 260
- Castellini, 268, 299, 303, 306, 309
- Catach, 148, 299, 301–302, 306, 308
- Cellucci, 127, 135
- Cerrato, 196
- Chain of labels, 323
- Chang, 85
- Chellas, 141
- Child of a node, 15
- Church, 19
- Church-Rosser property, 155, 157, 378–379, 389, 391, 419, 431–432, 442
- Church-Turing thesis, 14
- Cittadini, 191
- Clause, 3, 85, 290
- Closed derivation, 48, 275
- Closed formula, 5
- Closed nodes, 112
- Closenesses on frames, 160
- Closure of a relation, 14
- Cluster, 164, 349, 357
 - degenerate, 164
 - proper, 164
 - simple, 164
- CMU proof Tutor, 97
- CNF, 4, 17, 83, 85, 132
- Combinatory dynamic logic, 367
- Complementary set, 3
- Complement of a formula, 3
- Completed set, 334
- Completeness, 12, 55, 61, 64, 104, 114, 130, 163, 251, 275, 281, 286, 314, 319, 325, 334, 337, 345, 348, 372, 424, 426, 439
- Complete parachute, 164
- Complexity theory, xvii, 13
- Composition of relations, 15
- Computability theory, 13
- Computational complexity, 165, 392
- Computer-aided decision making, xvii
- Conditional assumption, 49
- Conditional logics, 151, 195
- Conditional proof, 30, 32–33
- Confluency, 75, 81, 227, 235, 316
- Congruent logics, vii, 141, 160, 187, 211, 231, 254, 285, 288, 312
- Conjunction, 2
- Conjunctive normal form, *see* CNF
- Connection calculi, 26, 75, 84
- Consequence relation, 10, 24, 162, 369
- Consequence theory, 30
- Consistency, 12
- Consistency test, 347
- Consistent set, 107
- Constant domain, 173, 394
- Constant domain models, 168
- Content of a class of frames (models), 154
- Content of a frame, 153
- Content of a model, 152
- Contingent identity, 172
- Contracting domains, 176
- Contraction, 35, 77, 400
- Convex domain, 394

- Copi, 42, 62
 Corcoran, 29, 188
 Correspondence theory, 155
 Counterpart theory, 168
 C-set, 3, 77, 85
 Curry, 183, 188, 267
 Curry-Howard isomorphism, xxi
 Cut, 22, 25, 34, 75, 89, 121, 187, 311, 322, 402
 Cut elimination, 22, 76, 90, 105, 231, 236, 286, 403
 Cut-formula, 78, 116
 Cut-systems, 94
- D**
- D'Agostino, xix, 23, 91, 93–95, 109–110, 121, 410
 Data structure, 18
 Davis, xix, 21, 26–27, 75, 84, 88, 96, 131–133, 397
 De dicto modality, 171
 De Nivelles, 148, 434
 De re modality, 171
 De Rijke, 434
 Decidability, xvii, 13, 14, 106, 114, 163, 363, 365
 Decision problem, 13
 Decision procedure, 21, 98, 326, 334, 348
 Deducibility, 12, 51
 Deduction theorem, 29–30, 149
 Deductive base, 19
 Deductive system, 18
 Deep inference, 257
 Defeasible reasoning, 97
 Definitional rules, 205, 236, 241
 Degree of a subderivation, 48
 DeMorgan's laws, 47
 Demri, 368, 379, 398, 400, 409–411, 431
 Density, 155, 319, 376
 Deontic logics, 195
 Depth of a proof, 48, 125
 Depth-first strategy, 107, 339, 340
 Derivable rules, 22
 Derivation, 20, 33, 51
 Description logics, 254, 256, 355, 435
 Destructive resolution, 183, 246, 253, 294
 Dichotomy, 15, 158, 376
 Difference modality, 139, 381, 409
 Difference necessity, 383
 Difference possibility, 383
 Directedness, 155, 378, 390
 Discrete linear order, 320
 Disjoint domain, 394
 Disjunction, 2
 Disjunctive normal form, see DNF
 Display calculus, xiii, 81, 90, 243, 254, 266, 302, 306, 399, 409
 Disproof, 20, 106
 Dixon, 298
 D-logics, 161
 DNF, 4, 83
 Došen, 257, 306
 Double negation law, 46
 Double sequent calculus, 266
 Downward saturated set, 106, 110, 114, 132, 322, 326
 DP, 26, 84, 88, 94, 121, 125, 131, 134
 DS, see deductive system
 D-set, 3, 77
 DT, see deduction theorem
 Dummett logic, xvi
 Duns Scotus, 170
 Dyckhoff, 36, 97, 124
 Dynamic blocking, 351, 355
- E**
- $E(\varphi)$, 140
 E-analyzed tableau, 109
 EC-logics, 188
 Effective procedure, 13
 Efficiency, xiv
 Elimination rules, 32, 46
 Emf-formula, 190
 Empty domain, 7
 Enjalbert, 86
 EN-logics, 161, 187
 Entailment, 10, 162
 Epsilon term, 135
 Equivalence relation, 15
 Essentialism, 171
 Essentially modal formula, 190
 Etchemendy, xviii
 Euclideaness, 155, 267, 376
 Euclidean logics, 197, 232, 284, 351
 EXCHECK/VALID, 97
 Excluded middle law, 34, 83

- Existence predicate, 8, 175
 Existential assumption, 62, 65, 67
 Existential formula, 6
 Existential import, 6, 175
 Existential saturated rules, 418
 Expanding domains, 176
 Expansion rules, 251
 Expert systems, xvii
 Explicitness, 405
 Explicit systems, 186, 262
 Exponential problems, 166
 $\text{EXT}(U(\mathcal{D}))$, 341
 $\text{EXT}(U(\mathcal{D}))'$, 357
 Extended pure completeness, 391
 Extension, 177
 Extensive system, xiii
 External labelling, 261, 364
- F**
- F, 155
 Factoring, 135
 Fairness, 111
 Falsifiability, 153
 Fariñas del Cerro, 86
 Feys, 43, 163
 Final label, 336
 Fine, 62, 396
 Finite chain, 356
 Finite **L**-frames, 165
 Finitely generated subframes, 389
 Finitely generated tree, 16, 338
 Finite model property, 165
 FIN-model, 178
 First-order logic, 4
 First-order modal logics, 167, 195, 333
 Fisher, 298
 Fitch, xx, 42, 44, 61, 183, 188, 191, 193,
 195, 203, 210, 222, 227, 230, 236,
 244, 256, 262, 273–274
 Fitch's format, 217
 Fitting, xx, 4, 6, 45, 56, 58, 62, 85, 87,
 91–92, 107, 109, 125, 141, 143,
 149, 159–160, 169, 183–186,
 196–197, 205, 209, 211, 217, 233,
 236, 240, 243–244, 246, 253, 256,
 260, 262–263, 269–272, 274, 277,
 279, 282–283, 285, 290, 294,
 310–311, 321, 330–332, 334, 339,
 344, 346–347, 368, 394, 412,
 414–415
 Formal ontology, 367
 $\text{FOR}(X)$, 270
 Frame lemma, 376
 Free logic, 64, 135, 217, 373
 Free occurrence of a variable, 5
 Frege, 171
 F-system, 28, 32, 37, 45
 Fulfilled chain, 324, 357
 Fulfillment, 323
 Full-derivation, 324
 Full domain, 394
 Full intensional nonrigid model, 178
- G**
- Gabbay, 45, 55, 159, 181, 260, 262, 267, 269,
 368, 372, 391
 Gallier, 85, 90
 Gargov, 367, 381
 Garson, 6–7, 70–71, 73, 167, 169, 172–173,
 177, 181, 200, 209, 217, 219, 256,
 320
 Gasquet, 142
 Geach axiom, 146, 157, 390, 418, 431, 443
 General completeness theorem, 430
 General elimination rules, 191
 Generalized clauses, 86, 125
 Generalized elimination rules, 46, 99
 Generalized proof construction rules, 127
 Generalized resolution rules, 251
 General system, xii
 Generated subframes, 378, 389
 Generated submodels, 389
 Generation lemma, 334, 337
 Generic prover, xix
 Gentzen, xiii, 6, 19, 25, 28–31, 34–35,
 37–39, 42, 45–47, 57, 59, 62, 66,
 70, 76–77, 99, 105, 182, 184, 188,
 214, 217, 265, 309, 385, 400–401,
 404, 406, 409
 Gentzen format, 32, 188, 195
 Geometric formula, 17
 Geometric implication, 303
 Geometric theories, 17, 159, 409, 430, 443
 Girard, 297
 Girle, 268
 Global assumption, 150, 275

- Global binding, 385
 Global deducibility, 149, 275
 Global entailment, 162
 Global labels, 293, 326
 Globally labelled RND, see GLRND
 Global modalities, 139, 381
 Global satisfiability, 152, 175
 GLRND, 290, 293, 327
 Goal oriented systems, 26, 75
 Gödel, 286
 Goldblatt, 164
 Goldblatt–Thomason theorem, 158
 Goranko, 27, 367, 381, 384
 Gorchakov, 97
 Goré, 92, 107–108, 164, 182, 184, 186,
 224–226, 230, 232, 234, 262, 265,
 270, 272, 279, 282, 284, 299–300,
 305–308, 310–311, 316, 332,
 334–336, 339, 348, 400, 409
 Goubault-Larrecq, 298
 Grammar logics, 148, 305
 Grigoriev, 268, 298
 Grounded term, 419
 G-rules, 19
 GSC I, 267
 GSC II, 267
 Guglielmi, 257
- H**
- Hähnle, 84, 94, 260
 Haecceitas, 170
 Hansen, 142
 Hausler, 268
 Hawthorn, 194, 222
 Hayes, 367
 Hazen, 244
 H-CQLI, 11
 H-E, 143
 Heguibehe, 434
 Hemaspaandra, 167
 Henkin, 13, 163, 322, 374
 Henkin model, 375
 Herbrand, 30
 Hermes, 37, 43
 Hertz, 30
 Herzig, 142
 Heterogenous Logic, xv, xx
 Heuerding, 255, 265
 Higher-arity proof systems, 265
 Hilbert, xx, 11, 19, 26, 29, 76, 135, 143, 236,
 371
 Hilbert systems, 143
 Hintikka, 82–83, 92, 106, 133, 182–184, 186,
 213, 226, 230, 255, 257, 263,
 270–271, 301, 404, 407,
 Hintikka format, 76, 339, 412
 Hintikka frame, 336
 Hintikka set, 106–107, 114, 349
 History variables, 367
 H-K, 144
 H- $\mathbf{K}_{\mathbf{HV}}$, 387
 H- $\mathbf{K}_{\mathbf{HA}}^+$, 383
 H- $\mathbf{K}_{\mathbf{HA}}$, 383
 H- $\mathbf{K}_{\mathbf{H}}^+$, 374
 H- $\mathbf{K}_{\mathbf{H}\otimes}$, 371
 H- $\mathbf{K}_{\mathbf{H}\otimes}^+$, 372
 H- $\mathbf{K}_{\mathbf{H}\otimes\downarrow}$, 386
 H- $\mathbf{K}_{\mathbf{H}\otimes\downarrow}^+$, 386
 H- $\mathbf{K}_{\mathbf{H}\otimes\vee}$, 387
 H- $\mathbf{K}_{\mathbf{H}\otimes\mathbf{A}}$, 387
 H- \mathbf{Kt} , 147
 H- $\mathbf{Kt}_{\mathbf{H}\otimes}^+$, 379
 H-L, 11
 H-M, 144
 Homogenous multimodal logic, 142
 Honsell, 267
 Horn clause, 4, 14, 16, 159, 268, 431
 Horn theory, 16
 Horrocks, 255, 340, 345, 348, 351, 355
 H-R, 144
 HRND, 391, 397, 400, 437
 H-rules, 19
 H-systems, 11, 26
 Humberstone, 265
 Hustadt, 86
 Hybrid binders, 367
 Hybrid languages, 157, 159
 Hybrid logics, xvi, xx, 254, 268, 331
 Hybrid Sahlqvist completeness, 378
 Hybrid system, xvi, 255
 Hybrid translation, 390
 Hydra, 419
 HyLoRes, 397, 400, 434, 440
 Hypersequent calculus, xiii, 254, 257, 399
 Hypersequents, xx
 Hypothetical syllogism, 25

I

I-calculus, 366
 Identity, 73, 170
 Implication, 2
 Implicit prefixes, 409
 Incestual modal logics, 148
 Inclusion axiom, 142, 330
 Inclusion logics, 148
 Inclusive logics, 10, 57, 64
 Inconsistency, 12
 Indexed sequent, 303
 Indexicals, 381
 Indirect proof, 25, 30
 Indirect truth-table test, 121
 Individual concepts, 177
 Individual constants, 59
 Individual essence, 170
 Individual variables, 4
 Indrzejczak, 65, 181, 184, 187, 196,
 217, 227, 232, 262–263, 266,
 280, 286–287, 299–300, 302,
 304, 306, 308, 310, 322, 391,
 398, 400, 440
 IN-model, 177
 Inner domain, 10
 Intension, 177
 Intensional interpretation, 169
 Intensional nonrigid model, 177
 Interactive logics, 271
 Interactive modalities, 142
 Interactive multimodal logic, 142
 Interactive principle, 142
 Intercalation calculus, 191
 Internalised labelled systems, 398
 Internalised labelling, 261, 364
 Interpolation theorem, 363, 365–366, 392
 Interpretation, 9, 286
 Interval temporal languages, 381
 Interval tense logic, 392
 Intransitivity, 158, 376
 Introduction rules, 32, 46
 Intuitionistic logic, xvi, 34, 151
 Inverted tree, 20
 Invertible rule, 19
 Irreflexivity, 15, 158, 370, 376, 426
 Isabelle, xix
 I-system, 209

J

Jaśkowski, xiii, 28–30, 33–34, 37–41, 44–45,
 57, 64, 66, 70, 188, 213, 230, 256,
 270
 Jaśkowski's format, xix, 32, 40, 42, 44–45,
 47, 53, 188, 193, 195, 203, 210,
 214, 274, 297, 309, 311
 Justified subproof, 56, 207

K

Kalish, xix, 28, 42, 47, 56, 59, 62, 74, 96,
 274, 422, 432
 Kalmar, 96, 98
 Kanger, 183, 263
 Kashima, 255, 257–258, 299–300, 302, 304,
 306, 308, 316
 Kashima format, 305
 KE, 25–26, 93, 95, 98, 100, 109, 121,
 132–133, 213, 256, 322, 340,
 400, 410
 Kleene, 37, 77
 KM, xix, 28, 47, 74, 195, 273, 421
 KM', 65, 74, 105, 136, 217, 219
 KMG, 62, 64, 74
 KMG', 65, 74, 136
 KMGP, 68, 74, 217
 KMGP', 73–74, 217, 219, 282
 KMP, 67, 74
 KMP', 72, 74, 105
 Kneale, xviii
 Knowledge representation, xvii
 Kolmogorov, 34
 König, 16, 344
 König's lemma, 16, 114
 Konikowska, 410
 Kracht, 142, 164, 432
 Krajicek, 40
 Kripke, 143, 150, 169–170, 172, 181, 183,
 184, 255–256, 267, 270
 Kripke frames, 160, 285
 K-sequent, 257, 304

L

LAB, 269
 LAB($U(\mathcal{D})$), 333
 LAB(X), 270
 LAB(normality), 319
 Labelled entailment, 276
 Labelled formula, 268–269, 413

- Labelled Hintikka set, 334
 - Labelled systems, xx, 255, 260, 399
 - Labels, 41, 399
 - Ladner, 167
 - Ladriere, 43
 - Lambda operator, 171
 - LAND1, 321, 338, 345
 - LAND1-**Kt4.3**, 322, 325
 - Lavendhomme, 184, 187
 - L-downward saturated set, 334, 356
 - LDS, 260
 - Leśniewski, 30, 41
 - Leaf, 15
 - Lee, 85
 - Left directedness, 379
 - Leibniz's Law, 171–172, 423
 - Lemmon, 43, 59, 141, 146, 160
 - Leszczyńska, 270, 329
 - Letz, 84
 - Lewis, C., 163
 - Lewis, D., 168, 170
 - LFOR, 269
 - L-formulae, 268
 - L-Hintikka set, 334
 - Lichtenstein, 298
 - Lindenbaum, 13, 163, 375
 - Lindenbaum lemma, 322
 - Linear logics, 146, 156, 255, 356
 - Linear order, 15
 - Linear proofs, 20, 28, 52
 - Linear temporal logics, 228
 - Linearly saturated set, 106
 - Lis, 83
 - Literals, 2, 429
 - LK, 31, 35
 - LLRND, 290, 292, 326
 - Ll-saturated set, 334
 - LND, 273, 312
 - LND-**S4.3**, 312
 - Local assumption, 150, 275
 - Local binder, 379, 381, 384
 - Local deducibility, 149, 275
 - Local entailment, 162, 175
 - Local labels, 326
 - Local satisfiability, 152
 - Locally labelled RND, see LLRND
 - Logical framework, xix, 97
 - Logical rules, 78
 - Logic of correct description, 420
 - Loop, 348
 - LOOP(σ), 349
 - Loop control, 326, 349
 - L-proofs, 20
 - L-saturated set, 106, 110
 - L-system, 20, 28, 32, 38, 45
 - Lucas, 184, 187
 - Lvov-Warsaw School, 30
 - Łukasiewicz, 27, 29, 31
- M**
- MacLogic, xv, 97
 - Major premise, 33
 - Manna, 87
 - Many-valued logics, 87, 260
 - Marciszewski, xviii
 - Markov algorithms, 13
 - Martins, 191
 - Marx, 262–264, 272, 299, 304–306, 308–310, 312, 315, 367
 - Massacci, 262, 270, 278, 282, 284, 310, 321, 332, 334, 336, 339–341, 351
 - Matching lemma, 334, 336
 - Mates, 29
 - Matthews, 262, 268, 274, 277, 309, 431
 - Matsumoto, 183, 192, 231, 405
 - Maximal sets, 374
 - Maximum formula, 99, 189
 - McCarthy, 284, 367
 - McKinsey axiom, 156
 - McTaggart, 366
 - Medeiros, 191
 - Medium labelling, 262, 330, 364
 - Meinong, 8
 - Mendelsohn, 169
 - Merging, 94
 - M-formula, see modal formula
 - MHL, 363
 - Miculan, 267
 - Mikulas, 262–264, 299, 304–306, 308–310, 312, 315
 - Minor premise, 33
 - Mints, 81, 290
 - Mixed labelling, 364
 - Mizar, xv, xix, 97
 - MN-logics, 161, 187
 - Modal assumptions, 188, 203, 212

- Modal binders, 381, 384
- Modal formula, 139, 189, 244
- Modal frame, 151
- Modal hybrid logic, 363
- Modal model, 151
- Modal logics, xvi, 140
- Modal realism, 168, 170
- Modal reiteration, 198
- Modal subproof, 196
- Model checking, xv
- Model-existence lemma, 334, 337
- Modularity, 231, 305
- Modus Tollendo Ponens, 46
- Modus Tollendo Tollens, 46
- Mondadori, xix, 93, 95, 409
- Monomodal logics, xv
- Monotonic logics, xvi, 141, 160, 187, 211, 231, 285, 312
- Monotonicity, 161, 394
- Montague, xix, 28, 42, 47, 56, 59, 62, 74, 96, 274, 422, 432
- Mosaics, 361
- MRND, 251, 290–291, 438
- MSC, 243, 262, 265, 303, 306, 310
- Multimodal heterogenous logics, 142
- Multimodal homogenous logics, 271
- Multimodal interactive logics, 330
- Multimodal language, 138
- Multimodal logics, xvi
- Multiple sequent calculus, *see* MSC
- Multisequents, xviii
- Multiset, 77

- N**
- Nakamura, 167, 356
- Named set, 375
- Natural deduction, *see* ND
- Natural system, xiii
- ND, v, xiv, 25–26, 28, 76
- Negation, 2
- Negation normal form, 434
- Negri, 37, 46, 61, 99–100, 268, 299, 302–303, 306, 309–310, 409, 420
- Neighborhood frame, 143, 160, 285
- Neighbour of σ , 352
- Nishimura, 227, 265
- NK, 31, 34, 38
- Node, 15
- Node creating rules, 418
- Nominal rules, 401
- Nominal tense logic, 367
- Nominals, 363–364
- Nondenoting terms, 6
- Nondeterministic polynomial problems, 166
- Nonrigid constants, 392
- Nonrigid denotation, 169
- Nonstructural rules, 159, 372, 391
- Normality preserving rules, 56
- Normalization of proofs, xxi
- Normalization theorem, 92, 99, 127, 189–190, 421, 429
- Normal logics, xvi, 141, 153, 195
- Normal proof, 99
- Normal rules, 56, 210
- Normal worlds, 159

- O**
- Objectual interpretation, 169
- Ohnishi, 183, 192, 231, 404
- Ono, 167, 356
- Open derivation, 51, 107
- Open formula, 5
- Open nodes, 112
- Ordered assumptions approach, 44
- Ordered fields, 17
- OSCAR, 97
- OTTER, xix, 98
- Outer domain, 10

- P**
- Parachute, 164
- Parameters, 6, 58, 66
- Parametric formula, 78
- Parametric names, 58
- Paramodulation, 430
- Paravano, 267
- Parent of a node, 15
- Partial order, 15
- Partly restricted transitivity, 160
- Passy, 367
- Path, 16
- Peano arithmetic, 35
- Peim, 298
- Peirce law, 131
- Pelletier, 29, 31–32, 44, 58, 62, 97
- Permutation, 35, 77, 401
- Perzanowski, xxiii, 149, 367

- Plutarchus, 170
 Pnuelli, 298
 Poggiolesi, xii, 81, 231, 254, 257
 Pogorzelski, 24
 Pollock, xxi, 55, 97, 123–124
 Polynomial problems, 166
 Portoraro, 97
 Positive free logic, 8, 34
 Possibilia, 8
 Possibilistic quantifiers, 175, 394
 Possibilist rigid model, 173
 Possible worlds semantics, 150
 Post, 83
 Prawitz, 18, 38, 76, 90, 99–100, 188–190
 Predecessor, 15, 155, 390
 Prefixed systems, 270
 Prefixed tableau calculi, 45, 262
 Prefixes, 41, 262, 398
 PREORDER, 102
 Priest, 268
 Primitive rules, 22
 Principal formula, 78
 Principle of bivalence, 93
 Principle of Indiscernibility of Identicals, 172
 Principle of Substitution, 172
 Prior, 138, 142, 223, 363, 366–367, 380, 384, 390
 Progressive cut, 25, 92, 133
 Projective geometry, 17
 Prolog, 48
 PR-model, 173
 Proof, 20
 Proof assistants, 97
 Proof by cases, 30, 32–33, 46
 Proof checker, 87, 97
 Proof of φ , 51
 Proof search, 21, 109, 334, 338
 Proper substitution, 5, 58
 Provability, 12
 Provability logics, 224, 282
 PROVER, 97
 Provers, 97
 P-simulation, 23, 93, 166
 PUENF-formulae, 390, 418
 Pure axioms, 374, 418
 Pure completeness, 374, 378, 388
 Pure first-order language, 5
 Pure formula, 368, 390, 431
 Pure literal rule, 88, 133
 Pure rules, 233
 Pure universal existential nominal-free formulae, see PUENF-formula
 Putnam, xix, 21, 26–27, 75, 84, 88, 96, 131–133, 397
- Q**
 Quantifiers, 4
 Quasi-congruent logic, 141
 Quasi-monotonic logic, 141
 Quasi-names, 6, 58
 Quasi-order, 15, 23, 156
 Quasi-subformula, 403
 Quasi-subformula property, 428
 Queer worlds, 159
 Quine, xviii, 8, 46, 61, 117, 171, 366
- R**
 R, 155
 Raggio, 99
 Rasiowa, 82
 Rautenberg, 184, 186, 232
 Realization, 18
 Recorded assumptions approach, 44
 Recursive functions, 13
 Reductio ad absurdum, 25, 32–33
 Reflexive closure, 14
 Reflexive logics, 156, 186, 197
 Reflexivity, 15, 155, 376
 Refutation, 20
 Refutation calculi, 26–27, 75
 Regressive cut, 25, 92, 101, 133
 Regular basic logics, 186
 Regular logics, xvi, 141, 159, 195, 199, 237, 279
 Reichenbach, 380
 Reiteration rule, 196, 244, 246, 288, 422, 425
 Relational semantics, 150
 Relation calculus, 86
 Relative maximality, 322
 Relative proof length complexity, 94
 Relevant logics, xvi, 45, 151, 195, 260
 Renteria, 268
 Repetition, 41
 Replacement, 5
 Rescher, 256, 258, 299, 301–302, 306–308, 310, 315, 362, 367

- Resolution, xix, 25–26, 40, 84, 94, 121, 124–125, 131, 429
 Restall, 100
 Reynolds, 262–264, 299, 304–306, 308–310, 312, 315
 R-formulae, 268, 310
 Ridder, 183
 Right directedness, 158, 390
 Right discreteness, 158, 379
 Rigid constants, 392
 Rigid denotation, 169, 173
 Rigid designators, 170
 RND, xix, xx, 96, 125, 128, 244, 290, 326, 391, 398, 400, 434, 437
 Robinson, 85
 Robinson's arithmetic, 17
 Rooted frame, 164
 Rooted model, 164
 Root of a tree, 15
 RPF-rules, 391
 Rule, 18
 Rule of tautology, 88, 133
 Rules of expansion, 84
 Rules of inference, 21, 24, 33, 45
 Rules of proof construction, 21, 24, 33
 Russell, 7, 171
 Russo, 262, 268
- S**
- Sahlqvist, 157
 Sahlqvist completeness theorem, 157, 365, 377
 Sahlqvist Correspondence, 157
 Sahlqvist formula, 157, 377, 379, 389, 391
 Sahlqvist implication, 157
 Sahlqvist/pure completeness, 380
 Sahlqvist-van Benthem algorithm, 157
 Salamucha, 30
 Sambin, 224, 231, 234
 SAT(σ), 341
 Sat-calculi, 373, 398–399, 428
 Sat-formula, 368
 Sato, 257–258, 265
 Satisfaction operators, 363, 367
 Satisfiability, 9, 153, 175, 286, 369
 Satisfiability in a model, 9, 153
 Satisfiability problem, see sat-problem
 Sat-operators, 365, 409
 Sat-problem, 13, 166, 366
 Satre, 192
 Sattler, 256
 SAT($U(\mathcal{D})$), 110, 114, 341
 Savitch, 166
 SC, xiii, 25–26, 31, 76, 183, 196, 432
 SC-admissible rule, 78
 SC-derivable rule, 78
 Schütte, 82–83, 92, 257
 Schema of a rule, 18
 Schmidt, 23, 86, 148
 Schmitt, 298
 Schwarts, 185
 Schwichtenberg, 100
 Scope of a quantifier, 5
 Scott, 151
 $S(\mathcal{D})$, 50
 Secondary rules, 22
 Segerberg, 141, 165, 192, 200, 202, 215
 Segment of a branch, 16, 102
 Selection functions, 434
 Self-duality principle, 386
 Seligman, 367, 398, 400–407, 409, 421, 424–426
 Semi-decidability, 14
 Separation, 405
 Sequent, 4, 30, 76
 Sequent calculi, see SC
 Serial logics, 156, 186, 197, 283, 346
 Seriality, 155, 376
 Seriality', 160
 Seyfried, 255, 265
 S-formula, 48, 197
 Shangin, 97, 268, 298
 Shimura, 226, 235, 299–300, 305–307, 310
 SHOW, 48
 SHØW, 49
 Show-lines, 48
 Shvarts, 202, 232
 Side formula, 78
 Sieg, 97, 100, 191
 Siemens, 196
 Sikorski, 82
 Simple system, xiii
 Simpson, 17
 Simulation, 23
 Single step rules, 321
 Single-step tableaux, 262, 270

- Situation calculus, 367
 Situation theory, 399
 S-lines, see Show-lines
 Skolemization, 59, 62, 86, 391, 431
 Skura, 27
 Slupecki, 42, 61, 188
 Small, 268, 299, 303, 306, 309
 Smullyan, 3, 6, 45, 83, 93, 96, 102, 104, 107, 255–256, 270, 404, 411
 Sofia school, 367, 381
 Soundness, xvii, 12, 24, 55, 57, 62, 64, 66, 72, 104, 130, 163, 206, 251, 275, 277, 281, 286, 314, 319, 372, 433
 Special Case Rule, 253
 Splitting rule, 89, 94, 133
 SQL, 48
 S-system, 28, 32, 35, 56, 214
 Stachniak, 87
 Stalmarck, 99
 Standard translation function, 388
 State variables, 384
 Static rules, 274, 322, 341
 Step-wise simulation, 23
 Stoics, 29
 Stouppa, 257
 Strict analyticity, 81
 Strict Horn clause, 16
 Strict implication, 188
 Strict linear order, 15
 Strictly analytic systems, 92
 Strict subderivation, 188, 196, 244, 422, 425
 Strong completeness, 13, 163
 Strong cut elimination theorem, 92
 Strong interpolation property, 396
 Strong labelling, 262, 330, 364
 Strong (left) connectedness, 155
 Strongly bounded formula, 389
 Strongly generated set, 270, 338
 Strong modal logics, 143
 Strong (right) connectedness, 155, 376
 Structural completeness, 22
 Structural rules, 78, 400
 Subderivation, 40, 48
 Subfor(Γ), 3
 Subfor(φ), 3
 Subformula, 3
 Subformula property, 75, 79, 90, 98–99, 111–112, 132, 231, 235, 322, 333, 348, 403, 435
 Subordinate proof, 21, 40
 Subproof, 21, 48
 Substances, 177
 Substitutional semantics, 58
 Substitution interpretation, 169
 Substitution rule, 11, 371
 Substructural logics, 20
 Substructure property, 90, 333
 Subsumption, 128
 Subsumption rule, 88, 133
 Succedent, 4
 Successor, 15
 Superformula-property, 232
 Superintuitionistic logics, xvii, 151
 Suppes, 38, 43, 44, 56, 59, 61, 97, 189, 192, 210, 213, 270
 Suppes' format, 42, 44, 214
 Supposition, 41
 Suszko, 29, 37
 Syllogistic, 29
 Symlog, 97
 Symmetric closure, 23
 Symmetric logics, 197, 232, 258, 267, 351
 Symmetry, 15, 155, 376
 Syntactical methods, xvii
- T**
 Tableau systems, xix, 76
 Takano, 91–92, 185, 202, 232
 Tapscott, 272, 277
 Tarski, 18, 30, 175
 Tarski's World, xviii
 TAUT, 140
 Tautology, 9
 T-calculus, 366
 Temporal frame, 151
 Temporal logics, 195, 222, 255, 280
 Tense logics, 142
 Termination, 111
 Term supposition, 64
 Theseus' boat, 170
 Thesis, 11
 THINKER, 97
 Th(**L**), 12, 144
 T-logics, 161

Thomason, 61, 142, 180, 196
 Tinchev, 367
 Tobies, 256
 Topological logic, 367
 T-proofs, 20
 Transfer rules, 274, 324, 351
 Transitive closure, 14
 Transitive closure of \mathcal{R} , 164
 Transitive logics, 197, 235, 283, 341, 348
 Transitivity, 15, 155, 376
 Transworld identity, 170
 Tree, 15, 164
 Tree format, 38
 Tree-hypersequent calculus, 257
 Tree proofs, 20, 28, 52
 Trichotomy, 15, 158, 376
 Troelstra, 100
 Truth lemma, 376
 Truth table method, 90
 Truth value semantics, 169
 TS, 26, 76, 82, 89, 183, 186, 196
 T-system, 20, 28, 32, 38
 Turing machines, 13
 Tzakova, 367–368, 398–400, 405,
 411, 413

U

U-calculus, 366
 $U(\mathcal{D})$, 50, 107
 UE-closure, 391
 U-formula, 48
 U-lines, 48
 Ullman, 102
 Ultrafilter, 378
 Unification, 86, 88, 135, 435
 Union of relations, 15
 Unit literal rule, 88, 94, 133
 Universal assumption, 67
 Universal formula, 6
 Universal generalization, 372
 Universal implication, 16, 303, 328, 408
 Universality, 376
 Universally free logic, 10
 Universal modality, 382
 Universal system, xii, 105
 Universal theory, 16
 Unused formula, 107

Urquhart, 256, 258, 299, 301, 306–308, 310,
 315, 362, 367
 Usable-lines, see U-lines
 Used formula, 111, 337

V

Valentini, 231
 Validity, 9, 369
 Validity on a frame, 153
 Validity problem, 13, 166
 Van Benthem, 155
 Van Eijck, 412
 Varying domain models, 168
 Vigano, 262, 268, 274, 277, 309, 431
 Von Plato, 37, 46, 61, 99–100, 191

W

Waiting formula, 111
 Wallen, 27
 Wang, 76, 90
 Wansing, xii, 231, 254, 266, 299, 302, 306,
 308, 310, 404, 410
 Weak completeness, 13, 163
 Weak connectedness, 264, 267
 Weakening, 25, 187, 316, 400
 Weak hybrid propositional language, 368
 Weak interpolation property, 396
 Weak labelling, 262
 Weak (left) connectedness, 155
 Weak logics, 160
 Weak modal logics, 143
 Weak (right) connectedness, 155, 376
 Wisdome, 240
 Wójcicki, 19, 37
 Woleński, 29
 Wolper, 298
 Wolter, 142
 WorkBench, 265

X

Xpe, 265

Z

Zeman, 183, 230–231, 235, 255, 267,
 299–300, 305–307, 310
 Zimmermann, 255, 265

ALCR, 430

B, 146, 165, 185, 201, 277, 336

- C**, 324, 357
CD, 160
CN4, 160
CND4, 160
CNS4, 160
CPDL, 367
CPL, 1, 88, 184
CQLI, 6
CQL, 1, 6, 88, 168, 254
CTL, 268
CT, 160
CU, 343
D, 146, 165, 185, 194, 200, 231, 241, 332, 336
D2, 160
D4, 160, 185, 231
DB, 185
E, 141, 161, 187, 213, 215, 231
E2, 160
E4, 160
E5, 231–232
EC, 188
ED5, 232
ED, 231
END, 231
ENT4, 232
ET4, 231–232
ET, 231
F, 180
FQLI, 8
FQL, 1, 7, 10, 65, 168, 179, 254
F-L, 220
G, 180, 184, 224, 257, 282
GKc, 181
GKs, 181
Grz, 224, 282
G-L, 220
K, 141, 165, 184–185, 193, 231, 244, 247, 250, 268, 273, 291–292, 332, 336, 366
K4.3, 147, 165, 226, 297, 316, 326
K45, 165, 185, 194, 207, 231, 336
K4B, 165, 336
K4D.3, 147
K4DL, 147
K4D, 165
K4Grz, 224
K4L, 147
K4, 165, 185, 194, 200, 224, 231, 235, 265, 336
K5, 165, 185, 194, 199–200, 232, 336
KB4, 185, 197, 202, 293
KB, 165, 185, 202, 210, 218, 336
KD4.3, 297, 326
KD45, 165, 185, 194, 200, 202, 231, 336
KD4, 194, 200, 336
KD5, 165, 185, 194, 200, 232, 336
KDB, 165, 202, 336
Kt4.3, 147, 229, 297, 304, 384
Kt4D.3, 297
Kt4D, 227–228, 252
Kt4, 147, 227–228, 252, 257, 265, 281, 336
KtD4.3, 229, 326
KtD4, 281
KtDF.DP, 147
KtDF, 147
KtDP, 147
KtD, 227–228, 281
KtT4.3, 326
Kt, 142, 227–228, 252, 257, 280, 293, 336
KH, 370, 412–413, 415
KA, 382
KHA, 382
KH@, 370
KH@A, 382
KH↓, 386, 413
KHv, 386, 413
KtHA, 382
KtH@, 370
KtH, 370, 382, 409
L-admissible rule, 150, 162
L-(LAB)normal rule, 276
L-consistency, 12, 13, 150, 163
L-derivable rule, 150
L-frame, 156
L-inconsistency, 12
L-model, 156
L-normal rule, 24
L-normality preserving rule, 24
L-satisfiability, 9, 13, 276
L-valid rule, 24
LH, 368, 382
LH@, 368, 382
LH@A, 382
LH@v, 385
LH@↓, 385

- LH@↓v**, 385
LH@vA, 386
LH@↓A, 386
LM, 137, 156, 383
LT, 138, 156, 384
LTH@, 379, 384
LTH@↓, 379
LCPL, 2
LHA, 382–383
LHAD, 383
LH↓, 388
LHΣ, 388
LH↓v, 385
LH↓, 385
LHV_A, 386
LHV, 385
LMA, 383
LMD, 383
LMAD, 383
LM_n, 138
LQLI, 4
LQL, 4
LTHD, 384
LTH↓, 389
LTH, 379
L□_n, 138
L□, 138, 184, 196, 212
L◇_n, 138
L◇, 138, 213
M, 141, 161, 187, 213, 215, 231, 235, 244, 250
M45, 231, 235
M4, 231, 235
M5, 217, 231–232, 235
MD45, 231–232, 235
MD4, 231–232, 235
MD5, 232
MD, 231, 235
MN45, 235
MN4, 235
MN5, 235
MND45, 235
MND4, 235
MNT4, 235
MT4, 231, 235
MT, 231, 235
PLTL, 268
PTL, 142
Q1-L, 218
Q1R-L, 220
Q1R, 180
Q1, 179
Q3-L, 220
Q3, 180
QLI, 67
QL, 1
QMHL, 392, 418
QML, 167, 217, 320
QPL-L, 218
QPL, 178
QS-L, 220
QS, 179
R, 141, 159–160, 188, 210–211, 213, 244, 247, 250, 280
R4, 160, 210
RD4, 160
RD, 160
RT4, 160
RT, 160
S1, 141
S2, 141, 183, 195
S3, 141, 183
S4.2, 173, 225
S4.3.1, 226
S4.3, 147, 165, 226, 235, 297, 326
S4.4, 267
S4F, 225, 298, 328
S4Grz, 184
S4R, 225, 298, 328
S4, 146, 156, 163, 165, 183, 185, 188, 194–195, 224, 231, 244, 257, 265–266, 277, 284, 336
S5, 81, 146, 163, 165, 183, 185, 188, 194, 198, 201, 210, 244, 257, 263, 266–277, 284, 293, 336
T, 146, 165, 183, 185, 194–195, 200, 231, 277, 332, 336
U, 111, 343
W, 111
A, 139, 382
B, 93
C, 164
D, 39, 50, 139, 383
D ⊕ D', 51
E, 139, 382, 417

- \mathcal{F} , 153
- \mathcal{K} , 154
- \mathcal{M} , 161
- \mathcal{M} -frames, 161
- \mathcal{M} -validity, 161
- \mathcal{N} , 160
- \mathcal{Q} , 159
- \mathcal{R} , 14, 151
- \mathcal{R}^+ , 14, 164
- \mathcal{R}^* , 14
- \mathcal{R}^m , 15
- \mathcal{R}_i , 271
- $\mathcal{R}(w)$, 151
- \mathcal{R}_F , 151
- \mathcal{R}_P , 151
- \mathcal{R}_ε , 151
- $\mathcal{R}_a \circ \mathcal{R}_b$, 151
- $\mathcal{R}_a \cup \mathcal{R}_b$, 151
- $\mathcal{R}_{a;b}$, 151
- $\mathcal{R}_{a \cup b}$, 151
- \mathcal{S} , 142, 389
- \mathcal{S}_4 , 234
- \mathcal{S}_5 , 234
- \mathcal{S}_D , 234
- \mathcal{S}_{D4} , 234
- \mathcal{S}_{D5} , 234
- \mathcal{S}_L , 234
- \mathcal{S}_M , 234
- $T(\mathcal{D})$, 111–112, 344
- \mathcal{U} , 142, 389
- $\bar{\mathcal{D}}$, 383
- \mathcal{W} , 151
- $\mathcal{W}_{\mathfrak{M}}$, 151
- \mathcal{F} -normal rule, 162
- \mathcal{F} -normality preserving rule, 163
- \mathcal{F} -satisfiability, 163
- \mathcal{F} -valid rule, 162
- \mathcal{F} -satisfiable set, 154
- $\mathfrak{F} \models \varphi$, 153
- \mathfrak{F} , 151
- $\mathfrak{F}, w \models \varphi$, 153
- \mathfrak{F}_H , 336
- \mathfrak{M} , 9, 151, 385
- $\mathfrak{M}, w \models \Gamma$, 152
- $\mathfrak{M}, w \models \varphi$, 152
- \mathfrak{T} , 15, 151
- 2, 145, 155
- 3, 145, 155
- 3', 147
- 3-rules, 312, 317, 321, 327
- 3F, 147
- 3P, 147, 155
- 4, 145, 155, 161, 267, 291
- 4-logics, 232
- 4', 160, 376, 437
- 4C, 145, 155, 291, 294
- 4C', 376
- 4F, 147
- 4P, 147
- 4A, 382
- 5, 145, 155, 291
- 5', 376, 437
- ADM(DS-L), 22
- Agree, 371
- Ant, 376, 437
- As, 376, 437
- B, 145, 155, 161, 201, 291
- B-Te, 291
- B-Te + 4, 291
- B', 159, 376, 437
- B + 4, 291
- BF, 179, 218
- BG ↓, 387
- B_A, 382
- Back, 371, 373, 425
- Barcan_□, 387
- Barcan_@, 387
- Bridge, 372, 425
- C, 140
- CBF, 179, 218
- CON, 5, 392
- ConvK_@, 372
- D, 145, 155, 161, 267, 291, 294
- D', 376
- DA, 386
- DC, 145, 155, 291, 294
- DC', 376, 437
- DF, 147
- DP, 147, 155
- D_i, 10
- D_o, 10
- Dich, 376, 437
- Dual_A, 382
- DER(DS-L), 22
- E, 8, 175
- E(\mathcal{F}), 154

- $E(\mathcal{M})$, 154
 $E(\mathfrak{F})$, 153
 $E(\mathfrak{M})$, 152
 $EXPTIME$, 166
 $EXPTIME$ -completeness, 380, 382, 395
 F , 139, 145, 155, 328
 F -labels, 271, 281
 F' , 328
 F'' , 328
 FOR , 2
 FUN , 392
 $F\exists I$, 12, 180
 $F\forall E$, 12, 180
 G , 139, 145
 GP , 147
 $G^{a,b,c,d}$, 148, 305
 Go , 145
 Grz , 145
 H , 139
 $H3'$, 376, 437
 HL' , 376, 437
 HP , 147
 HT , 390
 ID , 11, 73, 178
 I_w , 176
 In , 177
 $Incl_i$, 382
 $Incl_{\diamond}$, 382
 $Intr$, 376
 $Intro@$, 371
 Irr , 376, 437
 K , 140, 161, 201, 291
 K_A , 382
 $K@$, 371
 L , 145, 155
 L' , 147
 $LAB(U(\mathcal{D}))$, 344
 LF , 147
 LI , 172, 178
 LL , 11, 172, 178
 LLE , 180
 LNI , 178
 LP , 147, 155
 M , 140, 145, 155
 MI , 178
 $MOD(\mathcal{F})$, 154
 $MOD(\mathfrak{F})$, 151
 $MOD(\mathbf{L})$, 156
 $Mod(\Gamma)$, 153
 $Mod(\varphi)$, 153
 $Mod_{\mathcal{F}}(\varphi)$, 154
 N , 140, 161
 NOM , 367
 NP , 166
 NP -complete problem, 167
 NP -completeness, 395
 $Name \downarrow$, 387
 $Name\exists$, 387
 Nom , 374, 387
 $Nom1$, 372, 425
 $Nom2$, 372, 425
 Nom_A , 382
 P , 139, 166
 P -label, 271, 281
 PF , 391
 $PRED$, 5, 392
 $PROP$, 2
 $PSPACE$, 166
 $PSPACE$ -complete problem, 167
 $PSPACE$ -completeness, 341, 366, 370, 395
 Pos , 144
 $Q1$, 387
 $Q2$, 387
 R , 145, 155, 328
 R' , 328
 R'' , 328
 $Ref@$, 371
 $S-D \downarrow$, 386
 ST , 388
 ST_x , 156
 $SVAR$, 384
 $Selfdual@$, 371
 $Sym@$, 372
 $S_1, \dots, S_k \vdash_{SC} S_{k+1}$, 78
 T , 145, 155, 161, 236, 267, 291, 294
 T' , 376, 437
 $T(a, \varphi)$, 366
 TC , 291, 294
 $TERM$, 5
 T_A , 382
 Tri , 376, 437
 $Tran@$, 372
 Un , 376
 V , 151
 VAR , 5, 392
 $VF(\varphi)$, 5

- V_w , 176
 X , 126
 X_i , 18
 Y , 126

 $\square 4$, 145, 155, 223, 282
 $\square B$, 145, 155, 223, 282
 $\square D$, 145, 155, 282
 $\square T$, 145, 155, 223, 282
 $\square T'$, 376
 \square , 138
 \square -formula, 139, 197, 244
 $\square \Gamma$, 139
 \square^n , 138
 \square_F , 138–139
 \square_P , 138–139
 \square_a , 138
 \square_i , 138
 Δ , 3
 Δ^{\natural} , 185, 191
 \Downarrow , 387
 $\Gamma // \Delta$, 19
 $\Gamma < i, j > \Rightarrow \Delta$, 265
 Γ , 3
 $\Gamma[i]$, 407
 Γ^* , 185, 191, 197
 \mathfrak{S} , 276
 Π , 245, 387
 Π_2^0 -formulae, 427
 Π^i , 139, 245
 Π_k^i , 139
 Π_k , 139
 \Rightarrow , 4
 Σ , 3, 387
 Υ , 245
 Υ^i , 139, 245
 \Vdash_L , 149
 α , 3
 α -formula, 3
 β , 3
 β -formula, 3
 \bigcirc , 142
 \perp , 3
 χ , 2
 \circ , 15
 \cup , 15
 δ , 6
 \diamond , 138

 \diamond -formula, 139, 197, 244
 $\diamond \Gamma$, 139
 \diamond -saturated set, 375
 \diamond^n , 138
 \diamond_F , 138–139
 \diamond_P , 138–139
 \diamond_b , 138
 \diamond_i , 138
 \downarrow , 379, 384, 435
 \exists , 5, 384
 $\exists I$, 11
 \forall , 5, 384
 $\forall E$, 11
 γ , 6
 $\langle b \rangle$, 138
 \leftrightarrow , 2, 3
 $\models_{\mathcal{F}}$, 162
 $\mid \sigma \mid$, 269
 \models , 9, 24
 \models_L^{LAB} , 276
 \models_L , 10, 156
 $\models_{\mathcal{F}}$, 154, 162
 \neg , 2
 ν , 139
 $\nu(U(\mathcal{D}))$, 353
 ν -formula, 139, 189, 197, 241, 244, 278
 ν -rules, 278, 344
 ν -set, 139
 ν^F , 139
 ν^P , 139
 ν^i , 139
 $\not\models_L$, 12, 144
 $\overline{\{\neg\varphi\}}$, 322, 344
 $\overline{\Gamma}$, 3
 $\overline{\{\varphi\}}$, 3
 π , 139
 π -formula, 139, 189, 197, 211, 227, 244
 π -rule, 301
 π -set, 139
 π^F , 139
 π^P , 139
 π^i , 139
 \prec , 338
 \prec_l , 353
 ψ , 2
 \rightarrow , 2
 σ , 269
 $\sigma \triangleright \tau$, 335

- \subseteq_{\forall} , 135
 τ , 5
 $\tau \triangleright \sigma$, 323
 \top , 3
 \triangleright -path, 338
 \triangleright , 335
 \vDash , 9
 φ , 2
 $-\varphi$, 3
 $\varphi(x)$, 5
 $\varphi[\tau_1 // \tau_2]$, 5
 $\varphi[x/\tau]$, 5
 \vdash , 11
 \vdash_L , 11, 144
 \vdash_{DS-L} , 11
 \vdash_{H-CQLI} , 11
 \vdash_{LND-K} , 275
 \vee , 2
 \wedge , 2
 $\vee\Gamma$, 3
 $\wedge\Gamma$, 3
 $\{^F X\}$, 257
 $\{^P X\}$, 257
 a , 385
 a_w^u , 385
 a_o^x , 9
 $coNP$, 166
 $coNP$ -complete problem, 167
 i -label, 271
 nf , 430
 $w \vDash \Gamma$, 152
 $w \vDash \varphi$, 152
 w -assignment, 175
 x -variant, 9, 174
 SUB , 433
- $[@I]$, 422
 $[@\square]$, 422
 $[@COND]$, 429
 $[@RAA]$, 429
 $[4_E]$, 216
 $[5_E]$, 216
 $[ANTISYM]$, 427
 $[BGR]$, 426, 428
 $[B\square]$, 429
 $[B \downarrow I]$, 425
 $[B_E]$, 216
 $[C-R]$, 427
 $[CCOND]$, 127
 $[CNEC]$, 246, 291
 $[CNEC_K]$, 247
 $[CNEC_M]$, 245
 $[CNEC_R]$, 247
 $[COND'']$, 54
 $[COND']$, 54
 $[COND]$, 46, 49, 62, 129
 $[CPOS]$, 246, 291
 $[CPOS_M]$, 245
 $[CRED]$, 127
 $[DIR]$, 53, 62, 129
 $[D_E]$, 216
 $[FUNIV]$, 65
 $[FUNIV^p]$, 67, 73
 $[FUNIV^p]$, 73
 $[F\exists E]$, 66
 $[F\exists E^p]$, 73
 $[F]$, 271
 $[Impossible]$, 278
 $[Impossible I]$, 278
 $[JUNIV]$, 65
 $[LA_2]$, 288
 $[LCOND]$, 274
 $[LE_2]$, 289
 $[LFUNIV^p]$, 282
 $[LF\exists E^p]$, 282
 $[LNEC]$, 274, 288
 $[LPOS]$, 277, 288
 $[LRED]$, 274, 333
 $[LNEC_R]$, 280
 $[L\square I]$, 268
 $[L\Diamond E]$, 268
 $[MCOND]$, 127
 $[MOD]$, 199
 $[MRED]$, 127
 $[NAME]$, 424
 $[NAME']$, 425
 $[NEC-G]$, 224
 $[NEC-Grz]$, 224
 $[NEC-K]$, 197, 247
 $[NEC']$, 199
 $[NEC'_E]$, 215, 254
 $[NEC(G)]$, 228
 $[NEC(H)]$, 228
 $[NEC/POS-2]$, 225
 $[NEC/POS-F]$, 225
 $[NEC]$, 197–198, 205, 237, 243, 420

- $[NEC_E]$, 214
 $[NEC_M]$, 211
 $[NEC_T]$, 200
 $[POS-K]$, 247
 $[POS-R]$, 225
 $[POS]$, 203, 205, 237, 243, 420
 $[POS_M]$, 211
 $[P]$, 271
 $[RED'']$, 54
 $[RED']$, 54
 $[RED]$, 25, 46, 49, 101, 103, 129, 199, 243
 $[SC-1_M]$, 216
 $[SEP]$, 134, 246, 294
 $[SUB'']$, 136
 $[SUB']$, 135
 $[SUB]$, 128, 245, 290
 $[TR]$, 34, 37
 $[UNIV]$, 59, 62, 122, 219
 $[UNIV^p]$, 66–68
 $[UNIV^p']$, 69–70
 $[UNIV^{p*}]$, 67–68, 73
 $[\square]$, 424
 $[\square^n COND]$, 193
 $[\square^n RED]$, 193, 202
 $[\beta]$, 104, 134, 346
 $[\perp]$, 240, 243
 $[\perp]^F$, 209, 237, 240
 $[\perp]^W$, 240
 $[\exists E]$, 62, 63
 $[\exists E^p]$, 58, 69
 $[\exists E^p']$, 70
 $[\forall E]$, 100
 $[\neg E]$, 33, 40, 100
 $[\neg I]$, 34
 $[\nu I]$, 274
 $[\psi]$, 40
 $[\rightarrow E]$, 100
 $[\rightarrow I]$, 33, 36, 40
 $[\varepsilon]$, 148
 $[\vee E]$, 46
 $[\vee I]$, 34
 $[\wedge E]$, 100
 $[a; b]$, 148
 $[a \cup b]$, 148
 $[a]$, 138
 $[i]$, 271
 $[D]$, 51
 $(1R-A)$, 440
 $(1R'')$, 329
 $(2Exp-A)$, 440
 $(2R-A)$, 440
 $(2R'')$, 329
 $(3Exp-A)$, 440
 $(3FE)$, 264
 $(3FE_K)$, 305
 $(3FF')$, 319
 $(3FF)$, 317, 325, 359
 $(3FP')$, 319
 $(3FP)$, 317, 325, 359
 $(3PE)$, 264
 $(3PE_K)$, 305
 $(3PF')$, 319
 $(3PF)$, 317, 325, 359
 $(3PP')$, 319
 $(3PP)$, 317, 325, 359
 $(3R-A)$, 440
 $(3RExp-A'')$, 440
 $(3RExp-A')$, 440
 $(3RExp-A)$, 440
 $(4-2)$, 187
 (4) , 161, 187
 $(4R-A)$, 442
 $(4RExp-A)$, 442
 $(5-2)$, 187
 (5) , 161, 187, 216, 287
 $(5')$, 216
 (A) , 34
 $(AMON)$, 394
 (AX) , 25, 77, 400
 (A_S) , 35
 $(Advancement)$, 277
 $(Antisym)$, 427
 (B) , 187
 $(B-2)$, 187
 $(B-Te)$, 142
 $(BBridge)$, 417, 429, 430
 (BF) , 218
 (BG) , 372–373, 380, 386, 421
 (BGR) , 428, 439
 (BG_E) , 383
 (BId) , 417
 (BLF) , 305
 (BLP) , 305
 $(BNom')$, 425
 $(BNom)$, 416, 425, 430

- $(BNom_1)$, 417, 425
 $(BNom_2)$, 417
 $(BNom_1)$, 429
 $(BNom_1 \Rightarrow)$, 428
 $(BNom_2)$, 429,
 $(BNom_2 \Rightarrow)$, 428
 (BR) , 330
 $(BRef)$, 417, 429, 433
 $(BSym)$, 417
 $(B@I)$, 429
 $(B@E)$, 417, 429
 $(B\text{-}@E)$, 417
 $(B\Box E)$, 417, 421, 424, 429, 433
 $(B \Rightarrow \downarrow)$, 428
 $(B \Rightarrow \forall)$, 428
 $(B\perp I)$, 429, 434
 $(B \downarrow E)$, 430
 $(B \downarrow \Rightarrow)$, 428
 $(B\forall E)$, 430
 $(B\forall I)$, 430
 $(B\forall \Rightarrow)$, 428
 $(B\text{-}\mathcal{E}E)$, 417
 $(B \rightarrow E)$, 429, 433
 $(B \wedge E)$, 429, 433
 $(B \wedge I)$, 429, 433
 $(B\mathcal{E}E)$, 417
 $(B\alpha)$, 417
 $(B\beta)$, 417
 $(B\perp)$, 417
 $(B\Diamond E)$, 417
 $(B \downarrow E)$, 417
 $(B\text{-})$, 417
 $(B\text{-}\Box E)$, 417
 $(B\text{-}\Diamond E)$, 417
 $(B\text{-}\downarrow E)$, 417
 $(B\text{-}\neg)$, 417
 (C) , 126, 231
 $(C\text{-}3)$, 187, 231
 (CNN) , 126, 129
 (CSL) , 303
 $(Cut\text{-}ND)$, 37
 (Cut) , 25, 77, 79, 402
 (Cxt) , 284
 $(C@)$, 435, 437
 $(C@4)$, 436
 $(C@Bridge)$, 437
 $(C@D)$, 436
 $(C@NN)$, 437
 $(C@Nom)$, 437
 $(C@Param)$, 435
 $(C@Ref)$, 435, 437
 $(C@Sym)$, 435, 437
 $(C@Sym')$, 435
 $(C@T)$, 436
 $(C@W)$, 437
 $(C@\alpha)$, 437
 $(C@\beta)$, 437
 $(C@\pi)$, 437
 $(C@\nu)$, 437
 $(C@\neg)$, 437
 $(C@\wedge)$, 435
 $(C@\neg\wedge)$, 435
 $(C@\Box)$, 435
 $(C@\neg\Box)$, 435
 $(C@\downarrow)$, 436
 $(CF\exists E)$, 135
 $(CF\exists I)$, 135
 $(CF\forall E)$, 135
 $(C\alpha E)$, 126
 $(C\alpha I)$, 126
 $(C\alpha)$, 129
 $(C\beta E)$, 126
 $(C\beta I)$, 126
 $(C\beta)$, 129
 $(C\exists E)$, 135
 $(C\exists I)$, 135
 $(C\forall E)$, 135
 $(D\Box E)$, 223
 $(D\text{-}2)$, 187
 (D) , 187, 192, 197, 223
 $(D4)$, 232
 $(D5)$, 232
 $(DG \Rightarrow)$, 410
 $(DH \Rightarrow)$, 410
 (DLF) , 302
 (DLF_K) , 303
 (DLP) , 302
 $(D \Rightarrow G)$, 410
 $(D \Rightarrow H)$, 410
 $(D \Rightarrow \wedge_1)$, 409
 $(D \Rightarrow \wedge_2)$, 409
 $(D \Rightarrow)$, 186
 $(D \Rightarrow \rightarrow)$, 409
 (E') , 213
 (E) , 187
 $(Exp\text{-}A)$, 251, 291

- (*Exp-B-T*), 252
 (F''), 329
 (F'), 329
 (FE), 258, 264
 ($F \Rightarrow$), 266
 ($F\exists E$), 65–66, 105
 ($F\exists E^p$), 73
 ($F\exists I$), 65, 220
 ($F\exists I^p$), 73
 ($F\exists$), 12
 ($F\forall E$), 65, 105, 220
 ($F\forall E^p$), 73
 ($F\forall$), 12
 ($F\neg\exists E$), 105
 ($F\neg\forall E$), 105
 ($G = E$), 181
 (*G-Enter*), 258
 (*G-Exit*), 258
 (G), 224
 ($G = E$), 220
 ($G = E$)', 220
 (*GL3-Te*), 327
 (*GL3'-Te*), 327
 (*GL3'-Te4*), 327
 (*GL3'*), 327
 (*GL3'A*), 327
 (*GL3*), 327
 (*GLExp-4*), 294
 (*GLExp-5*), 294
 (*GLExp-A*), 294–295
 (*GLExp-B-Te*), 294
 (*GLExp-B*), 294
 (*GLExp-B4-Te*), 294
 (*GLExp-B4*), 294
 (*GLExp-D*), 294
 (*GLExp-K*), 294
 (*GLRes-A*), 294
 (*GLRes'-A*), 295
 (*GLRes''-A*), 295
 (*GLRes*), 294
 (*GLW*), 294
 ($GL\alpha$), 294
 ($GL\beta$), 294
 ($GL\neg\neg$), 294
 ($GL\pi^i$), 294
 ($G \Rightarrow$), 266
 ($G\forall E$), 180, 220
 ($G\forall I$), 180, 220
 ($G^j \Rightarrow$), 266
 (*Gen*), 387
 (*Grz*), 224
 (*H-Enter*), 258
 (*H-Exit*), 258
 (*HR-UI*), 408
 (*HR*), 426
 (*HRND-4C'*), 443
 (*HRND-CR*), 443
 (*HS*), 25
 ($H\Box \Rightarrow$), 401, 425
 ($H\Box \Rightarrow'$), 408
 ($H \Rightarrow$), 266
 ($H \Rightarrow \Box$), 401, 425
 ($H \Rightarrow \Diamond'$), 408
 ($H \Rightarrow \Diamond$), 401, 425
 ($H \Rightarrow \exists$), 405
 ($H\Diamond \Rightarrow$), 401, 425
 ($H\exists \Rightarrow$), 405
 ($H^i \Rightarrow$), 266
 (*Id*), 415–416
 (*ID*), 419–420
 (*ID1*), 74
 (*ID2*), 74
 (*IS-D*), 414
 (*IRef*), 422
 (*I\Box E*), 425
 (*I\Box I*), 422
 (*I\neg\Box E*), 428
 (*I\Diamond E*), 422
 (*I\Diamond E'*), 428
 (*I\neg\Diamond E*), 425
 ($I\perp\@$), 422
 (*I@I*), 422
 (*I@E*), 422
 (*I@@E*), 422
 ($I \vdash @E$), 422
 ($J\forall E$), 65
 (*K-3*), 317
 (*KF*), 266
 (*KG*), 266
 (*KH*), 266
 (*KP*), 266
 (*L-Id*), 412
 (*LA'*), 283
 (*L4*), 278, 282
 (*L4\pi*), 284
 (*L4₂*), 288

- (L5), 284
 (L5.4), 278
 (L5□), 278
 (L5₂), 288
 (LA₂), 288
 (LB), 278, 282
 (LB4), 278
 (LB4ν^P), 325
 (LBν^P), 325
 (LB4νⁱ), 281
 (LBνⁱ), 281
 (LB₂), 288
 (LD'), 283, 346
 (LD), 278, 282, 341, 346
 (LD₂), 288
 (LE), 288
 (LExp-A), 291
 (LI), 219
 (LL), 73
 (LL3-Te), 327
 (LL3'-Te), 327
 (LL3'-Te4), 327
 (LL3'), 327
 (LL3'.4), 327
 (LL3), 327
 (LLE), 180
 (LLExp-A), 291–292
 (LLRes-A), 291–292
 (LLRes), 290
 (LLW), 290
 (LL¬¬), 290
 (LLα), 290
 (LLβ), 290
 (LLπⁱ), 291
 (LM), 285
 (LM4), 285
 (LM5), 285, 287
 (LMB), 285, 287
 (LMD), 285
 (LMD4), 285
 (LMD5), 285
 (LNI), 219
 (LR), 418
 (LRes-A), 291
 (LT), 278, 282, 341
 (L□E), 268
 (LαE), 274
 (LαI), 274
 (LβE), 274
 (LβI), 274
 (L⊥E), 274
 (L⊥I), 274
 (L◇I), 268
 (L¬¬), 274
 (L∃E_S^p), 59
 (LνE), 274, 287
 (LπE), 274, 287, 289, 333, 339
 (LπE'), 279
 (LπG), 282
 (LπGrz), 282
 (LπI), 274
 (Lab), 412
 (M), 187, 211
 (MLF), 303
 (MON), 394
 (MP), 11, 19, 25, 55, 94, 371
 (N), 187, 231
 (NAME'), 373–374, 383, 409
 (NAME), 372–373, 386, 399, 423, 425
 (NAMELITE), 374
 (NCR), 417
 (NN), 82, 84
 (N₁), 401, 425
 (Nom), 421
 (PASTE'), 374
 (PASTE), 373
 (PB), 25, 93–94, 101, 103, 121
 (PE), 258, 264
 (PF), 417
 (P ⇒), 266
 (R-Cut), 92, 133
 (R-UI), 303
 (R'), 329
 (R), 225
 (R5), 200
 (RB), 201
 (RC), 140
 (RE), 140, 144, 217, 289
 (RG), 140, 144, 161, 187, 194, 199, 251, 275,
 280, 371, 373, 380
 (RG@), 371
 (RG ↓), 387
 (RG^M), 194
 (RG[□]), 194
 (RG[◇]), 194
 (RG_A), 383

- (RM), 140, 144, 217, 251, 280, 286
 (RPF), 391
 (RR), 140, 192, 199, 251
 (Reit''), 199
 (Reit'), 199
 (Reit), 196, 198, 204
 (Res-A), 251, 291
 (Res-B-T), 252
 (Res-B), 252
 (Res'), 129
 (Res), 25, 85, 94, 126
 (Res1), 88
 (S-Id''), 413
 (S-Id'), 413–414
 (S-Id), 412
 (S-K), 192
 (S-NAME), 401, 403, 425
 (S), 400
 (S4.2), 225
 (S4.3 κ), 304
 (S4F), 225
 (SC-1), 215
 (SC-2'), 226
 (SC-2), 215
 (SC-3), 215
 (SC-F'), 225
 (SC-R'), 225
 (SC-R), 225
 (SG), 234
 (SLL), 310
 (Start), 409
 (SUB@), 371
 (T), 192, 197, 199, 224, 237
 (TERM), 401, 403, 425
 (TNom), 415
 (T@), 413
 (T¬@), 413
 (T□E'), 414
 (T□E), 413
 (T α), 413
 (T β), 413
 (T \perp_1), 413
 (T \perp_2), 413
 (T \diamond E'), 414
 (T \diamond E), 413
 (T¬□E'), 414
 (T¬□E), 413
 (T¬ \diamond E'), 414
 (T¬ \diamond E), 413
 (T¬ \diamond E'), 414
 (T¬ \neg), 413
 (T¬), 414
 (T \downarrow), 413
 (TV), 413
 (T \neg \downarrow), 413
 (T¬ \forall), 413
 (TrCo), 304
 (Transpose-F), 416
 (Transpose-P), 416
 (W), 25, 126, 129, 131
 (W \Rightarrow), 77, 79
 (W $_S$), 35
 (@AX), 406
 (@Bridge), 407
 (@CR), 419
 (@DD), 419
 (@GGA), 420
 (@GR), 419
 (@Nom), 407
 (@Ref), 407
 (@Res), 435
 (@Sym), 407
 (@L $_1$), 408
 (@L $_2$), 408
 (@; E), 420
 (@ =), 419
 (@¬ =), 419
 (@ \cup E), 420
 (@ \Rightarrow), 407
 (@ \Rightarrow '), 403
 (@I \Rightarrow), 401
 (@E \Rightarrow), 401
 (@C \Rightarrow), 406
 (@ \Rightarrow C), 406
 (@¬ \Rightarrow), 406
 (@ \wedge \Rightarrow), 406
 (@ \vee \Rightarrow), 406
 (@ \forall E), 419
 (@¬ \forall E), 419
 (@ \exists E), 419
 (@¬ \exists E), 419
 (@ \rightarrow \Rightarrow), 406
 (@ \Rightarrow ¬), 406
 (@ \Rightarrow \wedge), 406
 (@ \Rightarrow \vee), 406
 (@ \Rightarrow \rightarrow), 406
 (@ \Rightarrow \square), 407

- $(@ \Rightarrow \diamond)$, 407
- $(@ \Rightarrow \diamond')$, 408
- $(@ \square \Rightarrow)$, 407
- $(@ \square \Rightarrow')$, 408
- $(@ \diamond \Rightarrow)$, 407
- $(\square E)$, 186, 223, 236
- $(\square E^{\square \diamond})$, 200
- $(\square E^{\square})$, 200
- $(\square E^{\diamond})$, 200, 202
- $(\square E_G)$, 191
- $(\square E_S)$, 189, 192
- $(\square I_S)$, 189
- $(\square \Rightarrow)$, 185, 186
- $(\square \Rightarrow')$, 186
- $(\square^n \wedge E)$, 192
- $(\square^n \wedge E_S)$, 193
- $(\square^n \wedge I)$, 192
- $(\square^n \wedge I_S)$, 193
- $(\square^n \rightarrow E_S)$, 195
- $(\Rightarrow F)$, 266
- $(\Rightarrow F^i)$, 266
- $(\Rightarrow G)$, 266
- $(\Rightarrow H)$, 266
- $(\Rightarrow P)$, 266
- $(\Rightarrow P^j)$, 266
- $(\Rightarrow W)$, 79
- $(\Rightarrow @)$, 407
- $(\Rightarrow @')$, 403
- $(\Rightarrow @I)$, 401
- $(\Rightarrow @E)$, 401
- $(\Rightarrow \square')$, 184, 233
- $(\Rightarrow \square)$, 184, 197, 233
- $(\Rightarrow \square^3)$, 226
- $(\Rightarrow \square^4)$, 185
- $(\Rightarrow \square^F)$, 185
- $(\Rightarrow \diamond)$, 185
- $(\Rightarrow \diamond')$, 186
- $(\Rightarrow \diamond)$, 186
- $(\Rightarrow \nu^i)$, 227
- $(\Rightarrow \exists)$, 77
- $(\Rightarrow \exists')$, 80
- $(\Rightarrow \forall)$, 77
- $(\Rightarrow \neg)$, 77
- $(\Rightarrow \vee)$, 77
- $(\Rightarrow \wedge)$, 77
- $(\Rightarrow \mathcal{E})$, 404
- $(\Rightarrow W)$, 77
- $(\Rightarrow \downarrow)$, 404
- $(\Rightarrow \rightarrow)$, 77
- (αE) , 46
- (αH) , 82
- (αI) , 46
- (αS) , 82
- (α) , 84
- (βE) , 46, 93
- (βH) , 82
- (βI) , 46
- $(\beta I')$, 126
- (βS) , 82
- (β) , 84
- $(\perp E)$, 46
- $(\perp I)$, 46
- $(\diamond E)$, 210, 213
- $(\diamond E^L)$, 301
- $(\diamond E_K^3)$, 301
- $(\diamond E_K^L)$, 302
- $(\diamond I)$, 203, 236
- $(\diamond I^{\square})$, 202
- $(\diamond \Rightarrow^4)$, 185
- $(\diamond \Rightarrow^F)$, 185
- $(\diamond \perp)$, 240
- $(\diamond \Rightarrow')$, 184
- $(\diamond \Rightarrow)$, 184
- $(\downarrow \Rightarrow)$, 404
- $(\exists E)$, 59, 105
- $(\exists E^p)$, 66–68
- $(\exists E_S^p)$, 58
- $(\exists I)$, 59, 122
- $(\exists I^p)$, 58, 66
- $(\exists I_S^p)$, 58
- (\exists) , 11
- $(\exists \Rightarrow)$, 77
- $(\forall E)$, 59
- $(\forall E^p)$, 58
- $(\forall E_S^p)$, 58
- $(\forall I^p)$, 58, 66, 70
- $(\forall I_S^p)$, 58
- $(\forall \Rightarrow')$, 80
- $(\forall \Rightarrow)$, 77
- $(\forall \exists)$, 74
- (\forall) , 11
- $(\neg E)$, 34
- $(\neg E_S')$, 37
- $(\neg E_S)$, 35
- $(\neg I_S)$, 35
- $(\neg \square E)$, 205, 241

- $(\neg \Box E^3)$, 226
 $(\neg \Box E^{K3})$, 226
 $(\neg \Box E_K^3)$, 300
 $(\neg \Box I)$, 205, 237, 241
 $(\neg \Diamond E)$, 205, 237, 241
 $(\neg \Diamond I)$, 205, 241
 $(\neg \neg)$, 46
 $(\neg \mathcal{E}E)$, 415
 $(\neg \Rightarrow)$, 77
 $(\neg \neg E)$, 34
 (νId) , 415
 $(\nu 3')$, 313
 $(\nu 3)$, 312, 316
 (πE) , 222, 224, 233
 $(\pi E')$, 234
 $(\pi^F E_K^3)$, 301
 $(\pi^i E)$, 186, 213, 302
 $(\pi^i \Rightarrow)$, 227
 $(\rightarrow E)$, 33, 192
 $(\rightarrow E_S)$, 35, 37
 $(\rightarrow I_S)$, 35–37
 $(\rightarrow I_S)$, 195
 $(\rightarrow \Rightarrow)$, 77, 409
 $(\vee E_S)$, 35–36
 $(\vee I)$, 34
 $(\vee I_S)$, 35
 $(\vee \Rightarrow)$, 77, 409
 $(\vee \Rightarrow)$, 77
 $(\wedge E)$, 34
 $(\wedge E_S)$, 35
 $(\wedge I)$, 34
 $(\wedge I_S)$, 35
 $(\wedge \Rightarrow)$, 77
 (b) , 161
 (bgf) , 17, 426
 (d) , 161, 287
 (hc) , 16
 (m) , 161, 287
 $(mod.ass.)$, 204
 (n) , 161
 (t) , 161
 $(turn)$, 258, 304
 (ui) , 16
 $(\mathcal{E}E)$, 415
 $(\mathcal{E} \Rightarrow)$, 404
 $(AMON)$, 176, 179
 (EX) , 176
 (ID) , 25
 (MON) , 25, 176, 179
 (TR) , 25