

Index

A

Aerodynamics, 69, 71, 73, 84
Aerosols, 67–73, 83–89
Aeronomy of ice in the mesosphere (AIM), 9, 73, 95–97, 101, 103
Airglow, 12, 14–16, 81, 100–102, 117, 131, 164, 169, 171–172, 177, 225, 246, 248, 253–256, 258–260, 262, 265–266, 270, 274–275, 279, 284, 291, 296, 329, 364
ALWIN radar, 69, 86–88
Ampere force, 192
 See also $J \times B$ force
Atmospheric mass density, 144
Atmospheric tides, 12, 19–51, 194, 330, 339–340, 345, 349–359, 364, 371
Atmospheric vertical coupling, 57, 178, 184, 225
Auroral electrojet, 265–266, 444–447, 449

C

Charged aerosols, 70, 83–89
Charge fragments, 72
Coherent scatter, 110, 163–165, 174, 203–206, 245, 269–272, 274–280, 285, 291, 381, 383–388, 393, 400–401, 427, 430, 445, 451
Collision frequency, 154, 192–193, 211, 221–222, 227, 263, 270, 286–287, 314–315, 357, 382, 384, 389
CCombined sensor for Neutrals and Electrons (CONE), 68, 84–89
Conductivity, 157, 184, 192–197, 199, 212, 220–223, 226–228
 See also Electrical conductivity
Convection, 31–32, 46–47, 49, 59, 63, 109, 114, 117, 124, 131–137, 143–144, 158–159, 173–174, 195–198, 234, 252, 330, 355, 364, 403, 421–422, 424, 428–429, 432–433, 443–447, 449–450, 456–457, 459–461, 474
Coulomb attraction, 72
Counterelectrojet (CEJ), 186, 444–450
Coupled thermosphere ionosphere model, 198, 456–457
Cowling effect, 443
Cutoff frequency, 451

D

Data assimilation, 8, 4
~5-Day Rossby and ~6-day Kelvin waves, 38, 42, 47
Density fluctuations, 84–88, 110, 117, 234, 253, 391

Detection sensitivity, 70

Dip equator, 132, 178, 204–205, 220, 222–224, 227, 260, 262, 265–266, 308–312, 317, 319, 325, 376–379, 443, 445–446, 448
Direct Simulation Monte Carlo (DSMC), 71
Displacement current, 450
Dissipation rate, 85–86, 88
Disturbance dynamo, 195, 198, 207, 219, 232–233, 252–253, 423, 429–432, 444, 449–450, 455, 461–462
DP2, 443–450
Dynamo, 31, 131–132, 137, 158, 163, 169, 171, 177, 180, 184, 186, 192, 194–196, 198, 203–205, 207, 212, 217, 220–222, 224–227, 232–233, 252–253, 256, 296, 304, 310–313, 315, 349–359, 364, 379, 382, 423, 429–433, 443–444, 449–450, 455–456, 458, 461–462

E

Earth-ionosphere waveguide, 450
ECOMA, 67–73, 84–89
E-F coupling, 283–289
EISCAT, 110, 443, 445–447
Electrical conductivity, 192, 199, 357
 See also Conductivity
Electric current, 41, 177–178, 191–192, 197–198, 296, 304, 357, 450
Electric fields
 equatorial ionosphere, 38, 141–160, 197, 206–207, 209, 219, 233, 239, 261, 265–266, 364–367, 379, 446, 448
 equatorial plasma bubbles, 114, 142, 216, 239–248, 285, 304, 313, 439–440
 equatorial spread F, 132, 163, 211–217, 219–236, 239–240, 251–266
 ionospheric irregularities, 8, 114, 239, 283, 430
Electrodynamics, 31, 191–199, 203–209, 211–217, 219–236, 239–248, 251–266, 269–280, 283–289, 291–298
Electron density, 70, 72, 84, 87–89, 110, 114–115, 117, 154, 163–164, 169, 177, 193, 203–204, 208, 211–213, 221–222, 230, 247–248, 252–253, 257, 263–264, 272, 278, 297, 304, 315, 319, 322, 339, 363–373, 376–378, 386, 389–391, 399, 401–402, 426, 437–439, 441, 461, 469, 472–473
Electron number density, 70, 263
Electron probe (EP), 68, 72

- Equator, 6–7, 12–14, 37–38, 41, 58, 79–81, 156–157, 164–165, 203–205, 212–213, 216, 222–224, 227–228, 245–247, 265, 308, 321–323, 341–344, 364, 376–379, 423–424, 443–446, 448–450, 455, 458, 474
- Equatorial electrojet (EEJ), 178–179, 181–186, 194, 196, 198, 204–205, 208–209, 225, 279, 339, 350, 352, 354, 356, 445–446, 466
- Equatorial ionization anomaly (EIA), 197, 208, 222, 228, 308, 310–311, 317–328, 364–365, 368, 376, 378–379, 423, 427, 429–430, 468–470, 472–474
- Equatorial ionosphere, 38, 141–160, 197, 206–207, 209, 219, 233, 239, 261, 265–266, 364–367, 379, 446, 448
- Equatorial middle atmosphere, 58–59
- Equatorial spread F (ESF), 132, 142, 163, 211–217, 219–236, 239–240, 251–266
- electric fields, 232–233, 252, 259–263, 262, 265–266
 - equatorial ionosphere, 219, 233
 - ESF day-to-day variability, 38, 166, 222, 225, 230, 239, 356
 - gravity wave, 220–221, 230–232, 256
 - ionospheric irregularities, 8
 - optical observations, 253, 255, 259, 261
 - planetary waves, 221, 225–226
 - plasma bubble irregularities, 219–236, 239–240
 - vertical coupling, 220, 222–224
- Expansion phase, 265, 444–448
- F**
- Faraday cup, 68–70, 73, 85
- Fe₂O₃, 69
- Field-aligned (Birkeland) current, 192, 195, 309, 443–444, 450, 455, 460
- Field-aligned current, 192, 195, 309, 443–444, 450, 455
- F layer dynamics, 132, 137, 220–222, 224
- FORMOSAT-3/COSMIC constellation mission, 351, 359, 365
- F region dynamo, 131, 163, 169, 252, 256, 296, 304, 310–313, 315, 379, 429
- Frozen-in magnetic flux, 191
- G**
- Geomagnetic field, 177–182, 191–193, 196–197, 203, 212–213, 217, 246, 253, 263, 270, 283, 286, 295–297, 304, 308–309, 315, 317–328, 349, 361, 378, 382, 466, 468, 470
- Geomagnetic forcing, 4
- Geomagnetic storm dynamics, 117, 179–180, 184, 207–208, 261, 266, 303, 395–396, 401, 419, 421, 423, 426, 428–432, 439, 441, 445–450, 455, 465–468, 470, 473
- Global circulation, 73, 411, 423–425, 427
- GPS satellites, 292, 439
- Gravity waves
- convection, 59, 114, 124, 131–137
 - ionosphere, 141–160
 - thermosphere, 109–127
- Growth phase, 247, 443, 445–446, 448
- H**
- Hall conductivity, 193, 212, 279, 358, 461
- Hall current, 196, 198, 204, 279–280, 358, 430, 443
- High latitude Joule heating, 195, 198, 424
- I**
- Ice particles, 67–70, 72–73, 83, 88–89
- Impact process, 72
- Incoherent scatter, 110, 163–164, 203–206, 269–272, 277–278, 285, 291, 383–388, 393, 400–401, 427–430, 445, 451
- In situ, 21, 26, 30, 37, 41, 67–73, 83–89, 110, 114, 125, 178, 207–208, 247, 345, 378, 381, 398, 402, 438
- Instantaneous transmission, 450
- Ion drag, 159, 197–198, 295, 297, 310–311, 330, 335, 375, 379, 421–423, 461, 470
- Ionosphere
- forecast model, 437–438
 - plasmasphere model, 438, 440
 - thermosphere disturbances, 419–433, 437–441, 443–451, 455–462, 465–474
 - tide coupling, 177–186, 402
- Ionospheric dynamo, 186, 192, 194–195, 335, 359, 364
- See also* Ionospheric wind dynamo
- Ionospheric irregularities, 114, 239, 283, 430
- Ionospheric wave structure, 350
- Ionospheric wind dynamo, 192, 461
- J**
- $J \times B$ force, 192, 196, 270, 286, 421, 451
- See also* Ampere force
- Joule heating, 41, 180, 195, 198, 330, 420–422, 424–425, 461
- K**
- Kalman filter, 438–439
- k^{-1} power law, 85
- L**
- Layer
- F2, 164, 396, 407–415
 - sporadic-E (Es), 221, 223, 225, 236, 269–280, 283, 323, 381–394
- Layering, 69, 83, 384–385, 389
- Longitudinal variation of ionospheric plasma, 349, 351, 355, 358, 363–364
- Long term changes, 95, 396, 398, 401
- Long-term trends, 317, 323, 395–404, 407–408, 411
- Low latitude
- thermosphere/ionosphere, 375–379
- M**
- Magnetosphere
- ionosphere-thermosphere interaction, 455
- Main phase, 180, 232, 266, 445–447, 449, 466
- Medium-scale traveling ionospheric disturbance (MSTID)
- GPS, 270, 291–298
 - mid-latitude ionosphere, 269–280
 - TEC (total electron content), 291–297
 - thermosphere–ionosphere coupling, 303–315, 317–328, 329–336, 339–347, 349–359, 363–373, 375–379, 381–394, 395–404, 407–415
- Mesosphere, 3–16, 19–51, 57–63, 67–73, 75–81, 83–89, 93–103
- Mesosphere-ionosphere coupling, 163–175
- Mesospheric chemistry, 3–16, 19–51, 57–63, 67–73, 75–81, 83–89, 93–103

- Mesospheric dynamics
 mesosphere and lower thermosphere, 3–16, 19–51, 57–63, 67–73, 75–81, 83–89, 93–103
- Metallic ion deposition, 381, 383–384, 386–387, 389–391, 393
- Meteoroid Smoke Particle (MSP), 67–69, 72–73, 83–84
- Microphysics, 67, 73
- Midlatitude ionosphere, 271, 283–289
- Mid-latitude summer nighttime anomaly (MSNA), 367–371
- Midnight density maximum (MDM), 329–330, 334–335
- Midnight temperature maximum (MTM), 329–330, 332–334
- Migrating and nonmigrating tides, 20, 22, 24, 51, 58, 340
- Modeling and forecast, 437–438
- Momentum transport, 159
- N**
- Neutral air density, 84, 390
- Neutral composition, 184, 355, 421, 423–427, 456
- Neutral winds, 19–20, 132, 134, 137, 142, 152, 160, 163, 169, 178, 195, 197–198, 203–204, 212, 217, 221, 257, 269–270, 278–279, 286, 295–297, 310, 318–319, 324, 329–330, 349, 352, 357–359, 364, 369, 375–379, 382, 384, 389, 421–424, 429–430, 438–439, 456–458, 461–462, 465–474
- NLC photometer, 68, 70–72, 86, 89, 93
- Noctilucent Clouds (NLC), 67–68, 70–72, 83, 86, 93–103, 404
- Nonmigrating tides
 troposphere-thermosphere coupling, 346–347
- Nucleation, 67–68, 73
- Numerical simulation, 49, 121, 143–152, 211, 253, 264, 266, 331, 335, 363, 388, 420–421, 423, 425, 427, 430–432
- O**
- Ohm's Law, 192, 194–195
- Overshielding, 252–253, 261, 263, 444–445, 447, 449, 451, 455–457, 461
- P**
- Parallel conductivity, 157, 283
- Particle
 charge number density, 68–71
 charging, 70
 detector, 68, 71, 84
- Pedersen
 conductivity, 193, 196–197, 212, 226, 270, 283, 296, 358, 421, 461
 current, 270, 311, 358, 430–431, 443–445
- Penetration, 37, 110–112, 114, 120, 125–126, 142, 164, 180, 205, 207, 209, 232, 252–253, 261–262, 359, 424, 429, 432, 443–451, 455–456, 462, 465
- Photodetachment, 68, 73
- Photoemission, 70, 72–73
- Photoionization, 68, 73, 83, 85, 208, 211, 387
- Photometer, 68, 70–72, 86, 88–89, 254, 259, 261, 329
- Physical mechanism
 mechanical effects of neutral winds, 466, 468–470
 positive ionospheric storms, 465–474
- Plasma and neutral density bubbles, 193, 304, 315
- Plasma bubbles, 110, 114, 131, 142–143, 152–159, 163–167, 170, 212–213, 215–217, 219–236, 239–248, 257, 259, 262–265, 285, 304, 313–315, 430, 439–440
- Plasma drift, 132, 163, 194, 197, 206, 220, 225, 254–257, 263, 272–274, 277, 279, 315, 317–318, 325, 349–359, 375–378, 421–422, 428, 430, 431
- Plasmasheet thinning, 451
- Plasma structure, 109, 230, 253–256
- Polarization current, 451
- Polar mesosphere summer echoes (PMSE), 67–70, 73, 83, 85–89, 94
- Polar mesospheric clouds (PMC), 67, 73, 83, 93–103, 404
- Polar summer mesopause, 67, 83, 103
- Positive and negative ionospheric storms, 426–247
- Positive ion probe (PIP), 68, 72
- Power spectral density, 85, 88
- Poynting flux, 423, 450–451
- Preliminary reverse impulse (PRI), 450–451
- Pre-reversal enhancement (PRE), 197, 220–227, 230–236, 252, 365, 318, 321, 325, 352, 430–431, 474
- Prompt penetration, 207, 252–253, 261–262, 266, 419, 429, 432, 455
- Prompt penetration electric fields, 432
- Propagating and trapped modes, 26, 36
- R**
- Radar backscatter, 70, 88, 245–246, 274
- Recovery phase, 233, 446–447, 449
- Region 1 field-aligned current (R1 FAC), 252, 443–444, 447–448, 451
- Region 2 field-aligned current (R2 FAC), 252, 443–444, 447–450, 455
- Ring current, 179, 205, 252, 265, 444, 446–448, 451, 459–460
- S**
- Sudden commencement (SC), 446, 466
- Schmidt number (Sc), 83–89
- Secondary charge production, 70
- Shielding, 207, 233, 252, 261, 263, 265–266, 444–445, 447, 449, 451, 455–460, 462
- Small-scale structures, 83–89, 123
- SOFIE, 73
- Sounding rockets, 68, 71–72, 84, 86
- Space weather, 239, 251–266, 381, 395, 419
- Spectral models, 85, 330
- Stationary planetary waves, 20, 23–24, 340, 343–344
- Storm
 enhanced density (SED), 428–429, 437, 441
- Stratosphere-mesosphere-lower thermosphere coupling, 19
- Stratospheric sudden warming (SSW)
 atmospheric tides, 21, 38, 48
 chemical-dynamical coupling, 9–12
- Substorm, 252, 265–266, 443–451
- T**
- Theoretical modeling, 207, 465
- Thermosphere, 3–16, 19–51, 57–63, 67–73, 75–81, 83–89, 93–103, 109–127, 191–199, 303–315, 317–328, 329–336, 339–347, 349–359, 363–373, 375–379, 381–394, 395–404, 407–415, 419–433, 437–441, 443–451, 455–462, 465–474
- Thermospheric density and wind, 304, 308
- Thermospheric gravity waves, 109–127

- Thermospheric turbulence, 7, 124–125
Thermospheric wind, 111–112, 128, 142, 156–158, 192, 194–195, 197–198, 305, 317–328, 407–408, 411–414, 449
Tides, planetary waves
 atmosphere-ionosphere coupling, 141, 152–153, 225, 393
TMO mode wave, 450–451
Total electron content, 204, 291, 351, 364, 427, 468
Turbulence, 7, 68, 84–89, 120–121, 124–125, 258
- U**
Upper atmosphere, 4, 20–21, 59, 95, 133, 191–192, 194, 198, 329, 345, 355, 364, 375, 379, 395–404, 407–408, 414, 419, 421, 423, 461–462
- V**
Volume densities, 68–69, 72–73
- W**
Wave breaking, 102, 120, 133
Wave front, 285–286, 423, 450–451
Wavelet spectra, 86, 182–184, 226
Wave-mean flow interaction
 equatorial waves, 58
 gravity waves, 59
 QBO, 59
 SSAO, 60–61
 MSAO, 61–62
Wave propagation experiment, 68, 72
Whole atmosphere GCM, 329–336
Windshear theory, 382, 385–386, 388, 390, 392–393
- Z**
Zonal plasma drift velocity anomaly (PDA), 377–379
Zonal neutral wind
 ionosphere–thermosphere coupling, 375–379