

Index

A

- Ad hoc networks
 - ad hoc on-demand distance vector, 51, 97
 - broadcast discovery algorithm, 59
 - broadcast discovery benefits, 59
 - broadcast discovery examples, 61
 - broadcast discovery overheads, 62
 - fisheye routing protocol, 88
 - hybrid, 89, 90, 92, 91
 - hybrid approach, 89
 - optimized link state routing, 80
 - path discovery, 58
 - proactive approach, 79, 88
 - reactive approach, 65, 75
 - zone routing protocol, 90
- Ad hoc on-demand distance vector
 - direct path, 65, 65, 69, 70, 72, 77, 77
 - dynamic path updating, 68
 - error management, 74
 - node synchronization, 73
 - path discovery, 68
 - path expansion, 72
 - path management, 70
 - reverse path, 69
 - route error message, 75
 - route reply, 69
 - route request, 69, 70
 - routing table, 70
 - time stamping, 73
- Adaptive coding, 150
- Adaptive probabilistic search, 138, 139
- Alphabet, 121, 122, 125, 125, 126
- Always-on-everywhere, 10
- Announcement path, *see* Depth-first search, 117, 119
- Anycast network, 106
- Asynchronous applications, 2

Asynchronous interaction

pattern, 15

Autonomic networks, 51, 149

B

- Best-effort network, 2, 20, 150
- Bio-inspired networks, 149
- BitTorrent, 15
- Bootstrap server
 - decoupled from overlay, 99
 - dedicated, 17, 42, 48, 58, 63, 76, 91, 98, 139
 - discovery of, 118, 121, 129
 - multiple, 13, 45
- Bootstrapping process
 - distance vector routing, 22
 - node ID assignment, 112–116, 121
 - proactive network, 76
 - reactive networks, 73
- Bottleneck, 45
- Breadth-first search, 129

C

- Cached Ping-Pong, 111
- Carrier sensing, 56
- Chord, 120, 121, 123
 - finger table, 139
 - look-up mechanism, 121
- Chunk-based transport, 145
- Churn rate, 119
- Classless inter-domain routing, 39
- Clear-to-send, 55
- Client–server, 4, 5, 7, 16, 17
- Communication patterns, 15
- Congestion control, 40

C (*cont.*)

- Connect. *See* Fundamental networking principles
- Content caching, 128
- Content-aware network, 91, 104
- Control processing unit, xvii, 134
- Cross-layer routing, 149

D

- Data agnosticism, 36
 - Deep data discovery, 48
 - Depth-first search, 129, 130, 136
 - Destination address, 20
 - Differentiated services, 39
 - Dijkstra E.W. algorithm. *See* Shortest-path algorithm
 - Disaster management, 42
 - Discovery mechanisms, 105, 127, 128
 - blind, 127, 128
 - loosely structured, 127
 - structured, 127
 - unstructured, 127
 - Discovery performance
 - adaptive probabilistic search, 132
 - breadth-first search, 129
 - broadcast-based, 60
 - chord, 123
 - depth-first search, 129
 - intelligent search, 132
 - iterative deepening search, 129
 - metrics, 86
 - modified breadth-first search, 129
 - random walks, 129
 - tree-exploration algorithms, 132
 - Disruptive applications, 37
 - Distance vector routing, 22, 42
 - bootstrapping, 52
 - count-to-infinity problem, 27
 - robustness, 113
 - table creation, 23
 - table update, 23, 26
 - Distributed hash table, 120, 125
 - Domain name system, 38
 - Dynamic channel reservation, 55
 - Dynamic host configuration protocol, 33
- E**
- Edge buffering, 3
 - Emergent applications, 8
 - End-to-end delay, 4
 - Energy-efficient networks, 146

- Evolution of internet
 - applications, 3
- Exposed-terminal problem, 54
- Extensible protocol, 38

F

- Fiber-to-the-home, 146
- Finger table, 121
- Fisheye routing protocol, 85
- Flooding, 67, 76, 80, 108
- Fourth networking principle, 139
- Freenet, 149, 105, 125
- Full mesh network, 119
- Fundamental networking principles
 - connect, 35
 - context-aware routing, 12
 - discover, 35
 - stay connected, 35
- Future internet, 14, 35, 48, 89, 139

G

- Garbage collection, 68
- Generative network, 2, 3, 5
- Gnutella, 105, 107

H

- Hamiltonian cycle, 119
- Hash function, 99, 115, 116, 121, 122
- Hidden-terminal problem, 52, 53
- Hops-to-Live, 52, 53, 54

I

- ID. *See* Node identifier
- Infrastructure-based network, 42
- Infrastructure-less network, 42
- Input buffer, 21
- Integrated services, 39
- Intelligent search, 132
- Inter-layer insulation, 139
- Internet of things, 140
- Internet patching, 10
- Internet protocol, 2, 34
 - scanning, 101
- Internet service provider, 7
- Interzone routing protocol, 89
- Intrazone routing protocol, 89
- IPTV, 39
- Iterative deepening
 - search, 131, 138

J

Jitter, 19
 Joining process, 99, 112, 117
 Joost, 7, 15, 98

K

Keep it simple and stupid, 58

L

Layer three. *See* Internet protocol
 Layering model. *See* Inter-layer insulation
 Leaf node, 127
 Link state routing, 30
 Link state packet, 30
 Location-dependent transport, 151
 Loosely-coupled applications, 2
 LSP. *See* Link state routing

M

Message caching, 134
 Messages spent on requests, 134
 Mobile ad hoc networks, 43, 44
 Mobile IP, 41

- corresponding node, 33
- foreign agent, 33
- home agent, 33
- reverse path, 33
- triangle routing, 33

 Mobile streaming, 9
 Modified breadth-first search, 135, 136, 139
 Moving networks, 44
 Multicast network, 41, 105, 107
 Multi-layered transport, 151
 Multiple access with collision avoidance, 56

- clear-to-send, 56
- collision scenario, 57, 58
- data packets collision, 56
- exposed-terminal scenario, 58
- hidden-terminal scenario, 57
- request-to-send, 56
- signaling packets collision, 56

 Multipoint relays, 80, 80, 81, 83, 86

N

Napster, 118
 Neighbor discovery protocol, 90
 Neighbor list, 98, 112, 112, 115, 126

- dynamic, 100
- fixed, 100
- ranking, 138

Network

agnosticism, 12
 anonymity, 151
 best-effort, 150
 congestion, 45
 contention, 18, 20
 convergence, 146
 dependability, 150
 dynamics, 44
 energy-efficiency, 152
 entry point, 99
 generativity, 153
 layer. *See* Internet protocol
 legal intercept, 151
 mechanisms, 13
 operator, 7
 ossification, 39, 40, 42
 patching, 3, 9
 privacy, 151
 scanning. *See* Internet protocol scanning
 security, 151
 spam, 152
 topology, 112
 Network-agnostic applications, 5, 11
 Network-fairness, 5
 Network-friendly applications, 5
 Network-neutral application, 12
 Neural networks, 147
 Next-generation network.

- See* Future internet

 Node degree, 112, 148

- incoming, 112, 127
- outgoing, 112

 Node identifier, 97, 121

- centralized assignment, 98
- dynamic, 99
- static, 99

O
 One laptop per child program, 43
 Optimized link state routing protocol, 80

- complete example, 86, 88
- hello packet, 80
- information repository, 83
- MPR selector set, 83
- multipoint relay example, 82
- multipoint relay node, 81
- multipoint relays, 80
- packet forwarding, 83
- route computation, 83
- shortest path example, 85
- topology control messages, 80

O (*cont.*)

- topology information base, 84
- Out-of-order packet delivery, 19

P

- P2P paradigm, 7, 9
- Packets
 - packet collision problem, 53
 - packet loss, 19
 - packet routing, 22
 - packet switching, 18
- Parallel transport, 45
- Peer, 95
- Peer-to-peer network, 46, 95, 98, 150
- Peer-to-peer TV, 6
- Per-flow routing, 48
- Personal computer, 49
- Pervasive application, 12
- Physical network, 95
- Ping-Pong, 112, 114, 115, 116, 135
 - cached, 115
- Privacy, 41
- Proactive networks, 79
 - optimized link state routing, 80
- Public key infrastructure, 121

Q

- Quality of experience, 4, 16
- Quality of service, 12, 41

R

- Radio frequency identification, 146
- Random walks, 135, 138, 140
- Reactive networks, 65, 77
 - bootstrapping of, 67
 - neighbor discovery, 67
- Recall of resource instances, 134
- Redundant-data transport, 151
- Reliable transport, 40
- Rendez-vous point, 118
- Request hit, 138
- Request-to-send, 56
- Resource adverts, 118
 - advertisement boards, 118
 - multiple replicas, 118
- Resource indexing, 18, 119
- Route computation, 22
- Route error, 75
- Route reply, 69
- Route request, 69
- Router, 20, 24

- Router buffer, 21
- Routing intelligence, 146
- Routing table, 20, 21

S

- Scalable coding, 150
- Scale-free networks, 148
- Security, 41
- Self-managed networks. *See* Autonomic networks
- Shortest-path algorithm, 28, 31
 - confirmed paths, 30
 - link cost, 30
 - optimal distribution tree, 32
 - routing table of, 32
 - tentative paths, 30
- Six degrees of separation property.
 - See* Small-world networks
- Skype, 17
- Small-world networks, 147
 - bottlenecks, 148
 - bridges, 148
 - hubs, 148
 - nestedness, 149
 - randomness, 149
 - rich hubs, 148
 - robustness of, 148
 - stability of, 148
 - strong links, 148
 - VIP clubs, 149
 - weak links, 148
- Small-worldness. *See* Small-world networks
- Social networks, 5
- Spontaneous connectivity, 52
- Spontaneous networks, 52
- Statistical P2P streaming, 7
- Store-match-switch-forward process, 22
- Stream chunks, 7
- Structured key space, 121
- Success rate of requests, 134
- Supernode, 118, 128
- Synchronous interaction pattern, 15

T

- Time-to-live, 106, 134
- Topology control, 80
- Topology information base, 84
- Traffic patterns, 10, 12
- Transmission control protocol, 19, 40
- Tree-exploration algorithms, 138

U

Ubiquitous applications, 12
Ubiquitous connectivity, 51
Ubiquitous networks, 42
Underlying physical network, 42
Unicast network, 105
Unresponsive networks, 43

V

Video conferencing, 20
Video-on-demand, 19
Virtual interaction paradigm, 15
Virtual link, 95
Virtual networks, 42, 93, 95, 96, 99, 103, 105, 107, 111, 129, 133
 hybrid, 119, 127
 structured, 112, 120, 128, 133, 141, 142
 unstructured, 112, 120, 133, 134, 141

Virtual node, 94
Virtual routing, 95
Voice over IP, 4

W

Web, 1
Windows live synch, 17
World wide web, 1, 40

Z

Zone routing protocol, 90
 bordercast request, 91
 interzone routing protocol, 92
 intrazone routing protocol, 92
 neighbor discovery protocol, 90
 reverse path, 89
 route reply, 88