

# References

1. Roberts LG (1965) Machine perception of three-dimensional solids, optical and electro-optical. MIT Press, Cambridge, pp 159–197
2. Marr D (1982) Vision: a computational investigation into the human representation and processing of visual information. W.H. Freeman, New York
3. Faugeras O (1992) What can be seen in three dimensions with an uncalibrated stereo rig? Proceedings of the European conference on computer vision (ECCV'92), LNCS-Series, vol 588. Springer, New York, pp 563–578, 1992
4. Heyden A (1995) Reconstruction from image sequences by means of relative depths. Proceedings of the IEEE international conference on computer vision, pp 1058–1063, 1995
5. Beardsley P, Zisserman A, Murray D (1997) Sequential update of projective and affine structure from motion. Int J Comput Vis 23(3):235–259
6. Avidan S, Shashua A (1998) Threading fundamental matrices. Proceedings of the European conference on computer vision, University of Freiburg, Germany, pp 124–140
7. Shashua A (1995) Multiple-view geometry and photometry. Asian conference on computer vision (ACCV95), Singapore, pp 395–404, Dec 1995
8. Shashua A (1997) On photometric issues in 3D visual recognition from a single 2D image. Int J Comput Vis 21(1):99–122
9. Hartley R (1997) Lines and points in three views and the trifocal tensor. Int J Comput Vis 2(2):125–140
10. Tomasi C, Kanade T (1992) Shape and motion from image streams under orthography: a factorization approach. Int J Comput Vis 9(2):137–154 (Nov 1992)
11. Reid I, Murray D (1996) Active tracking of foveated feature clusters using affine structure. Int J Comput Vis 18(1):41–60 (Apr 1996)
12. Rother C, Carlsson S (2001) Linear multi-view reconstruction and camera recovery. IEEE international conference on computer vision, Vancouver, Canada, pp 42–51
13. Rother C (2003) Multi-view reconstruction and camera recovery using a real or virtual reference plane, PhD thesis
14. Sturm P, Triggs B (1996) A factorization based algorithm for multi-image projective structure and motion. Proceedings of the European conference on computer vision, Cambridge, England, pp 709–720, Apr 1996
15. Han M, Kanade T (2001) Multiple motion scene reconstruction from uncalibrated views, IEEE international conference on computer vision, vol 1, pp 163–170
16. Hung Y, Tang W (2006) Projective reconstruction from multiple views with minimization of 2D reprojection error. Int J Comput Vis 66(3):305–317
17. Anas H, Fisker R et al (2002) Robust factorization. IEEE Trans Pattern Anal Mach Intell 24(9):1215–1225
18. Huynh D, Hartley R, Heyden A (2003) Outlier correction in image sequences for the affine camera. IEEE international conference on computer vision, vol 1, Nice, France, pp 585–590, 11–17 Oct 2003

19. Brandt S (2005) Conditional solutions for the affine reconstruction of N-views. *Image Vis Comput* 23:619–630
20. Hartley R (1993) Euclidean reconstruction from uncalibrated views. *Lecture notes in computer science*, Springer, Berlin, pp 237–256
21. Heyden A, Astrom K (1996) Euclidean reconstruction from constant intrinsic parameters. *Proceedings of the international conference on pattern recognition*, vol 1, Vienna, pp 339–343, 25–29 Aug 1996
22. Pollefeys M, Van Gool L, Osterlinck A (1996) The modulus constraint: a new constraint for self-calibration. *Proceedings of the international conference on pattern recognition*, vol 1, Vienna, pp 349–353, 25–29 Aug 1996
23. Faugeras O (1995) Stratification of three-dimensional projective, affine and metric representations. *J Opt Soc Am* 12(3):465–484
24. Huynh D, Heyden A (2005) Scene point constraints in camera auto-calibration: an implementational perspective. *Image Vis Comput* 23(8):747–760
25. Gong R, Xu G (2004) 3D structure from a single calibrated view using distance constraints. *Proceedings Asian conference on computer vision*, vol 1, pp 372–377
26. Habed A, Boufama B (2006) Camera self-calibration from bivariate polynomial equations and the coplanarity constraint. *Image Vis Comput* 24(5):498–514
27. Liebowitz D, Zisserman A (1999) Combining scene and auto-calibration constraints. *IEEE international conference on computer vision*, vol 1, pp 293–300, Sept 1999
28. Heyden A, Huynh D (2002) Auto-calibration via the absolute quadric and scene constraints. *International conference on pattern recognition*, vol 2. Quebec, Canada, pp 631–634, Aug 2002
29. Hartley R, Hayman E et al (1999) Camera calibration and the search for infinity. *IEEE international conference on computer vision*, vol 1, pp 510–517, Sept 1999
30. Tsai R, Versatile A (1987) Camera calibration technique for high-accuracy 3D machine vision metrology using off-the-shelf TV cameras and lenses. *IEEE J Robot Autom* 3(4):323–344 (Aug 1987)
31. Hu R, Ji Q (2001) Camera self-calibration from ellipse correspondences. *Proceedings IEEE international conference on robotics and automation*, Seoul, Korea, pp 2191–2196, 21–26 May 2001
32. Kaminiski Y, Shashua A (2004) On calibration and reconstruction from planar curves. *Int J Comput Vis* 56(3):195–219 (Feb–March 2004)
33. Wilczkowiak M, Sturm P, Boyer E (2005) Using geometric constraints through parallelepipeds for calibration and 3D modeling. *IEEE Trans Pattern Anal Mach Intell* 27(2):194–207
34. Zhang Z (2000) A flexible new technique for camera calibration. *IEEE Trans Pattern Anal Mach Intell* 22(11):1330–1334
35. Sturm P, Maybank S (1999) On plane-based camera calibration: a general algorithm, singularities, applications. *Proceedings of the IEEE conference on computer vision and pattern recognition*, Fort Collins, USA, pp 432–437
36. Ueshiba T, Tomita F (2003) Plane-based calibration algorithm for multi-camera systems via factorization of homography matrices. *IEEE international conference on computer vision*, pp 966–973
37. Shashua A, Avidan S (1996) The rank 4 constraint in multiple ( $\geq 3$ ) view Geometry. *European conference on computer vision*, pp 196–206
38. Zelnik-Manor L, Irani M (2005) Multiview constraints on homographies. *IEEE Trans Pattern Anal Mach Intell* 24(2):214–223
39. Malis E, Cipolla R (2002) Camera self-calibration from unknown planar structures enforcing the multiview constraints between collineations. *IEEE Trans Pattern Anal Mach Intell* 24(9):1268–1272
40. Maybank S, Faugeras O (1992) A theory of self-calibration of a moving camera. *Int J Comput Vis* 8(2):123–151
41. Pollefeys M, Kock R, Van Gool L (1998) Self-calibration and metric reconstruction in spite of varying and unknown internal camera parameters. *IEEE international conference on computer vision*, pp 90–95

42. Triggs B (1997) Autocalibration and the absolute quadric. *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp 607–614
43. Hassanpour R, Atalay V (2004) Camera auto-calibration using a sequence of 2D images with small rotations. *Pattern Recognit Lett* 25:989–997
44. Huang C, Chen C, Chung P (2004) An improved algorithm for two-image camera self-calibration and Euclidean structure recovery using absolute quadric. *Pattern Recognit* 37(8):1713–1722
45. Ponce J, McHenry K et al (2005) On the absolute quadratic complex and its application to auto-calibration. *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp 780–787
46. Hartley R (1997) Kruppa's equations derived from the fundamental matrix. *IEEE Trans Pattern Anal Mach Intell* 19(2):133–135
47. Manolis I, Deriche R (2000) Camera self-calibration using the Kruppa equations and the SVD of the fundamental matrix: the case of varying intrinsic parameters, INRIA, No. 3911, Mars
48. Faugeras O, Luong Q, Maybank S (1992) Camera self-calibration: theory and experiments. *Proceedings of ECCV*. Springer, Heidelberg, pp 321–334
49. Sturm P (2000) A case against Kruppa's equations for camera self-calibration. *IEEE Trans Pattern Anal Mach Intell* 22(10):1199–1204
50. Zhang Z, Hanson A (1996) 3D reconstruction based on homography mapping. *ARPA image understanding workshop*, Palm Springs, CA
51. Liebowitz D, Zisserman A (1998) Metric rectification for perspective images of planes. *Proceedings of IEEE conference on computer vision and pattern recognition*, Santa Barbara, California, pp 482–488, June 1998
52. Knight J, Zisserman A, Reid I (2003) Linear auto-calibration for ground plane motion. *Proceedings of IEEE conference on computer vision and pattern recognition*, pp 503–510
53. Quan L, Wei Y et al (2004) Constrained planar motion analysis by decomposition. *Image Vis Comput* 22:379–389
54. Gurdjos P, Crouzil A, Payrissat R (2002) Another way of looking at plane-based calibration: the centre circle constraint. *European conference on computer vision*, pp 252–266
55. Bocquillon B, Gurdjos P, Crouzil A (2006) Towards a guaranteed solution to plane-based self-calibration. *Proceedings of the 7th Asian conference on computer vision*, vol 1, pp 11–20
56. Gurdjos P, Sturm P (2003) Methods and geometry for plane-based self-calibration. *Proceedings of the international conference on computer vision and pattern recognition*, pp 491–496
57. Kim J, Gurdjos P, Kweon I (2005) Geometric and algebraic constraints of projected concentric circles and their applications to camera calibration. *IEEE Trans Pattern Anal Mach Intell* 27(4):1–6
58. Fusiello A (2000) Uncalibrated Euclidean reconstruction: a review. *Image Vis Comput* 18:555–563
59. Lu Y, Jason Z, Zhang et al (2004) A survey of motion-parallax-based 3-D reconstruction algorithms. *IEEE Trans Syst Man Cybern Part C: Appl Rev* 34(4):1–17 (Nov 2004)
60. Bowyer W, Chang K, Flynn P (2006) A survey of approaches and challenges in 3D and multi-modal 3D+2D face recognition. *Comput Vis Image Underst* 101(1):1–15
61. Zhong H, Hung YS (2006) Self-calibration from one circular motion sequence and two images. *Pattern Recognit* 39(9):1672–1678
62. Scharstein D, Szeliski R (2003) High-accuracy stereo depth maps using structured light. *IEEE computer society conference on computer vision and pattern recognition (CVPR 2003)*, Madison, pp 195–202, June 2003
63. Zhang Li, Curless B, Seitz M (2002) Rapid shape acquisition using color structured light and multi-pass dynamic programming. *Proceedings of the 1st international symposium on 3D data processing, visualization, and transmission (3DPVT)*, Padova, Italy, pp 24–36, 19–21 June 2002
64. Zhang Li, Curless B, Seitz M (2003) Spacetime stereo: shape recovery for dynamic scenes. *Proceedings of IEEE computer society conference on computer vision and pattern recognition (CVPR)*, Madison, pp 367–374, June 2003

65. Davis J, Ramamoorthi R, Rusinkiewicz S (2005) Spacetime stereo: a unifying framework for depth from triangulation. *IEEE Trans Pattern Anal Mach Intell* 27(2):296–302
66. Chu CW, Hwang S, Jung SK (2001) Calibration-free approach to 3D reconstruction using light stripe projections on a cube frame. *IEEE 3rd international conference on 3D digital imaging and modeling*, Quebec, Canada, pp 13–19, 28 May–01 June 2001
67. Chen CH, Kak AC (1987) Modeling and calibration of a structured light scanner for 3-D robot vision. *Proceedings IEEE conference on robotics and automation*, pp 807–815
68. Reid ID (1996) Projective calibration of a laser-stripe range finder. *Image Vis Comput* 14:659–666
69. Huynh D, Owens R, Hartmann P (1999) Calibrating a structured light stripe system: a novel approach. *Int J Comput Vis* 33:73–86
70. DePiero FW, Trivedi MM (1996) 3D Computer Vision Using Structured Light: design, calibration and implementation issues. *Adv Comput* 43:243–278
71. Sansoni G, Carocci M, Rodella R (2000) Calibration and performance evaluation of a 3D imaging sensor based on the projection of structured light. *IEEE Trans Instrum Meas* 49(3):628–636 (June 2000)
72. McIvor AM (2002) Nonlinear calibration of a laser stripe profiler. *Opt Eng* 41(1):205–212
73. Bouguet JY, Perona P (1998) 3D photography on your desk. *IEEE international conference on computer vision*, Bombay, India, pp 43–50
74. Fisher RB, Ashbrook AP, Robertson C, Werghi N (1999) A low-cost range finder using a visually located, Structured light source, 2nd international conference on 3D digital imaging and modeling, Ottawa, Canada, pp 24–33, 04–08 Oct 1999
75. Marzani S, Voisin Y et al (2002) Calibration of a three-dimensional reconstruction system using a structured light source. *Opt Eng* 41(2):484–492
76. Dipanda A, Woo S (2005) Towards a real-time 3D shape reconstruction using a structured light system. *Pattern Recognit* 38(10):1632–1650
77. Chen F, Brown GM, Song M (2000) Overview of three-dimensional shape measurement using optical methods. *Opt Eng* 39(1):10–22
78. Langer D, Mettenleiter M et al (2000) Imaging laser scanners for 3D modeling and surveying applications. *Proceedings of the 2000 IEEE international conference on robotics and automation*, San Francisco, pp 116–121, April 2000
79. Hebert P (2001) A self-referenced hand-held range sensor. *Proceedings IEEE 3rd international conference on 3D digital imaging and modeling*, Quebec, Canada, pp 5–12, May 2001
80. Fofi D, Salvi J, Mouaddib E (2001) Uncalibrated vision based on structured light. *IEEE international conference on robotics and automation*, Seoul, Korea, vol 4, pp 3548–3553, May 2001
81. Jokinen O (1999) Self-calibration of a light striping system by matching multiple 3D profile maps. *Proceedings IEEE 2nd international conference on 3D digital imaging and modeling*, Ottawa, Canada, pp 180–190
82. Wolfe W, Mathis D et al (1991) The perspective view of three points. *IEEE Trans Pattern Anal Mach Intell* 13(1):66–73
83. Haralick R, Lee C et al (1991) Analysis and solutions of the three point perspective pose estimation problem. *Proceedings IEEE conference on computer vision and pattern recognition*, Maui, Hawaii, pp 592–598
84. Horaud R, Conio B, Le Boulleux O (1989) An analytic solution for the perspective 4-point problem. *Comput Vis Graph Image Process* 47(33–34):33–43
85. Quan L, Lan Z (1999) Linear N-point camera pose determination. *IEEE Trans Pattern Anal Mach Intell* 21(8):774–780
86. Triggs B (1999) Camera pose and calibration from 4 or 5 known 3D points. *Proceedings of the 7th international conference on computer vision*, Corfu, Greece, pp 278–284, Sept 1999
87. Abdel-Aziz Y, Karara H (1971) Direct linear transformation into object space coordinates in close-range photogrammetry. *Proceedings symposium close-range photogrammetry*, pp 1–18

88. Ganapathy S (1984) Decomposition of transformation matrices for robot vision. Proceedings IEEE conference robotics and automation, pp 130–139
89. Wang Z, Jepson A (1994) A new closed-form solution for absolute orientation. IEEE conference computer vision and pattern recognition (CVPR), pp 129–134, 21–23 June 1994
90. Fiore D (2001) Efficient linear solution of exterior orientation. *IEEE Trans Pattern Anal Mach Intell* 23(2):140–148
91. Wang F (2004) A simple and analytical procedure for calibrating extrinsic camera parameters. *IEEE Trans Rob Autom* 20(1):121–124
92. Wang F (2005) An efficient coordinate frame calibration method for 3D measurement by multiple camera systems. *IEEE Trans Syst Man Cybern Part C* 35(4):453–464, (Nov 2005)
93. Ansar A, Daniilidis K (2003) Linear pose estimation from points or lines. *IEEE Trans Pattern Anal Mach Intell* 25(5):578–588
94. Liu Y, Huang S, Faugeras O (1990) Determination of camera location from 2D to 3D line and point correspondences. *IEEE Trans Pattern Anal Mach Intell* 12(1):28–37
95. Liu Y, Zhang X, Huang S (2003) Estimation of 3D structure and motion from image corners. *Pattern Recognit* 36:1269–1277
96. Triggs B, McLauchlan P, Hartley R, Fitzgibbon A (2000) Bundle Adjustment—a modern synthesis. Springer lecture notes on computer science, vol 1983. Springer, Heidelberg, pp 298–375
97. Taylor C, Kriegman D (1995) Structure and motion from line segments in multiple images. *IEEE Trans Pattern Anal Mach Intell* 17(11):1021–1032
98. Oberkampf D, DeMenthon D, Davis S (1996) Iterative pose estimation using coplanar feature points. *Comput Vis Image Underst* 63(3):495–511 (May 1996)
99. Christy S, Horaud R (1999) Iterative pose computation from line correspondences. *Comput Vis Image Underst* 73(1):137–144
100. Lu C, Hager D, Mjolsness E (2000) Fast and globally convergent pose estimation from video images. *IEEE Trans Pattern Anal Mach Intell* 22(6):610–622
101. Koninckx T, Peers P, Dutre P, Van Gool L (2005) Scene-adapted structured light. IEEE computer society international conference on computer vision and pattern recognition—CVPR05, San Diego, USA, pp 611–619, 20–25 June 2005
102. Koninckx T, Van Gool L (2006) Real-time range acquisition by adaptive structured light. *IEEE Trans Pattern Anal Mach Intell* 28(3):432–445
103. Longuet-Higgins HC (1981) A computer algorithm for reconstructing a scene from two projections. *Nature* 293(9):133–135
104. Gruen A, Huang T (2001) Calibration and orientation of cameras in computer vision. Springer, New York
105. Faugeras O, Maybank S (1990) Motion from point matches: multiplicity of solutions. *Int J Comput Vis* 4:225–246
106. Hartley R (1992) Estimation of relative camera positions for uncalibrated cameras, lecture notes in computer science, ECCV'92, vol 588. Springer, Berlin, pp 579–587
107. Kanatani K, Matsunaga C (2000) Closed-form expression for focal lengths from the fundamental matrix. Proceedings 4th Asian conference on computer vision, pp 128–133, Jan 2000
108. Ueshiba T, Tomita F (2003) Self-calibration from two perspective views under various conditions: Closed-form solutions and degenerate configurations. Australia-Japan advanced workshop on computer vision, Sept 2003
109. Triggs B (2000) Routines for relative pose of two calibrated cameras from 5 points. Technical report, INRIA, France. <http://www.inrialpes.fr/movi/people/Triggs>
110. Nister D (2004) An efficient solution to the five-point relative pose problem. *IEEE Trans Pattern Anal Mach Intell* 26(6):756–770
111. Stewenius H, Engels C, Nister D (2006) Recent developments on direct relative orientation. *J Photogramm Remote Sens* 60(4):284–294 (June 2006)
112. Philip J (1996) A non-iterative algorithm for determining all essential matrices corresponding to five point pairs. *Photogramm Rec* 15(88):589–599 (Oct 1988)

113. Philip J (1998) Critical point configurations of the 5-, 6-, 7-, and 8-point algorithms for relative orientation. TRITA-MAT-1998-MA-13, Feb 1998
114. Hartley R (1997) In defense of the eight-point algorithm. *IEEE Trans Pattern Anal Mach Intell* 19(6):580–592
115. Wu FC, Hu ZY, Duan FQ (2005) 8-point algorithm revisited: factorized 8-point algorithm, ICCV05, Beijing, China, pp 488–494
116. Zhong HX, Pang YJ, Feng YP (2006) A new approach to estimating fundamental matrix. *Image Vis Comput* 24(1):56–60
117. Zhang Z (1998) Determining the epipolar geometry and its uncertainty: a review. *Int J Comput Vis* 27(2):161–198
118. Armangue X, Salvi J (2003) Overall view regarding fundamental matrix estimation. *Image Vis Comput* 21:205–220
119. Hay JC (1966) Optical motion and space perception: an extension of Gibson's analysis. *Psychol Review* 73(6):550–565
120. Tsai R, Huang T (1981) Estimating three dimensional motion parameters of a rigid planar patch. *IEEE Trans Acoust Speech Signal Process ASSP-29*:525–534
121. Tsai R, Huang T, Zhu W (1982) Estimating three dimensional motion parameters of a rigid planar patch, II: singular value decomposition. *IEEE Trans Acoust Speech Signal Process ASSP-30*:525–534
122. Longuet-Higgins HC (1984) The visual ambiguity of a moving plane. *Proc R Soc Lond Ser B* 223(1231):165–175
123. Longuet-Higgins HC (1986) The reconstruction of a plane surface from two perspective projections. *Proc R Soc Lond Ser B* 227(1249):399–410
124. Zhang Z, Hanson AR (1995) Scaled Euclidean 3D reconstruction based on externally uncalibrated cameras. *IEEE international symposium on computer vision*, Coral Gables, Florida, pp 37–42, Nov 1995
125. Ma Y, Soatto S et al (2003) *An invitation to 3D vision, from images to geometric models*. Springer, New York (ISBN 0387008934, Nov 2003)
126. Habed A, Boufama B (2006) Camera self-calibration from bivariate polynomial equations and the coplanarity constraint. *Image Vis Comput* 24(5):498–514
127. Sturm P (2000) Algorithms for plane-based pose estimation. *Proceedings IEEE conference on computer vision and pattern recognition (CVPR00)*, pp 1010–1017, June 2000
128. Chum O, Werner T, Matas J (2005) Two-view geometry estimation unaffected by a dominant plane. *Proceedings IEEE conference on computer vision and pattern recognition (CVPR05)*, pp 772–779
129. Bartoli A (2005) The geometry of dynamic scenes: on coplanar and convergent linear motions embedded in 3D static scenes. *Comput Vis Image Underst* 98(2):223–238 (May 2005)
130. Raj A, Pollefeys M (2004) Auto-calibration of multi-projector display walls. *Proceedings of the 17th IEEE international conference on pattern recognition (ICPR'04)*, Washington, DC, USA, vol 1, pp 14–17, 23–26 Aug 2004
131. Okatani T, Deguchi K (2003) Autocalibration of a projector-screen-camera system: theory and algorithm for screen-to-camera homography estimation. *Proceedings of the 9th IEEE international conference on computer vision (ICCV'03)*, vol 2, pp 774–781, Oct 2003
132. Okatani T, Deguchi K (2005) Autocalibration of a projector-camera system. *IEEE Trans Pattern Anal Mach Intell* 27(12):1845–1855
133. Li YF, Chen SY (2003) Automatic recalibration of a structured light vision system. *IEEE Trans Rob Autom* 19(2):259–268 (Apr 2003)
134. Chen SY, Li YF (2003) Self-recalibration of a color-encoded light system for automated three-dimensional measurements. *Measurement Sci Tech* 14(1):33–40
135. Xie Z, Zhang C, Zhang Q (2004) A simplified method for the extrinsic calibration of structured-light sensors using a single-ball target. *Int J Mach Tools Manuf* 44(11):1197–1203 (Sept 2004)
136. Tang A, Ng T et al (2006) Projective reconstruction from line-correspondences in multiple uncalibrated images. *Pattern Recognit* 39(5):889–896

137. Semple J, Kneebone G (1979) Algebraic projective geometry, Oxford University Press, Oxford
138. Shirai Y, Suwa M (1971) Recognition of polyhedrons with a range finder. Proceedings on 2nd international joint conference on artificial intelligence, pp 80–87, Sept 1971
139. Shirai Y, Tsuji S (1972) Extraction of the line drawing of 3D objects by sequential illumination from several directions. *Pattern Recognit* 4:343–351
140. Posdamer J, Altschuler M (1982) Surface measurement by space-encoded projected beam systems. *Comput Graphi Image Process* 18(1):1–17
141. Inokuchi S, Sato K, Matsuda F (1984) Range imaging system for 3D object recognition. Proceedings of the international conference on pattern recognition 1984, pp 806–808
142. Rocchini C, Cignoni P, Montani C, Pingi P, Scopigno R (2001) A low cost 3D scanner based on structured light. EG 2001 proceedings vol 20, No. 3. Blackwell Publishing, Oxford, pp 299–308
143. Petriu EM, Sakr Z, Spoelder HJW, Moica A (2000) Object recognition using pseudo-random color encoded structured light. Proceedings of the 17th IEEE conference on instrumentation and measurement technology, vol 3, pp 1237–1241
144. Zhang L, Curless B, Seitz SM (2002) Rapid shape acquisition using color structured light and multi-pass dynamic programming. International symposium on 3D data processing visualization and transmission, Padova, Italy, pp 24–26
145. Spoelder H, Vos F et al (2000) Some aspects of pseudo random binary array-based surface characterization. *IEEE Trans Instrum Meas* 49(6):1331–1336
146. Morano RA, Ozturk C et al (1998) Structured light using pseudorandom codes. *IEEE Trans Pattern Anal Mach Intell* 20(3):322–327
147. Griffin PM, Narasimhan LS, Yee SR (1992) Generation of uniquely encoded light patterns for range data acquisition. *Pattern Recognit* 25(6):609–616
148. Griffin PM, Yee SR (1996) A decoding algorithm for unique correspondence in range data acquisition. *Int J Prod Res* 34(9):2489–2498
149. Salvi J, Pages J, Batlle J (2004) Pattern codification strategies in structured light systems. *Pattern Recognit* 37(4):827–849
150. Hartley R, Zisserman A (2000) Multiple-view geometry in computer vision. Cambridge University Press, New York
151. Li M (1994) Camera calibration of a head-eye system for active vision. Proceedings of the European conference on computer vision 1994, pp 543–554
152. Lens RK, Tsai RY (1988) Techniques for calibration of the scale factor and image center for high accuracy 3D machine vision metrology. *IEEE Trans Pattern Anal Mach Intell* 10(5):713–720 (Sept 1988)
153. Sturm P, Cheng Z et al (2005) Focal length calibration from two views: method and analysis of singular cases. *Comput Vis Image Underst* 99(1):58–95
154. Cao X, Xiao J et al (2006) Self-calibration from turn-table sequences in presence of zoom and focus. *Comput Vis Image Underst* 102:227–237
155. Kanatani K, Nakatsuji A, Sugaya Y (2006) Stabilizing the focal length computation for 3D reconstruction from two uncalibrated views. *Int J Comput Vision* 66(2):109–122
156. Borghese N, Colombo M, Alzati A (2006) Computing camera focal length by zooming a single point. *Pattern Recognit* 39(8):1522–1529
157. Raskar R, Beardsley P (2001) A self correcting projector. Proceedings IEEE conference on computer vision and pattern recognition (CVPR01), Hawaii, Dec 2001
158. Pavlidis T (1982) Algorithms for graphics and image processing. Computer science press. Springer, Berlin
159. Huynh DQ (2000) The cross ratio: a revisit to its probability density function. British machine vision conference, Bristol, United Kingdom, vol 1, pp 262–271, 11–14 Sept 2000
160. Negahdaripour S (1990) Closed form relationship between the two interpretations of a moving plane. *J Opt Soc Am* 7(2):279–285
161. Negahdaripour S (1990) Multiple interpretations of the shape and motion of objects from two perspective images. *IEEE Trans Pattern Anal Mach Intell* 12(11):1025–1039
162. Hartley R (1998) Chirality. *Int J Comput Vision* 26(1):41–61

163. Maybank S (1992) *Theory of reconstruction from image motion*. Springer, New York
164. Tian T, Tomasi C, Heeger D (1996) Comparison of approaches to egomotion computation. *Proceedings of the IEEE conference on computer vision and pattern recognition*, San Francisco, pp 315–320, June 1996
165. Forsyth D, Ponce J (2003) *Computer vision: a modern approach*. Prentice Hall, London
166. Criminisi A, Reid I, Zisserman A (1999) A plane measuring device. *Image Vis Comput* 17:625–634
167. Grossmann E, Santos-Victor J (2000) Uncertainty analysis of 3D reconstruction from uncalibrated views. *Image Vis Comput* 18:685–696
168. Sun Z, Ramesh V, Tekalp AM (2001) Error characterization of the factorization method. *Comput Vis Image Underst* 82(2):110–137
169. Wang L, Kang SB et al (2004) Error analysis of pure rotation-based self-calibration. *IEEE Trans Pattern Anal Mach Intell* 26(2):275–280
170. Weng J, Huang T, Ahuja N (1989) Motion and structure from two perspective views: algorithms, error analysis and error estimation. *IEEE Trans Pattern Anal Mach Intell* 11(5):451–476
171. Wiley AG, Wong KW (1995) Geometric calibration of zoom lenses for computer vision metrology. *Photogramm Eng Remote Sens* 61(1):69–74
172. Fofi D, Salvi J, Mouaddib E (2003) Uncalibrated reconstruction: an adaptation to structured light vision. *Pattern Recognit* 36(7):1631–1644
173. Ponce J (2009) What is a camera? *IEEE international conference on computer vision and pattern recognition*, pp 1526–1533, 20–25 June 2009
174. Han M, Kanade T (2000) Scene reconstruction from uncalibrated views, CMU-RI-TR-00–09, Jan 2000
175. Zhang Z (2004) Camera calibration with one-dimensional objects. *IEEE Trans Pattern Anal Mach Intell* 26(7):892–899
176. Zhao Z, Wei Z, Zhang G (2009) Estimation of projected circle centers from array circles and its application in camera calibration. *The 2nd Asia-Pacific conference on computational intelligence and industrial applications 2009*, pp 182–185
177. Jiang G, Quan L (2005) Detection of concentric circles for camera calibration. *Proceedings IEEE international conference on computer vision*, vol 1, pp 333–340
178. Micusik B, Pajdla T (2006) Structure from motion with wide circular field of view cameras. *IEEE Trans Pattern Anal Mach Intell* 28(7):1135–1149
179. Berhanu M (2005) *The polynomial eigenvalue problem*. PhD thesis, University of Manchester
180. Kukulova Z, Pajdla T (2007) A minimal solution to the autocalibration of radial distortion. *Proceedings of computer vision and pattern recognition conference, 2007*, pp 1–7
181. Byrod M, Kukulova Z, Josephson K et al (2008) Fast and robust numerical solutions to minimal problems for cameras with radial distortion. *Proceedings of computer vision and pattern recognition conference, 2008*, pp 1–8
182. Devernay F, Faugeras O (2001) Straight lines have to be straight. *Mach Vis Appl* 13:14–24
183. Ahmed M, Farag A (2005) Nonmetric calibration of camera lens distortion: differential methods and robust estimation. *IEEE Trans Image Process* 14(8):1215–1230
184. Ma SD, Zhang Z (1998) *Computer vision: computational theory and algorithms*. The Science Press of China, Beijing
185. Zhang B, Li YF, Fuchao W (2003) Planar pattern for automatic camera calibration. *Opt Eng* 42(6):1542–1549
186. Zhang B, Dong L, Wu FC (2001) Camera self-calibration based on circle. *Proc SPIE Vis Optim Tech* 4553(9):286–289
187. Lhuillier M (2007) Toward flexible 3D modeling using a catadioptric camera. *IEEE international conference on computer vision and pattern recognition*, pp 1–8, June 2007
188. Ragot N, Rossi R et al (2008) 3D volumetric reconstruction with a catadioptric stereovision sensor. *IEEE Int Symp Ind Electron* 11:1306–1311
189. Boutteau R, Savatier X et al (2008) An omnidirectional stereoscopic system for mobile robot navigation. *IEEE Int Workshop Rob Sensors Environ* 17–18(10):138–143



190. Micusik B, Pajdla T (2006) Structure from motion with wide circular field of view cameras. *IEEE Trans Pattern Anal Mach Intell* 28(7):1135–1149
191. Baker S, Nayar SK (1998) A theory of catadioptric image formation. Proceedings of the international conference on computer vision, pp 35–42, Jan 1998
192. Geyer C, Daniilidis K (1999) Catadioptric camera calibration. *IEEE proceedings of the 7th international conference on computer vision*, vol 1, pp 398–404, 20–27, Sept 1999
193. Barreto P, Araujo H (2001) Issues on the geometry of central catadioptric image information. *IEEE conference on computer vision and pattern recognition*, 2001, pp 422–427
194. Mei C, Malis E (2006) Fast central catadioptric line extraction, estimation, tracking and structure from motion. *IEEE/RSJ international conference on intelligent robots and systems*, pp 4774–4779, Oct 2006
195. Geyer C, Daniilidis K (2002) Paracatadioptric camera calibration. *IEEE Trans Pattern Anal Mach Intell* 24(5):687–695
196. Barreto P, Araujo H (2005) Geometric properties of central catadioptric line images and their application in calibration. *IEEE Trans Pattern Anal Mach Intell* 27(8):1327–1333
197. Orghidan R, Mouaddib E, Salvi J (2005) Omnidirectional depth computation from a single image. *IEEE proceedings of international conference on robotics and automation*, pp 1222–1227, Apr 2005
198. Baldwin J, Basu A (2000) 3D estimation using panoramic stereo. *IEEE proceedings of international conference on pattern recognition*, vol 1, pp 97–100, Sept 2000
199. Aliega G (2001) Accurate catadioptric calibration for real-time pose estimation in room-size environments. *IEEE proceedings of the 9th international conference on computer vision*, vol 1, pp 127–134, July 2001
200. Svoboda T, Pajdla T, Hlavac V (2002) Epipolar geometry for panoramic cameras. *Int J Comput Vis* 49(1):23–37
201. Barreto J, Daniilidis K (2006) Epipolar geometry of central projection systems using veronese maps. *IEEE proceedings of the conference on computer vision and pattern recognition*, vol 1, pp 1258–1265, June 2006
202. Micusik B, Pajdla T (2003) Estimation of omnidirectional camera model from epipolar geometry. *IEEE proceedings of the conference on computer vision and pattern recognition*, vol 1, pp 485–490, June 2003
203. Mei C, Benhimane S, Malis E, Rives P (2006) Homography-based tracking for central catadioptric cameras. *IEEE/RSJ international conference on intelligent robots and systems*, pp 669–674, Oct 2006
204. Lhuillier M (2008) Automatic scene structure and camera motion using a catadioptric system. *Comput Vis Image Underst* 109(2):186–203
205. Goncalves N, Araujo H (2009) Estimating parameters of non-central catadioptric systems using bundle adjustment. *Comput Vis Image Underst* 113:186–203
206. Toepfer C, Ehlgen T (2007) A unifying omnidirectional camera model and its applications. Proceedings of the 11th IEEE international conference on computer vision, 2007
207. Grossberg MD, Nayar SK (2005) The raxel imaging model and ray-based calibration. *Int J Comput Vis* 61:119–137
208. Tardif JP, Sturm P, Trudeau M, Roy S (2009) Calibration of cameras with radially symmetric distortion. *IEEE Trans Pattern Anal Mach Intell* 31(9):1552–1566
209. Baker S, Nayar SK (1999) A theory of single-viewpoint catadioptric image formation. *Int J Comput Vis* 35(2):175–196
210. Geyer C, Daniilidis K (2001) Catadioptric projective geometry. *Int J Comput Vis* 45(3):223–243
211. Barreto P (2006) A unifying geometric representation for central projection systems. *Comput Vis Image Underst* 103(3):208–217 (Sept 2006)
212. Ying X, Hu Z (2004) Can we consider central catadioptric cameras and fisheye cameras within a unified imaging model. Proceedings European conference on computer vision (ECCV04), vol 1, pp 442–455

213. Li W, Li YF, Sun D, Li Z, Zhang B (2011) Generic radial distortion calibration of a novel single camera based panoramic stereoscopic system. IEEE international conference on robotics and automation Shanghai, China, 9–13 May, 2011
214. Astre B, Sarry L et al (2008) Automatic calibration of a single-projector catadioptric display system. IEEE international conference on computer vision and pattern recognition, pp 1–8
215. Ding Y, Xiao J et al (2009) Catadioptric projectors. IEEE international conference on computer vision and pattern recognition, pp 2528–2535