

References

Continuum Damage Mechanics

- Kachanov LM (1986) Introduction to continuum damage mechanics. Martinus Nijhoff Publishers, Dordrecht
- Kattan PI, Voyiadjis GZ (2002) Damage mechanics with finite elements. Springer, Berlin
- Krajcinovic D (1996) Damage mechanics. North-Holland, Amsterdam
- Lemaitre J (1992) A course on damage mechanics. Springer, Berlin; 2nd Edition (1996)
- Lemaitre J, Desmorat R (2005) Engineering damage mechanics. Springer, Berlin
- Skrzypek J, Ganczarski A (1999) Modeling of material damage and failure of structures. Springer, Berlin
- Voyiadjis GZ, Kattan PI (1999) Advances in damage mechanics: metals and metal matrix composites. Elsevier, Amsterdam

Tensor Analysis, Continuum Mechanics and Thermodynamics

- Becker E, Bürger W (1975) Kontinuumsmechanik: Eine Einführung in die Grundlagen und einfache Anwendungen. B. G. Teubner, Stuttgart
- Besson J, Cailletaud G, Chaboche J-L, Forest S, Blétry M (2010) Non-linear mechanics of materials. Springer, Dordrecht
- Chadwick P (1999) Continuum mechanics: concise theory and problems. George Allen and Unwin, London; 2nd Edition, Dover, New York (1976)
- De Groot SR, Mazur P (1962) Non-equilibrium thermodynamics. North-Holland, Amsterdam
- Eringen AC (1967) Mechanics of continua. Wiley, New York; 2nd Edition, Krieger, New York (1980)
- Fung YC (1965) Foundations of solid mechanics. Prentice-Hall, Englewood Cliffs, NJ
- Fung YC, Tong P (2001) Classical and computational solid mechanics. World Scientific Publishing, Singapore
- Germain P (1973) Cours de Mécanique des Milieux Continus. Masson et Cie, Paris
- Glansdorff P, Prigogine I (1971) Thermodynamic theory of structure, stability and fluctuations. Wiley, London
- Holzapfel GA (2000) Nonlinear solid mechanics: a continuum approach for engineering. Wiley, Chichester
- Itskov M (2007) Tensor algebra and tensor analysis for engineers, with application to continuum mechanics. Springer, Berlin
- Jauzemis W (1967) Continuum mechanics. Macmillan, New York
- Leigh DC (1968) Nonlinear continuum mechanics. McGraw-Hill, New York

- Lemaitre J, Chaboche JL (1985) *Mécanique des Matériaux Solides*. Dunod, Paris; *Mechanics of solid materials*. Cambridge University Press, Cambridge (1990)
- Lemaitre J, Chaboche J-L, Benallal A, Desmorat R (2009) *Mécanique des Matériaux Solides*, 3rd edn. Dunod, Paris
- Malvern LE (1969) *Introduction to the mechanics of a continuous medium*. Prentice-Hall, Englewood Cliffs, NJ
- Maugin GA (1992) *The thermomechanics of plasticity and fracture*. Cambridge University Press, Cambridge
- Nemat-Nasser S, Hori M (1993) *Micromechanics: overall properties of heterogeneous materials*. North-Holland, Amsterdam; 2nd Revised Edition, Elsevier, Amsterdam (1999)
- Ogden RW (1984) *Non-linear elastic deformations*. Ellis-Horwood, Chichester; Dover, New York (1997)
- Truesdell C (1969) *Rational thermodynamics*. McGraw-Hill, New York; Enlarged Edition, Springer, Berlin (1984)
- Truesdell C, Noll W (1965) The non-linear field theories of mechanics. In: Flügge S (ed) *Encyclopedia of physics*, vol III/3. Springer, Berlin; 3rd Edition (2004)
- Truesdell C, Toupin RA (1960) The classical field theories. In: Flügge S (ed) *Encyclopedia of physics*, vol III/1. Springer, Berlin

Bibliography

- Allix O, Bahlouli N, Ladevèze P, Perret L (1994) Damage modeling of composite laminates at various temperatures. In: Allen DH, Ju JW (eds) *Damage mechanics in composites*. The American Society of Mechanical Engineers, New York, pp 21–35
- Allix O, Feissel P, Thévenet P (2003) A delay damage mesomodel of laminates under dynamic loading: basic aspects and identification issues. *Comput Struct* 81:1171–1191
- Allix O, Ladevèze P (1992) Interlaminar interface modelling for the prediction of delamination. *Compos Struct* 22:235–242
- Allix O, Ladevèze P, Le Dantec E, Vittecoq E (1990) Damage mechanics for composite laminates under complex loading. In: Boehler JP (ed) *Yielding, damage, and failure of anisotropic solids*. Mechanical Engineering Publications, London, pp 551–569
- Bao Y, Wierzbicki T (2004) On fracture locus in the equivalent strain and stress triaxiality space. *Int J Mech Sci* 46:81–98
- Bao Y, Wierzbicki T (2005) On the cut-off value of negative triaxiality for fracture. *Eng Fract Mech* 72:1049–1069
- Bathias C, Paris PC (2005) *Gigacycle fatigue in mechanical practice*. Marcel Dekker, New York
- Bažant ZP (1990) Recent advances in failure localization and nonlocal models. In: Shah SP, Swartz SE, Wang ML (eds) *Micromechanics of failure of quasi-ductile materials*. Elsevier Applied Science, London, pp 12–32
- Bažant ZP, Belytschko TB, Chang TP (1984) Continuum theory for strain-softening. *J Eng Mech Trans ASCE* 110:1666–1692
- Bažant ZP, Cedolin L (1983) Finite element modeling of crack band propagation. *J Struct Eng Trans ASCE* 109:69–82
- Bažant ZP, Jirasek M (2002) Nonlocal integral formulations of plasticity and damage: survey of progress. *J Eng Mech Trans ASCE* 128:1119–1149
- Bažant ZP, Oh BH (1983) Crack band theory for fracture of concrete. *Mater Struct* 16:155–177
- Bažant ZP, Pijaudier-Cabot G (1988) Nonlocal continuum damage, localization instability and convergence. *J Appl Mech Trans ASME* 55:287–293
- Becker E, Bürger W (1975) *Kontinuumsmechanik: Eine Einführung in die Grundlagen und einfache Anwendungen*. B. G. Teubner, Stuttgart
- Benallal A, Siad L (1997) Stress and strain fields in cracked damaged solids. *Technische Mechanik* 17:295–304
- Benallal A, Siad L (2001) Strain, stress and damage fields in damaged and cracked solids. In: Murakami S, Ohno N (eds) *IUTAM symposium on creep in structures*. Kluwer, Dordrecht, pp 151–163
- Benzerga AA (2002) Micromechanics of coalescence in ductile fracture. *J Mech Phys Solids* 50:1331–1362
- Benzerga AA, Besson J, Pineau A (2004a) Anisotropic ductile fracture, part I: experiments. *Acta Mater* 52:4623–4638

- Benzerga AA, Besson J, Pineau A (2004b) Anisotropic ductile fracture, part II: theory. *Acta Mater* 52:4639–4650
- Berg CA (1970) Plastic dilatation and void interaction. In: Kanninen MF et al (eds) *Inelastic behavior of solids*. McGraw-Hill, New York, pp 171–210
- Besson J, Guillemer-Neel C (2003) An extension of the Green and Gurson models to kinematic hardening. *Mech Mater* 35:1–18
- Besson J (2010) Continuum models of ductile fracture: a review. *Int J Damage Mech* 19:3–52
- Besson J, Steglich D, Brocks W (2003) Modeling of plane strain ductile rupture. *Int J Plast* 19:1517–1541
- Betten J (1986) Applications of tensor functions to the formulation of constitutive equations involving damage and initial anisotropy. *Eng Fract Mech* 25:573–584
- Bilby BA, Howard IC, Li ZH (1994) Mesh independent cell models for continuum damage theory. *Fatigue Fract Eng Mater Struct* 17:1221–1233
- Billardon R, Doghri I (1989) Localization bifurcation analysis for damage softening elasto-plastic materials. In: Mazars J, Bažant ZP (eds) *Cracking and damage – strain localization and size effect*. Elsevier Applied Science, London, pp 295–307
- Bluhm JI, Morrissey RJ (1966) Fracture in a tensile specimen. In: Yokobori T, Kawasaki T, Swedlow JL (eds) *Proceedings of the first international conference on fracture*, vol 3. The Japan Society for Strength and Fracture of Materials, Sendai, pp 1739–1780
- Bonora N (1997) A nonlinear CDM model for ductile failure. *Eng Fract Mech* 58:11–28
- Bonora N, Gentile D, Pirondi A, Newaz G (2005) Ductile damage evolution under triaxial state of stress: theory and experiments. *Int J Plast* 21:981–1007
- Boyle JT, Spence J (1983) *Stress analysis for creep*. Butterworths, London
- Brownrigg A, Spitzig WA, Richmond O, Teirlinck D, Embury JD (1983) The influence of hydrostatic pressure on the flow stress and ductility of spheroidized 1045 steel. *Acta Metall* 31:1141–1150
- Brüning M, Chyra O, Albrecht D, Driemeier L, Alves M (2008) A ductile damage criterion at various stress triaxialities. *Int J Plast* 24:1731–1755
- Cadek J (1988) *Creep in metallic materials*. Elsevier, Amsterdam
- Cailletaud G, Levailant C (1984) Creep-fatigue life prediction: What about initiation? *Nucl Eng Des* 83:279–292
- Cauvin A, Testa RB (1999) Damage mechanics: basic variables in continuum theories. *Int J Solids Struct* 36:747–761
- Chaboche JL (1977) Sur l'utilisation des variables d'état interne pour la description du comportement viscoplastique et de la rupture par endommagement. In: Nowacki WK (ed) *Problèmes Non-Linéaires de Mécanique (Proceedings of French-Polish symposium, Cracow 1977)*. PWN (State Publishing House of Science), Warsaw, 1980, pp 137–159
- Chaboche JL (1982) The concept of effective stress applied to elasticity and to viscoplasticity in the presence of anisotropic damage. In: Boehler JP (ed) *Mechanical behavior of anisotropic solids (Proceedings of Euromech Colloquium 115, Grenoble 1979)*. Martinus Nijhoff, The Hague, pp 737–760
- Chaboche JL (1984) Anisotropic creep damage in the framework of continuum damage mechanics. *Nucl Eng Technol* 79:309–319
- Chaboche JL (1986) Time independent constitutive theories for cyclic plasticity. *Int J Plast* 2:149–188
- Chaboche JL (1988) Continuum damage mechanics, part I general concepts; part II damage growth, crack initiation, and crack growth. *J Appl Mech Trans ASME* 55:59–72
- Chaboche JL (1989) Constitutive equations for cyclic plasticity and cyclic viscoplasticity. *Int J Plast* 5:247–302
- Chaboche JL (1992) Damage induced anisotropy: on the difficulties associated with the active/passive unilateral condition. *Int J Damage Mech* 1:148–171
- Chaboche JL (1993) Development of continuum damage mechanics for elastic solids sustaining anisotropic and unilateral damage. *Int J Damage Mech* 2:311–329

- Chaboche JL (1997) Thermodynamic formulation of constitutive equations and application to the viscoplasticity and viscoelasticity of metals and polymers. *Int J Solids Struct* 34:2239–2254
- Chaboche JL, Boudifa M, Saanouni K (2006) A CDM approach of ductile damage with plastic compressibility. *Int J Fract* 137:51–75
- Chaboche JL, Lesne PM, Maire JF (1994) Macroscopic modelling of inelastic and damage processes with unilateral effects in thermostructural composite materials. In: Allen DH, Ju JW (eds) *Damage mechanics in composites*. The American Society of Mechanical Engineers, New York, pp 75–86
- Chaboche JL, Lesne PM, Maire JF (1995) Continuum damage mechanics, anisotropy and damage deactivation for brittle materials like concrete and ceramic composites. *Int J Damage Mech* 4:5–22
- Chaboche JL, Lesné O, Pottier T (1998) Continuum damage mechanics of composites; towards a unified approach. In: Voyiadjis GZ, Ju JW, Chaboche JL (eds) *Damage mechanics in engineering materials*. Elsevier, Amsterdam, pp 3–26
- Chaboche JL, Rousselier G (1983) On the plastic and viscoplastic constitutive equations, part I: rules developed with internal variable concept; part II: application of internal variable concepts to the 316 stainless steel. *J Press Vessel Technol Trans ASME* 105:153–164
- Chadwick P (1976) *Continuum mechanics, concise theory and problems*. George Allen and Unwin, London; 2nd Edition, Dover, New York (1999)
- Chandrakanth S, Pandey PC (1993) A new ductile damage evolution model. *Int J Fract* 60:73–76
- Chen XF, Chow CL (1995) On damage strain energy release rate. *Int J Damage Mech* 4:251–263
- Chow CL, Jie M (2004) Forming limits of AL6022 sheets with material damage consideration -theory and experimental validation. *Int J Mech Sci* 46:99–122
- Chow CL, Jie M, Wu X (2007) Localized necking criterion for strain-softening materials with anisotropic damage. *Int J Damage Mech* 16:265–281
- Chow CL, Lu TJ (1989a) A normative presentation of stress and strain for continuum damage mechanics. *Theor Appl Fract Mech* 12:161–187
- Chow CL, Lu TJ (1989b) On evolution laws of anisotropic damage. *Eng Fract Mech* 34:679–701
- Chow CL, Wang J (1987) An anisotropic theory of continuum damage mechanics for ductile fracture. *Eng Fract Mech* 27:547–558
- Chow CL, Wang J (1988) A finite element analysis of continuum damage mechanics for ductile fracture. *Int J Fract* 38:83–102
- Chow CL, Yang XJ (2004) A generalized mixed isotropic-kinematic hardening plastic model coupled with anisotropic damage for sheet metal forming. *Int J Damage Mech* 13:81–101
- Chow CL, Yu LG, Demeri MY (1997) A unified damage approach for predicting forming limit diagrams. *J Eng Mater Technol Trans ASME* 119:346–353
- Chow CL, Yu IG, Tai WH, Demeri MY (2001) Prediction of forming limit diagrams for AL6111-T4 under non-proportional loading. *Int J Mech Sci* 43:471–486
- Chu CC, Needleman A (1980) Void nucleation effects in biaxially stretched sheets. *J Eng Mater Technol Trans ASME* 102:249–256
- Cocks ACF, Leckie FA (1987) Creep constitutive equations for damaged materials. In: Wu TY, Hutchinson JW (eds) *Advances in applied mechanics*, vol 25. Academic, New York, pp 239–294
- Coleman BD, Gurtin ME (1967) Thermodynamics with internal state variables. *J Chem Phys* 47:597–613
- Coleman BD, Mizel VJ (1964) Existence of caloric equations of state in thermodynamics. *J Chem Phys* 40:1116–1125
- Cordebois JP, Sidoroff F (1982a) Damage induced elastic anisotropy. In: Boehler JP (ed) *Mechanical behavior of anisotropic solids*. Martinus Nijhoff Publishers, The Hague, pp 761–774
- Cordebois JP, Sidoroff F (1982b) Endommagement anisotrope en élasticité et plasticité. *Journal de Mécanique Théorique et Appliquée Numéro Spécial*, 45–60

- Davison L, Stevens AL (1973) Thermodynamical constitution of spalling elastic bodies. *J Appl Phys* 44:668–674
- de Borst R, Sluys LJ, Mühlhaus HB, Pamin J (1993) Fundamental issues in finite element analyses of localization of deformation. *Eng Comput* 10:99–121
- De Groot SR, Mazur P (1962) *Non-equilibrium thermodynamics*. North-Holland, Amsterdam
- de Vree JHP, Brekelmans WAM, van Gils MAJ (1995) Comparison of nonlocal approaches in continuum mechanics. *Comput Struct* 55:581–588
- Desmorat R, Cantournet S (2008) Modeling microdefects closure effect with isotropic/anisotropic damage. *Int J Damage Mech* 17:65–96
- Desmorat R, Kane A, Seyedi M, Sermage JP (2007) Two scale damage model and related numerical issues for thermo-mechanical high cycle fatigue. *Eur J Mech A/Solids* 26:909–935
- Dufailly J, Lemaitre J (1995) Modeling very low cycle fatigue. *Int J Damage Mech* 4:153–170
- Dunne FPE, Hayhurst DR (1992a) Continuum damage based constitutive equations for copper under high temperature creep and cyclic plasticity. *Proc R Soc London A* 437:545–566
- Dunne FPE, Hayhurst DR (1992b) Modelling of combined high-temperature creep and cyclic plasticity in components using continuum damage mechanics. *Proc R Soc London A* 437:567–589
- Dvorak GJ, Bahei-El-Din YA (1982) Plasticity analysis of fibrous composites. *J Appl Mech Trans ASME* 49:327–335
- Dvorak GJ, Bahei-El-Din YA (1987) A bimodal plasticity theory of fibrous composite materials. *Acta Mech* 69:219–241
- Dyson BF, Hayhurst DR, Lin J (1996) The ridged uniaxial testpiece: creep and fracture predictions using large-displacement finite-element analyses. *Proc R Soc London A* 452:655–676
- Evans HE (1984) *Mechanisms of creep fracture*. Elsevier, London
- François D, Pineau A, Zaoui A (1998) *Mechanical behaviour of materials*, vol II. Kluwer, Dordrecht
- Fung YC (1965) *Foundations of solid mechanics*. Prentice-Hall, Englewood Cliffs, NJ
- Fung YC (1977) *A first course in continuum mechanics*, 2nd edn. Prentice-Hall, Englewood Cliffs, NJ
- Germain P (1973) *Cours de Mécanique des Milieux Continus*. Masson et Cie, Paris
- Germain P, Nguyen QS, Suquet P (1983) Continuum thermodynamics. *J Appl Mech Trans ASME* 50:1010–1020
- Ghrib F, Tinawi R (1995a) An application of damage mechanics for seismic analysis of concrete gravity dams. *Earthquake Eng Struct Dyn* 24:157–173
- Ghrib F, Tinawi R (1995b) Nonlinear behaviour of concrete dams using damage mechanics. *J Eng Mech ASCE* 121:513–527
- Glansdorff P, Prigogine I (1971) *Thermodynamic theory of structure, stability and fluctuations*. Wiley, London
- Gologanu M, Leblond JB, Devaux J (1993) Approximate models for ductile metals containing non-spherical voids – case of symmetric prolate ellipsoidal cavities. *J Mech Phys Solids* 41:1723–1754
- Gologanu M, Leblond JB, Devaux J (1994) Approximate models for ductile metals containing non-spherical voids – case of axisymmetric oblate ellipsoidal cavities. *J Eng Mater Technol Trans ASME* 116:290–294
- Goodall IW, Hales R, Walters DJ (1981) On constitutive relations and failure criteria of an austenitic steel under cyclic loading at elevated temperature, In: Ponter ARS, Hayhurst DR (eds) *Creep in structures*. Springer, Berlin, pp 103–127
- Goods SH, Brown LM (1979) The nucleation of cavities by plastic deformation. *Acta Metall* 27:1–15
- Graf A, Hosford W (1994) The influence of strain-path changes on forming limit diagrams of A 6111-T4. *Int J Mech Sci* 36:897–910
- Green ML (1992) *Laboratory tests on Salem limestone*. Geomechanics Division, Structures Laboratory, Department of the Army, Vicksburg, Mississippi

- Gurson AL (1977) Continuum theory of ductile rupture by void nucleation and growth: part I Yield criteria and flow rules for porous ductile media. *J Eng Mater Technol Trans ASME* 99:2–15
- Hall FR, Hayhurst DR (1991) Modelling of grain size effects in creep crack growth using a non-local continuum damage approach. *Proc R Soc London A* 433:405–421
- Halm D, Dragon A (1998) An anisotropic model of damage and frictional sliding for brittle materials. *Eur J Mech A/Solids* 17:439–460
- Halm D, Dragon A, Charles Y (2002) A modular damage model for quasi-brittle solids – interaction between initial and induced anisotropy. *Arch Appl Mech* 72:498–510
- Halphen B, Nguyen QS (1975) Sur les matériaux standards généralisés. *J Mécanique* 14:39–63
- Hancock JW, Mackenzie AC (1976) On the mechanisms of ductile failure in high-strength steels subjected to multi-axial stress-states. *J Mech Phys Solids* 24:147–169
- Hansen NR, Schreyer HL (1994) A thermodynamically consistent framework for theories of elastoplasticity coupled with damage. *Int J Solids Struct* 31:359–389
- Hashin Z (1983) Analysis of composite materials – a survey. *J Appl Mech Trans ASME* 50:481–505
- Hashin Z (1988) The differential scheme and its application to cracked materials. *J Mech Phys Solids* 36:719–734
- Hayakawa K, Murakami S (1997) Thermodynamical modeling of elastic-plastic damage and experimental validation of damage potential. *Int J Damage Mech* 6:333–363
- Hayakawa K, Murakami S, Liu Y (1998) An irreversible thermodynamic theory for elastic-plastic-damage materials. *Eur J Mech A/Solids* 17:13–32
- Hayhurst DR (1972) Creep rupture under multi-axial states of stress. *J Mech Phys Solids* 20:381–390
- Hayhurst DR (2001) Computational continuum damage mechanics: its use in the prediction of creep in structures- past, present and future. In: Murakami S, Ohno N (eds) IUTAM symposium on creep in structures. Kluwer, Dordrecht, pp 175–188
- Hayhurst DR, Brown PR, Morrison CJ (1984) The role of continuum damage in creep crack growth. *Philos Trans R Soc London A* 311:131–158
- Hayhurst DR, Dimmer PR, Chernuka MW (1975) Estimates of the creep rupture lifetime of structures using the finite element method. *J Mech Phys Solids* 23:335–355
- He QC, Curmier A (1995) A more fundamental approach to damaged elastic stress-strain relations. *Int J Solids Struct* 32:1433–1457
- Hill R (1958) A general theory of uniqueness and stability in elastic-plastic solids. *J Mech Phys Solids* 16:236–249
- Hill R (1963) Elastic properties of reinforced solids: some theoretical principles. *J Mech Phys Solids* 11:357–372
- Holzappel GA (2000) *Nonlinear solid mechanics: a continuum approach for engineering*. Wiley, Chichester
- Horii H, Nemat-Nasser S (1985) Compression-induced microcrack growth in brittle solids: axial splitting and shear failure. *J Geophys Res* B4 90:3105–3125
- Hutchinson JW (1968) Singular behaviour at the end of a tensile crack in a hardening materials. *J Mech Phys Solids* 16:13–31
- Itskov M (2007) *Tensor algebra and tensor analysis for engineers, with application to continuum mechanics*. Springer, Berlin
- Janson J, Hult J (1977) Fracture mechanics and damage mechanics, a combined approach. *Journal de Mécanique Appliquée* 1:69–84
- Ju JW (1989) On energy-based coupled elastoplastic damage theories: constitutive modeling and computational aspects. *Int J Solids Struct* 25:803–833
- Jubran JS, Cofer WF (1991) Ultimate strength analysis of structural components using the continuum damage mechanics approach. *Comput Struct* 39:741–752
- Kachanov LM (1958) On rupture time under condition of creep, *Izvestia Akademi Nauk SSSR, Otd. Tekhn. Nauk*, No.8, 1958, 26–31 (in Russian)

- Kachanov LM (1974) Foundations of fracture mechanics (in Russian). Izdatielistvo Nauka, Moscow
- Kachanov LM (1986) Introduction to continuum damage mechanics. Martinus Nijhoff, Dordrecht
- Kachanov M (1980) Continuum model of medium with cracks. *J Eng Mech Div Trans ASCE*, EM5 106:039–1051
- Kachanov M (1987) Elastic solids with many cracks: A simple method of analysis. *Int J Solids Struct* 23:23–43
- Kanatani K (1984) Distribution of directional data and fabric tensors. *Int J Eng Sci* 22:149–164
- Kattan PI, Voyiadjis GZ (1990) A coupled theory of damage mechanics and finite strain elasto-plasticity, I. Damage and elastic deformations. *Int J Eng Sci* 28:421–435
- Kattan PI, Voyiadjis GZ (2002) Damage mechanics with finite elements. Springer, Berlin
- Kestin J, Rice JR (1970) Paradoxes in the application of thermodynamics to strained solids. In: Stuart EB, Gal-Or B, Brainard AJ (eds) A critical review of thermodynamics. Mono Book Corp, Baltimore, MD, pp 275–298
- Kobayashi H (1993) Fracture mechanics (in Japanese). Kyoritsu Shuppan, Tokyo
- Kowalewski ZL, Hayhurst DR, Dyson BF (1994) Mechanisms-based creep constitutive equations for an aluminum alloy. *J Strain Anal* 29:309–316
- Krajcinovic D (1983) Constitutive equations for damaging materials. *J Appl Mech Trans ASME* 50:355–360
- Krajcinovic D (1984) Continuum damage mechanics. *Appl Mech Rev* 37:1–6
- Krajcinovic D (1989) Damage mechanics. *Mech Mater* 8:117–197
- Krajcinovic D (1996) Damage mechanics. North-Holland, Amsterdam
- Krajcinovic D, Fonseka GU (1981) The continuous damage theory of brittle materials, part 1: general theory, part 2: uniaxial and plane response modes. *J Appl Mech Trans ASME* 48:809–824
- Krajcinovic D, Lemaitre J (ed) (1987) Continuum damage mechanics – theory and applications, CISM Courses and Lectures No. 295. Springer, Wien
- Kraus H (1980) Creep analysis. Wiley, New York
- Kreuzer E (ed) (1994) Computerized symbolic manipulation in mechanics, CISM Courses and Lectures No. 343. Springer, Wien
- Lacy TE, McDowell DL, Willice PA, Talreja R (1997) On representation of damage evolution in continuum damage mechanics. *Int J Damage Mech* 6:62–95
- Ladevèze P (1992) A damage computational method for composite structures. *Comput Struct* 44:79–87
- Ladevèze P (2005) Multiscale computational damage modelling of laminate composites. In: Sadowski T (ed) Multiscale modelling of damage and fracture processes in composite materials. Springer, Wien, pp 171–212
- Ladevèze P, Allix O, L.Gornet, Lévêque D, Perret L (1998) A computational damage mechanics approach for laminates: identification and comparison with experimental results. In: Voyiadjis GZ, Ju J-W, Chaboche J-L (eds) Damage mechanics in engineering materials. Elsevier, Amsterdam, pp 481–500
- Ladevèze P, Le Dantec E (1992) Damage modelling of the elementary ply for laminated composites. *Compos Sci Technol* 43:257–267
- Ladevèze P, Lemaitre J (1984) Damage effective stress in quasi-unilateral conditions. In: Proceeding of the 16th IUTAM congress, Lyngby, Denmark
- Ladevèze P, Lubineau G (2001) On a damage mesomodel for laminates: micro-meso relationships, possibilities and limits. *Compos Sci Technol* 61:2149–2158
- Leblond JB, Perrin G, Devaux J (1995) An improved Gurson-type model for hardenable ductile metals. *Eur J Mech A/Solids* 14:499–527
- Leigh DC (1968) Nonlinear continuum mechanics. McGraw-Hill, New York
- Lemaitre J (1971) Evaluation of dissipation, damage in metals subjected to dynamic loading. In: Proceedings of international conference on the mechanical behavior of materials 1 (ICM 1), Kyoto

- Lemaitre J (1985) A continuous damage mechanics model for ductile fracture. *J Eng Mater Technol Trans ASME* 107:83–89
- Lemaitre J (1986) Local approach of fracture. *Eng Fract Mech* 25:523–537
- Lemaitre J (1987) Formulation and identification of damage kinetic constitutive equations. In: Krajcinovic D, Lemaitre J (eds) *Continuum damage mechanic: theory and applications*, CISM Courses and Lectures No. 295. Springer, Wien, pp 37–89
- Lemaitre J (1990) Micro-mechanics of crack initiation. *Int J Frac* 42:87–99
- Lemaitre J (1992) *A course on damage mechanics*. Springer, Berlin; 2nd Edition (1996)
- Lemaitre J, Chaboche JL (1978) Aspect phénoménologique de la rupture par endommagement. *Journal de Mécanique Appliquée* 2:317–365
- Lemaitre J, Chaboche JL (1985) *Mécanique des Matériaux Solides*, Dunod, Paris; *Mechanics of solid materials*, Cambridge University Press, Cambridge (1990)
- Lemaitre J, Chaboche J-L, Benallal A, Desmorat R (2009) *Mécanique des Matériaux Solides*, 3e edn. Dunod, Paris
- Lemaitre J, Desmorat R (2005) *Engineering damage mechanics*. Springer, Belrin
- Lemaitre J, Desmorat R, Sauzay M (2000) Anisotropic damage law of evolution. *Eur J Mech A/Solids* 19:187–208
- Lemaitre J, Doghri I (1994) Damage 90: a post-processor for crack initiation. *Comput Methods Appl Mech Eng* 115:197–232
- Lemaitre J, Dufailly J (1987) Damage measurements. *Eng Fract Mech* 28:643–661
- Lemaitre J, Sermage JP, Desmorat R (1999) A two scale damage concept applied to fatigue. *Int J Fract* 97:67–81
- Lin J, Liu Y, Dean TA (2005) A review on damage mechanisms, models and calibration methods under various deformation conditions. *Int J Damage Mech* 14:299–319
- Liu Y, Murakami S (1996) Creep crack growth analysis by use of a local approach incorporating perfect plasticity. In: Townley H, Asada Y, Tseng A (eds) *Proceedings of 6th international conference on creep and fatigue*. Mechanical Engineering Publications, London, pp 331–340
- Liu Y, Murakami S, Kanagawa Y (1994) Mesh-dependence and stress singularity in finite element analysis of creep crack growth by continuum damage mechanics approach. *Eur J Mech A/Solids* 13:395–418
- Lubarda VA, Krajcinovic D (1993) Damage tensors and the crack density distribution. *Int J Solids Struct* 30:2859–2877
- Lubarda VA, Krajcinovic D, Mastilovic S (1994) Damage model for brittle elastic solids with unequal tensile and compressive strengths. *Eng Fract Mech* 49:681–697
- Mahnken R (2002) Theoretical, numerical and identification aspects of a new model class for ductile damage. *Int J Plast* 18:801–831
- Malvern LE (1969) *Introduction to the mechanics of a continuous medium*. Prentice-Hall, Englewood Cliffs, NJ
- Matera R, Rustichelli F (1979) The evaluation of creep damage. In: Bernasconi G, Piatti G (eds) *Creep of engineering materials and structures*. Applied Science Publishers, London, pp 389–412
- Maugin GA (1992) *The thermomechanics of plasticity and fracture*. Cambridge University Press, Cambridge
- Mazars J (1986) A description of micro- and macro-scale damage of concrete structures. *Eng Fract Mech* 25:729–737
- Mazars J, Pijaudier-Cabot G (1989) Continuum damage theory – APPLICATION to concrete. *J Eng Mech* 115:345–365
- Mehta PK (1986) *Concrete: structure, properties, and materials*. Prentice-Hall, Englewood Cliffs, NJ
- Mori T, Tanaka K (1973) Average stress in matrix and average elastic energy of materials with misfitting inclusions. *Acta Metall* 21:571–574
- Mühlhaus HB, Vardoulakis I (1987) The thickness of shear bands in granular materials. *Geotechnique* 37:271–283

- Murakami S (1983) Notion of continuum damage mechanics and its application to anisotropic creep damage theory. *J Eng Mater Technol Trans ASME* 105:99–105
- Murakami S (1988) Mechanical modeling of material damage. *J Appl Mech Trans ASME* 55:280–286
- Murakami S (1993) Anisotropic damage in metals. In: Boehler JP (eds) *Failure criteria of structured media*. A.A. Balkema, Rotterdam, pp 99–119
- Murakami S, Hayakawa K, Liu Y (1998) Damage evolution and damage surface of elastic-plastic-damage materials under multiaxial loading. *Int J Damage Mech* 7:103–128
- Murakami S, Hirano T (2000) Effects of damage on the asymptotic fields of a mode III creep crack in steady-state growth. In: Benallal A (ed) *Continuous damage and fracture*. Elsevier, Paris, pp 65–70
- Murakami S, Hirano T, Liu Y (2000a) Asymptotic fields of stress and damage of a mode I creep crack in steady-state growth. *Int J Solids Struct* 37:6203–6220
- Murakami S, Hirano T, Liu Y (2001) Effects of damage on the asymptotic fields of a mode I creep crack in steady-stress growth. In: Murakami S, Ohno N (eds) *IUTAM symposium on creep in structures*. Kluwer, Dordrecht, pp 165–174
- Murakami S, Imaizumi T (1982) Mechanical description of creep damage state and its experimental verification. *Journal de Mécanique Théorique et Appliquée* 1:743–761
- Murakami S, Kamiya K (1997) Constitutive and damage evolution equations of elastic-brittle materials based on irreversible thermodynamics. *Int J Mech Sci* 39:473–486
- Murakami S, Kawai M, Rong H (1998) Finite element analysis of creep crack growth by a local approach. *Int J Mech Sci* 30:491–502
- Murakami S, Liu Y (1995) Mesh-dependence in local approach to creep fracture. *Int J Damage Mech* 4:230–250
- Murakami S, Liu Y (1996) Local approach of fracture based on continuum damage mechanics and the related problems. *Mater Sci Res Int* 2:131–142
- Murakami S, Liu Y, Mizuno M (2000b) Computational methods for creep fracture analysis by damage mechanics. *Comput Methods Appl Mech Eng* 183:15–33
- Murakami S, Ohno N (1981) A continuum theory of creep and creep damage. In: Ponter ARS, Hayhurst DR (eds) *Creep in structures, proceedings of 3rd IUTAM symposium*, Leicester, 1980. Springer, Berlin, pp 422–444
- Murakami S, Ohno N (1988) Continuum theory of material damage at high temperature. In: Ohtani R, Ohnami M, Inoue T (eds) *High temperature creep-fatigue*. Elsevier, London, pp 43–64
- Murakami S, Tominaga M, Rong H (1990) Formulation of elasticity-damage coupling and applicability of effective stress in damage mechanics. *Trans Japan Soc Mech Eng Series A Solid Mech Mater Eng* 56:2297–2304 (in Japanese)
- Nahshon K, Hutchinson JW (2008) Modification of the Gurson model for shear failure. *Eur J Mech A/Solids* 27:1–17
- Nahshon K, Xue Z (2009) A modified Gurson model and its application to punch-out experiments. *Eng Fract Mech* 76:997–1009
- Needham NG, Wheatley JE, Greenwood GW (1975) The creep fracture of copper and magnesium. *Acta Metall* 23:23–27
- Needleman A, Rice JR (1978) Limits to ductility set by plastic flow localization. In: Koistinen DP, Wang NM (eds) *Mechanics of sheet metal forming*. Plenum Press, New York, pp 237–265
- Needleman A, Triantafyllidis N (1978) Void growth and local necking in biaxially stretched sheets. *J Eng Mater Technol Trans ASME* 100:164–169
- Needleman A, Tvergaard V (1984) An analysis of ductile rupture in notched bars. *J Mech Phys Solids* 32:461–490
- Nemat-Nasser S, Hori M (1993) *Micromechanics: overall properties of heterogeneous materials*. North-Holland, Amsterdam; 2nd Revised Edition, Elsevier, Amsterdam (1999)
- Odqvist FKG und Hult J (1962) *Kriechfestigkeit Metallis c her Werkstoffe*. Springer, Berlin
- Ogden RW (1984) *Non-linear elastic deformations*. Ellis-Horwood, Chichester; Dover, New York (1997)

- Ohno N, Wang JD (1994) Kinematic hardening rules for simulation of ratchetting behavior. *Eur J Mech A/Solids* 13:519–531
- Onat ET, Leckie FA (1988) Representation of mechanical behavior in the presence of changing internal structure. *J Appl Mech Trans ASME* 55:1–10
- Oñate E, Kleiber M, Saracibar CA (1988) Plastic and viscoplastic flow of void-containing metals; applications to axisymmetric sheet forming problems. *Int J Numer Methods Eng* 25:227–251
- Onsager L (1931) Reciprocal relations in irreversible processes, I, II. *Phys Rev* 37:405–426; 1931; 38:2265–2279
- Ortiz M (1985) A constitutive theory for the inelastic behavior of concrete. *Mech Mater* 4:67–93
- Othman AM, Hayhurst DR, Dyson BF (1993) Skeletal point stresses in circumferentially notched tension bars undergoing tertiary creep modelled with physically based constitutive equations. *Proc R Soc London A* 441:343–358
- Pardoën T (2006) Numerical simulation of low stress triaxiality ductile fracture. *Comput Struct* 84:1641–1650
- Pardoën T, Hutchinson JW (2000) An extended model for void growth and coalescence. *J Mech Phys Solids* 48:2467–2512
- Pedersen TO (2000) Numerical modelling of cyclic plasticity and fatigue damage in cold-forging tools. *Int J Mech Sc* 42:799–818
- Penny RK, Marriott DL (1971) *Design for creep*. McGraw-Hill, New York
- Perrin JJ, Hayhurst DR (1999) Continuum damage mechanics analyses of type IV creep failure in ferritic steel crossweld specimens. *Int J Press Vessels Piping* 76:599–617
- Perzyna P (1966) Fundamental problems in viscoplasticity. In: Yih CS (ed) *Advances in applied mechanics*, vol 9. Academic, New York, pp 243–377
- Perzyna P (1971) Thermodynamic theory of viscoplasticity. In: Yih CS (ed) *Advances in applied mechanics*, vol 11. Academic, New York, pp 313–354
- Pietruszczak S, Mróz Z (1981) Finite element analysis of deformation of strain-softening materials. *Int J Numer Methods Eng* 17:327–334
- Pijaudier-Cabot G, Bažant ZP (1987) Nonlocal damage theory. *J Eng Mech Trans ASCE* 113:1512–1533
- Pineau A (1982) Review of fracture micromechanisms and a local approach to predicting crack resistance in low strength steels. In: François D (ed) *Advances in fracture research, proceedings of ICF 5* (1980). Pergamon Press, Oxford, pp 553–577
- Pineau A, Cailletaud G, Lindley TC (ed) (1996) *Multiaxial fatigue and design*. Mechanical Engineering Publications, London
- Pirondi A, Bonora N (2003) Modeling ductile damage under fully reversed cycling. *Comput Mater Sci* 26:129–141
- Rabier PJ (1989) Some remarks on damage theory. *Int J Eng Sci* 27:29–54
- Rabotnov Yu N (1968) Creep rupture. In: Hetenyi M, Vincenti M (eds) *Proceedings of applied mechanics conference*. Stanford University. Springer, Berlin, pp 342–349
- Rabotnov Yu N (1969) *Creep problems in structural members*. North-Holland, Amsterdam
- Raghavan P, Ghosh S (2005) A continuum damage mechanics model for unidirectional composites undergoing interfacial debonding. *Mech Mater* 37:955–979
- Rice JR (1971) Inelastic constitutive relations for solids: an internal-variable theory and its application to metal plasticity. *J Mech Phys Solids* 19:433–455
- Rice JR (1975) Continuum mechanics and thermodynamics of plasticity in relation to microscale deformation mechanics. In: Argon AS (ed) *Constitutive equations in plasticity*. MIT Press, Cambridge, pp 23–79
- Rice JR, Rosengren G (1968) Plane strain deformation near a crack tip in a power-law hardening material. *J Mech Phys Solids* 16:1–12
- Rice JR, Tracy DM (1969) On ductile enlargement of voids in triaxial stress fields. *J Mech Phys Solids* 17:210–217

- Rousselier G (1981) Finite deformation constitutive relations including ductile fracture damage. In: Nemat-Nasser S (ed) Three-dimensional constitutive relations and ductile fracture. North-Holland, Amsterdam, pp 331–355
- Rousselier G (1987) Ductile fracture models and their potential in local approach of fracture. *Nucl Eng Des* 105:97–111
- Saanouni K (ed) (2003) Numerical modelling in damage mechanics. Kogan Page Science, London
- Saanouni K (2006) Virtual metal forming including the ductile damage occurrence: actual state of the art and main perspectives. *J Mater Process Technol* 177:19–25
- Saanouni K, Chaboche JL (2003) Computational damage mechanics: application to metal forming. In: Milne I, Ritchie RO, Karihaloo B (eds) *Comprehensive structural integrity*, vol 3. Elsevier, Oxford, pp 321–376
- Saanouni K, Chaboche JL, Lesne PM (1989) On the creep crack-growth prediction by a nonlocal damage formulation. *Eur J Mech A/Solids* 8:437–459
- Saanouni K, Forster C, Ben Hatira F (1994) On the anelastic flow with damage. *Int J Damage Mech* 3:140–169
- Saanouni K, Lestriez P, Labergère C (2011) 2D adaptive FE simulations in finite thermo-elasto-viscoplasticity with ductile damage: application to orthogonal metal cutting by chip formation and breaking. *Int J Damage Mech* 20:23–61
- Saanouni K, Mariage JF, Cherouat A, Lestriez P (2004) Numerical prediction of discontinuous central bursting in axisymmetric forward extrusion by continuum damage mechanics. *Comput Struct* 82:2309–2332
- Saanouni K, Nesnas K, Hammi Y (2000) Damage modeling in metal forming processes. *Int J Damage Mech* 9:196–240
- Sadowski T (ed) (2005) Multiscale modelling of damage and fracture processes in composite materials. CISM Courses and Lectures No. 474. Springer, Wien
- Sadowski T (ed) (2006) IUTAM symposium on multiscale modelling of damage and fracture processes in composite materials. Springer, Dordrecht; Dolny, Poland (2005)
- Sermage JP, Lemaitre J, Desmorat R (2000) Multiaxial creep-fatigue under anisothermal conditions. *Fatigue Fract Eng Mater Struct* 23:241–252
- Simo JC (1989) Strain softening and dissipation: a unification of approaches. In: Mazars J, Bažant ZP (eds) *Cracking and damage – strain localization and size effect*. Elsevier, London, pp 440–461
- Simo JC, Ju JW (1987) Strain- and stress-based continuum damage models, I. Formulation; II. Computational aspects. *Int J Solids Struct* 23:821–869
- Skrzypek J, Ganczarski A (1999) Modeling of material damage and failure of structures. Springer, Berlin
- Smith GM, Young LE (1955) Ultimate theory in flexure by exponential function. *J Proc ACI* 52:349–359
- Spencer AJM (1971) Theory of invariants. In: Eringen AC (ed). *Continuum physics*, vol. I, Academic, New York
- Stören S, Rice JR (1975) Localized necking in thin sheets. *J Mech Phys Solids* 23:421–441
- Sun D, Siegele D, Voss B, Schmitt W (1988) Application of local damage models to the numerical analysis of ductile rupture. *Fatigue Fract Eng Mater Struct* 12:201–212
- Tai WH, Yang BX (1986) A new microvoid-damage model for ductile fracture. *Eng Fract Mech* 25:377–384
- Tanaka E (1994) A nonproportionality parameter and a cyclic viscoplastic constitutive model taking into account amplitude dependences and memory effects of isotropic hardening. *Eur J Mech A/Solids* 13:155–173
- Thomason PF (1990) Ductile fracture of metals. Pergamon Press, Oxford
- Thomson RD, Hancock JW (1984) Ductile failure by void nucleation, growth and coalescence. *Int J Fract* 26:99–112
- Triantafyllidis N, Aifantis EC (1986) A gradient approach to localization of deformation, I. Hyperelastic materials. *J Elasticity* 16:225–237

- Truesdell C (1969) Rational thermodynamics. MacGraw-Hill, New York; Enlarged Edition, Springer, Berlin (1984)
- Truesdell C, Noll W (1965) The non-linear field theories of mechanics. In: Flügge S (ed) Encyclopedia of physics, vol III/3. Springer, Berlin; 3rd Edition (2004)
- Truesdell C, Toupin RA (1960) The classical field theories. In: Flügge S (ed) Encyclopedia of physics, vol III/1. Springer, Berlin
- Tvergaard V (1981) Influence of void on shear band instabilities under plane strain conditions. *Int J Fract* 17:389–407
- Tvergaard V (1990) Material failure by void growth to coalescence. In: Hutchinson JW, Wu TY (eds) Advances in applied mechanics, vol 27. Academic, New York, pp 83–151
- Tvergaard V, Needleman A (1984) Analysis of the cup-cone fracture in a round tensile bar. *Acta Metall* 32:157–169
- Tvergaard V, Needleman A (1995) Effects of nonlocal damage in porous plastic solids. *Int J Solids Struct* 32:1063–1077
- Vakulenko AA, Kachanov M (1971) Continuum theory of cracked media, *Izvestia AN SSSR, Mekhanika Tverdogo Tiela*, No. 4, pp 159–166 (in Russian)
- Viswanathan R (1989) Damage mechanisms and life assessment of high-temperature components. ASM International, Metals Park, OH
- Voyiadjis GZ, Kattan PI (1990) A coupled theory of damage mechanic and finite strain elasto-plasticity, II. Damage and finite strain plasticity. *Int J Eng Sci* 28:505–524
- Voyiadjis GZ, Kattan PI (1993) Local approach to damage in elasto-plastic metal matrix composites. *Int J Damage Mech* 2:92–114
- Voyiadjis GZ, Kattan PI (1999) Advances in damage mechanics: metals and metal matrix composites. Elsevier, Amsterdam
- Voyiadjis GZ, Kattan PI (2009) A comparative study of damage variables in continuum damage mechanics. *Int J Damage Mech* 18:315–340
- Voyiadjis GZ, Park T (1994) Interfacial and local damage analysis of metal matrix composites. In: Allen DH, Ju JW (eds) Damage mechanic in composites. The American Society of Mechanical Engineers, New York, pp 87–108
- Wang PT (1977) Complete stress-strain curves of concrete and its effect on ductility of reinforced concrete members. Ph. D. Thesis, University of Illinois at Chicago Circle, Illinois
- Xia L, Shih C, Hutchinson J (1995) A computational approach to ductile crack growth under large scale yielding conditions. *J Mech Phys Solids* 43:389–413
- Yang Q, Chen X, Zhou WY (2005) On the structure of anisotropic damage yield criteria. *Mech Mater* 37:1049–1058
- Yazdani S, Schreyer HL (1988) An anisotropic damage model with dilatation for concrete. *Mech Mater* 7:231–244
- Yoshida E, Ichikawa Y (2007) Private communication (Nagoya University)
- Zheng Q-S (1994) Theory of representations for tensor functions: a unified invariant approach to constitutive equations. *Appl Mech Rev* 47:545–587
- Zheng Q-S, Betten J (1995) On the tensor-values function representations of 2nd-order and 4th-order tensors: part I. *Z Angew Mathematik Mechanik* 75:269–281
- Zheng Q-S, Betten J (1996) On damage effective stress and equivalence hypothesis. *Int J Damage Mech* 5:219–240
- Zhu X, Weinmann K, Chandra A (2001) A unified bifurcation analysis of sheet metal forming limits. *J Eng Mater Technol Trans ASME* 123:329–333

Index

A

- Absolute notation, 329
- Absolute temperature, 80
- Accelerating creep, 218
- Accumulated plastic strain, 89
- Activated elastic modulus tensor, 132, 137, 269
- Activation of crack, 256
- Active (state of crack), 127, 133, 255
- Anisotropic
 - brittle damage theory, 126, 262, 268, 270
 - creep damage theory, 217, 226
 - inelastic damage theory, 111, 119, 176
- Anisotropic damage, 23, 26, 28, 30
- Anisotropy parameter, 116, 182
- Antisymmetric tensor, 331
- Armstrong-Frederick evolution equation, 174
- Artificial viscosity, 317
- Associated variable, 68, 86, 96
- Asymptotic stress field (at crack tip), 249
- Atomic scale, 4
- Axial vector, 335

B

- Back stress, 78
- Bailey-Norton law, 222
- Basis
 - second-order, 292, 369
 - tensor, 292
 - transformation of, 342
 - vector, 328
- Bifurcation (of deformation), 310, 313, 320
- Bilateral effect, 104, 257
- Blanking, 169, 172
- Body force, 59
- Brittle damage, 7, 126, 253, 262, 268, 270
 - material, 127, 132, 253, 262
 - theory, 136, 262, 268
- Bulk modulus, 376

C

- Caloric equation of state, 63
- Cartesian
 - component, 328, 334
 - coordinate system, 351
 - decomposition, 332
- Cauchy's formula, 25, 60
- Cayley-Hamilton theorem, 348
- Cell model, 313, 316
- Ceramic matrix composite, 288–294
- Chain rule, 352, 359
- Characteristic equation, 346
- Characteristic length, 315, 323
- Chisel edge fracture, 6
- Clausius-Duhem inequality, 61, 82, 119
- Cleavage, 5
- Closed system (of thermodynamics), 57
- Coffin-Manson law, 210
- Complementary equation, 68
- Complementary strain energy, 38
 - equivalence of, 38, 52
- Completely damaged zone (CDZ), 305
- Compliance, *see* Elastic compliance
- Component
 - of tensor, 334
 - of vector, 328
- Composite material, 277
- Concrete, 254, 257, 266, 307
 - damage of, 254
 - elastic-brittle damage of, 266
 - mesoscopic behavior of, 257
- Conservation of mass, 60, 190
- Consistency condition, 90, 118, 186, 291
- Constitutive equation (model, theory), 65, 67, 68
 - creep, 219, 224, 227, 247
 - elastic, 44, 48, 67, 71, 366, 375
 - elastic-plastic, 88, 141, 176

- Constitutive equation (model, theory) (*cont.*)
 - of Gurson, 184, 195
 - inelastic, 72, 81, 111
 - of isotropic elastic material, 48, 375
 - plastic, 88, 117, 124, 178
 - of Rousselier, 188, 193
 - thermodynamic, 65, 72, 81, 119
 - viscoplastic, 92, 231, 243
 - of void-containing material, 184
 - Continuum damage mechanics (CDM), 3, 12, 54, 154
 - Contraction, 336, 339
 - double, 336
 - of higher-order, 339
 - Coordinate, 351
 - Coordinate system, 351
 - Cartesian, 351
 - material, 278
 - orthogonal, 351
 - orthonormal, 351
 - spatial, 284
 - Cosserat continuum, 317
 - Crack band model, 313
 - Crack-density tensor, 27
 - Crack of mixed mode, 255
 - Crack tip
 - damage field, 247
 - stress field, 247
 - Creep, 80, 217
 - accelerating, 218
 - constitutive equation, 219, 223–224, 227, 229
 - curve, 217
 - steady state, 218
 - transient, 218
 - Creep damage, 7, 16, 217, 221
 - evolution equation, 219, 222, 224, 227–228
 - Creep-fatigue
 - damage, 10, 234, 236, 240, 242
 - interaction, 10, 234, 240
 - Creep rupture, 8, 217, 222
 - strain, 220–221
 - stress criterion of, 222
 - time, 219, 221, 233
 - Critical value (of damage variable)
 - (for creep-fatigue), 238
 - (for ductile fracture), 98, 153, 155, 158
 - (for fatigue), 203, 209
 - (for fracture, crack initiation), 77, 94, 149
 - Cross product, 332
 - Cup and cone fracture, 164
 - Curl, 353
 - Current damaged configuration, 23, 36, 42, 294
 - Cycle number of damage start (fatigue), 203
 - Cylindrical transverse isotropy, 135
- ## D
- Damage, 3
 - deactivation (of damage), 128, 288
 - effect tensor, 34, 37, 44
 - equivalent stress, 101, 105
 - localization, 251, 308, 313, 322
 - mechanical representation of, 15, 21
 - mechanics, 12
 - mechanism, 5, 106
 - modeling of, 15
 - scale of, 4
 - state, 16, 18, 21, 25
 - stress criterion, 99, 101, 105, 165, 222
 - Damage-associated variable, 86, 96
 - Damage dissipation potential (function, surface), 69, 88, 112, 115, 166, 170, 178
 - Damage effect tensor, 34, 37, 44, 176
 - matrix representation of, 44–48
 - Damage evolution equation, 93, 117, 124, 176, 219, 224, 264
 - Damage (loading) surface, 115, 125, 260, 274
 - Damage mesomodel of laminate, 287
 - Damage-strengthening variable, 82, 112, 114, 118, 126
 - Damage tensor
 - eighth-order, 30
 - fourth-order, 31, 126, 134, 289
 - second-order, 23, 26, 111, 262
 - Damage variable, 12
 - in terms of elastic compliance tensor, 270
 - in terms of elastic modulus tensor, 136, 268
 - scalar, 16, 22, 82, 258
 - tensor, 23, 31
 - vector, 22
 - Deactivation (of crack, damage), 128, 288
 - Debonding, 280
 - Decohesion, 4–5, 154
 - Deformation
 - bifurcation of, 310, 319
 - uniqueness of, 311
 - Delamination, 286
 - Del operator, 352
 - Dependent variable, 68
 - Derivative
 - of invariant, 362
 - of tensor function, 359
 - Determinant
 - of matrix, 345
 - of tensor, 344–345

- Deviatoric
 - strain tensor, 100
 - stress tensor, 87, 100
- Differentiation
 - of tensor field, 350
 - of tensor function, 358
- Diffused necking, 169
- Dilatancy, 257
- Dimple, 6
- Directional distribution of microvoid
 - density, 28
- Direct notation, 329
- Discontinuity
 - of strain rate field, 311
 - of stress-strain relation, 138
- Dissipation, 68
 - of energy, 98–99
 - inequality, 68
 - maximum, 115, 137
- Dissipation potential (function, surface), 69, 84, 115, 123, 166
- Distribution function (of microvoid), 28
- Divergence, 353, 355
 - theorem (of Gauss), 355
- Dot product, 327
- Double contraction, 336
- Ductile damage, 7, 141, 143, 153, 184
 - model of, 155, 158
- Ductile fracture, 153, 192
- Dummy index, 329
- Dyad, 333
- Dyadic, 334

- E**
- Eddington epsilon, 333
- Effective area, 16, 17
 - reduction, 16
- Effective elastic modulus tensor, 132–133, 137, 290
- Effective strain tensor, 40, 299
- Effective stress, 15, 18, 31–32
 - tensor, 25, 31–32, 34
- Effective void volume fraction, 187
- Eigenvalue, 346
- Eigenvector, 346
- Eighth-order damage tensor, 30
- Elaborated two-scale damage model, 150, 204
- Elastic-brittle
 - damage, 126, 253, 266, 270, 275, 288
 - material, 126, 253, 262
- Elastic compliance
 - matrix of, 375
 - tensor, 37, 270, 373
- Elastic constitutive equation, 44, 48, 71, 84, 113, 176, 366
- Elastic damage, 10
- Elastic material
 - isotropic, 48, 375
 - orthotropic, 379
 - transversely isotropic, 377
- Elastic modulus
 - matrix of, 376
 - tensor, 43, 134, 137, 375
 - variation in, 19
- Elastic-plastic
 - constitutive equation, 88, 141, 148, 162, 176
 - damage, 10, 77, 96, 141
- Elastic-viscoplastic constitutive equation, 92, 243
- Elementary ply, 277, 287
- Energy
 - dissipation, 99
 - internal, 59
 - kinetic, 59
- Enthalpy, 64
- Entropy, 61, 63
 - balance, 63
 - flux, 62
 - source, 62
- Equation of continuity, 60
- Equation of motion, 61
- Equivalent
 - creep rate, 222, 227
 - effective stress, 142
 - plastic strain rate, 88, 142
 - stress, 87
- Euclidean point space, 350, 351
- Euclidean vector space, 328
- Evolution equation, 68, 70, 72
 - of anisotropic damage, 111
 - of elastic-brittle damage, 126, 264
 - of internal variable, 70, 72
 - of plastic damage, 93, 108, 117, 124
 - of viscoplastic damage, 93, 109, 231
 - of void volume fraction, 184
- External mechanical power, 59
- External variable, 57

- F**
- Fabric tensor, 30
- Fatigue, 8–10, 201
 - fracture, 9
 - high cycle, 9, 201–202, 204
 - life, 173, 203, 207–210
 - limit, 10

- Fatigue (*cont.*)
 low cycle, 8–9, 207
 very high cycle, 10, 201
 very low cycle, 9, 201, 212
- Fatigue damage, 8–9, 94, 173, 201
- Fiber-reinforced
 composite, 279, 289
 lamina (elementary ply), 277
 plastic (FRP), 277
- Fictitious undamaged
 configuration, 18, 23, 36, 42, 294, 298
 material, 18, 36
 state, 18–19, 23
- First law of thermodynamics, 59
- First-order tensor, 337
- Forging, 169, 172
- Forming limit, 167, 169, 176, 183
 diagram, 169, 176, 183
- Fourth-order
 damage tensor, 31, 111, 126, 134, 289
 identity (unit) tensor, 341, 368, 372
 isotropic tensor, 375
 symmetric identity tensor, 341, 372
 symmetric tensor, 369–370, 373
 tensor, 338
 unit (identity) tensor, 340
- Fracture
 critical value of damage for, 77, 98, 153
 cycle number, 203, 236
 limit (of sheet metal forming), 167
- Free index, 329
- G**
- Gauss' (divergence) theorem, 354–355
- Generalized flux (vector), 68–69, 72, 83, 112, 272
- Generalized force (vector), 68–69, 72, 83, 112, 272
- Generalized Hooke's law, 366, 375
 matrix representation of, 375
- Generalized normality law, 72, 74–75, 115
- Generalized standard material, 72–73, 75
- Geometrical configuration of microvoid, 26
- Gibbs
 free energy, 64
 function, 64
 potential, 64, 71, 103, 120, 258, 271, 278
 relation, 63
- Glide plane decohesion, 6, 9
- Gradient-dependent theory, 316
- Gradient (of scalar and tensor field), 316, 352–353
- Grain boundary cavity (void), 218, 227
- Grain boundary diffusion (microvoid diffusion), 6, 218
- Grain boundary sliding, 218
- Grid method, 316, 322
- GTN (Gurson-Tvergaard-Needleman) model, 187, 193, 196
 modification of, 195
- Gurson's constitutive model, 185
- Gurson's yield function, 184, 192
- H**
- HAZ (heat affected zone), 226
- Heat
 flux vector, 59
 generation, 59
 supply, 59
- Heaviside function, 102
- Helmholtz free energy (function), 64, 84, 107, 113, 136, 170, 262, 290
- Hidden variable, 57
- High cycle fatigue, 9, 201, 204
- Higher-order
 contraction, 339
 tensor, 336
 tensor product, 339
- Hooke's law (elastic constitutive equation), 48, 366, 375
- HRR (Hutchinson-Rice-Rosengren) stress field, 250
- Hydrostatic stress, 100
- Hypothesis of
 complementary strain energy equivalence, 38, 52
 local equilibrium, 58
 mechanical equivalence, 32
 strain energy equivalence, 40–41, 299
 strain equivalence, 36, 50, 85, 134, 223
 total energy equivalence, 43, 106–107, 171, 234
- I**
- Identity tensor, 330
 of fourth-order, 340–341, 368
 fourth-order symmetric, 341, 372
 of second-order, 368
- Improper orthogonal tensor, 342
- Independent variable, 58
- Index, 328
 dummy, 329
 free, 329
 notation, 329
- Inelastic constitutive equation, 72, 77, 81, 111
- Inner product, 327

- Integral of tensor field, 350, 354
 - Interface, 254, 277, 280–281, 286–288
 - Interlaminar damage, 286
 - Internal energy, 59
 - Internal variable, 57, 63, 65, 111
 - evolution equation of, 68, 72
 - Invariant, 345–346
 - derivative of, 362
 - of deviatoric stress tensor, 196
 - orthogonal, 349, 364
 - Inverse tensor, 331
 - of fourth-order, 373
 - of second order, 331
 - Inverse transformation, 331
 - Invertible (tensor), 331
 - Irreversible process, 58, 66, 70
 - Isochronous creep rupture curve, 221
 - Isotropic damage, 22, 77, 141, 257
 - theory, 22, 257
 - Isotropic elastic material, 102, 375
 - constitutive equation of, 375
 - Isotropic hardening, 78, 82, 87, 244
 - variable, 78, 82, 111, 142, 244
 - Isotropic linear transformation, 344
 - Isotropic scalar-valued
 - tensor function, 349, 363
 - vector function, 349
 - Isotropic tensor, 344
 - of fourth-order, 375
 - function, 348, 350
 - Isotropic tensor-valued tensor function, 350, 364
 - Isotropic vector-valued function, 366
 - Isotropy
 - of damage, 22, 77
 - of physical property, 375
 - of tensor function, 348, 363
- K**
- Kachanov-Rabotnov theory, 16, 218
 - Kachanov theory, 16, 219
 - Kinematic hardening, 78, 82, 87, 244
 - variable, 78, 82, 111, 244
 - Kinetic energy, 59
 - Knee point, 288
 - Kronecker delta, 328, 333
 - Kuhn-Tucker relation, 109, 118
- L**
- Lamé constants, 376
 - Lamina (elementary ply), 277
 - Laminate (composite), 277, 282, 286–287
 - Lankford value, 182
- Law**
- of conservation of mass, 60, 190
 - of energy conservation, 61
- Levi-Civita symbol, 333
- Ligament, 154, 184
- Linear**
- creep-fatigue damage law, 237
 - cumulative damage law, 206
 - ductile damage model, 155
 - elasticity, 84, 366, 375
 - transformation (tensor), 329–330
- Load carrying effective area, 16, 24
- Loading function, 79
- Loading-unloading condition, 90, 92, 109, 118
- Local**
- approach to fracture, 305–306
 - dependence, 70
 - equilibrium (hypothesis of), 58
 - state (principle of), 12, 58, 65
 - theory (of composite), 294
- Local current damaged configuration, 294
- Local fictitious undamaged configuration, 294
- Localization**
- of damage, 308, 313, 322
 - of deformation, 184, 320
 - of strain, 308, 310
- Localized necking, 169, 176, 179
 - criteria of, 179
- Local-overall relation, 295
- Lode (stress) parameter, 196
- Logarithmic creep law, 81
- Low cycle fatigue, 8, 201, 207
- M**
- Macauley bracket, 102
 - Macroscopic scale (macroscale), 5
 - Magnitude (of vector), 327
 - Manson-Coffin law, 210
 - Mass
 - conservation of, 60, 190
 - Material instability, 308, 310
 - Material coordinate system, 278
 - Material (time) derivative, 356
 - Matrix representation, 334, 366
 - of damage effect tensor, 44
 - of elastic compliance tensor, 375
 - of elastic constitutive equation, 48, 375
 - of elastic modulus tensor, 375
 - of fourth-order symmetric tensor, 369
 - of fourth-order tensor, 368
 - of generalized Hooke's law, 375
 - of second-order symmetric tensor, 369

- Matrix representation (*cont.*)
 of second-order tensor, 334, 368
 of tensor, 334, 366
 of tensor relation, 366
- Maximum dissipation (principle of), 115, 137
- Mean strain, 100
- Mean stress, 100
- Mechanical power, 59
- Mesh-dependent softening modulus, 314
- Mesh-sensitivity (mesh-dependence), 308, 320
- Mesoscopic
 behavior of concrete, 257
 fracture, 208
 scale (mesoscale), 5, 11, 145, 148
- Metal forming, 166–167, 172
- Metal matrix composite, 294
- Microcrack, 4, 254–255, 280, 288
 initiation, 207, 238
- Microscopic scale (microscale), 4, 144, 147
- Microscopic void (microvoid, microcavity), 4, 20, 184
 directional distribution of, 28
 geometrical configuration of, 26
 Miner-Palmgren law, 206
- Mixed mode crack, 255
- Momentum balance principle, 61
- Monkman-Grant relationship, 221
- N**
- Nabla operator, 352
- Necking, 6, 169, 176, 180, 183
- Negative orthogonal projection tensor, 130
- Negative-valued
 strain tensor, 130
 stress tensor, 131
- Net stress, 18
- Nonlinear creep-fatigue damage law, 237
- Nonlinear ductile damage model, 158
- Nonlocal
 damage theory, 314, 322
 damage variable, 315
 variable, 315–316
 weighting function, 315
- Non-steady state
 creep, 222
 creep damage theory, 222
- Norm, 327
- Normality law, 70
 generalized, 72, 115
- Norton law, 80, 110, 219, 232
- n*th-order tensor, 337
- O**
- Observable variable, 57
- Onsager reciprocity relation, 70
- Opening-closing (of crack), 127, 132–133, 255
- Orthogonal
 invariant, 348–349
 scalar invariant, 349, 364
 tensor, 341
 transformation, 341
- Orthonormal
 basis, 328, 332
 coordinate system, 351
- Orthotropic elastic material, 379
- Orthotropy, 26, 115, 379
- Outer product, 332
- Overall current damaged configuration, 294
- Overall fictitious undamaged configuration, 294
- P**
- Passive (state of crack, damage), 127, 133, 255
- Permutation
 symbol, 333, 337
 tensor, 337
- Phenomenological relation (equation), 70
- Planar transverse isotropy, 135
- Plastic
 compressibility, 197–200
 deformation, 77, 80, 115, 123–124
 dissipation potential (function, surface), 86, 115, 123, 178
 potential surface, 86
- Plastic (inelastic) constitutive equation, 81, 88, 117, 124, 141, 176, 282
- Point fracture, 6
- Poisson's ratio, 376
- Polyad, 337
- Position vector, 350
- Positive
 definite tensor, 332
 orthogonal projection tensor, 130
 tensor, 332
- Positive-valued
 strain tensor, 129
 stress tensor, 131
- Primary creep stage, 218
- Principal
 direction, 346
 invariant, 346
 value, 346
- Principle
 of local state, 12, 58
 of maximum dissipation, 115
- Process (thermodynamic), 58

- Projection tensor
 - negative orthogonal, 130, 272
 - positive orthogonal, 130, 260
- Proper
 - orthogonal tensor, 342
 - value, 346
 - vector, 346
- Q**
- Quasi-brittle
 - damage, 144, 253
 - material, 253, 308
- Quasi-standard thermodynamic approach, 73, 75, 91, 124
- Quasi-unilateral effect, 104
- R**
- Ramberg-Osgood hardening law, 155, 162
- Rate of heat supply, 59
- Regularization, 313, 322
- Representation theorem (of tensor function), 363–366
- Representative volume element (RVE), 11–12
- Reversible (thermodynamic process), 58
- Reynolds' transport theorem, 358
- Rotation (of tensor and vector fields), 353
- Rousselier's constitutive model, 188, 193
- R-type void, 218
- S**
- Saint-Venant's condition, 51, 53–54
- Scalar
 - damaged variable, 22
 - field, 350
 - invariant, 345
 - product, 327
- Scale
 - atomic, 4
 - of damage, 4
 - macroscopic, 5
 - mesoscopic, 5
 - microscopic, 4
- Secondary creep stage, 218
- Second law of thermodynamics, 62
- Second-order
 - basis tensor, 368
 - damage tensor, 23–28
 - symmetric basis tensor, 369
 - tensor, 337
- Shear decohesion, 5
- Shear modulus, 376
- Sheet metal forming, 167, 176
 - limit, 167, 169
- Similar tensor, 342
- Simultaneous orthogonal invariant, 349, 364
- Skew-symmetric tensor, 331
- Slant fracture, 192, 195
- Spacial coordinate system, 282
- Spall damage, 10
- Spectral decomposition, 347
- Spectrum (of tensor), 347
- Standard thermodynamic approach, 73
- State
 - equation, 65, 67
 - function, 63, 65
 - potential, 65
 - variable, 12, 57
- Steady state creep, 218
 - rate, 219
- Strain
 - equivalence, 36, 50
 - localization, 308, 310, 313
 - softening, 308
- Strain energy
 - density release rate, 86, 97
 - equivalence, 41
 - function, 41
- Strain-hardening, 78
 - dissipation potential (function), 86–87
 - exponent, 156, 158
 - rate, 186
 - theory, 223
- Stress
 - criterion, 101, 110, 222
 - singularity, 249, 321
- Stress triaxiality, 101, 160, 164
 - function, 101, 143
- Subsequent yield stress, 78
- Substate variable (thermodynamic), 63
- Summation convention, 328
- Surface force, 25, 59
- Symmetric tensor, 331, 369–375
 - matrix representation of, 369–375
- Symmetrized effective stress tensor, 33–35
- Symmetry
 - elastic, 375–380
 - major, 367
 - minor, 366
- System (of thermodynamics), 57
- T**
- Tensile decohesion, 5
- Tensor, 329, 337
 - determinant of, 344–345
 - first-order, 337
 - fourth-order, 338, 340, 368

- Tensor (*cont.*)
 higher-order, 336–341
 matrix representation of, 366–380
*n*th-order, 337
 orthogonal, 341
 second-order, 337, 369
 third-order, 337–338
 transpose of, 331, 340
 zeroth-order, 337
- Tensor component, 334–341
 transformation of, 342
- Tensor field, 350
 differentiation of, 351–353
 integral of, 354, 357
- Tensor function
 derivative of, 358–361
 integral of, 354–356
 isotropy of, 348
 representation theorem of, 363–366
- Tensor product, 333
 of higher-order, 336–341
- Tertiary creep stage, 218
- Tetrad, 338
- Thermodynamic
 characteristic function, 65
 constitutive theory, 65–76, 81–88,
 111–115, 119–120
 equilibrium, 58
 potential, 63–65, 66–70, 84–88,
 process, 58
 substate variable, 63
- Thermodynamics
 first law of, 59
 second law of, 61–63
- Threshold value (of plastic strain), 77
 (for creep-fatigue damage), 242
 (for ductile damage, elastic-plastic
 damage), 156, 160
 (for fatigue damage), 96, 147, 149
 (for viscoplastic damage, creep damage),
 233
- Time hardening theory, 223
- Total differential (of tensor function), 358
- Trace, 336, 344
- Traction, 59
- Transformation
 of basis, 342–344
 orthogonal, 341
 tensor components, 342
- Transient creep, 218
- Transpose
 of fourth-order tensor, 340
 of second-order tensor, 331
- Transverse isotropy, 135, 377
- Transversely isotropic elastic material, 377
- Triad (triadic product), 337
- Two-damage variable model, 223
- Two-scale damage model, 144, 147, 204
- Type IV zone, 226
- U**
- Ultrahigh cycle fatigue, 10
- Unilateral effect, 104, 127, 257, 272, 288
- Unit linear transformation, 330
- Unit tensor, *see* identity tensor
- V**
- Vector
 damage variable, 22
 field, 350
 operator, 352
 product, 332
- Very high cycle fatigue, 10, 201
- Very low cycle fatigue, 9, 201, 212
- Viscoplastic
 constitutive equation, 92, 241
 deformation, 79
- Viscoplastic damage, 10, 93, 230
 evolution equation of, 93, 231, 241
- Viscous deformation, 80
- Viscous stress, 80
- Void, 6, 20
 growth, 6, 106, 185
 volume fraction, 20, 184, 187, 191
- Void containing damaged material, 184
 constitutive equation of, 184, 188, 195
- Voigt notation, 366–368, 375
- Von Mises yield condition, 87
- W**
- Weighting function, 315
- Weighting matrix, 370, 375
- Well-posedness (of rate boundary value
 problem), 308, 311
- W-type crack, 218
- Y**
- Yield
 condition, 79, 87, 90, 123
 function, 79, 80, 86, 115
 surface, 78, 123
- Young's modulus, 376
- Z**
- Zero linear transformation (zero tensor), 330
- Zero tensor, 330
- Zeroth-order tensor, 337