

Index

A

Alkoxide, 299, 302, 320–322
Anisotropic magnetoresistance, 161
Anisotropic superparaelectricity, 277
Anisotropic superparamagnetism, 65
Antiferrodistortive phase transition, 199
Axial crystalline field constant D , 59

B

Band gap, 37, 84
Band gap E_g , 83, 84
Barrett formulae, 99
Birefringence hysteresis loop, 5
Blocked superparamagnetism, 72
Blocking temperature, 64–66, 72, 75
Boundary conditions, 93, 95–97, 103–105,
109, 110, 113, 114, 120, 126
Built-in electric field, 99, 115–121, 128,
130
Built-in magnetic and electric fields, 219, 220,
222, 223
Burns reference phase, 132
Burns temperature, 29, 134

C

Coercive field, 4, 5, 9, 10
Cole-Cole, Davidson-Cole, Havriliak-Negami
laws, 21, 22, 28
Columnar structure of thin film on substrate,
190, 197, 219
Complex dielectric permittivity, 21
Composite nanoparticles, 345–347
Composites having magnetoelectric effect,
14–17

Continuous medium approach, 203, 214
Co-precipitation, 300, 301, 309, 313–315, 317,
322, 331
Core-shell model, 146, 149, 151, 152, 176
Core/shell nanocomposites, 299, 319, 346
Correlation function of polarization
fluctuations, 265
Correlation radius, 18, 26, 27
Critical fluctuations, 9
Critical radius, 114, 143, 152
Critical size, 37–39, 47, 58
Critical thickness of misfit dislocation
appearance, 96, 126, 133
Curie law, 66
Curie law for susceptibility, 8, 27
Curie temperature, 2, 13

D

Debye law for dynamic dielectric permittivity,
21
Depolarization (demagnetization) field, 36, 49
Dielectric losses, 42
Dilatational center, 172
Dipole-glass state, 18, 23, 28
Direct and converse flexoeffects, 224, 225
Direct variational method, 97, 110, 114, 120,
126
Disordered ferroelectrics, 21, 22, 24, 26, 27
Distribution function of relaxation times, 21,
22
Distribution of the particle sizes, 38, 59, 62,
64, 74, 75
Domains, 2–5, 12
Domain walls, 2
Domain wall width, 102, 103, 108

E

- Effective g-factor, 146, 151
- Effective mass approximation, 214
- Effective permittivity, 36
- Elastic dipole moment, 172
- Electromechanical resonance of the sample, 16
- Electret-like state in the films, 120
- Ellipsometry method, 46
- Epitaxial film, 16
- Ergodic and nonergodic behaviour, 18, 23, 28, 34
- Exchange interaction, 10, 24
- Exchange interaction radius, 168
- External fields conjugated to order parameters, 1, 4–6, 8–10, 18
- Extrapolation length, 97, 99, 104, 107, 109, 116, 120, 125, 126, 134

F

- Face-centered, body centered structure, 68, 69
- FC regime. *See* Field cooled (FC) regime
- Ferroelastics, 1, 3, 4, 6, 10–12
- Ferroelectric interfaces, 101
- Ferroelectric relaxor, 43, 44, 49
- Ferroelectrics, 1–4, 6, 7, 10, 11, 13–18, 21–23, 26–30
- Ferroic phase transitions, 1
- Ferromagnetic resonance (FMR), 160, 161, 164, 165, 171
- Ferromagnets, 1–4, 6, 7, 10, 11, 14–16, 18, 23, 25, 27
- FESEM. *See* Field emission scanning electron microscopy (FESEM)
- FH. *See* Field heating regime (FH)
- Field cooled (FC) regime, 18
- Field emission scanning electron microscopy (FESEM), 191, 192
- Field heating regime (FH), 18
- Flexoinduced part of piezoelectric reaction amplitude, 238
- Flexomagnetoelectric (FME) coupling, 240, 241, 244–259, 261, 262
- FME coupling. *See* Flexomagnetoelectric (FME) coupling
- FMR. *See* Ferromagnetic resonance (FMR)
- Free standing film, 96, 100, 115, 116, 118, 120, 135, 137
- Frozen superparaelectricity, 264, 275

G

- General formulae of boracite, 13
- Giant magnetocapacitance effect, 15

- Giant piezoelectric reaction, 238
- Giant tunnel magnetoresistance, 161

H

- Heterostructure, 35, 40, 42, 57
- Hooke's law, 76
- Hund's energy, 201
- Hydrolysis, 299–302, 306, 308, 310, 312, 314, 316, 320, 321
- Hydrothermal synthesis, 306–313
- Hyperfine lines of ESR spectra, 58
- Hysteresis loops and switching phenomenon, 4

I

- Image charges method, 202–204
- Impedance method of dielectric permittivity measurement, 36, 40, 42, 44, 45
- Incipient ferroelectrics, 94, 99–100, 111, 133
- Inhomogeneous line broadening, 36, 58
- Inhomogeneous spatial distribution of order parameter, 101, 139, 145
- Inversion operation, 2
- Ionic conductivity, 171–180
- Ionic diffusion, 172–176
- Irreversible (nonergodic) process, 47, 65
- Isomorphous (nonisomorphous) phase transitions, 1

K

- Kink-like structure of domain wall, 108
- Kittel approximation for domain structure, 102, 103, 108
- Kittel model for antiferroelectrics, 123
- Kronecker delta, 95

L

- Laminar structures, 15, 16
- Langevin function, 61, 64, 65, 67, 72
- Laser impulse modulation method (LIMM), 47
- Lifshitz invariant for flexoeffects consideration, 226
- Light refraction index, 49, 51, 57
- LIMM. *See* Laser impulse modulation method (LIMM)
- Linear magnetoelectric coupling, 239–262
- Long-range order, 13, 18, 22–24, 26, 29
- Lorenz field, 134

M

- Macroscopic quantum tunneling, 61
- Magnetic anisotropy energy and spin-orbit interaction, 11

- Magnetic classes, 16, 217–219, 224, 225, 239–243, 245, 262
- Magnetoelectric coupling in the ferromagnetoelctrics, 13
- Magnetoelectric susceptibility, 14
- Magneto-optic Kerr effect (MOKE), 197, 199
- Magnetostriction and electrostriction coefficients, 15
- Mean field approximation, 131, 134, 136, 166, 168, 169
- Mechanochemical synthesis, 300, 302–306
- Microemulsion synthesis, 319, 320, 322, 324
- Misfit dislocations, 35, 96, 126, 133
- Misfit strain, 100, 116, 132–134
- Mismatch between films and substrate, 35, 39, 41
- Mixed ferroelectric-dipole glass (ferroglass) phase, 135
- MOKE. *See* Magneto-optic Kerr effect (MOKE)
- Multication oxide particles, 319, 332
- Multilayers (superlattices), 45, 69
- N**
- Nanoparticles, 295–307, 309, 312–314, 316–323, 327–356
- Nanowires, nanopills, 190, 220, 228, 229, 231–239, 279–287
- Non-disruptive (disruptive) phase transitions, 1, 2
- Nonlinear effects, 4, 30
- Nonlinear susceptibility, 40
- Nucleation, 295, 298, 301, 302, 310, 314, 321, 326, 327, 334, 335, 337, 340–345, 355
- Nuclei growth, 295, 298, 302, 313, 314, 334, 335, 342–345, 355
- O**
- Order parameter, 1–12, 18, 19
- Orientation states, 2
- P**
- Paramagnetic centre, 150–152, 154
- Paramagnetic, paraelectric, paraelastic phases, 4, 5
- Particle size distribution, 298, 299, 311, 315, 322, 329, 331, 332, 337, 355
- Partition function, 157
- Percolation critical concentration, 210
- Percolation threshold, 161
- Perovskite structure, 12, 15, 28
- Phase transition of the I₁st and I₁nd order, 3, 6, 9, 11
- Piezoelectric and piezomagnetic effects, 5, 15, 16
- Piezoelectric hysteresis loops, 49, 50
- Powder spectra of spectral lines, 146, 151
- Primary, secondary and ternary pyroeffects, 49
- Prototype phase, 2, 6, 29
- Proximity effect, 101, 102
- p-type triplet ground state, 202
- Pulsed-laser deposition of thin films, 193
- Pyroelectric coefficient, 49, 51, 52
- R**
- Raman scattering spectra, 56
- Random field distribution function, 27, 29
- Rate controlled synthesis, 334
- Relaxation time, 19, 21–23, 28
- Renormalization of correlation radius by flexoeffect, 236, 247, 267
- Reversibility (ergodicity), 65
- RKKY. *See* Ruderman-Kittel-Kasuya-Yosida interaction (RKKY)
- Rochelle salt formulae, 52
- Ruderman-Kittel-Kasuya-Yosida interaction (RKKY), 25, 212
- S**
- Saturation magnetization, 62–64, 69
- Scherrer formula for X-ray diffraction, 37, 64
- Second harmonic generation (SHG), 57
- Self-consistent averaging, 169
- Self-polarization effect of ferroelectric films, 117
- SHG. *See* Second harmonic generation (SHG)
- Short-range order, 17–30
- Sinusoidal domain structure, 104
- Sol-gel synthesis, 313–316
- Sonochemical synthesis, 323–332
- Souer-Tower method of polarization and hysteresis loops measurements, 46, 48
- Spatial disorder (spatial fluctuations), 165–168
- Spin, 10, 11, 16–26
- Spin-glass state, 25
- Spin-Hamiltonian parameters, 152
- Spontaneous linear FME, 248, 258
- Spontaneous polarization, 2, 3
- Stoner-Wohlfarth particles (SW), 162–166, 168, 170
- Stress tensor, 92–94

- Stretched exponent for description of polarization time dependence, 19
- Stripe domain structure, 49
- s-type singlet state, 201, 202, 217
- Superferromagnetic state, 159–160, 162, 164
- Superparaelectric state, 60
- Superparamagnetic state, 60, 65
- Superspinglass state, 159–171
- Surface roughness, 36
- Surface tension, 92–95, 110, 115, 145, 171–173, 175–178, 180
- Surface tension coefficient, 35, 56
- Surfactants, 302, 311, 315, 319, 321, 322, 331, 342, 351, 355
- SW. *See* Stoner-Wohlfarth particles (SW)
- Synthesis of nanoferroics, 295–356
- System stability condition in thermodynamic theory, 11
- T**
- Tamm model of image charges, 132
- TEM method. *See* Transmission electron microscopy (TEM) method
- Terfenol-D formulae, 15, 16
- Textures of the films, 193
- Thermal decomposition of unstable precursors, 300, 301, 333, 354
- Thermodynamic potential, 6, 8–11
- Thin film self-polarization, 47
- Time inversion symmetry, 7
- Time reversal operation, 218, 225, 239, 241
- Transformation law for tensors, 218, 241
- Transmission electron microscopy (TEM) method, 62, 64, 74, 78
- Trial function, 98, 126
- Trial wave function, 202
- U**
- Ultrametric potential profile, 160, 169
- V**
- Vogel-Fulcher law for relaxation time, 23, 24, 28
- W**
- Wet chemical synthesis, 300, 301, 313, 315
- X**
- XRD method, 37, 38, 42
- Z**
- Zero field cooled (ZFC) regime, 18, 19