

Index

- Acoustic emission, 128, 129, 133, 349–52
- Alignment, 54, 71, 74, 182–3, 192, 279, 296
- Alpha iron, 238
- Aluminium, 6, 18, 46, 62, 71, 117, 127, 132, 138, 189
- Aluminium alloy, 15, 18, 37, 41, 83, 139, 142, 167, 169
- Anisotropy, 5, 181, 312–16
- Axiality
 - elastic, 63, 276, 278
 - plastic, 66
- Bauschinger effect, 127, 128, 132
- Bearings
 - air, 81, 85, 86
 - ceramic, 123
 - hydraulic thrust, 86
- Bending, 63, 66, 85–9, 117, 183
- BERSAFE system, 15
- Biaxial plate, 111–26
 - test specimen, 118
 - testing, 115–19
- Branch connections, 13–17
- Buckling, 55–6, 71, 75, 113
- Calibration, 63, 66, 67, 187, 285, 342, 347
- Cast iron, 40
- Compression/tension, 123–5
- Constitutive laws, 21, 94, 139, 152, 247–9, 309–10
- Continuum damage, 4, 23
- Copper, 6, 18, 20, 41, 46, 117, 127, 138, 142, 169, 170, 189, 194
- Crack
 - growth, 23, 345, 348, 354
 - length, measurement of, 344–7
- Creep pips, 337–9
- Cruciform specimens, 80, 111–26, 241
- Damage
 - continuum, 4, 23
 - creep, 87, 98, 115, 166, 199, 209–21
 - cumulative, 140
 - fields, 169–71
 - intergranular, 201–2, 205, 206
 - state variable, 4, 5, 140, 141, 145
- Data
 - requirements, 3–27
 - scatter, 139, 171–2, 297–8
- Design
 - data, 171–2
 - methods, 3, 31, 111, 137, 267
- Disc specimen, 80, 89, 113
- Dislocation movement, 128
- Elastic effective length, 78
- Electron discharge machining, 193–4
- Environmental effects, 103, 177, 186–7, 274, 275, 311, 318–23
- Extensometry, 90, 285
 - axial, 183, 187, 302
 - calibration, 187
 - diametral, 158, 183–7, 200, 273

- Extensometry—*contd.*
 multiaxial, 286
 radial, 303
- Finite element analysis, 15, 18, 153,
 159, 166, 202, 214, 246
- Fracture time predictions, 51–2, 150
- Gauge length, 67, 83, 87, 89, 91, 94,
 106, 188, 189, 281, 282, 284,
 285, 287, 301, 302, 321, 324,
 353–4
- Global displacement curves, 203
- Grain
 shape, 201
 ratio, 204
 size, 62, 128, 178–81, 201, 237, 326
- Grinding, 191–2
- Hardening, cross, 128
- Heat affected zone (HAZ), 209–12,
 325–7, 329, 330
- Heating methods, 96, 119–20, 128,
 187–8, 273, 283, 295, 306
- Hydrostatic pressure, 223–40
- Hydrostatic tension, 162
- Incoloy-800H, 63, 72, 73, 295, 298
- Inconel-617, 295, 298
- Inelastic deformation, 69
- Inert atmosphere, 103–9
- Internal pressure, 267–93, 296–7, 326
- Isochronous curves, 99–100
- Isochronous rupture locus, 5, 145,
 146, 170, 172
- Isochronous surface, 5, 7, 111, 145
- Lifetime
 assessment, 17
 computation, 168–9
- Loading
 control, 279
 eccentric, 87, 88
- Loading—*contd.*
 externally applied, 279–81
 points of, 117
 proportional, 99
- LVDT, 96, 121–3, 200, 273, 285
- Mar-M002, 128, 132
- Maximum principal stress (MPS), 41,
 45, 50, 99, 144, 206, 223,
 276, 282
- Metallography, 188–9, 199, 201, 210
- Model testing, 271, 272, 276, 311
- Multiaxial rupture
 criteria, 5–8, 45, 137
 surface, 11, 22–4
- Nimonic 80, 60
- Nimonic 80A, 62, 65, 67, 69, 71, 73,
 74, 185
- Nimonic 90, 117
- Normalisation, 143–4, 146, 153
- Notch
 axisymmetrical, 152–8, 166–71, 199
 Bridgman/BS, 20–1, 152, 155, 161,
 169, 177, 179, 181, 189, 194
 circular, 18, 154, 155, 157, 158,
 167, 170
 circumferential, 137–75, 177, 178
 design data, 171–2
 geometry, 18, 159–65, 178–81, 228
 machining, 189
 sharpness, 162, 164, 165
 strengthening, 162–4
 testing, 177–97
 throat, 167–8
 deformation at, 157–8
 stress distributions, 160
 weakening, 163, 164
- Overload effects, 127–34
- Photoelastic, 117
- Pipe bend, 305–10

- Potential drop, 344
 Potential energy, 147–8
 Pressure
 control, 275
 vessels, 10, 17, 229–31, 235, 276, 333–56
- RVDT, 97, 303
- Safety systems, 287–90
 Shear
 creep rate, 77
 double, 32, 45–50, 225
 pure, 18, 113, 225, 228
 stress distribution, 41
 Shells, thin, 13
 Skeletal point, 55, 74, 151, 160, 250, 258, 281, 312, 318, 320
 Specimen
 design, 74, 83, 113, 228, 312–16
 manufacture, 189–94, 267
 Standards, 54, 152, 177, 179, 183, 271, 272, 274–87
 Steel
 brittle, 163
 $\frac{1}{2}$ Cr– $\frac{1}{2}$ Mo– $\frac{1}{4}$ V, 8, 44, 165, 316, 325, 329, 339, 347, 348, 351
 1Cr– $\frac{1}{2}$ Mo, 8, 11, 103, 340
 $2\frac{1}{4}$ Cr–1Mo, 8, 11, 12, 165, 193, 210–13, 218, 220, 237, 238, 339
 12Cr–1Mo–0.3V–0.9W, 238
 17Cr–Ni, 199
 EN24T, 230
 type 316 stainless, 6, 11, 18, 19, 166, 168–70, 199, 210, 232, 305
- Strain
 diametral, 179, 182, 184, 188, 285, 324
 distribution, 60, 66, 89, 96, 181, 182, 218, 225
 gauge, 117, 285, 302, 304, 307–8, 312, 321, 323, 324, 341–4, 353–4
- Strain—*contd.*
 hoop, 318, 321, 324, 343
 local, 204, 206
 measurement, 67, 89–91, 106, 121–3, 181–7, 273, 285–7, 300–4, 307, 321–4, 337–43
 radial, 303–4
 torsional, 31, 53, 79, 93, 103, 303
- Stress
 analysis, 253, 255, 326–9, 331
 biaxial, 98, 111–26
 constant, 54, 83, 93–101
 cyclic, 127
 dependence, 212
 deviatory, 4, 111
 distribution, 24, 117, 157, 167–8, 209, 228, 249–64, 282, 326–7
 steady state, 159
 effective, 141, 142, 156, 162, 164, 213, 217
 equivalent, 4, 11, 15, 16, 24, 107, 151, 223, 248, 250, 253, 254, 257, 264
 field, 172
 hoop, 248, 250, 256, 258, 263, 278, 280, 282, 327
 hydrostatic, 5
 internal, 98, 267
 octahedral shear, 38, 41
 redistribution, 54–5, 74, 253–62, 278
 damage, with, 151–2
 damage, without, 149–51
 reference, 9, 10, 11, 13, 14, 18, 20, 23, 41, 43, 55, 151, 250, 252, 253, 278, 312
 representative, 258–62
 rotation, 114
 skeletal, 55, 74, 151, 160, 161, 162, 163, 165, 250, 258
 stationary state, 149, 151, 249–53, 263, 264
 triaxial, 155, 241–2
- Structural integrity, 3–27
 Structures
 creep analysis of, 8–10
 multiaxial behaviour of, 6
 Superalloys, 127–34

- Surface effects, 79
 - rupture surface, multiaxial, 11, 13, 20, 22-4
- Temperature
 - control, 106, 120, 235, 283-5, 298-9
 - dependence, 298-9
 - measurement, 187-8, 284-5
- Tension/compression testing, 123-5
- Tension/torsion testing, 38-9, 61, 79-92, 81, 93-101, 128, 129, 142, 206
- Thermocouples, 58, 106, 284
- Titanium alloy, 40
- Torsion testing, 31-52, 53, 79, 85, 93, 103, 111
- Torsionmeter, 32, 60-2, 74
- Transducers, 105-7, 129, 185, 234, 302, 304, 307, 349-52
- Triaxial tension, 241-2
- Tube
 - bursting, 289
 - methane reformer, 295, 296
 - pressurised, 10-11, 25, 79, 112, 228, 245-66
- Tube—*contd.*
 - thick-walled, 245-66, 278, 303, 318
 - thin-walled, 38-9, 53-78, 81-91, 103, 105, 225, 276
- Turbine blades, gas, 127
- Turning, 189-91
- Vessel testing, 335-56
- Viscoplasticity, 202
- Void growth, 115
- Welds, 209, 324-31, 333, 337
 - cross, 209-11, 213, 216, 218, 220
 - transition, 209, 211-14
- Wheatstone bridge, 67
- Work-hardening, 127
- Yield point determination, 129
- Yield surfaces, 127-34
- Zirconium alloys, 272