

Index

Page numbers which refer to figures have been italicized.

- Ablation zone, 130
- Accumulation area ratio (AAR), 133
- Accumulation rate, 144
- Advanced Very High Frequency Radiometer (AVHFR), 14
 - break-up in permafrost areas, 115–16
 - burned tundra, 120
 - ice sheet mapping, 141
 - river ice break-up, 100
 - sea ice, 162, 165, 176
 - snow cover mapping, 42
- Aerial photography, 37–40, 139–40
- Agassiz lobe, 135, 136, Plate VIII
- Aircraft orthophotography, *see* Orthophotography
- Aircraft platforms, 16, 17, 42, 85
 - glacier monitoring, 40, 41
 - Radio Echo Sounding (RES), 151–2
 - sea ice monitoring, 162, 165
- Alaska
 - aufeis fields, 102–6
 - flooding of coastal sea ice, 102
 - glaciers in, 133–6, Plate VIII
 - lake depth and ice thickness, 89–95
 - permafrost studies, 109, 111–26
- Albedo
 - ice covered ocean, 159
 - snow, 4, 29
- All-terrain vehicles, impulse radar on, 87
- Alpine firn, 27
- Amery Ice Shelf, 153, 154
- Amundsen-Bellinghshausen Seas, 152
- Anisotropy of sea ice, 87
- Antarctic ice sheet, 128–29, 141–2, 151–3
- Applications of snow data, 56–81
- Arctic Ice Dynamics Joint Experiment (AIDJEX), 163–4, 162
- Arctic National Wildlife Refuge (ANWR) 113, Plate VI
- Area-elevation curve, 48, 50, 62
- Aufeis, 83, 100, 101–5
- Australian National Antarctic Research Expedition, 153
- Baffin Bay, 177
- Bagley Ice Field, 132
- Basal melting, 153
- Bear Lake (Utah), 84
- Beaufort Sea, 177
- Bedrock configuration, 151–2, 154
- Bering Sea, 168, 172, 173
- Bering Sea Experiment (BESEX), 164, 168
- Blackbody radiation, 4–5
- Blue ice, 141–2
- Brash ice, 89

- Break-up of river ice, 99–100
 flooding during, 102
- Brightness temperatures, *145, 146*
 freshwater ice, 84, 86
 sea ice, *170, 171*
- Brine drainage, 159, 161, 166
- Bubbles in lake ice, 92, 93, 94–5, 123
 in sea ice, 161
- Bull Lake Basin, *see* Wind River
 Mountains
- Burned tundra, 119–20, *121, 122*, Plate VII
- Byrd Subglacial Basin, 152
- Calcium carbonate slush, 104, *105*
- Calving 141
- Canada, sea ice monitoring, 164
- Canning River, 103, 104, *105, 106*
- Catastrophic glacial events, 129–30, 139–41
- Chesapeake Bay, 95, 96, 97
- Closed-system pingos, 111
- Coastal sea ice flooding, 102
- Columbia Glacier, 141
- Concentration of sea ice, 170–6
- Conductivity of ice, 152
- Convair 990 aircraft, 16, 17
- Crevasses, 135, 136, 139, 152
- Defense Meteorological Satellite Program (DMSP), 43, 175
- Degradation of permafrost, 111
- Degree-days, 33, *34, 67, 69, 70*
- Density
 ice sheets, 152
 snow, 27–8
- Depletion curves, 47–53, *64*
 error due to summer snow, 52, 53
 forecasting, 67, 69, 71, 72
 modified by degree-days, 69, 70
- Depth of snow, 27
 frequency distribution, *50*
- Desalination of sea ice, *see* Brine drainage
- Dielectric constant, 6–7, 90, 93
 bubbles in lake ice and, 93–5, 123
 lake ice, 86–7
- Dinwoody Creek Basin, *see* Wind River
 Mountains
- Dirty ice, 4, 5
- Discharge, 76, 79
 forecasts, 66–75
- Dischma Basin, 35, 37, 38, 39, *41, 44, 45*
 depletion curves, 47–9
 precipitation and runoff, *51, 57, 58*
- Discontinuous permafrost, 111
- Disentis, 32, 33
- Drainage basins, 147–8, 152
- Drift patterns in sea ice, 165
- Dry snow zone, 130
- Durance River basin, 26, 60, *61, 76, 77, 79–80*
- Dusting, 101
- Earth Resources Technology Satellite (ERTS), *see* Landsat series
- Economic benefit of snow data, 75–80
- Edge-enhanced preprocessing, 42
- Electrical properties, 6–8
- Electrically Scanning Microwave Radiometer (ESMR), 15–16
 iceberg tracking, 149
 ice sheet data, 143–6, Plates X and XI
 sea ice, 166, 168, 169, 171, 174
- Electromagnetic methods, 123
- Electromagnetic spectrum, 2
- Emissivity, 5
 glacier ice, 143, 144, *145*
 sea ice, 166
 tabular iceberg, 150
- Energy balance in permafrost, 118–19
- Equilibrium line, 132, *133*
- Estuary ice, 95–9
- Evaporation, surface temperature and, *119*
- Evapotranspiration rate, 118
- Fire on permafrost, 119–20, *121, 122*
- Firn, 4, 5, 27, 28
 line or limit, 132, 133, *134*
- First-year sea ice, 159, *161, 165–7*
- Fisher Glacier, *154*
- Flood control, 77
- Flooding
 aufeis, 104
 caused by ice, 83, 99, 101
 during break-up, 102
 jökulhlaup, 130
- Frazil ice, 82–3, *88, 166, 173*
- Fresh snow, 27
- Freshwater distribution, 24, 25
- Freshwater ice, 25, 82–108
 importance, 82–3
 jams and aufeis, 101–6

- large lakes, 95–9
- river ice break-up, 99–100
- thickness studies, 84–9

- Geology and permafrost, 109–12
- Geostationary Operational
 - Environmental Satellite (GOES), 14, 42
 - radar altimeter data, 146
 - river ice break-up, 100
- Glaciers, 28, 127–41, 150–8
 - aircraft monitoring, 40, 41
 - catastrophic events, 139–1
 - discharge, 25
 - distribution and mass balance, 132–39
 - global significance, 127–32
 - radio echo sounding, 150–5
 - reflectivity, 4, 5
 - temperate, 151, 153, 155
 - thermal infrared study, 117
 - zones, 130
- Great Lakes ice, 98–9
- Greenland Ice Sheet, 131
 - emissivity, 145
 - mass balance, 147–8
 - reflective layers, 151, 152
- Grounded sea ice, 160
- Gust probe, 165

- Heat Capacity Mapping Mission (HCMM), 14, 42, 118, 164
- Heat Capacity Mapping Radiometer (HCRM), 14
- Himalayas snow cover, 46
- Hydrology
 - permafrost, 109–12
 - snow, 56–8
- Hydropower and snow, 56, 76, 77, 78, 79

- Ice
 - electrical properties, 6–8
 - flow patterns, 134
 - islands, 178, 179
 - jams, 83, 99, 101–6
 - lenses, 111, 116, 117, 130
 - optical properties, 1–4
 - rich permafrost, 111
 - rise, 152
 - spectral reflectivity, 4, 5
 - surface profiles, 154
 - thermal properties, 4–6
 - wedges, 111, 112, 116, 123
- Iceberg, 129, 149–50
- Ice cap, 127
 - see also* Ice sheets
- Icelandic Glaciers, 136–39, Plate IX
- Ice sheets, 127, 130, 141–49
 - Antarctica, 128–29, 141–2, 151–3
 - Greenland, 131, 147–8, 151
 - reflecting layers, 151, 152
 - zones, 130
- Ice shelves, 127, 141, 152
- Impulse radar sounding, 21–2
 - freshwater ice thickness, 84, 86–9
 - internal structure of ice sheets, 132
 - subsurface structure of permafrost, 122–4
- Infrared imagery
 - polygonal ground detection, 112, 116
 - sea ice, 175
- Infrared radiant emission, 4–6
- Inhomogeneities of glacier ice, 150, 151
- Instantaneous Field of View (IFOV), 11
- Interannual variability of sea ice, 168–69
- Irrigation, 76, 77, 78, 79

- Jakobshavns Glacier, 148
- Jökulhlaup, 130, 137, 140–1
- Jumping orbit, 40

- Kabul River basin, 68
- Kachemak Bay, 98
- Kokolik River, 120, 121, Plate VII

- Lake depth studies, 89–95
- Lake Erie, 98, 99
- Lake Huron, 99
- Lake ice, *see* Freshwater ice
- Lake Michigan, 97, 99
- Lambert Glacier, 144, 153, 154
- Laminar flow, 82
- Landsat series, 4, 11, 40, 42
 - Chesapeake Bay, 95, 96, 97
 - ice in large lakes and estuaries, 95
 - ice sheet mapping, 141–49
 - jumping orbit, 40
 - locating aufeis fields, 102, 103
 - MSS, *see* Multispectral Scanner (MSS)
 - Oriented lakes, Alaska, 90, 91, Plate V

- permafrost land cover categories, 113
- river channel locating, 100, 101
- SLR, 165
- snow cover, 31, 40, 43, 65, 66, Plate II
- surface circulation patterns, 98
- Thematic Mapper, 12–13, 113, 139, 165, 166
- thermal infrared imagery of permafrost areas, 117–18
- Latent heat
 - of fusion of ice, 30
 - of sublimation of ice, 30
 - of vaporization of water, 30
- Layers in ice, 150, 151, 152, 155
- Leads, 159, 164, 165, 171
- Lenses of ice, 111, 116, 117, 130
- Lysimeter, 50, 51

- Mackenzie River break-up dates, 100
- Mackinac Straits, 85
- Malaspina Glacier, 134, 136
- Mapping snow cover, 32–47
- Marginal Ice Zone (MIZ), 164, 165–6
- Marginal Ice Zone Experiment (MIZEX), 161, 164, 165
- Mass balance
 - glaciers, 132–39
 - ice sheets, 145, 147–8, 153
- Meltwater
 - production, 39, 50
 - volume, 32–3, 75
 - see also* Runoff
- Meteorite accumulations, 141–2
- Meteosat, 42
- Microwave emission and return, 6–8
- Microwave radiometry, 41
 - ice build-up and break-up, 83
 - ice thickness, 84–6
- Model of snowmelt-runoff, 58–66
- Modry Dul basin, 37
- Moraines, 132
 - wavy looped, 134, 135, 139
- Movement of sea ice, 176–79
- Muir Glacier, 141
- Multifrequency Microwave Radiometer (MFMR), 16, 85
- Multispectral Scanner (MSS), 11–12, 42, 44
 - break-up in permafrost areas, 115
 - burned tundra, 120, Plate VII
 - glacier studies, 132–40
 - man-induced tundra disturbance, 120–2
 - permafrost area, 113
 - river ice break-up, 100
 - sea ice, 164, 165, 168, 171, 172
 - movement, 177, 179
 - tonal differences, 95
- Multiyear sea ice, 160, 165, 169, 177
- Myrdalsjökull ice cap, 137, 138, 139

- Nadir viewing mode, 85
- Nares Strait, 177
- NASA C-130 aircraft, 85
- Nash-Sutcliffe coefficient, 60
- National Oceanographic and Atmospheric Administration (NOAA), 13–14, 40, 42, 68
- AVHRR
 - break-up of permafrost, 115–16
 - burned tundra, 120
 - ice sheet mapping, 141–49
 - sea ice, 164, 165, 166
- GOES, *see* Geostationary Operational Environmental Satellite (GOES)
- ice build-up and break-up, 83
- ice concentration and thickness, 98
- river ice break up, 100
- snow cover, 46, Plate III
- thermal infrared sea ice, 175
- VHRR, 98, 164, 176
- National Petroleum Reserve in Alaska (NPRA), 113, 122
- National Science Foundation, 151
- Natural radioactivity of Earth, 41–2
- Naval Petroleum Research in Alaska
 - see* National Petroleum Reserve in Alaska (NPRA)
- New ice, 97
- New snow, 28
 - in runoff calculations, 71, 73, 74
- Nigardsbreen Glacier, 132, 133
- Nighttime snow mapping, 43
- Nimbus satellites, 41, 42
 - ESMR, 15–16
 - iceberg tracking, 149–50
 - ice sheet data, 143–6, Plate X, Plate XI
 - sea ice, 166, 168, 169, 171, 174
 - SMMR, 15–16, 171
 - snow cover mapping, 46, Plate IV
- North Water (polynya), 174, 175

- Norwegian Remote Sensing Experiment (NORSEX), 164
- Nunataks, 141, 142
- Ocean currents and sea ice, 166, 176
- Oil industry, 120, 122
- Old snow, 28
- Open-system pingos, 111
- Open water within sea ice, 170
see also Leads; Polynyas
- Optical properties, 1–4
- Oriented Lakes, Alaska, 89–95
- Orthophotographs, 38, 40, 42, 44, 45
- Ottawa River, 100
- Outlet glaciers, 127
- Pack ice, 179
- Passive microwave aircraft sensors, 16
- Passive microwave remote sensing, 6, 15, 143
iceberg tracking, 149–50
ice sheet study, 131–2
sea ice monitoring, 161, 164, 165, 168
Weddell polynya, 173–4
- Passive microwave satellite sensor, 83
- 'Peasants model', 76, 77
- Penetration of microwaves, 7
- Percolation zone, 130
- Permafrost, 110–26
hydrologic and geologic implications of, 110–12
snow and ice break-up, 115–16
subsurface probing, 122–4
surface temperature and energy balance, 116–19
tundra surface disturbance, 119–2
vegetation mapping, 112–15
- Piedmont glaciers, 127, 128, 134
- Pingos, 111
- Planimetry, 43
- Plant communities, 114
- Platforms and sensors, 10–23
- Polar firn, 27
- Polygonal ground, 112, 116
see also Ice, wedges
- Polynyas, 159, 164, 172–6
- Power, *see* Hydropower
- Precipitation, runoff and, 57, 58
- Profiles of glaciers, 129, 154
- Pulsed radar, 151
- Pulsing glaciers, 140
- Queen Elizabeth Islands, 168, 179
- Queen Fabiola Mountains, 142
- Radar
band designations, 19
components, 88
data for sea ice, 161, 168
- Radar altimetry
ice sheets, 144, 145, 146–49
elevation, 132
surface, 153
ice shelf edges, 141
Seasat, 21
- Radarsat, 164, 165
- Radio echo sounding glacier ice, 150–5
- Rain, and snowmelt, 30
- Rapid glacier movement, 141
- Rayleigh-Jeans approximation, 8
- Recreation, 76, 77
- Reflectivities, *see* Spectral reflectivity
- Residence time, 25
- Return beam vidicon, 42
- Reynolds number, 82
- Rio Grande (Colorado), 62, 63, 64, 65, 66, 67
- River channel location, 100, 101
- River-flow forecasting, 56–8
- River ice, *see* Freshwater ice
- Ronne-Filchner Ice Shelf, 152
- Ross Ice Shelf, 152
- Rough ice, 95
- Runoff, 26
hydrographs, 51
new snow in calculations, 71, 73, 74
Peasants Model, 76, 77
precipitation and, 57, 58
predictions, 33, 34, 76
snow and, 56–7, 68
- Rusty Glacier, 153
- Ruth Glacier, 134, 135, 139
- Sagavanirktok River, 102
- St Elias Mountains, 117, 134, 153
- St Louis Creek basin (Colorado), 36
- Scanning Multichannel Microwave Radiometer (SMMR), 15–16, 42, 171
- Scott Polar Research Institute, 151
- Sea ice, 159–81
age, 165–7
anisotropy, 87
concentration, 170–6

- estuaries, 95–9
- flooding of coastal, 101
- movement, 176–79
- type and interannual variability, 168–69
- Seasat
 - radar altimeter, 19–21, 141, 147, 148
 - SAR, 19–21
 - ice flow patterns, 133–5, Plate VIII
 - imaging geometry, 20
 - oriented lakes, 90, Plate V
 - sea ice, 166, 167, 176, 177, 178
- Seasonal ice cover, 31–2, 33
- Sensor frequencies for Landsat, 45–6
- Sensors and Platforms, 10–23
- Shaw Creek Flats, 116
- Shear zones, 165, 179
- Shock waves, 139, 140
- Side Looking Airborne Radar (SLAR), 17, 18, 90, 94, 177
- Side Looking Radar (SLR)
 - iceberg detection, 150
 - ice floe monitoring, 165
 - sea ice, 161, 165, 177
- Smoke patterns, 120
- Snow, 26–30
 - applications of data, 56–81
 - economic benefit of data, 75–80
 - electrical properties, 6–8
 - infrared radiant emission, 5–6
 - optical properties, 1–4
 - spectral reflectance curve, 13
 - spectral reflectivity, 1, 3
 - thermal properties, 4–6
- Snow cover, 24–55
 - depletion curves, 47–53
 - global water balance and, 24–6
 - mapping, 32–47
 - permafrost and, 115
 - runoff volume and, 68
 - sea ice with, 166
 - seasonal, 31–2, 33
 - Switzerland, Plate II
 - world distribution, Plate I
- Snowmelt
 - depths, 70–1
 - cumulative, 74, 75
 - discharge forecasts, 66–75
 - runoff modelling, 58–66
 - warm rain and, 30
- Soaked zone, 130, 137
- South Cascade Glacier, 133
- Spectral reflectance curve, 13
- Spectral reflectivity, 143
 - burned tundra, 120
 - ice, 4
 - snow, 1, 3, 4, 5, 13
- Stefan-Boltzman Law, 4–5
- Subglacial thermal activity, 130, 137, 141
- Subglacial topography, 137
- Subglacial volcanic activity, 130, 137
- Sub-ice lakes, 93–5, 152–3
- Subsurface probing of permafrost, 122–4
- Surface energy balance, *see* Energy balance in permafrost
- Surface roughness, 17–18, 118
- sea ice, 161, 166–7
- Surface temperature
 - burned tundra, 120
 - permafrost, 116–19
- Surges (glacier), 129–30, 139, 153
- Swathing pattern, 11, 12
- Switzerland, snowcover, Plate II
- Synthetic Aperture Radar (SAR), 17–19, 42
 - iceberg detection, 150
 - imaging geometry, 20
 - large lake and estuary ice data, 95
 - sea ice, 164, 165, 168
 - movement, 176, 177, 178
 - see also* Seasat SAR
- Tanana River basin, 113
- Temperature lapse rate, 32
- Terra Nova Bay polynya, 175, 176
- Terrestrial photography, 34, 35
 - snow mapping, 36–7
- Thawing degree days, 116
- Thematic Mapper (TM), 12–13, 42
 - Icelandic glaciers, 139
 - permafrost, 113
 - sea ice, 165
- Thermal conductivity of rock, 109, 111
- Thermal contrasts, 117–18
- Thermal infrared, 4, 42
 - sea ice, 164, 168, 175
 - surface energy balance, 117–19
- Thermal properties, 4–6, 30
- Thickness of freshwater ice, 84–9
 - categories, 95, 97
 - N. Alaska studies, 89–95
- Tidal currents, 95
- Tiros N, 13, 14, 165

- Tokositna Glacier, *134, 135, 139*
 Towing icebergs, 149
 Trapridge Glacier, 152
 Tuktoyaktuk, 123
 Tundra surface disturbances, 111, 119–2
 Turbulent flow, 82
 Tweedsmuir Glacier, 139, *140*
- Umiat, 121
 US Air Force Defense Meteorological
 Satellite Program (DMSP), 43, 175
 US Army Cold Regions Research and
 Engineering Laboratory (CRREL),
 88, 120
 US Geological Survey (USGS), 141
- Valley glaciers, 127
 Vatnajökull ice cap, 136, 137, *138, 139,*
 140, Plate IX
 Vegetation mapping, 112–15
 Very High Frequency Radiometer
 (VHRR), 13, 14
 river ice break-up, 100
 sea ice, 164, 176
 thermal map of Lake Erie, 98
- Visible and Infrared Spin-Scan
 Radiometer (VISSR), 14, 42
- Walden Reservoir, 85
- Water
 equivalent of snow, 27, 29, 40, 42
 storage assessment, 34
 supply, 76, 77
- Wave front, 139
- Weddell polynya, 173, 174
- Weissfluhjoch, 31, 32, 35, 57
- Wet snow zone, 130, 137
- Wien's displacement law, 4
- Wind
 ice development and, 95
 sea ice and, 166, 176, 177
- Wind River Mountains, 43, 51, 52
- Winter surface circulation, 98
- World Meteorological Organization
 (WMO), 58–9, 61
- Wrangell Mountains, 117
- Yukon River, 101
- Zones in ice, 130
- Zoom transfer scope, 43