

INDEX

- acetaldehyde, 50, 117
acetic acid, 107, 116
acetylacetone, 269, 281
acid–base character
 alumina surfaces, 143
 catalysts, 14
 oxide surfaces, 229, 236
active sites, 121, 147
 butadiene polymerization, 4
 matrix isolation of, 95–8
 non-uniform distribution, 49
 olefin hydrogenation over Wilkinson's complex, 108
 olefin metathesis, 161, 162
 stereospecificity, 5
 well-controlled, 2
activity
 Al₂O₃-attached complexes, 52, 70
 catalytic, 22, 32, 45, 72, 95–109, 113, 127, 132, 154, 163, 185, 213, 229, 230
 ethene and propene hydroformylation, 227–9
 reduction, 96
 SiO₂-attached complexes, 46, 50, 58
 spectrum, 147, 164
 titanocene, 97, 98
 transition metal catalysts, 87
Aerosil, 17, 142
agglomeration, 183, 189, 224
aggregation, 96, 98, 121
alkanes
 formation, 47
 hydrogenation, 164, 165
alkenes, 5, 47, 66
alumina, 121, 134, 150
 as support material, 13, 141, 143
 attached complex catalysts, 8, 31, 33–6, 38, 48, 51–4, 60, 64–6, 70–3, 148–154, 167, 168, 171, 176, 207
 complex interaction with, 4, 6, 31
 dehydroxylation, 19, 143
 forms, 143
 IR spectrum, 19, 143
 –silica surfaces, 20, 21, 34
 surface area, 143
 surface hydroxyl groups, 18–20, 143
aluminium
 complexes, 36
 hydrolysis, 144
 influence on Raney Ni complex, 302–4
 trichloride, 16, 110
 α -amino acids, 271, 299–302
ammonia
 differential heat of adsorption, 195, 196
 synthesis, 63, 178
arenes, 103, 183
Arrhenius plots, 285, 286
asymmetric 'field', 111–5
asymmetric reactions, 112, 265, 266
asymmetrically modified Ni catalyst (MNi)
 development and improvement, 269–277
 enantio-differentiating sites on, 302–312
 general considerations, 265–9
 hydrogenation reactions, 278–284
 mode of enantio-face differentiation, 312–321
 preparation of optically pure materials via, 278–284
 reaction path steps in hydrogenation, 284–292
 structure and mode of action, 284–321
bimetallic catalysts
 Pt–Mo on zeolite, 178
 Pt–Sn on Al₂O₃, 217
 Rh–Co on Al₂O₃, 215, 216
 supported, 188

- bimetallic clusters
 - metal oxide impregnated, 214–8
 - Rh–Co, 230–2, 252, 253
- binding energy, 32, 45, 52, 152, 205
- Brønsted acid sites, 1
 - effect on oxide-supported metal carbonyls, 247
 - on silica, 142
 - on zeolites, 144
- butadiene
 - cyclooligomerization, 118
 - hydrogenation, 1, 3, 62, 63, 119
 - polymerization, 4
- 1-butene
 - double-bond shift in, 66
 - hydrogenation, 48, 62, 63, 213, 214
 - isomerization, 46
 - oxidation, 38
- butyllithium, 97, 98

- Cab-O-Sil, 17, 34, 142
- carbene
 - formation, 163
 - species, 52, 53
- carbon
 - as support material, 13, 24, 145
 - bimetallic clusters supported on, 230–2
 - black, 145
 - oxygenated compounds from synthesis gas, 232–259
- carbon monoxide, 116, 147, 148, 150, 152, 153
 - adsorption, 68, 105, 152, 153, 155, 167, 171, 178, 205, 233
 - based reactions; catalysts, 183–259
 - catalytic dissociation, 232
 - evolution, 71, 147, 148, 150, 153, 155, 156, 177, 212
 - H₂ reaction, 233, 236–245, 252, 253, 257, 258
 - hydrogenation, 23, 166, 232
 - in reaction of α , β -unsaturated carbonyl compounds, 95
 - methanation, 232
 - NMR spectrum, 158
 - reaction with Co₃O₄; stoichiometry, 72
 - reduction, 219, 220
 - oxidation, 56, 68, 69, 72
- carbon dioxide
 - adsorption, 143
 - evolution, 212
 - formation, 63
- carbonyl clusters, 227–9
- carbonyl complexes
 - activation, 147
 - Group V, 175
 - Group VI, 148–167
 - Group VIII, 167–175
 - loading on to surfaces, 145–7
 - mononuclear, 141–179
 - physical properties, 146
- carbonyl compounds
 - miscellaneous, 282–4
 - α , β -unsaturated, 95
- carbonyl ligands
 - bridging, 150, 154
 - proton-induced reduction of, 229
- carbonylation
 - allyl chloride, 96
 - decarbonylation cycles, 198
 - methanol, 211
 - reactions, 224–232
- catalysis
 - chemistry, 87
 - cooperative, 59, 62, 63, 115–7
 - in CO-based reactions, 183–259
 - influence of polymer matrix, 95–109
 - multistep, 115, 118–121
 - surface-supported metal cluster species, 212–4
- charcoal, 121, 134, 145
- chirality, 11, 112, 265, 280
- chromium
 - allyl complexes, 64, 65
 - bis(triphenylsilyl) complex, 34
 - carbonyls, 141, 142, 153, 155–9, 178
 - complexes, 5, 31, 36, 67
 - dinuclear species, 6, 23, 64–6
 - ion, 6, 8, 38, 67, 68
 - ionic bonding in Cr₂O₃, 68
 - monomeric species, 64–6
 - oxidation states, 153
 - oxide, 68
 - two-dimensional phase, 6, 67–9
- cluster-impregnated catalysts
 - in methanol synthesis, 253–9

- modifying role in oxygenated species formation, 245–252
- clusters
 - bimetallic, metal oxide impregnated, 214–8
 - catalysts impregnated with, 253–9
 - carbonyl, metal oxide impregnated, 189–210, 227–9
 - carbonylation reactions catalyzed by, 224–232
 - Co₃O₄, 72
 - formation, 167
 - growth processes, 204
 - Ir₄, 8
 - metal, 12, 31, 149, 183–259
 - nuclearity in CO–H₂ reactions, 238
 - osmium, 204
 - rhodium, 95, 229, 230, 245–252
 - surface, 71
- cobalt
 - carbonyl clusters, 205–210, 230–2
 - complexes as oxidation catalysts, 97, 98, 117
 - crystallites encapsulated in zeolite A, 223
 - cyclopentadienyl complex, 105
 - rhodium bimetallic catalysts, 215, 230–2, 252, 253
 - surface transformations, 70
- colloidal catalysts
 - characteristic properties, 126–134
 - effect of protective polymers on, 121–135
 - particle size, 126–130
 - surface area, 126
- cooperative catalysis, 116–8
- coordination
 - benzene ring, 105
 - chelating, 93
 - controlled, 14
 - number, 12, 55, 71
 - sites, 66
 - surface hydroxyl groups, 11
 - unsaturation, 6, 14, 72, 98–103
- copper
 - complexes, 27, 105, 109, 110, 117
 - ions, 27, 111
 - sulphate/AlCl₃ catalyst, 110
 - crystallite size, 306, 307
- cyclohexane
 - dehydrogenation, 32, 218
 - methylene-; isomerization, 46
 - production, 107
- cyclohexene
 - disproportionation, 46
 - hydrogenation, 48, 97, 184
 - methyl-; hydrogenation, 48
 - oxidation, 56
 - production, 106
 - reaction with *t*-butylhydroperoxide, 105, 106
 - reduction; titanocene activity in, 97
- 1,5-cyclooctadiene, 100, 104, 114
- cyclooctene
 - formation, 100, 101, 104
 - hydrogenation, 48
- cyclopentadiene, 45, 46, 208
- deactivation
 - homogeneous complex catalysts, 105
 - polymeric Rh complex catalysts, 99
 - titanocene, 97
 - via dimerization, 97
- decarbonylation, 148, 152–8, 167, 168, 175, 190, 198, 204, 212
- dehydrogenation, 119, 134
 - activity of intercalation compounds in, 63
 - aliphatic alcohols, 109
 - cyclohexane, 32, 218
 - oxidative, of 1-butene, 38
 - oxidative, of ethanol, 59
- deuterium
 - exchange reactions, 165, 166, 210
 - reaction with SiO₂, 16
- dienes
 - hydrogenation, 104, 128, 129
 - reduction, 99
- differentiation
 - enantio-face, 312–321
 - non-enantio-face, 308–312
- β-diketones; hydrogenation, 279–282
- dimethyl sulphoxide, 99, 105
- DIOP, 113, 114
- electrostatic ‘fields’, 110, 111
- electrostatic interaction, 122, 126
- enantio-differentiating

- ability (e.d.a.) – *see* optical density
reactions; kinetic description, 284, 285,
287–291
sites on MNi catalysts, 302–312
steps in reaction paths of MNi catalysts,
284–292
- equilibrium
hydroformylation, 101, 104
hydrogenation, 101, 102
- ethane, 32, 208, 213, 221
- ethene
evolution, 35
hydroformylation, 227–9, 245
hydrogenation, 61, 73, 164, 176, 184,
208, 209, 213
metathesis; mechanism, 53
oligomerization, 36
oxidation, partial, 117
polymerization, 5, 32, 34, 37, 38, 47,
69, 164
self-exchange with perdeuteroethene,
165
- ethyl acetoacetate, 273
- field
asymmetric, 111–5
electrostatic, 110, 111
hydrophobic, 109, 110
polymer, 109, 115
- Fischer–Tropsch synthesis, 252
intercalation compounds; activity, 63
Group VIII metal carbonyls, 173–5
supported metal carbonyls, 218–224
- functionalization, 24–7, 145–7
- graphite
oriented MoO₃ phases on, 63
-supported Fe carbonyl complexes,
170, 171
- Group V carbonyl complexes, 175
- Group VI
carbonyl complexes, 148–167
oxide catalysts, 163
- Group VIII carbonyl complexes, 164, 167–
175
- α-helix, 111, 112
- 1-hexene
hydroformylation, 29, 30
hydrogenation, 30, 31, 48, 96, 97, 99,
106, 211
isomerization, 46
Wilkinson's complex for hydrogenation,
96
- hydride
catalysts; tailored metal, 46–8
clusters, Rh-containing, 195
formation of, 33
shift, 163
- hydrocarbons
formation, 218, 238
hydrodesulphurization, 166, 167
Schulz-Flory distribution, 174
yields in CO–H₂ reactions, 252, 253
- hydroformylation, 118, 120, 210, 230
ethene, 227–9, 245
1-hexene, 29, 30
olefins, 5, 94, 114, 224
1-pentene, 101, 104
propene, 36, 227–230
- hydrogen
abstraction from allyl group, 50
bonding, 122, 126
chemisorption, 178
–CO reactions, 233, 236–245
dechlorination of chlorobenzene, 106
desorption, 163
exchange reactions, 134, 165
ortho–*para* conversion of, 63
photochemical evolution, 128, 132,
135
production, 125, 156, 172
reaction with Co₃O₄; stoichiometry,
71
reduction of metal complexes, 31, 32
surface atoms, 53
- hydrogenation, 115, 118, 141, 163, 178
acetophenone, 114
activity of intercalation compounds in,
63
alkanes, 164, 165
alkenes, 5, 47, 66
arenes, 103, 183
aromatic compounds, 103
asymmetric, 3, 112, 113
benzene, 32, 106, 210
butadiene, 119
1-butene, 48, 62, 63, 213, 214

- carbon monoxide, 23, 116, 232
- catalyst, enantio-differentiating, 268–284
- cyclohexene, 48, 184
- cyclopentadiene, 45
- cyclopentene, 46
- 1,5-cyclooctadiene, 100, 104
- dienes, 104, 128, 129
- β -diketones, 279–282
- enantioselective, 112
- ethene, 61, 73, 164, 176, 184, 208, 210, 213
- ethyl acetoacetate, 273, 281
- 1-hexene, 30, 31, 96, 99
- isoprene, 30
- itaconic acid, 114
- β -ketoester, 278, 279
- β -ketosulphone, 282
- kinetic studies, 287–291
- methyl acetoacetate, 106, 275, 277–9, 287
- miscellaneous carbonyl compounds, 282–4
- MNi catalyst, 282–4
- nitrobenzene, 107
- olefins, 4, 47, 95, 96, 99, 100, 107, 128, 164
- partial, of soy bean fatty acid methyl ester, 98
- 1-pentene, 15
- prochiral ketones, 268
- propene, 6, 66
- reaction steps in MNi catalyst, 284–292
- titanocene, 97
- hydrogenolysis
 - cyclopropane, 165
 - ethane, 32, 165, 208, 213
 - neopentane, 201
 - thiophene, 32
- hydrophobic ‘fields’, 109, 110
- α -hydroxy acids, 292–9
- interactions
 - hydrogen bonding, 149
 - hydrophobic–hydrophilic, 109
 - metal–support, 190, 233
 - polymer–particle, 126
 - site–site, 95, 121
 - synergistic, 166
- iridium
 - carbonyl clusters, 201–5
 - complexes, 8
 - tetramer cluster, 8
 - Vaska’s complex, 99
- iron
 - carbonyl complexes, 94, 141, 167–171, 203–210, 223
 - complexes, 5, 14, 29, 93, 94, 97, 98
 - oxide, 16
 - reversible adsorption of O₂ by, 14
- isomerization
 - catalyst, 46
 - /cracking of hexane, 100
 - olefin, 63, 94, 97
 - skeletal, 201
- β -ketoester, 278, 279
- ketones
 - hydrogenation, enantio-face differentiating, 283
 - hydrosilylation, 114
 - prochiral; hydrogenation, 268, 315, 316
- β -ketosulphone, 282
- lanthanum oxide supports, 229, 230
- leaching
 - metals from complexes, 29
 - Ni–Al alloys in Raney Ni catalysts, 273
- Lewis acidity, 20, 142–4, 150, 153, 157, 247–9, 255
- ligand
 - concentration, 103–5
 - displacement, 93, 149, 150
 - exchange, 32
 - field theory, 68
- lithium aluminium hydride, 220, 221
- macromolecular group ‘field’, 109
- macroreticular resins, 89, 90, 97
- magnesium oxide
 - carbonate species on, 23, 145
 - high-temperature calcination, 23, 145
 - IR spectral studies, 23
 - surface area, 145

- supported cluster-derived catalysts, 229, 230
- supported metal carbonyls, 159, 168
- maleic acid, 93, 101, 103
- Merrifield's resin, 91
- metathesis
 - catalysts, 52
 - ethene, 53
 - olefins, 36, 38, 155, 161–4
 - 1-pentene, 162
 - propene, 51–3, 70
- methanation, 166, 232
- methane, 149, 166, 221
- methanol, 116, 238
 - carbonylation, 211
 - in oxidative cleavage, 109
 - synthesis, 238, 239, 253–9
- methyl acetoacetate, 106, 270, 275, 278, 287, 289, 290
- methylene
 - groups, 14, 91, 92
 - insertion in Fischer–Tropsch synthesis, 222, 223
- methyl 2-methyl-3-oxobutyrate, 291, 292, 319
- methyl viologen, 125, 128, 135
- MNi catalyst; action mode, 284–321
- modifying reagent, 271–277
 - adsorption; influence of pH, 292–5
 - α -amino acids as, 272
 - influence on methyl acetoacetate hydrogenation, 287
- molybdenum
 - allyl complexes, 54, 60, 61
 - carbonyls, 141, 148–154, 156, 159, 178
 - chloride, 63
 - complexes, 31, 35, 36, 111, 148–153
 - oxidation, 148
 - oxide, 63
 - surface dimers, 54–63
- monomers, 48–54, 64–7, 69, 70
- Mössbauer spectroscopy
 - conversion electron, 11
 - for characterization of cluster catalysts, 185, 188, 217, 218
 - thermal decomposition studies, 170, 171, 177, 223
- multifunctional catalysts, 115–121
- multistep catalysis, 118–121
- neopentane
 - hydrogenolysis, 32
 - skeletal isomerization, 201
- nickel
 - carbonyls, 141, 171–3, 205–210
 - catalyst, asymmetrically modified (MNi), 265–322
 - complexes, 4, 6, 31, 118, 141
 - dispersed catalysts, 32
 - methanation catalyst, 166
 - sulphides, 32
 - Raney, asymmetrically modified (MRNi), 277, 278
- nitric oxide
 - adsorption, 152, 155, 157
 - as spectroscopic probe, 176
 - oxidation, 56
 - poisoning by, 163
- noble metals
 - as catalysts, 233
 - colloidal dispersions of, 123–5
 - non-enantio-differentiating sites, 302–312
- olefins
 - adsorption, 223
 - hydroformylation, 5, 114, 224
 - hydrogenation, 48, 95, 99, 128, 164
 - isomerization, 63, 94
 - metathesis, 36, 38, 155, 161–4
 - oligomerization, 97
 - oxidative double-bond scission, 34
 - polymerization, 164
 - rearrangement, 2
 - selective formation, 221
 - titanocene in reduction of, 97
 - Vaska's complex in hydrogenation, 100, 102
 - Wilkinson's complex for hydrogenation, 95, 96, 107
- oligomerization, 119
 - catalysts, 6
 - cyclo-, of butadiene, 118
 - ethene, 36
 - olefins, 97
 - propene, 4
 - optical yield, 267, 275, 287, 302, 306, 307, 309–311

- optically pure materials, 278–284
osmium carbonyl clusters, 201–5
oxidation
 activity of bound O₂, 56
 1-butene, 38
 carbon monoxide, 56, 68, 69, 72
 catalysts, 97, 98
 Co species attached to Al₂O₃, 71
 dinuclear Cr species, 68
 ethene, 117
 ethanol, 50, 51, 58, 59
 molybdenum, 148, 155
 propene, 38, 50, 63
 –reduction cycle, 48
 states, 6, 11, 12, 51, 52, 54, 61, 70, 152–4, 168
 supported carbonyl complexes, 148, 154, 156
oxygenated carbon compounds
 from synthesis gas, 232–259
 influence of oxide support on production, 241, 242
palladium
 catalysts, 72, 96, 98, 125, 128
 complexes, 29, 31, 98, 108, 112, 117, 119
 ions; coordination, 125
 mononuclear complex, 45
 particle size, 31
 phosphinated polystyrene-anchored complexes, 108
 polynuclear complex, 45
 silk catalyst, 269, 270
particles
 colloidal; preparation, 122–6
 crystalline Pt, 119
 dispersed, 121, 185
 metal, 31, 32, 38, 149
1-pentene
 hydroformylation, 101, 104
metathesis, 162
phthalocyanine ligands, 97, 98
platinum
 allyl complexes, 31
 carbonyls, 189–201
 catalysts, 72, 106, 107, 125, 128, 135
 complexes, 32
 colloidal particles, 126, 134
 colloids; gold number, 130, 132
 –Sn bimetallic catalyst, 217
poisoning, 30, 48, 121, 308–312
polymerization
 butadiene, 4
 2,6-dimethylphenol, 117
 ethene, 5, 32, 34, 37, 38, 47, 69, 164
 olefins, 164
 preparation of supported catalysts, 88
 processes in titanocene deactivation, 97
 propene, 33, 37
polystyrene
 -anchored complexes, 93, 94, 103, 105, 108
 as support for transition metal complexes, 88–94
 chloromethylated, 91, 115
 complex, 105
 crosslinked, 4, 116, 118
 functionalized, 92
 phosphinated, 120
 resin, 98, 100, 134
 supports; swelling, 109
poly(vinylpyrrolidone), 107, 123, 128, 133, 135
propane, 47, 221
propene, 120, 134
 evolution, 31, 36
 hydration, 119
 hydroformylation, 36, 227–230
 hydrogenation, 6, 66
 metathesis, 51–3, 70
 oligomerization, 4
 oxidation, 38, 50, 63
 select formation in Fischer-Tropsch synthesis, 222, 223
 polymerization, 33, 37
protective colloid, 121, 131
protective polymers, 130–4
proton
 hopping, 18, 22, 153
 -induced CO reduction, 219, 220
 -induced reduction of carbonyl ligands, 229
 mobility in zeolites, 22, 144
 –proton distance, 18, 22
 zeolite, 156

- Raney nickel
 catalyst, 270
 modified catalyst (MRNi), 270, 277, 278
 preparation and modifying conditions, 303
- reaction mechanism
 determination, 6
 enantio-differentiating hydrogenation, 279, 280
 hydrogen exchange on alkanes, 165
 olefin hydrogenation by Vaska's complex, 100
 propene metathesis, 53
 redox, 50, 51, 68, 73
- reactions
 CO-H₂, 236–245
 hydrogenation, 268, 269
 redox, 66, 154
 'single-pot', 118, 120
 stereo-differentiating, 265–8
- redox
 cycles, 117, 118
 mechanisms, 50, 51, 68, 73
 reactions, 66, 154
- reduction
 carbon monoxide, proton-induced, 219, 220
 dinuclear Cr species, 65
 –oxidation reactions, 48, 62
 selective homogeneous, 220, 221
 α, β-unsaturated carbonyl compounds, 95
 various; titanocene in, 97
- rhodium
 atom distribution in Wilkinson's complex, 105
 attached catalysts, 5, 47, 48, 105
 carbonyls, 95, 189–201, 211, 229, 230, 236–247
 chiral complex, 3
 cluster-impregnated catalysts, 245–252
 clusters, 229–230
 –Co bimetallic clusters, 215, 230–2, 252, 253
 evaporated, 10
 icosahedral, 183
 water-soluble polymeric complexes, 106
- Schulz–Flory distribution, 174, 223, 240
- selectivity
 aspects in Fischer–Tropsch syntheses, 218–224
 asymmetric, 113, 114
 benzene production, 107
 CO–H₂ conversions, 233, 236, 237
 demethylation reactions, 201
 effect of cluster nuclearity on, 238, 239
 ethene and propene hydroformylations, 227–9
 hydrogenation, 106
 improved, 104
 influence of substrate size and shape, 107–9
n/branched, 101
n/*iso*, 211, 231
 of Fischer–Tropsch catalysts, 173
 of hydrocarbon formation, 218
 of molybdenum species, 63
 of oriented MoO₃–graphite catalyst, 63
 of production of dienoic acid methyl ester, 108
 of substrate with Wilkinson's complex, 107
 of transition metal complex catalysts, 87
 particle size effect of, 185
- shift reaction, water–gas, 219, 254
- silica
 –alumina surfaces, 20, 21, 34
 as support material, 3, 142
 attached complex catalysts, 4, 5, 8, 15, 27–31, 34–8, 45–8, 50, 51, 53, 54, 64–73, 107, 154–6
 dehydroxylation, 142
 functionalization of surface, 24–6
 gel, 14, 15, 18, 56, 121
 highly dispersed catalysts on, 32
 IR spectrum, 17
 metal leaching from attached complexes, 29
 phosphinated surface, 15, 45
 surface area, 142
 surface hydroxyl groups on, 15–8, 142
 thermal treatment, 16, 142
- silk palladium catalyst, 269, 270
- site
 coordinative unsaturated, 103

- enantio-differentiating, 302–312
- isolation, 5, 6, 98
- site interactions, 95, 97, 121
- SKEWPHOS, 269
- SMSI (strong metal–support interaction), 48, 177, 178
- sodium bromide
 - incorporation in MRNi catalyst, 276–8
 - influence on adsorption, 309–311
- sodium tetrahydroborate, 111, 133, 220, 221
- stereo-differentiating reactions, 265–8
- stereoselectivity, 108, 312–321
- subcarbonyl species, 148, 154–156, 161, 162, 167, 172
- substrate
 - selectivity in hydrogenation, 107
 - size and shape, 107–9
 - support interaction, 308
- supercages, 143, 156–8, 168, 172
- support
 - design, 89, 147
 - materials, 13–5, 31, 87, 88, 106, 142–5
- surface
 - acidity, 22, 24–7, 196
 - anchoring groups, 19, 23, 28
 - areas, 126, 142, 143, 145
 - attached complex catalysts, 8–13, 34, 37, 48–73, 183–259, 302–8
 - functional groups, 15–20, 142, 143, 149
 - functionalization, 24–7
 - heterogeneity, 12, 34, 61
 - hydrophilic, 14
 - hydroxyl groups, 11, 15–24, 30, 51, 141–3, 148, 149, 152–4
 - reactions, 16, 192
 - species, 8–13, 35, 54, 60, 61, 64, 70–3, 148–153, 212–4, 245–252
- synthesis gas, 189, 232–259
- tartaric acid, 277, 278
- titanium, 22, 34, 48, 177, 229, 230
- titanocene, 4, 97
- tungsten
 - carbonyls, 141, 153, 154, 156, 158, 159, 178
 - complexes, 35, 36, 69, 70
 - sulphides, 32
 - valency state, 156
- turnover frequency, 4, 52, 59, 166
- unsaturation; coordinative, 6, 14, 72, 98–103
- vanadium
 - carbonyls, 142, 175, 179
 - complexes, 5, 36, 38, 105
 - pentoxide, 38
- van der Waals' interaction, 122, 126
- Vannice classification, 232
- Vaska's complex, 99, 102
- vinyl ethers, 93, 101, 103
- Wacker process, 117
- Wilkinson's complex, 95, 96, 105, 107, 119
- zeolites
 - adsorption into, 177
 - as support materials, 13, 143, 144
 - attached complexes, 36, 47, 144, 156–9, 168–170, 172, 174, 210–2
 - β -cages in, 157
 - cavities, 189
 - dehydrated, 144
 - forms, 18, 21, 22, 47, 156–8, 168, 172, 174, 179, 210, 211, 223
 - proton-hopping in, 18, 22
 - supercages, 143, 156–8, 168, 172
 - zinc oxide, 23, 24, 34, 224, 225, 227–232
 - zirconia, 229, 230, 241–3