

INDEX

- Abbé errors, 84, 88
- Aberrations, optical, 186, 222, 289–91
- Accuracy
 - alignment techniques, 133–4
 - angular measurement, 86
 - fringe location, 99
 - interferometry, 136–7, 151, 155
 - moiré effect transducers, 84–5
 - photoelastic coatings, 44, 45
 - photoelastic transducers, 40
 - photon correlation, 253
 - speckle photography, 211, 236
 - strain measurement, 236
- Adhesives, 41, 42, 52, 59
- Advertising applications of
 - holography, 182
- Aerosols, droplet sizes, 182, 184
- Afocal projection reading heads, 81–3, 86
- Aircraft components, testing, 191–2, 194, 259, 261–2
- Airy discs, 208, 283–4
- Alignment, 109–10
 - equipment, 111–15
 - interferometers, 140, 148
- Ambient lighting, effects, 116, 121, 123–4, 191, 216
- Amplifiers
 - characteristics, 26–8, 30–5, 32
 - Amplifiers—*contd.*
 - operational, 6, 9, 11, 30
 - voltage gains, 23
- Analogue operations, 22, 26, 249
- Anemometry, laser, 239–66
- Angular fringes, 62
- Angular measurement, 85–6
- Anisotropy, optical, 274
- Anticlastic curvature, 93, 172
- Apertures, lens, 218, 228, 283, 288–9, 291
- Applications, 86–107, 127–32, 150–7, 181–200, 234–7, 261–3
- Argon lasers, 217, 235, 245
- Atmospheric effects, 131–2, 133–4, 148–50, 168
- Autocollimators, 295–7
- Autocorrelation modes, 251–2
- Automatic analysis, fringes, 101–3
- Automatic gain control (AGC), 125, 147
- Automatic scale-measuring laser interferometers, 150–1
- Automotive components, 190–1
- Backscatter, 244, 246
- Ball-bearings, reflection, 175–6
- Band-gap energies, 4

- Beam expanders, 116–17, 260
- Beam-splitters, 138, 141–7, 152, 168, 177, 216, 228, 240, 260
 - polarising, 142–6
- Beat frequency signals, 146, 154, 195, 229
- Bending moments, calculation, 96
- Biomedical applications, 197–200, 263
- Birefringence, 40–2, 274
- Bragg cells, 245
- Brewster effect, 273, 279, 298
- Bubble chambers, 182, 184
- Bubble levels, 113, 114, 118, 128
- Buckling, shear web, 94
- Burst counting, 247–8

- Cadmium sulphide cells, 6–7
- Caesium, 4
- Calcite crystals, 274–5
- Calibration, 47, 49, 150–4, 157, 179
- Cantilevers, 170–2, 174
- Carbon fibre reinforced plastics, 212–13
- Cat's-eye reflectors, 287
- Charge storage photodiodes, 21
- Charge-coupled devices (c.c.d.'s), 19, 36
- Circular-polarised light, 41, 43
- Clean beams, 117, 169, 177
- Cleaning, optical components, 257, 259
- Clipping techniques, 24, 252
- CO₂ lasers, 247, 261
- Coagulation, 258
- Coarse gratings, 67–70, 106
- Coatings, photoelastic, 41–5
- Coherence, 138, 163–4, 167, 279, 298, 300
 - lengths, 167, 177, 216
- Collimated beams, 116, 117, 234, 245, 270–1, 287–90
- Colour changes, 40
- Comparator(s)
 - circuits, 24–7
 - speckle pattern, 231–5
- Computer processing, 235, 252–3
- Concrete structures, 52, 102–3
- Conductivity, measurements, 6
- Contamination, optical, 81, 259
- Continuous wave (c.w.) lasers, 167–9, 176–7, 261, 297
- Contouring, 194–5, 198
- Contours
 - deflection, 93
 - shape difference, 207
 - slope, 95
 - vibration, 94
- Contrast, 70–1, 189, 209, 215
- Coordinate inspection equipment, 88–9
- Correlation methods, 250–3, 256–7
- Costs, equipment, 4, 50–1, 90, 235
- Cracks
 - detection, 224
 - measurement, 101–3
- Creep, transducers, 45, 50, 55
- Cross-correlation, 255–7
- Crossovers, 24–5
- Cube-corner reflectors, 140–1, 143–5, 147–8, 152–3, 155, 156
- Curvature
 - components, 95
 - effects, 85, 86, 88, 222, 262
- Curved surfaces, measurement, 42, 86, 92, 103, 232–4

- Dark currents, 7–8, 22, 245
- Datums, 127–9
- Debonding, laminated structures, 191
- Deflection, determination, 90, 92–4, 172
- Deformation, measurements, 63, 89–103, 170, 188, 210–14
- Density, changes, 197
- Depletion layers, semiconductors, 11–12
- Derandomising circuitry, 251
- Desensitising procedures, 195
- Detectivity, specific, 18
- Dichroic crystals, 276
- Diffraction, 71–4, 279–86
- Diffractometers, 219, 220, 223
- Digital micrometers, 74, 88–9
- Digital operations, 22, 24–6, 241
- Digital readouts, 106, 157, 235
- Digital resolution, 85, 86
- Dioptric powers, 292

- Discontinuity, surface, 193–4, 196
- Displacement measurements, 63, 70, 74–89, 187–8, 218–22
- Distortion measurements, 63, 89
- Divergence, 289–90
 - fringe, 243
 - laser beams, 117–18, 142, 169, 180, 299
- Doping, semiconductor, 4, 7
- Doppler effect, 240–6, 296–7
- Double refraction, 274–5
- Double-exposure
 - holography, 173–4, 184, 190–3
 - speckle patterns, 219–21, 222–4, 231
- Double-passing interferometers, 143–4
- Dynamic measurements, 104, 123, 141, 150–1

- Ear, prosthesis, 199
- Electric field gradients, 11
- Electrical resistance strain gauges, 40, 44, 45, 50, 59, 213
- Electronic speckle pattern
 - interferometry (ESPI), 206–7, 212, 215, 217, 224–31, 234–5, 237
- Electronics
 - burst counting, 248
 - limitations, 15, 16
 - moiré effect transducers, 81, 84
 - photoresistors, 5
 - photosensors, 22–30
 - position-sensitive cells, 30–2, 124
 - recovery, 3
- Engines, testing, 231, 262
- Equivalent circuits, 8–9, 16–18
- Errors
 - anemometry, 257, 262
 - Doppler, 249
 - levelling, 129
 - long-range, 85, 88
 - microscopic, 293, 295
 - moiré fringe, 84–5
 - optical, 106–7, 222
 - photoelastic transducers, 44–5, 49
 - speckle pattern, 214
 - strain measurement, 214
 - triangulation, 128
- Excess noise, 17
- Exposure timing, 178–9, 289
- Extensometers, 89–91
- Eye
 - assessment by, 114, 123
 - observation by, 122, 170–1, 215–16
 - photography, 198, 263
 - safety, 133, 181, 251
 - sensitivity, 14, 15
- Fabry-Perot interferometers, 154–5, 228, 248–9
- Fatigue failures, 189
- Feedback resistors, 22–6
- Fiducial setting, 114
- Filterback methods, 249
- Filtering, optical, 101, 122, 249, 260
- Fizeau interferometers, 156
- Flames, 243, 257
- Flat surfaces, photoelastic coatings, 41
- Flatness, measurement, 147–8, 156–7
- Flexible gratings, 86
- Flicker noise, 17
- Flow, variation, 243
- Focused image holography, 188
- Four-channel optics, 82–3
- Four-output interferometers, 146–7
- Four-phase fringe detection, 75–7
- Fractional fringe orders, 49, 99–100
- Fraunhofer diffraction, 280–5
- Frequency
 - analysis, 249–50
 - differences, 241
 - response of electronics, 26–8, 30
 - shifting devices, 245–6
 - tracking, 250
- Fresnel diffraction, 66, 71–3, 120–2, 285–6
- Fringe(s), 138, 277–8
 - analysis, 52–5, 63, 92, 97, 101–3
 - anemometry, 242
 - configuration, 139, 144, 167
 - contrast, 70–1, 189
 - counting, 1–2, 75–9, 171
 - electronics, 22, 28
 - limit on speed, 3, 6–7

- Fringe(s)—*contd.*
 counting—*contd.*
 moiré fringes, 66
 photoresistors, 5, 6
 orders, 40–3, 49, 53–6, 97, 190,
 215, 244, 282
 patterns, 45–6, 52–5
 analysis, 172–3, 217, 219–22, 225
 photoelectric detection, 75–9
 sharpening, 64–5
 spacings, 65, 165, 166, 244, 260
 types, 61–2
 Fuzzing out, fringes, 139, 144, 167
- Gain-bandwidth products, 26–8
 Gaps, working, 70–4, 81, 88
 Gascoigne's micrometer, 112
 Gauge blocks, calibration, 156
 Gaussian distributions, 116, 141, 241,
 252, 298
 Geometrical gratings, 65–71
 Geophysical strains, 154
 Glass
 gratings, 75, 88–9
 load cells, 45–51
 stress gauges, 52–5
 Golay cells, 36
 Gold films, 12–13, 20–1
 Gratings, 282
 line densities, 79, 83, 90, 100
 line/space ratios, 65–6, 90
 negative, 64–5
 nonlinear, 66–7
 replication methods, 74–5
 types, 100
 Gravity meters, 155
 Guard-ring photodiodes, 12–13, 16–17
- Halo, speckle, 219, 221
 Hand-held viewers, 48–9, 50
 Hand-operated equipment, 48–9, 50,
 125
 Harmonics, 69, 70, 73
 Hazardous environments, 50, 59
 Health considerations, 258–9
 Heat exchangers, 197
 Heavy plant, alignment, 109, 128–9
 Helium–neon lasers, 115, 122, 133,
 135–7, 152, 154–6, 216, 236, 245,
 297
 Heterodyne techniques, 157, 246–7, 261
 High-modulus inclusion gauges, 40,
 51–8
 Holocameras, 190–1
 Holograms, 164–5
 plate holders, 178
 Holography, 161–7, 210
 applications, 181–200
 equipment, 176–81
 interferometry, 170–6, 185–96
 theory, 164–6, 202–3
 Horizontal references, 113–14, 118–20
 Hot surfaces, measurement, 93
 Humidity dependence, refractive index,
 131, 149
 Huyghen's principle, 272, 279
 Hybrid photosensors, 29–30
 Hysteresis
 circuits, 2
 comparators, 26–7
- Image(s)
 dissectors, 157
 transduction, 22
 Incidence, angle of, 92, 93, 269, 273
 Inclusion gauges, 40, 51–8
 Information display, 126
 Inspection methods, 191–4, 235–6
 Instrumentation amplifiers, 31–2
 Integrated circuits, 27, 30
 Intensity distributions, 69, 116, 141,
 209–10, 225, 241–2, 298
 Interference, 137–9, 164–6, 277–9
 systems, two-beam, 69
 Interferograms, 190–3, 205
 Interferometers, 105, 138–9, 142–8,
 150–6, 216, 224–8, 248–9
 alignment, 148
 Fabry-Perot, 154–5, 228, 248–9
 Fizeau, 156
 flatness, 148
 four-output, 146–7
 Michelson, 138–9, 142–4, 147, 155
 polarising, 142–7
 speckle, 216, 224–7

- Interferometry
 - early measurements, 135, 156
 - holographic, 170–6, 185–96, 207
 - laser, 115, 122, 136–7, 139–57
 - speckle, 206–37
- Interpolation procedures, 97–8
- Inverse square law, 270
- Iodine vapour, spectral absorption, 136, 137
- Isoclinics, 41
- Isothermics, 96

- Johnson noise, 17

- Lamb-dip lasers, 137
- Lambert's law, 275
- Laser(s)
 - alignment
 - applications, 127–31
 - methods, 117–26
 - beam(s)
 - diameters, 116–18, 142, 254, 299
 - propagation, 265, 299
 - ratios, 168
 - characteristics, 115–16, 135–7, 167, 297–300
 - interferometry, 115, 122, 136–7, 139–57
 - power, 135, 136, 176–7, 180, 250–1, 259–60
 - safety, 132–3, 181
 - types, 167, 176–7, 179, 297–8
- Laser Doppler anemometry, (LDA), 240–53
- Laser laboratory, 180–1
- Laser two focus (L2F) anemometers, 255
- Lateral diodes, 21
- Leakage currents, 16–18, 22
- Length measurement, 115, 122, 136, 139–42, 150–3
- Lenses
 - compound, 290–2
 - concave/convex, 288–90
 - divergent, 177, 289–90
 - simple, 287–90
 - testing, 104–5, 185–6
- Levels, optical, 113–14, 128–9, 295
- Light
 - absorption, 275–6
 - choppers, 28, 32–3, 124
 - intensity, 270
 - probes, 52
 - propagation, 137, 202, 268–9
 - sources, 33, 42, 77
 - spot
 - shapes, 20
 - sizes, 141–2
- Light-emitting diodes (LEDs), 33, 77, 84
- Ligtenburg apparatus, 94–5
- Linear transducers, 79–81
- Linearity, photodiodes, 15
- Load cells, photoelastic, 45–51
- Load-lines, 10–11, 22
- Location
 - fringe centres, 75–7, 99, 157
 - laser beam images, 123–6
- Lock-in amplifiers, 33–6
- Long-term measurements, 50, 55, 208, 235
- Low light-levels, 21, 28, 143

- Machine control, 63, 66, 75, 86–9
- Magnification
 - effects, 63
 - extensometers, 90
 - optical, 56–7, 182, 184, 208, 213, 219, 293
- Mapping, 93–4, 103, 195
- Maps, displacement, 103, 222
- Maxwell equations, 268, 273
- Menec alignments, 110
- Mercury manometers, 155
- Merton process, 74
- Metal gratings, 75, 80, 86, 106–7
- Metre, standard, 135, 137
- Metrological applications, 74–5, 150, 156, 157, 206, 209, 233–4, 293–4
- Michelson interferometers, 138–9, 142–3, 144, 147, 155
- Micrometers, 74, 88–9, 112–13
- Microscopy, 184–5, 292–4

- Mirrors, concave, 292–3
 Mismatching, grating, 98–9
 Models, structural, 40, 100–1
 Modulation, 81, 83, 217–19, 229
 Moiré effect, 61–7, 282
 applications, 87–107
 methods, 74–86
 Moiré fringes
 holographic, 195, 196
 intensity modulation, 67–74
 Moisture absorption, 57–8
 Mountings, laser, 130–1
 Multichannel analysers, 256–7
 Multiple frequency holographic
 contouring, 194–5, 198
- Nazca lines, 110
 NIP photodiodes, 12–13
 Noise, 2, 16–18, 22, 36
 equivalent power (*NEP*), 17–18
 reduction, 103
 Non-destructive testing (NDT), 193,
 207, 224, 236
 Nozzles, size of droplets, 184
 NPN phototransistors, 29
 Nuclear reactor components, 182–3,
 197, 262
- Oblique incidence techniques, 44–5
 Odontic applications, 198
 Ophthalmological applications, 198, 263
 Optical levers, 94
 Optical micrometers, 112–13
 Orthogonal fringes, 96–7, 244
- Parallax errors, 106–7
 Parallelism, 144
 Particle sizes, 182, 184, 258
 Path lengths, 171, 228, 270
 differences, 138, 173, 215, 225, 278,
 280
 Pattern recognition systems, 21
 Perspective effects, 95
- Phase(s)
 differences, 138, 145, 164–5, 167,
 171, 202–3, 225, 277, 277–8
 gratings, 73, 282
 Phase-sensitive detectors (PSDs), 33–5
 Photoconductive cells, 5, 14
 Photodiodes, 7–9
 characteristics, 8, 13–16, 18
 construction, 11–13, 20, 21
 output currents, 28
 split, 19–21
 Photoelasticity, 39–41, 275
 Photoelectric effects, 3–4
 Photographic processes, 162, 180, 206,
 219
 Photojunction sensors, 7–11
 Photomultipliers, 3–4, 245, 255
 Photon correlators, 245, 246, 250–3,
 255, 261–2
 Photoresistors, 4–7
 Photosensors, 1, 3–4
 electronics, 22
 hybrid, 29–30
 Phototransistors, 29–30, 77
 Phototubes, 3
 Photovoltaic characteristics, 9–11,
 13–14, 23
 Piezoelectric substrates, 217, 230, 248,
 300
 PIN photodiodes, 12, 15, 125, 152
 Pinhole(s)
 diffraction, 283
 filters, 169–70, 175, 177–8, 215, 245,
 254, 262
 Pipes, sighting, 132
 Pitch
 differences, 69
 grating, 79, 83, 90, 100
 subdivision, 73, 75, 84–5, 89
 variation, 72–3
 Planar diffused photodiodes, 12, 15
 Plasma studies, 185
 Plastic stress gauges, 55–8
 Plumbs, 114, 118–19, 127
 Pockels cells, 245
 Pointing, constancy of, 118, 119,
 120
 Poisson's ratio, 93

- Polariscopes
 - crossed, 41
 - hand-held, 48–9, 50
 - reflection, 42–3, 52, 56–8
- Polarised light, 176, 272–5
- Polarising filters, 40, 52, 54
- Polarising interferometers, 142–7
- Polymers, stress measurements, 55, 212–13
- Portable holographic equipment, 190–1, 231
- Posicon cells, 20–1, 30
- Position indicators, 66–7
- Position-sensitive cells (PSCs), 19–22, 30–2, 123–6
- Pressure dependence, refractive index, 131–2, 149
- Prestressing techniques, 49
- Principal stress
 - differences, 42, 44, 52–5
 - ratios, 54–6
- Prisms, 119–20, 140–8, 152–6, 286–7
- Probe volumes, 240, 242
 - rotation, 255–6
 - sizes, 254
- Projection methods, 92–3
- Prosthetic appliances, 198
- Pulse counting, 2, 22
- Pulse width modulation techniques, 229–30
- Pulsed lasers, 167–9, 179–80, 181, 184, 190–1, 298
- Pushrod linear transducers, 79–81, 86

- Quadrant detectors, 124–5
- Quality control, 262
- Quantum efficiencies, 14, 260
- Quantum optics, 241, 267, 278–9
- Quarter-wave plates, 41, 42, 143

- Radial gratings, 81, 85–6, 103
- Ranges, photodiodes, 126
- Rayleigh diffraction limit, 284
- Rayleigh scattering, 276
- Reading heads, 76–9, 81–3
- Readout systems, 50–1, 52, 55, 126

- Real-fringe anemometry, 240, 242
- Real-time holographic interferometry, 196
- Recording materials, 162, 180, 206
- Rectification, signal, 35–6
- Reference beam laser Doppler anemometers, 246
- Reflectances, 165, 168
- Reflected light viewing, 42–3, 46–7, 48, 56–7
- Reflection, 269, 271–2
 - gratings, 75, 79, 80
 - holography, 188
- Reflective coatings, 41, 42, 48, 59, 175–6, 284
- Refraction, light, 268–72
- Refractive index, 269–70
 - air, 131–2, 148–50, 154
 - changes, 104–5, 131, 194, 197
 - fluctuations, 243, 257
- Reliability
 - stress gauges, 55
 - transducers, 50, 55
- Remote readings, 51, 55
- Reservoir levels, measurement, 155–6
- Resolution
 - moiré effect transducers, 84–5
 - recording materials, 206
 - shadow moiré techniques, 103
 - speckle pattern, 235
- Resolving powers, reduction, 289
- Resonators, laser cavity, 299
- Response speeds, 13, 16
- Retardation, relative, 40
- Reverse biasing, 9, 13, 14, 15, 23–4
- Reverse currents, 8
- Rock bolt tension indicators (RBTIs), 50–1
- Roman constructions, 110
- Rotating machinery, measurements, 256

- Safety, 132–3, 181, 251
- Sandwich holography techniques, 194–5, 198
- Scaling techniques, 252
- Schlieren photography, 105
- Schottky barriers, 12–13, 20

- Schottky equation, 16, 18
 Schottky photodiodes, 15, 125
 Screens, translucent, 123, 257
 Screw thread gauges, calibration, 153–4
 Secondary fringes, 65–6
 Seeding, light, 246, 258–9
 Self-generated current photodiodes, 22–3
 Semiconductors, doping, 4, 7
 Sensitivity
 - deflection measurement, 92, 93
 - extensometers, 90
 - holographic, 173, 175
 - load cells, 46–7
 - moiré effect techniques, 97–100, 103
 - photodiodes, 136
 - photoelastic coatings, 41, 42, 44
 - photoelastic stress gauges, 54–5, 57
 - speckle
 - pattern, 207, 208, 212, 231–2, 235–6
 - photography, 224–5
 - strain gauges, 59
- Shadow moiré techniques, 90, 92, 103
 Shiny surfaces, laser reflection, 176, 181, 233
 Ships, testing, 127, 262
 Shot noise, 16–17, 22, 249
 Side-linked linear transducers, 80
 Signal processing, 34–6, 84, 247–53
 Silicon, 4, 15
 - photodiodes, 15, 136
 - processing, 4, 156–7
- Slewing rates, 27–8
 Slit and bar gratings, 66, 71–4, 282
 Slope, measurement, 94–6, 104
 Slow counting, 2
 Snell's law, 269, 273
 Solid-state sensors, 4
 Spatial filters, 169–70, 175, 178
 Speckle
 - effect, 205–8, 258
 - interferometer, 216
 - pattern
 - deformation measurements, 188, 210–14
 - metrology, 208–10
 - vibration studies, 214–18
 - photography, 218–24
- Speckle—*contd.*
 - sizes, 208, 213, 214
- Spectral sensitivities, 4, 14–15
 Spectroscopic systems, 73–4
 Spectrum analysers, 249–50
 Spirit levels, 113
 Spot noise, 17
 Spurious pulses, 2, 245
 Stability
 - lasers, 136, 137
 - load cells, 50
- Standards laboratories, 150–4
 Standing waves, 164
 Statistical comparisons, 234
 Steel, gratings, 75, 80, 86
 Straightness, 109–10
 - measurements, 122
- Strain
 - analysis, 63
 - fields, 212–13, 237
 - gauges, 58–9, 212, 213
 - gradients, 99
 - measurements, 89, 96–101, 187–8, 219, 236–7
 - meters, 154
- Stray light problems, 254–5
 Stress
 - analysis, 89–103
 - birefringence, 39–41, 274
 - corrosion cracking, 196
 - distributions, 44, 45, 89
- Stroboscopic techniques, 190
 Structural testing, 40, 100–1, 187, 236
 Summing amplifiers, 31–2
 Surface
 - finish, 234–5, 255
 - roughness, 208, 234–5, 255
 - scattering, 218, 222, 234, 276, 284
- Tapes
 - geodetic, 151–3
 - invar, 127
- Tardy compensation techniques, 43
 Targets, 123, 255
 Taylor Hobson microalignment telescopes, 113, 115, 129

- Technicolor process, 75
- Telecentric stops, 293–4
- Telescopes, 111–15, 129–30, 292, 294–6
- Television camera techniques, 51, 103, 157, 184, 217, 225–6, 228
- Temperature dependence, refractive index, 131–2, 149
- Textile applications, 67
- Theocaris apparatus, 95, 104
- Theodolites, 114–15, 127–8, 295
- Thermal effects, 44–5, 49, 131, 131–2
- Thermal expansion
 - coefficients, 127, 150
 - measurement, 144–5
- Thermodynamic studies, 197
- Thickness measurement, 103–4
- Three-axis coordinate measuring machines, 87–8
- Three-dimensional photographs, 181–2
- Three-grating systems, 74
- Three-point alignment systems, 120–2, 128–31, 133–4
- Tilt, measurements, 222–3, 295–7
- Time constants, 6–7
- Time-averaged holography, 174–5, 189, 215, 217, 226–31
- Time-lapsed photography, 94
- Time-of-flight anemometry, 253–8
- Topography, 194
- Total internal reflection, 260, 269
- Transit anemometry, 255–6
- Transmitted light viewing, 47, 52–4
- Transparent objects, measurements, 104
- Transverse electromagnetic uniphase (TEM₀₀) modes, 240, 266, 298
- Triangulation techniques, 127–8
- Turbulence, 243, 245, 248, 252, 255–7, 261
- Two-dimensional strain analysis, 100
- Two-spot laser anemometers, 255
- Velocity
 - biasing, 245, 248
 - components, 243–4
 - measurements, 239–66
- Vernier devices, 105–7
- Vernier fringes, 61, 63, 101, 105–6
- Vibrating wire gauges, 50–1, 55, 59
- Vibration studies, 93–4, 174–5, 188–91, 214–18, 226–31
- Vibration-free supports, 131, 176–7
- Virtual earth points, 6, 9, 11, 30
- Voltage controlled oscillators (VCOs), 250
- Volume, estimation, 182–4
- Waists, laser beam, 243–4, 254, 254–5, 265–6
- Wave motion
 - complex algebra, 300–1
 - light, 268–72
- Wavefronts, 270–2
- Weave density measurements, 67
- Wedge platen system, 47, 49, 51
- Wheatstone Bridge circuits, 6
- Wollaston prisms, 122, 147–8, 148
- Work functions, 3, 4
- Working field areas, 81, 125
- Working loads, load cells, 49
- Young's double-slit arrangement, 219, 221, 277–8
- Zeeman split lasers, 137, 145–6
- Zero-crossing, 24, 248
- Zone plates, 66, 120–2, 285–6