

SUBJECT INDEX

- Ab initio approaches 59, 60
Absorption coefficient 155, 164, 194, 196, 222, 230, 233–236, 250, 263, 268, 276, 280, 281, 296, 300, 384
Aluminum 189
Angular momentum 31, 36, 65, 75, 82, 98, 233, 250, 274–276
Anion
 in close-packed structures 9, 50, 52, 53, 55
 radius 169
Anisotropy 137, 235, 263, 271, 272, 274, 276, 282, 300, 358, 382, 384, 399, 400, 419, 436, 451, 459
Antimony 50, 232
Arsenic 50
Atomic configuration 62, 71, 229, 259, 296, 305
 orbital 59–62, 64, 67–69, 174, 177
 potential 60, 62–64, 81
 radius 201
Augmented-plane-wave method (APW) 39, 69–79, 96, 102, 107, 108, 111, 141, 142, 165–167, 172, 173, 175, 182–188, 196, 223
- Band
 bonding/antibonding 241–243
 calculation, first principles 59, 67, 68, 196, 308
 charge density 215, 216
 edge 232, 250, 263, 268, 278, 280, 291
 overlap 299, 300
 parameters 278, 300, 301
 transition 281, 284
 wave function 207
 width 299, 310
Band structure 15, 59, 60, 66, 67, 69, 299
 π 299, 301, 303
Basal plane 322, 329, 334, 343, 358, 364, 373, 374, 382, 384, 422, 427, 429, 431, 433, 435, 436, 440, 441, 449
Basis function 5, 38, 39, 41, 42, 46, 59, 60, 71, 75, 95, 96–97, 98, 103, 107, 263
 nonorthogonal 59
 orthonormal 67
 symmetrized 39, 42, 46, 50, 216
 unsymmetrized 40, 43
Basis vector, primitive 43
- Benzene 325, 433, 458
Bhagavantum and Venkatarayudu 327, 422, 424
Bielectron 251–252
Bihole 251
Binding energy 167, 176, 236, 237, 274, 281
Bismuth 50
Bloch
 condition 112, 114
 function 8, 9, 22, 29, 38, 39, 60, 81, 130, 139, 261
 state 18, 68, 130
 theorem 7, 350
 wave function 103, 106
Bond
 anion/cation 254, 255, 293
 fractional ionic character of 201
 integrals 63
 length 65, 171, 201, 240, 244, 255, 259–261, 263, 266, 268, 289, 294, 399, 400, 457, 459
 π or σ 66, 297, 299, 301–303, 308, 309
 strength 187, 359, 400, 436, 453, 459
Bonding 148, 171, 181, 189, 241–244, 255, 256, 280, 291–296, 297
 charge 189
 chemical 181, 183, 189, 215, 218, 220, 230, 240–242, 252, 254, 261, 268, 289, 291–294, 322, 358, 368, 376, 377, 382–384, 389, 390, 397–400, 414, 415, 433, 435, 436, 441, 447, 452, 453, 458, 459
 covalent 261, 293, 399, 400, 435, 441, 446, 451, 453, 459
 ionic 149, 399, 400, 458
 structure 220–223
Born-Oppenheimer approximation 1, 357
Boron 53
Boundary conditions 70, 115
 periodic 7, 9, 95
Bragg diffraction 416
Bravais lattice 6, 19, 211
Brillouin zone 7–9, 11–13, 18, 21, 24, 28, 38, 39, 56, 60, 66, 67, 75, 79, 88, 91, 95, 98, 103, 106, 173, 174, 207, 211, 212, 216, 217, 223, 232, 238, 247, 249, 263–266, 284, 297, 299–301, 351, 356, 360, 380, 417
 critical points 66, 161, 207, 233, 238,

- 239, 351, 373, 393, 430, 436, 440,
 441, 450
 extended 329, 360, 427
 reduced 329, 360, 368, 430, 451
 Bromley-Murray scheme 62–68
 Brout sum rule 380
- c/a* ratio 40, 43, 45
 Carbon 53, 296, 297, 307
 Cation 50, 52
 diatomic molecule 256, 261, 291, 293
 Central-cell corrections 236, 237
 Character table 330, 333, 336, 345, 346,
 351, 358, 361
 Charge density 63, 71–74, 107, 133–135,
 157, 171, 189–191, 201, 212, 215,
 216, 220, 230, 237, 240, 252–256,
 286, 287
 Charge density wave 171–174, 448, 450
 Charge distribution 171, 211, 254, 255, 293,
 294
 Charge transfer 356, 357, 399, 458, 459
 Charge transfer function 157
 Cholesky decomposition method 62, 131,
 140
 Classical oscillator model 351–355, 369, 373,
 377, 379, 380, 384–388, 395, 397
 Class of elements 3, 11, 25–28, 30, 31, 37
 Cohesive energy 242
 Compounds, III-V 296
 Compton scattering 177
 Conductivity, anomalous 200
 Connection rules 275
 Coordinate system 48, 56, 60, 64, 69, 70,
 217, 271
 Coordination 322, 323, 433, 458, 459
 mixid 52
 of anion 55, 399
 of cation 54, 399
 octahedral 9, 19, 52, 54, 55, 201, 202, 204
 trigonal prismatic 19, 52, 54, 201, 202,
 256–296
 Core charge density 135
 Core electrons 294
 Core excitons 284
 Core states 64, 70, 80–83, 130, 131, 139,
 140, 284
 Correlation
 between representations 327, 329–333,
 337–348
 convergence 340, 341
 diagram 321, 330, 338, 342, 346, 373
 method 321, 327–330, 333, 334, 337
 splitting 333, 340, 359, 375, 376, 392,
 396, 420, 454
 table 321, 329, 330
 Correlation effects 156, 171
 Correlation energy 202
 Coulomb coefficient 415, 416, 446
 Coulomb force 71, 237, 251, 270, 274, 368,
 376, 377, 390, 397, 415, 423, 447
 Covalency-overlap effect 171
 Covalency-overlap interaction 196, 200
 Covalent configuration 200
 Covalent radius 259, 268, 294
 Crystal field 63, 66, 182, 202, 233, 234, 250,
 263
 Crystal growth
 Bridgman 259, 368, 373, 374, 375
 vapor transport 259, 373
 Cyclotron resonance 300
- Debye-Scherrer technique 369, 373, 374,
 375
 Debye temperature 446, 456
 Degeneracy 2, 4, 5, 9, 13, 15, 16, 18, 28, 31,
 36–38, 42, 67, 263, 299, 303, 308
 accidental 4, 271
 normal 4, 8, 9
 Degenerate function 4, 8, 9, 41
 de Haas-van Alphen effect 301
 Density of states 85, 179, 185, 186, 191, 194,
 251, 216, 220, 243, 244, 248, 252–
 256, 263, 266, 268, 280, 289, 294,
 433, 438, 445, 454
 Diamagnetism 270, 274, 276
 Dielectric constant 274, 277, 351–353, 355,
 369, 379, 382, 384, 395–396
 Dielectric function 207, 208, 223, 227, 230,
 233, 266, 270, 271, 309, 351–355,
 368, 380, 396, 423, 448
 Penn-type 206, 232
 Dielectric screening 206, 236
 Divergence theorem 96
 Donor-acceptor pair model 251
 Drude rule 353
 Dynamical matrix 411, 412, 414, 416, 420,
 423, 448, 452
- Effective charge 157, 322, 376, 388
 definition 349, 350, 355
 dynamic 355, 356, 399
 local 355, 356
 macroscopic longitudinal (Callen) 355
 macroscopic transverse (Born) 354, 355,
 397, 399
 nonlocal 355, 356
 static 355, 356, 399
 Szigeti 355
 Effective mass
 anisotropic 270
 electron-hole 263, 266

- Effective mass approximation (EMA) 235, 236, 270
 Eigenfrequency 367, 368
 Eigenfunction 1, 2, 4, 5, 7–9, 36, 39, 66, 67
 Eigenstates 2, 15
 Eigenvalues 1, 2, 4, 36, 38, 39, 42, 59, 60–62, 74, 75–77, 79, 83, 110, 111, 114, 131, 207
 Eigenvector 207, 411, 412, 420, 440, 441
 Elastic constant 411, 412, 435, 437, 445, 450–454, 460, 461
 Electric field 4, 16
 external 36
 local 355, 368, 388–390
 macroscopic 355, 357
 phonon 358
 polarization 389, 397
 Electric moment 274, 349, 351
 dipole 16, 220, 239, 349, 355, 361, 415, 416
 higher-order 351
 induced 349
 operator 271
 Taylor expansion of 349
 Electronegativity difference 171, 181, 201, 240
 Electron-electron interaction 71, 423
 Electron escape length 215
 Electron-phonon interaction 1, 439, 447, 448
 Electroreflectance 227, 274, 281
 Emission spectra 250
 Energy
 distribution curve (EDC) 215
 functional, total 85, 86
 gradient 207
 interband 207
 level 8, 29, 36
 total 38
 Energy-loss function 284
 Equivalent atoms 329, 331, 338
 Electron Spectroscopy for Chemical Analysis (ESCA) 310
 Ewald's method 101, 102, 109, 136
 Exchange 1, 82, 83
 energy 274
 interaction 74, 235, 273
 potential 63, 71, 73, 74, 107, 132, 230
 Exciton 193, 196, 209, 230, 233–239, 244, 250, 251, 271, 273, 274, 275, 279, 280, 282
 anisotropic 274
 binding energy 193, 236, 274
 critical point 281
 direct band gap 279
 envelope function 237, 251, 270, 274
 exchange interaction 235
 Frenkel-type 236
 g-factor 274
 ground state 279, 379
 ionization energy 236
 Landau level 274, 275
 longitudinal/transverse 235
 mass 270, 278
 radius 237
 series 234, 236, 250, 274
 spectrum 268, 276
 states 271–275
 transition 193, 232, 281
 volume 237
 Wannier-type 236, 251
 wave function 272
 wave vector 278
 Fano-type theory 279
 Faraday geometry 278
 Fermi energy 61, 68, 173, 185, 186, 191, 223, 226, 228, 297, 300, 303
 Fermi momentum 64, 90, 91
 Fermi surface 172, 174, 179, 187, 188, 191, 297, 300, 423, 448
 Force constant 358, 363–368, 382, 384, 398, 399, 400, 409–414, 421, 433–438, 441, 445, 448, 452
 Force model
 axially symmetric 377, 394, 412, 413, 435–438, 441–446, 448, 452–456
 Born-von Karman 397, 409–412, 422
 central 382, 384, 413, 457–459
 linear-chain 322, 363–368, 376, 379, 382, 384, 389, 390, 397, 400
 shell 415, 416, 446, 447
 valence force 391, 413, 414, 433–436, 441–446
 Form factor 84, 85, 87, 91, 183, 205, 206, 224, 230, 232, 248, 249, 266, 268
 Fourier
 coefficient 74, 80
 components 114
 expansion 299, 301
 series 84, 110, 111, 114, 130, 211, 300
 transform 84, 206
 Fresnel reflection coefficient 354
 Frobenius-Schur test 36, 37
 Gallium 84, 85
 Gallium antimonide 85
 Gallium arsenide 85
 Galvanomagnetism 223, 227, 296, 297, 299, 300
 Gaunt coefficient 101, 102, 105
 Gaussian elimination method 79
 Gaussian expansion 65

- Gilat-Raubenheimer scheme 207, 215, 438, 445, 446, 454
 Graphite potential 307
 Green's function 115, 116, 120, 121, 124
 Green's function method (KKR) 93–103, 109, 114, 141, 142, 152, 167, 173
 Green's theorem 76
 Grey Tin 206
 Group
 Abelian, finite 7
 diperiodic 329, 345
 double 30–38, 43, 297
 factor 8, 9, 17–18, 21–29, 37, 38, 40, 41, 43, 56, 321, 327, 329–348
 line 329
 isomorphic 17, 18, 327
 monoperiodic 329
 notation 303
 of the wave vector 9, 11
 operations 56
 point 6–9, 13, 17, 18, 53, 54, 327, 329, 334, 335, 351, 358, 400
 representations 2–6
 site 327, 329–334, 338–348
 space 6–9, 13, 37, 39, 43, 53, 55, 56, 327, 330, 335, 338–348, 360, 370, 396, 424, 439, 448–451
 subgroup 6–8, 9, 15, 17, 18, 21, 56, 237, 297, 327, 342, 346
 symmorphic/nonsymmorphic 7–29, 56, 327
 tri-periodic 329
 Hall effect 179, 200
 Hamiltonian 1–7, 36, 39, 42, 60–65, 67, 91, 103, 107–109, 131, 137, 139, 140, 207, 217, 230, 273, 299
 Hartree-Fock 1, 64, 71, 72, 80, 81, 165
 Herman-Skillman atomic potential 62, 63
 Herring test 37, 38
 Hybridization 69, 148, 167, 174, 183, 187–191, 196, 200, 201, 220, 241, 244, 255, 256, 261
 effects 201
 gap 201
 Hydrogenic function 271

 Index of refraction 273, 276, 278, 384
 Indium 232
 Infrared absorption 321, 349
 first-order 351, 361–363, 368–375, 377–380, 384–390, 392, 394–397, 454
 higher-order 351, 370, 373, 379, 380, 396
 selection rules 333, 349–351, 377
 Inelastic neutron scattering 376, 382, 416, 423
 cross section 416–419, 426, 428
 energy resolution 419, 424, 430
 experimental 416, 418, 423, 424
 intensity 418, 419, 428, 429, 431, 432
 scattering plane 424, 427, 429, 432
 structure factor 419, 427
 Intercalation 145, 179, 186, 187
 Interference fringes 384
 Interlayer interaction 329, 359–368, 383, 384, 386, 393, 396, 399, 400, 419–422, 433–436, 441–446, 448, 452–454, 458, 460
 Interpolation scheme, APW-LCAO 185
 Inversion operation 2, 4, 6, 11, 22, 31, 36, 38, 39, 48, 53, 56, 88, 303, 305, 308, 333, 335, 336, 342–345, 347, 361
 Ionicity 171, 201, 261, 289, 294
 Ionic radius 201, 244, 294

 Joint density of states 66, 196, 215, 266, 268, 309

 Keyes expressions 380
 Kohn anomaly 448, 450
 k -point 9, 11–15, 21, 22, 24, 25, 28, 29, 38, 40, 66, 67, 75
 high symmetry 66, 67, 69, 79, 92
 special 189, 191, 210, 212, 217, 240, 284
 Kramers-Kronig relations 208, 234, 284, 351, 354, 377, 379, 380, 395–397
 Kramers' theorem 36, 38
 k -space 7, 8, 211
 k -vector 18, 39, 56, 65

 Lagrangian method, four-point 79
 Lattice vibrations
 anharmonic 351, 457
 harmonic 350, 351, 357, 358, 364, 409–412
 microscopic theory of 422, 423, 448
 Layered crystals
 characteristics 321, 322, 358, 359, 362, 363, 368, 399, 400, 419–422, 458
 space groups 338–348, 424, 439, 448–451
 structures 145–152, 171, 177–181, 256, 322–326, 424, 439, 451, 458
 Layer transfer-matrix method (LTM) 110–129, 137, 141, 142, 196
 Lead 240
 Libration 392, 459
 Ligand-field model 146, 174, 179, 200, 201
 Linear combination of muffin-tin orbitals (LCMTO) 102–110, 141, 142, 182–188, 196
 Linear combination of atomic orbitals (LCAO) 59–63, 67, 174, 186, 191, 303
 Lorentz factor 390
 Löwdin method 72, 73
 Löwdin perturbation scheme 90
 Low-energy electron diffraction (LEED) 110

- Luminescence, exciton 279
 Lyddae-Sachs-Teller relation 353
- Madelung energy 135, 136, 150
 Madelung potential 132, 136
 Magnetic field 16, 36, 274, 275
 external 270, 272, 278
 perturbation 271
 Magnetoreflexion 300
 Magneto-Stark term 270, 276, 277
 Magneto-thermal oscillation 179
 Mass scaling 379, 384–389, 392, 396
 Matrix element 5, 15, 16, 40, 42, 60–63,
 65–69, 77, 349, 357
 APW 75, 77
 dipole 212, 351
 theorem 5, 42, 308
 Mixed crystals 205, 206, 222, 279, 284, 289,
 375, 376
 Molecular orbital theory 241
 Monolayer, two-dimensional 137–139
 Muffin-tin
 corrections 156, 165, 183
 orbital (MTO) 103–105, 107
 potential 70, 74, 76, 77, 94, 95, 98, 102–
 105, 107, 111, 115, 119, 120, 196
 radius 104
 sphere 70, 74–77, 96, 97, 99, 102, 104,
 107, 108, 114, 116, 117, 119
- Niobium 89
 Nitrogen 53, 309
 Numerov scheme 77–79
- Operator 5, 36, 42, 46
 Optical dispersion 226, 278, 300
 Orthogonality theorem 3
 Orthogonalized plane wave 80, 81, 139
 characteristic wavelength 133
 combined with tight-binding calculations
 137–140
 symmetrized 133
 wave function 104
 Orthogonalized-plane-wave method (OPW) 39,
 81, 83, 129–140, 142, 152, 167
 Oscillator strength 233, 239, 271, 275
- Pauli matrices 1, 30, 36, 87
 Perturbation theory 421
 Phillip and Kleinman pseudopotential 81
 Phonon dispersion 329, 351–353, 360, 361,
 376, 377, 397, 411, 419, 420, 422–427,
 429, 433, 436–453, 457–459
 Photoemission 85, 92, 176, 177, 179, 191,
 244, 263, 268, 289
 Photoelectron spectroscopy
 ultraviolet (UPS) 212, 215, 224, 227,
 289, 303
 X-ray (XPS) 207, 212, 215, 243–244,
 248, 252, 256, 266–268, 284, 289,
 296
 Plane waves 39–43, 70, 75
 basis 138
 modified 39
 simple 46, 47, 139
 symmetrized 40, 43, 46–48
 symmetry of 39–41
 unsymmetrized 45
 Plasma oscillation 284
 Poisson's equation 71, 132
 Polariton 233, 278, 352, 353
 Polarizability 357, 358, 361, 362, 391, 396,
 446, 447
 Polarization 356, 357, 369, 370, 375, 376,
 378, 380, 382
 Polymer 329
 Polytype (polymorph) 52, 53, 55, 203, 230,
 237, 239, 322–325, 329, 359, 360,
 363, 368–370, 373–375, 378, 379,
 390, 393, 394, 451, 457
 Positron annihilation 177
 Potassium 89, 90
 Potential
 Coulomb 71, 72, 73, 74, 107, 274
 crystal 60, 71, 74, 83, 131, 230
 energy 61, 64, 237
 Fourier-transform 80, 206
 Heine-Animalu 223, 232, 248, 266
 Lin-Kleinman 223, 227, 266
 Pen 266
 repulsive 81, 83, 89
 scaling 86
 screened atomic model 205
 self-consistent 71, 132, 133–137
 spherical 70, 74
 total 73
 valence-electron 136
 Projection operator 41–43, 46, 47, 50, 82,
 89, 189
 Pseudolattice 321, 329–333, 338–347, 360,
 367, 395, 396
 Pseudopotential
 atomic 84, 85, 248
 effective 83
 form factors 183, 205, 224, 230, 266, 268
 in microscopic phonon theory 423
 local 80, 83, 85, 89, 91
 method, empirical (EPM) 39, 79–93, 132,
 133, 142, 166, 182–186, 188, 204, 207,
 215, 223–227, 230, 243, 248, 249,
 261, 266, 268, 291, 301
 nonlocal 80, 83, 89–92, 227

- wave function 81, 82, 83, 87, 88, 189, 207, 230
- Pyridine 179
- Raman scattering 321, 349, 357, 359
 Born and Bradburn theory 357, 358
 experimental 356, 357
 first-order 357, 358, 361–363, 370, 373–376, 378, 379, 382, 384–387, 390–396, 435
 higher-order 358, 376
 Loudon theory 358, 376
 resonant 358, 379
 selection rules 357, 358
- Raman tensor 358
- Reciprocal lattice 11, 43, 44, 48–50, 70, 74, 95, 417, 424, 426, 448
- Reduced mass 365, 366, 368, 386, 389, 397, 398
- Reflectivity (reflectance, reflection coefficient)
 high-resolution 282
 infrared 351, 352, 354, 368, 373, 377, 378, 379–382, 384, 394, 395, 396, 397
 optical 85, 110–114, 117, 158, 162, 167, 207–209, 222, 226, 227, 230, 233, 238, 249, 250, 259, 263, 268, 272, 281, 283, 284, 305, 309, 310
 wavelength-modulated 227, 281
- Relativistic corrections 223, 230
- Relativistic effects 230
- Representation 1–5, 9, 37, 40, 41, 43, 45, 47–50
 character of 3–5, 9, 15, 18, 21–28, 30, 31, 37, 40, 45, 335–337
 degeneracy 14, 15
 dimensionality 2, 4, 41, 42, 46, 48
 direct product 5, 31
 irreducible 3–6, 7–9, 17, 18, 30, 31, 39–42, 45–48, 66, 67, 327, 339–343, 358, 359, 367, 373, 392, 440, 448, 451, 454
 multiplicity 331, 339
 nomenclature 400
 real 49
 reducible 3–6, 327, 334–337
 small 9, 11, 12, 14, 15, 17, 18, 21, 22, 24, 31, 39–43, 57, 66, 67, 247
 symmetry 308
 unitary 3, 5, 30
- Rigid-band model 438
- Resistivity 171
- Riemann's method 124, 125, 126
- Rock salt structure 85
- Schoenflies notation 53
- Schrödinger equation 1, 2, 8, 13, 38, 59, 60, 70, 75, 80, 82, 84, 94, 104, 110, 111, 138, 251, 275
- Secular determinant 364, 365
- Secular equation 367, 411
- Segall approach 98
- Seitz notation 327
- Selection rules 2, 4, 5, 16, 29, 31, 39, 53, 66, 232, 233, 235, 239, 268, 271, 272
- Selenium 84, 243
- Semiconducting behavior 181, 200
- Semimetal 50, 196
- Shubnikov-de Haas effect 300
- Slovzenski-Weiss-McClure model (SWM) 299, 301, 303, 309
- Slater-Koster interpolation scheme 60, 62, 67–69
- Slater function 64, 65, 263
- Space coordinate 30, 43
- Specific heat 432, 433, 438, 445, 446, 456
- Spin 1, 14, 38, 43, 271
 components 36
 degeneracy 88, 297–299
 electron 30, 31–36
 electron-hole 274
 function 43, 88, 235, 268
 space 30, 43, 87
 symmetry 268
 system 38
- Spin-orbit coupling 29, 223, 230, 233, 235, 249, 270, 271, 272, 274, 297, 300
- Spin-orbit Hamiltonian 88, 300
- Spin-orbit interaction 14, 16, 71, 83, 87, 88, 194, 223, 224, 227, 230–233, 235, 237, 248–250, 266
- Spin-orbit splitting 88, 227, 234, 284
- Spinor 30, 36, 43, 268
- Stacking faults 358–360, 374, 375, 377, 379, 391, 393, 433
- Superconductivity 145, 179, 439, 447
- Superlattice 172, 450
- Surface modes 388
- Susceptibility 171, 174
- Symmetry
 crystal 68, 326, 337, 410
 layer 327, 329
 operation 2, 4, 11–13, 18, 21, 22, 40, 41, 56, 57, 66, 211, 307
 point 9, 11–13, 16, 21, 38, 39
 properties 1, 3, 16, 42, 52, 65, 67, 69
 site 327, 329, 445
 time-reversal 2, 13, 15, 28, 30, 31–36, 88, 200, 232, 238, 263, 297
 transformation 2, 66
- Synchrotron radiation 284, 289
- Tammann rule 384

- Tellurium 232, 243
 Thermal neutron 416
 Thermoreflectance 303
 Theta transformation, two-dimensional 125
 Thomas-Fermi screening length 64
 Tight-binding method (LCAO) 59, 60–62, 65–69, 131, 141, 142, 152, 185, 187, 237, 299
 Tight-binding method, empirical (ETB) 162–169, 194, 196, 205, 207, 230–233, 261–263, 266, 299, 303
 Tin 232
 Transformation properties 349, 357
 linear 330, 334, 351, 361
 bilinear 334, 358
 Transition 209, 227, 232, 249, 250, 268, 283, 284, 303–305, 310, 349
 band-edge 232, 249
 bonding/antibonding 212
 dipole 16, 66, 212, 233, 268, 351
 energy 66, 194, 286–291, 310
 function 212, 286, 287
 interband 66, 303
 ionic 212
 model 215
 saddle-point 303, 309
 Translation 2, 6–9, 17, 18, 20–22, 26, 27, 39, 258, 327, 336
 nonprimitive 40, 45, 48, 56, 327, 335
 Transmission coefficient 110, 112–114, 117

 Umklapp process 175, 448
 Unit cell 11, 19, 52, 53, 56, 60, 61, 65, 74, 75, 77, 81, 84, 85, 90, 95, 106, 117, 130, 178, 206, 223, 224, 237, 246–248, 256, 297, 322–328, 333, 334, 336, 338–348, 359, 362, 363–365, 367, 376, 378, 395, 409, 420, 423, 424, 440, 451, 460
 van der Waals force 171, 220, 322, 358, 359, 382–384, 400, 433, 441, 451, 453, 458, 459
 van Hove singularity 66, 207
 Variational parameters 110
 Variational scheme 107–109
 Velocity of sound 412, 422, 452, 454
 Vibrational degrees of freedom 331, 339
 Vibrational modes
 acoustical 329, 333, 360, 362, 365, 380, 397, 411, 412, 422, 426, 427, 431, 435–437, 440, 450, 458, 459
 conjugate 333, 360, 361, 362, 367, 376, 393, 396, 454
 counterphase (out-of-phase) 360–362, 367, 368, 375, 376, 379, 391, 397, 421, 422, 424
 degenerate 362, 368, 370, 375, 382, 393, 396, 420, 421, 424, 440
 external (interlayer) 359, 392, 420
 in-phase 360–362, 367, 375, 376, 379, 391, 421, 424
 internal (intralayer) 359, 360, 378, 392, 421, 422, 459
 longitudinal 353, 354, 370, 375, 376, 379, 384, 386, 388, 395, 397, 426, 432, 435, 436, 440, 447, 448
 normal 321, 327, 330, 338, 344, 350, 359, 364, 373, 378, 382, 388, 392, 393, 411, 419, 436
 polar 358, 376, 388, 397
 polarization (eigenvectors) of 333, 334, 360, 363–366, 375, 382, 388, 390, 395, 396, 399, 411, 412, 419, 420, 424
 rigid-layer (quasi-acoustical) 359, 360, 362, 363, 367, 368, 370, 373, 378, 379, 382, 384, 386, 391, 394, 396, 400, 421, 422, 441, 452
 transverse 353, 354, 370, 375, 376, 379, 384, 386, 388, 395, 397, 424, 426–429, 432, 435, 440, 447, 448, 450
 Virial theorem 237
 Voigt geometry 276, 278

 Wannier function 273
 Warren notation 335
 Wave function 8, 12, 38, 39, 42, 60, 62, 63–66, 69, 70, 75
 atomic 107
 conduction-band 240
 core 130, 133, 139
 expansion 64, 65
 orthonormal 67, 69
 symmetrization of 66, 67
 vibrational 349, 350, 351, 357, 359
 Wave vector 7–9, 31, 37, 38, 40
 Wave-vector conservation 379
 Wigner-Seitz cell 105, 107, 109
 Wronskian 105, 116

 X-ray emission 310

 Zeeman term 270, 276
 Zinc blende structure 85
 Zinc selenide 206
 Zinc sulfide 206

INDEX OF LAYERED MATERIALS

- As_2S_3 52, 325, 329, 344–346, 395–397, 399
 Figs. 326, 345, 346
 Tables 345, 346, 395, 398
 As_2Se_3 52, 325, 329, 344–346, 399
 Tables 395, 398
 BiI_3 11, 52, 57, 87, 204, 243–257, 291, 294
 Figs. 248–257
 Tables 54, 55, 204, 254
 Bi_2S_3 326, 396
 Bi_2Se_3 326, 396–399
 Tables 397, 398
 Bi_2Te_3 52, 53, 203, 204, 220–229, 326, 348, 396–400
 Figs. 221, 224–229, 327, 348
 Tables 54, 55, 204, 348, 397, 398
 $\text{Bi}_2\text{Te}_{3-x}\text{Se}_x$ 222
 Figs. 222
 BN 50, 53–55, 296, 305–310
 Figs. 50, 297, 308, 309
 Tables 52, 55, 297, 298, 310
 C (graphite) 50, 53, 140, 296–305, 310, 325, 344, 393, 394, 400, 424–438, 456
 Figs. 50, 325, 344, 393, 426–430, 437–439
 Tables 297, 298, 301–307, 344, 394, 398, 425–437
 $\text{Ca}(\text{OD})_2$ 392
 Tables 392
 $\text{Ca}(\text{OH})_2$ 321, 324, 391, 392
 Tables 392, 398
 CdBr_2 324, 389, 390
 Tables 388, 389, 398
 CdCl_2 11, 52, 55, 324, 325, 388–390
 Figs. 388
 Tables 52, 389
 CdI_2 9–11, 15, 19, 21, 53, 55, 66, 145, 147, 150, 204, 220, 229, 237, 324, 342–344, 386, 388, 397
 Figs. 10, 325, 342, 343, 388
 Tables 52, 343, 388, 389, 398
 CoCl_2 324, 389, 390
 Tables 389
 GaS 19, 52, 53, 55, 210, 256–296, 309, 322, 338, 339, 365, 367, 369–373, 375–378
 Figs. 260, 323, 338, 369, 377
 Tables 54, 55, 258, 283, 339, 372, 377, 398
 $\text{GaS}_{1-x}\text{Se}_x$ 279, 284, 286, 287, 289, 375, 376,
 Figs. 286, 287, 374
 GaSe 19, 20, 31, 40, 43, 52, 53–55, 83, 210, 243, 256–296, 303, 309, 322, 323, 338–341, 352, 353, 355, 359, 362–379, 397–399, 451, 456
 Figs. 19, 20, 50, 258, 260, 262–295, 322, 323, 339, 340, 352, 363–365, 374, 379, 451, 456
 Tables 52–55, 258–283, 340, 341, 369–371, 378, 398, 452–454
 GaTe 256
 HfS_2 55, 148, 165–169, 324, 386–390, 399
 Figs. 149, 151, 165, 167
 Tables 54, 55, 146, 149, 151, 168, 172, 388, 389, 398
 HfSSe
 Tables 388, 389
 HfSe_2 55, 165–169, 324, 397
 Figs. 149, 151, 166
 Tables 54, 55, 146, 149, 151, 169, 172, 388, 389, 398
 HfTe_2 HfTe_2 145
 Figs. 151
 Tables 172
 I 458, 459
 Figs. 457–459
 InSe 256, 322, 379, 380
 Tables 380, 398
 $\text{Mg}(\text{OD})_2$ 392
 Tables 392
 $\text{Mg}(\text{OH})_2$ 321, 324, 391, 392
 Tables 392, 398
 MnCl_2 324, 389
 Tables 389
 MoS_2 19, 50, 53–55, 65, 110, 120, 129, 179, 183, 193–197, 199, 201, 256, 323, 324, 329–338, 341, 359, 362, 380–386, 397, 399, 400, 439–447
 Figs. 50, 113, 179, 193, 195, 197, 199, 324, 331, 359, 361, 381, 383, 440–447
 Tables 52–55, 179, 180, 194, 198, 332,

- 334–337, 341, 342, 381–383, 387, 398,
442–445
- MoSe₂ 19, 54, 55, 193, 194, 323, 384–386,
399, 400
Tables 54, 55, 172, 180, 194, 385, 387,
398
- MoTe₂ 179, 194, 196, 323, 386, 400
Tables 172, 180, 194, 386, 387, 398
- NbS₂ 55, 182–187
Figs. 183
Tables 54, 55, 172, 180, 187
- NbSe₂ 91, 171, 179, 181–191, 200, 201, 323,
386, 400
Figs. 186, 188, 190
Tables 54, 55, 172, 180, 187, 324, 387,
398, 448
- NbTe₂
Tables 172
- PbI₂ 50, 52, 53, 55, 57, 87, 203, 229–247,
249, 250, 254, 256, 291, 294, 324,
391, 400, 457
Figs. 231–247, 456
Tables 54, 55, 204, 240, 246, 388, 390,
391, 398
- Sb₂S₃ 326, 346, 347, 394, 396
- Sb₂Se₃ 326, 396
- SnS₂ 55, 171, 189, 203–220, 229, 255, 284,
286, 324
Figs. 205, 208
Tables 54, 55, 204, 210, 388, 389, 398
- SnSe₂ 55, 171, 189, 203–220, 229, 240, 247,
255, 284, 286
Figs. 205, 209, 213–219
Tables 54, 55, 204, 210, 217
- SnS_xSe_{2-x} 205, 206
Figs. 206
- TaS₂ 54, 55, 146, 147, 171–177, 179, 182–
187, 191–193, 256
Figs. 173–176, 184
Tables 54, 55, 146, 172, 180, 187
- TaSe₂ 149, 179, 200
Figs. 177, 178, 192
Tables 54, 55, 172, 177, 178, 180
- TiS₂ 55, 102, 137, 142, 146, 147, 149, 152–
171, 324
Figs. 149, 151, 152, 156, 159, 160
Tables 54, 55, 146, 154, 179, 389
- TiSe₂ 55, 68, 146, 152–171, 324, 449, 450
Figs. 149, 151, 153, 157, 450
Tables 54, 55, 146, 158, 172, 389, 450
- TiTe₂ 147–149, 152–171
Figs. 149, 151, 155, 161
Tables 146, 161, 172
- VS₂
Tables 172
- VSe₂
Tables 172
- VTe₂
Tables 172
- WS₂ 194, 323, 399
Tables 55, 172, 180, 386, 387, 398
- WSe₂ 194, 323, 399
Tables 55, 172, 180, 194, 386, 387, 398
- WTe₂
Tables 172
- ZrS₂ 55, 149, 162, 324, 399
Figs. 149, 151, 162, 163
Tables 54, 55, 146, 151, 164, 172, 388, 389,
398
- ZrSe₂ 55, 149, 162, 163, 324
Figs. 149, 151, 163
Tables 54, 55, 146, 151, 164, 172, 388
- ZrTe₂ 147
Figs. 151
Tables 146, 172