

Index

A

- active contour, 152, 159
- atria, 94
 - anatomy, 94
 - echocardiography of, 94
 - FGRE MR imaging, 98
 - fibrillation, 94
 - FSE MR imaging, 98
 - left atrial motion, 106
 - left atrial shape, 106
 - motion field, 104, 107
 - MRI, 91, 95, 96
 - pathologies, 94, 95
 - right atrial motion, 106
 - surface fitting, 102
 - surface registration, 104
 - iterative closest point (ICP), 104
 - variability in motion field, 112

B

- B-snake, 185
 - coupled grids, 188
 - optimization, 190
 - dynamic programming, 185
- B-solid, 185
- B-spline, 186
 - advantages of, 186
 - coupled grids, 188
 - optimization, 190
 - curves, 188
 - definition, 186
 - discrete sampled, 187
 - properties, 187
 - recursive definition, 186
 - representation for deformation field, 193
 - representation for tag planes, 206–209
 - three-dimensional motion field, 97, 185
 - uniform, 186
- biplane radiography, 8

- black blood image,
 - see cardiac MRI

C

- cardiac MRI, 18, 91, 257,
 - see also HARP MRI,
 - see also phase-contrast MRI,
 - see also SPAMM,
 - see also tagged MRI
- 3D ventricular geometry, 2
- adenosine stress, 9
- black blood image, 163
- diffusion imaging, 2
- diffusion MRI, 2, 3, 22
 - fiber architecture, 2, 3
- dobutamine stress, 9, 19
- ejection fraction, 183
- imaging protocol, 18
- in estimation of stress and strain,
 - 2
- interferometric techniques, 219
- phase-contrast MRI, 219, 220, 258
- true FISP, 18
 - vs. conventional methods, 17–18, 257–258
 - vs. invasive methods, 17, 258
- white blood images, 166
- cardiac simulator, 196
 - error norms for validation with,
 - 200
 - angular error, 200
 - length error, 200
 - Relative RMS (RRMS), 200
 - ground truth deformation field, 196
- k-parameters, 196
- myocardial beads from, 211
- prolate spheroids, 196
- tagged images, 196
- Cholesky factorization, 195
- CINE-HARP (CHARP), 120, 127
 - HARP targeting, 128
 - HARP tracking

- backward, 129
 - elongation, 130
 - forward, 129
 - Lagrangian* strain, 130
 - circumferential, 130
 - deformation gradient tensor, 131
 - in a paced canine LV, 131–133
 - radial, 130–131
 - optical flow, 120, 134
 - strain rate maps, 137
 - in a paced canine LV, 138
 - velocity fields, 134
 - congestive heart failure, 1
 - coordinate system
 - left ventricle, 40
 - prolate spheroidal, 2
 - coronary artery
 - disease, 169
 - left anterior descending, 9
- D**
- deformable contours, 2, 185, 188
 - deformable model, 64, 185, 188
 - B-spline, 188
 - dynamics, 65
 - deformation gradient tensor, 203, 298
 - in infinitesimal deformation, 298
 - diffusion coefficient, 3
 - diffusion tensor, 2
 - dobutamine, 9, 23
- F**
- finite elements, 7, 37–56, 64, 264
 - ABAQUS, 306
 - basis functions, 8, 39
 - DMESH, 263, 264
 - computer simulation, 271
 - covariance of trajectories, 268
 - deformation gradient tensor, 268
 - factors affecting accuracy, 280
 - fitting, 268
 - in-vitro* studies, 275
 - in-vivo* studies, 275
 - local vs. global analysis, 268–269
 - material point trajectory, 265–268
 - material point velocity, 265
 - mesh initialization, 265–266
 - multiple information sources, 270
 - reproducibility, 268
 - run-time, 270
 - smoothing the strains, 270
 - strain accuracy, 272
 - tracking accuracy, 271
 - geometric fits, 43
 - in ventricular mechanics, 8–10
 - shape functions, 85
 - strain calculation, 86
 - full width at half maximum, 154, 165
- G**
- Gaussian* random vector, 154
 - graphical user interface, 176
- H**
- HARmonic Phase MRI,
 - see** HARP MRI
 - HARP MRI,
 - see also** CINE-HARP and Single-shot HARP
 - Eulerian* vs. *Lagrangian* strains, 146
 - harmonic image, 119, 122
 - magnitude image, 119, 122
 - phase image, 119, 122
 - harmonic peaks, 122
 - harmonic phase, 123
 - derivatives of, 127
 - material property, 123
 - slope, 125
 - phase-demodulation, 126
 - phase-wrapping, 123–126
 - small-bandwidth, 123
 - heart, 92,
 - see also** atria,

see also left ventricle,
see also right ventricle
 anatomy, 2
 biventricular model, 61, 79
 chambers, 92
 relations between, 92
 volumes, 95
 coupled RV-LV model, 65
 fiber orientation, 2
 MRI of atria, 91
 MRI of the whole heart, 91
 MRI of ventricles, 91
 pathology, 9
 rotation, 79
 strain, 1
 stress, 1

hypertrophic cardiomyopathy, 3

I

implanted radiopaque markers, 8
 iterated conditional modes, 167

L

Law of *LaPlace*, 7
 least squares, 44
 left ventricle, 59
 geometry, 2, 40, 53
 modes, 53
 prolate spheroidal coordinate system, 40
 remodeling, 27
 ACE inhibitors, 27
 strain, 42,
 see also myocardial strain
 suction, 22
 twist, 21
 untwisting, 22

likelihood function, 178

longitudinal relaxation, 154

M

magnetic field gradients
 bipolar, 221, 222
 motion compensation, 221
 switching, 221

Markov Random Field (MRF), 302
 displacement estimation, 302–304
 for material modeling, 302
 Gibbs distribution, 302
 problem of bias, 306
maximum a posteriori, 152
 maximum-likelihood, 152
 MR elastography, 10
 MRI, 259,
 see also cardiac MRI,
 see also MR elastography,
 see also phase-contrast MRI,
 see also tagged MRI
 magnitude image, 259
 noise, 154
 phase image, 259
 signal phase, 245
 velocity encoding, 259
 myocardial beads, 204
 computation of, 207
 for cardiac simulator data, 211
 in a normal volunteer, 212
 in a patient with old MI, 214
 validations of, 213
 myocardial contractility, 24
 in ischemic heart disease, 24
 myocardial fiber architecture, 3
 myocardial hybernation, 10
 myocardial infarction, 1
 myocardial ischemia, 1
 myocardial material properties, 7
 myocardial mechanics, 1, 2
 determinants of, 2, 10
 related to (patho)physiology, 2
 role of tagged MRI, 2
 myocardial segment shortening, 20,
 24
 circumferential shortening, 20
 in normal humans, 22
 cross-fiber shortening, 21
 fiber shortening, 21
 in infarction, 27
 with dobutamine stress, 24
 myocardial strain,

see also strain

- circumferential strains, 21
 - coefficient of variation, 105
 - in normal humans, 105
- definition, 4
- fiber *vs.* cross-fiber strains, 22, 24
- from triangular elements, 21
- homogenous analysis, 8
- in a paced canine LV, 131–133, 138, 143–145, 147
- in a patient with old MI, 201, 202, 204
- in a pig with acute MI, 204, 205
- in border zone, 10
- in FE model validations, 9
- in ischemia, 21
- in MI patients, 27
- in normal humans, 105
- nonhomogeneous analysis, 8
 - trade offs, 8
- orthogonal coordinates, 4
- principal axis in systole, 5
- principal strains, 4, 21
- radial strains, 21
- sensitivity to noise, 297
- shear strains, 4
- tetrahedral measurements, 8
- torsional shear
 - in diastole, 6
 - in systole, 5
- myocardial stress, 3
 - 3D model of, 7
 - in hypertrophy, 1
 - Law of *LaPlace*, 7
 - nine components of, 3, 4
 - non-homogeneous nature, 7
 - orthogonal coordinates, 4
 - principal stresses, 4
 - shear stress, 4
- myocardial stunning, 10
- myocardial velocities,
 - see also** phase-contrast MRI,

see also velocity fields **under** CINE-HARP

- in healthy volunteers, 234–236
- in infarcted patients, 237
- in infarction, 243
- r, ϕ decomposition, 232
- rotational *vs.* radial, 243
- rotational twist, 237
- systolic range, 243
- transmural gradients, 236
- myocardial viability, 9, 25
 - dobutamine MRI, 9, 24, 27
- myocardium
 - detection, 161
 - material parameters, 9
 - perfusion, 10
 - shortening, 5
 - stunned *vs.* hibernating, 10
 - viability, 9

P

- papillary muscles, 7
- phase-contrast MRI, 219–246, 260,
 - see also** finite elements **under** DMESH
 - see also** myocardial velocities
 - 3D velocity acquisition, 221, 222
 - black blood preparation, 224
 - sandwich pulse, 224
 - breath-hold acquisition, 223, 229
 - cine imaging, 260
 - data acquisition time, 229
 - gradient echo, 223
 - gradient echo *vs.* echo-planar, 228
 - imaging artifacts, 224
 - k -space sampling, 230
 - MR-angiography, 220
 - parametric images, 233
 - phase-contrast, 7
 - reference scan, 221, 222
 - segmented acquisition, 224
 - segmented echo-planar acquisition, 226
 - SMASH and SENSE, 244
 - v_{enc} , 223

velocity aliasing, 221, 222
 velocity encoding, 221, 222, 260
 gradients, 260
 strength, v_{enc} , 261
 velocity sensitive scan, 221, 222
 view sharing, 230
 vs. TI-201 SPECT in infarct, 242
 vs. tagged MRI, 244
 phase-shift, 220, 259, 261, 262
 field-inhomogeneity, 261
 motion-induced, 220, 259
 other sources, 221, 222
 Poisson's ratio, 301

R

regularization, 9, 46, 192
 Tikhonov, 44
 right ventricle, 48, 59, 93
 anatomy, 93
 circumferential strains, 105, 110
 contour segmentation, 62
 contraction pattern, 93
 free wall, 48
 function, 94
 geometry, 2, 49
 hypertrophy, 74, 79
 invasive imaging, 94
 motion parameters, 72
 MRI, 95

RVH,

see also right ventricle **under** hypertrophy

S

Shape-Based Tracking, 293–295
 bending energy, 295
 confidence measures, 295
 surface curvatures for, 293
 first and second fundamental form, 294
 Gaussian curvature, 294
 mean curvature, 294
 principal curvature, 294
 Weingarten Mapping, 294

Single-shot HARP (SHARP), 120, 139
 contraction angle, 145
 in a paced canine, 145
 Eulerian strain, 140–141
 circumferential, 141
 in a paced canine LV, 143, 144, 147
 principal strains, 142
 radial, 141
 tag-line visualization, 139
 unit elongation, 141
 snake, 159
 snake algorithm,
 see active contour
 SPAMM, 18, 60, 184,
 see also tagged MRI
 coupled B-snake grid, 188
 deformable model for, 65
 external forces, 67
 internal forces, 70
 stiffness, 70
 deformation field from, 190
 approximating subspace, 193
 computation time, 203
 constrained thin-plate reconstruction, 192
 constraints for computing, 192
 effect of B-spline order, 202
 effect of weights, 202
 in a patient with old MI, 200
 in a pig with acute MI, 203
 shifted B-spline representation, 193
 validation with cardiac simulator, 196
 tag grid lines, 184
 tag planes, 184
 strain, 4–10, 262
 Cauchy-Green strain tensor, 42
 deformation gradient tensor, 42
 energy function, 300
 isotropic linear elastic, 301
 non-linear, 302
 transversely elastic, 301

Eulerian, 203, 263

Green, 299

in finite deformation, 299

in infinitesimal deformation, 298

Lagrangian, 72, 263, 299

principal axes, 5

principle strain, 73

shear, 6, 43

strain rate, 7, 137, 262

stress, 3–9

sum-of-squared-differences (SSD), 189

T

tag center, 156

tag detection, 151, 188

tag intersection, 191

tag line

detection, 161, 188

tag lines, 152–163

tag pattern

phase modulation due to motion,
125

tag profile, 153

tag tracking, 151, 188

tagged MRI, 8, 17, 37, 65, 151,

see also cardiac MRI,

see also HARP MRI,

see also SPAMM

2D *vs.* 3D, 21, 205

apparent motion, 125

Fourier spectra in, 119

Fourier Transform, 120

model tags, 43, 45, 49

of dilated cardiomyopathy, 30

of hypertrophic cardiomyopathy,
29

of LVH, 28

of pericardial constriction, 30

of right ventricle, 95

of right ventricular hypertrophy,
30

tag surfaces, 67, 206–209

vs. invasive methods, 8

vs. phase-contrast MRI, 258

vs. sonomicrometry, 20

tagging,

see tagged MRI

thin-plate splines, 192

torsion, 4

trabeculae, 7

W

white blood images,

see cardiac MRI

Y

Young's modulus, 301