

Index

- Acceleration 6, 22, 24, 65–6, 94–5, 106–8, 119, 220
- Acoustic measurements 516
- Activated bin discharge 438–42
- Adiabatic compression 39, 41, 43
- Adiabatic power (air) 43
- Advantages 2
- After cooling 37
- Agglomeration 88
- Air activated gravity conveyor 340–6
- Air assisted flow and devices 436
- Air cannon 439
- Air data 48
- Air density 35
- Air lock (rotary) 252–68
- Air slide 340–6
- Air velocity 68
- Altitude (effect) 44, 52
- AMD valve 260–1
- Artificial intelligence 497–9
- Atmospheric pressure 35, 36
- Attrition 459–64
- Attrition (avoidance) 463
- Auburn meter 507–8

- Ball valves 470
- Barth and Gunther 178
- Barth's equation 97
- Barth's equation (cyclones) 396
- Bed formation 17, 23, 199
 - moving 17
 - sliding 22, 24, 195, 199
 - stationary 17, 23, 195
- Bends 24–5, 117–22, 445, 454–6, 459–61
- Bends (gamma) 459
- Bends (novel designs) 459
- Beverloo equation 330
- Bi *et al.* 182
- Bifurcation instability 333–4
- Big blaster 439
- Bin design 423–42
- Blasius equation 47, 48, 55, 103, 223
- Blow vessel 279–314
 - bottom discharge 280
 - configuration 287–99
 - operation 279–82
 - performance 284–7
 - top discharge 280
- Blowers 6, 15, 39, 42, 51, 52, 166–7, 212–13
- Bohnet equation 221
- Boundary layer 22, 44, 59
- Boundary particle 380–1
- Bourgeois and Grenier equation 77
- Branching of pipes 116–17
- Bridge breaker 440–1
- Bridging (hoppers) 424
- Bridging stress 427
- Butterfly valves 468–9

- Cabrejos and Klinzing 192
- Capacitance level probes 533–4
- Cartridge filter 414
- Case studies – standpipe 335–9
- Centrifugal flow 95–6
- Centrifugal separation 381–4
- Choking point 18, 114, 166–82, 198–207
- Circulating fluid bed 195

- Classification 8, 16, 79, 172–5, 183–5, 198–204
 - dense phase 350
 - feeders 245
 - standpipe flow 321–6
 - standpipe system 315–21
- Cleaning by sound 421
- Closed loop, *see* Systems
- Coarse particles 18, 22, 193, 222
- Compressibility effect 109–12, 224–7
- Compression
 - adiabatic 40
 - isothermal 39
 - process 39
 - reversible adiabatic 41
- Compressor 6, 16, 39
- Concentration 63
- Cone dosing system 290–1
- Continuity 57
- Control of pneumatic transport 483–97
- Conveying zone 8
- Cooling system (air) 38
- Coriolis force meter 504–5
- Costs – gas solids separation 377–8
- Costs of pneumatic conveying 580–3
- Could settling velocity 235–6
- Critical length 364
- Cross-correlation technique 502–4
- Cross-section area 114–16
- Cyclonaire feeder 268
- Cyclone 26
- Cyclone separation 375–404

- Dense phase 8, 9, 110, 123–7, 182–3, 204–7, 350
- Dense phase (influence on pipeline) 313–14
- Dense phase (slugging) 127–9
- Density
 - air 35
 - bulk 20
- Depositing chambers
 - counter current 379–80
 - horizontal 378–9
- Design considerations 583–4
- Dew point 37
- Dhodapkar *et al.* 107
- Diameter (particle) 85–9
- Diameter ratio 23, 108
- Dielectric meter 505–9
- Dilute phase 8, 9, 110, 205–7
- Dimensionless pressure minimum curve 204–7
- Dimensionless state diagram 201–3
- Disadvantages 2
- Disk valve 475
- Diverter valve 12, 116, 470–3
- Doig and Roper 178–9
- Dome valve 473–4
- Double gate lock feeder 278–9
- Downward flow (sloping) 121–4
- Drag 17, 58–68, 85, 93, 97, 131–2, 217, 233–5
- Drag reduction 22
- Drop-pressure (gas) 46–51
- Drying of compressed air 37, 38
- Dust explosion 420
- Dynamic air system 303–4

- Efficiency
 - blower 42
 - compressor 43–4
 - dust collector 376–8
 - feeder (rotary) 259
- Electrostatic effect 67–8, 94, 97–8
- Electrostatic meters 511–15
- Equivalent length 118
- Ergun equation 64, 73, 75, 137, 330
- Erosion mechanism 443–4
- Extremely low velocity conveying 312
- Extruded flow 310–12

- Fabric filter 26
- Face velocity 408
- Fan 6, 15
- Fanning factor 47
- FEEDER 497
- Feeding classification 239
- Feeding – zone 6, 20, 249–314
- Feret diameter 88
- Filters (fabric) 404–20
- Filters (low emission) 420
- Fine particles 18, 22, 221, 231
- Fittings (pipe) table 50
- Flap controller 292
- Flexible piping 480

- Flow
 - bend 24
 - centrifugal 95–6
 - choking 18
 - double vortex 24
 - downward sloping 121–4
 - electrostatic 99
 - fluidized 324–5, 328, 329–30
 - horizontal 18, 22, 108
 - laminar 44
 - non choking 185–6
 - packed bed 182
 - pattern 10, 23
 - plug 134–41, 350–4
 - roping phenomena 25
 - single phase 35–6
 - slug 18
 - slugging 127–9, 162
 - solids bins and hopper 423–42
 - splitting 25
 - standpipe 317–20
 - suspended 22
 - turbulent 44–6
 - vertical 18, 108, 127–9, 133–4
- Flow aid and devices (hoppers) 434–42
- Flow detector 524
- Flow factor 431–3
- Flow regimes
 - horizontal 188–95
 - stable 8
 - unstable 8
 - vertical 163–87
- Fluid-Schub system 306–7
- Fluid-solids pump 268–73
- Fluidization discharge devices 436
- Fluidization (fast) 131–2
- Fluidization of powders 78–81
- Fluidized 324
- Fluidstat 301
- Forces
 - acting on single particle 84–5
 - cohesive 22
 - impact and friction 218–19
 - lift 97, 188
 - static electrical 22
 - van der Waals 24
- Fractal dimension 90–2
- Francis equation 67
- Free air 35
- Free-fall velocity, *see* Velocity, terminal (particle)
- Friction factor 16–18, 55, 97, 103–5
- Froude number 105, 168, 170, 178, 201, 204, 210–11, 221, 367–8
- Fuller Kinyon pump 268–9
- Functional relationships 228–32
- Funnel flow 426
- Fuzzy logic 498
- Galileo number 69, 71, 77
- Gas constant 35–43
- Gas flow through pipes 44–55
- Gas laws 37
- Gas/cloth ratio 407
- Gas-solids separation 8, 26, 375–422
- Gattys systems 300
- Geldart classification 78–81, 124–6, 128
- Govier and Aziz equation 297
- Gravity effects 218–19
- Gravity flow 317–46
- High pressure feeding devices 279–314
- High pressure systems 348–60
- High temperature velocity meter 538
- Hopper devices 423–42
- Horizontal flow 18–19, 23
- Impact flow meter 525–8
- Inclined conveying 142–4
- Industrial standpipes 335–9
- Instability (standpipes) 333–5
- Instrumentation 500–42
- Iris valve 470
- Isentropic process 41, 111
- Isothermal compression 39, 111
- Isothermal expansion 224–5
- Jackson linear stability analysis 492–4
- Jenike shear cell and theory 429–34
- Judd and Dixon equation 329
- Kaskas equation 60, 218
- Knowlton and Bachovchin 180
- Konrad 137–43, 351
- Koo equation 47, 55, 104

- Ladenburg's equation 67
- Laminar flow 44, 218
- Laser Doppler velocimeter 519
- Law of continuity, *see* Continuity
- Leakage (rotary valve) 252–7
- Lean phase, *see* Dilute phase
- Ledinegy instability 335
- Leung *et al.* 179, 331
- Level detection 533–8
- Liapunov analysis 494–7
- Lift force (particles) 97–8, 188
- Light measuring devices 519–20
- Light/charge flow meter 515
- Liners (hopper) 440–42
- Load cells 509
- Long distance 109, 114, 360–72
- Low velocity conveying systems 299–314

- Macawber 287
- Major consolidation stress 427
- Mass concentration 229–32
- Mass flow bins 425–6
- Mass flow measurement 528–33
- Mass flow nozzle 298
- Mass load ratio 16
- Materials suitable for transportation 3–5
- Matsen 171–3, 328
- Matsumoto *et al.* 190–1
- Maximum particle size rule of thumb 6
- Mechanical shaking filters 414
- Medium pressure feeders 268–79
- MicroMotion meter 504–5
- Microwave flow detector 521–2, 536–7
- Microwave meter 521–4
- Mini-pot 308
- Minimum fluidization velocity 75–7
- Minimum transport velocity 179
- Mixing zone 6
- Modes 8, 198–9
- Modulode system 294
- Moller pump 274
- Momentum change 6, 20
- Mono pump 269–71
- Morikawa equation 119

- Multiple particle systems 96–8
- Muschelknautz equation (cyclone) 390

- Nakamura and Capes 133–4
- Natural plug formation 310
- Negative pressure system, *see* Systems
- Neural networks 497–9
- Newton's Law (drag) 58
- Non-choking flow (vertical) 185–6
- Non fluidized flow 322–3, 326–8
- Non-return valve 468
- Normalized state diagram 202–3
- Nuclear level detector 536–8
- NUSELECT 497

- Operation of pneumatic conveying system 16
- Overflow standpipe 337–8

- Pacflo 324–5
- PANACEA 497
- Particle
 - agglomeration 88
 - clustering 84
 - coarse 203
 - diameter 85
 - fine 203–4
 - lift force 97
 - multiple systems 96–8
 - rotation 67
 - segregation 186–7
 - separation
 - centrifugal field 381–4
 - deposition chambers 378–81
 - shape 60, 89–92
 - shape factor 60, 71, 76
 - size 85–8
 - size distribution 76, 108–9
 - tagging 510
 - velocity 69–73
- Particle–particle interaction 22, 79, 97, 102
- Particle–wall interaction 17, 22, 97, 102, 449–51
- Perfect gas laws 35
- Phase diagrams 172–4
- Pick-up velocities 193–5

- Pinch valve 470
- Pipe
 - fittings 50–1
 - layout 51
 - roughness 46
 - size 10, 48
 - stepped 25–6
- Pipe couplings 79
- Pipe diameter 6, 23
- Pipe resistance (gas) 51
- Piping 8, 475–80
- Plug phase 126–9, 134–42
- Pneumosplit 309
- Polytropic conditions 113, 227
- Power
 - adiabatic compression 43
 - compressed air (table) 43
 - isothermal compression 42
- Power consumption 2, 216, 220
- Pressure
 - additional factor 220–2
 - atmospheric 35, 36
 - gradient 16
 - minimum 18, 201–7
 - negative pressure system 12–13
 - non-slugging 129–32
 - positive pressure system 10–11
- Pressure drop 222–8
 - gas 51
 - non slugging 129–31
 - slugging 129
- Pressure drop flow meter 538–9
- Pressure fluctuations 540–1
- Pressure loss 22, 116
- Pressure sensing plug system 309
- Primary wear point 26
- Prime mover 6, 212–13
- Principle stress (silo) 427
- Pump
 - fluid solids 268–9
 - vertical lift 273–8
- Punwani *et al.* 181

- Radial particle velocity 95
- Rangachari and Jackson stability 325
- Ratholing 425
- Rayleigh's criterion 46
- Relative roughness 46

- Relaxation time 94
- Reverse flow filter 413
- Reverse jet filters 410–13
- Reynolds number 44, 55, 58–77, 214–15, 217, 223, 238
- Reynolds number (modified) 121
- Richardson and Zaki equation 328
- Rizk 189
- Roots type blower, *see* Blowers
- Roping phenomenon 24–5
- Rose and Duckworth 179
- Rotary valve (airlock) 252–68
- Rotation, *see* Particle
- Roughness (pipe) 46, 67

- Safe operation 19, 57
- Saltation velocity point 9, 17, 114, 188–93, 207–12
- Scale-up methods 213–15
- Schuchart equation 118
- Screw conveyors 516–18
- Sea level, *see* Altitude (effect)
- Segregation 186–7
- Separation zone 8, 26
- Shape, *see* Particle
- Shear cell 429
- Sieve analysis 87
- Silo and hopper design 423–42
- Similarity
 - dynamic 214
 - flow 215
 - geometric 213–14
- Simulations 144, 464–6
- Single phase flow 35–6
- Size distribution 76, 85–8, 108
- Sizing 85–8
- Slide valve 475–6
- Slip (blower) 42
- Slip velocity 96, 104, 128, 171
- Slug flow 18
- Slugging dense phase 127–9
- Smith 170–1
- Solids concentration 63
- Solids friction factor 102
- Sonic nozzle 297–8
- Speed of sound 112–14
- Sphericity 61, 71, 76
- Splitting 24

- Stability analysis 488–97
- Stable flow 8
- Stand pipes 314–39
- Standard reference conditions (SRC) 35
- Standard temperature and pressure (STP) 35
- State diagram
 - dimensionalized 201–2
 - fine particles 203–4
 - normalized 199–201
 - velocity 16, 18, 161–6, 193–5
- Stationary bed, *see* Bed formation
- Stepped piping 25, 355–9
- Stokes' law 59, 93, 96
- Stress distribution in a silo 430–1
- Survey 1
- Systems
 - closed loop 12, 15
 - combined negative pressure 12, 267–8
 - negative pressure 12, 13
 - positive pressure 10, 11
 - vacuum 19, 20
- T-bend 121
- T-branch 117
- Tagging 510
- Takt-Schub 306–7
- Tandem blow vessels 287–8
- Tangential particle velocity 95
- Taylor series linearization 491–2
- Telescopic pipe, *see* Long distance
- Temperature 41
- Thomas equation 190–2
- Trace air system 303
- Tranpac flow 325, 338
- Transfer function analysis 486–8
- Transport lag (controls) 486
- Turboflow 301–2
- Turbulent flow 44–6, 63, 217

- Unconfined yield stress 430
- Underflow standpipe 336–7
- Unstable flow 8

- Vacuum nozzles 248–50
- Vacuum pump 6

- Vacuum system 19–20
- Valve (rotary) 252–68
- Valve flow -
 - J valve 331
 - L valve 331
 - slide valve 329–30
 - V valve 332
- Valves (control) 468–75
- Velocity
 - air 68
 - free fall 69–73
 - minimum fluidization 75–8
 - minimum safe 19
 - pressure and vacuum systems 20
 - radial (particle) 95
 - relative 93
 - saltation 9, 16, 114, 188–93
 - slip 96
 - superficial gas 16
 - tangential (particle) 95
 - terminal (particle) 69–73, 94
 - transport 20, 179
- Venturi feeder 246–8
- Venturi meter 501
- Vertical flow 18, 133–4, 204
- Vertical lift pump 273–8
- Vessel, *see* Blow vessel
- Vibrating level probe 534–6
- Vibratory flow aids 436–7
- Viscosity (gas) 45
- Voidage 63, 73, 96–103, 107, 132, 171, 229, 327–8, 508
- Vortex (double) 24

- Waeschle valve 273
- Wall effect 67
- Wear 2, 26, 116, 121, 443–64
- Wear - primary wear point 26
- Wear
 - (depth of penetration) 451
 - (effect of particle hardness) 448
 - (effect of solids loading) 448
 - (influence of particle size) 446
 - (influence of particle velocity) 447
 - (minimizing) 454
- Weber 112, 135–7, 275–7, 357–60
- Work 40, 41

Y-branch 116

Yang 165–9, 180–1

Yerushalmi and Cankurt 131–2

Yousfi and Gau 168, 180

Zenz and Othmer 178